TCL

WORKSHOP CONSUMABLES

Scott Crawford
T: 07831 885 430 E: scott@tcl-wc.com

Lorna Crawford
T: 07904 239 906 E: lorna@tcl-wc.com

Welcome...

To our latest publication - Now even bigger and better than ever!

Inside you will find our most comprehensive range yet with over 8,000 Part No.'s, featuring 100's of new lines, helping to provide you with the ultimate selection of quality workshop consumables and tools trusted and used by all trade professionals

Assorted Boxes	1 - 26
Electrical Assembly	27 - 68
Light + Power	69 - 112
Threaded Fasteners	113 - 138
Hardware + Trim Clips	139 - 184
Trim Clips by OEM Ref	185 - 200
Tubing + Air Line	201 - 236
Auto, Commercial + Plant	237 - 286
Grease + Chemicals	287 - 318
Sealants + Adhesives	319 - 336
Hygiene + Safety	337 - 388
Welding, Gas + Abrasives	389 - 414
Cutting + Drilling	415 - 432
General Hand Tools	433 - 466
Specialist Tools	467 - 482
Storage + Security	483 - 495
Essentials	496 - 504
Product + Part No. Index	505 - 542

Quality Brands You Can Depend On

Our expanding range of quality consumables and tools consists of market leading industrial brands you can trust, confidently rely and depend on each and every time

JAMEC PEM
OETIKER
JCS
osborn
Speedfit
PCL

3M
Decosol
POP Avdel
ADVANCE
DELTAPLUS
KS TOOLS GERMANY
PRESSOL
alpen drill better.
DORMER
LEDLENSER
PROCELL PROFESSIONAL BATTERIES

ambersil
DURACELL
Littelfuse
REMA TIP TOP
BAHCO
ECLIPSE PROFESSIONAL TOOLS
LOCTITE
RING
BAILCAST
FUCHS
MOLDEX
SAS

BARTON STORAGE SYSTEMS LIMITED
GP Batteries
MORSE THE M. K. MORSE COMPANY
sif
bibielle Abrasive Technologies
Granville
MOTIP
SSI SCHAEFER
BIG WIPES
Grippaz Patented Non-Slip Gloves
NEOLUX GERMAN TECHNOLOGY
TENGTOOLS

BONDHUS
HellermannTyton
NORGREN
TERRY
Checkpoint
HYLOMAR
NORMA
VIP GERMAN TECHNOLOGY
deb SKIN CARE
J-B WELD
nws
VISION

2

5


6

8

9

11

Assortments

2 Set Screws
4 Socket Screws
4 Grub Screws
5 Machine Screws
6 Nuts
8 Washers
10 Sealing Washers
11 O-Rings
12 Self-Tapping Screws
13 Number Plate Fasteners
14 Sheet Metal Screws
14 Speed Nuts
15 Rivets
15 Trim Clips
16 Pins
17 Clips
18 Springs
18 Woodruff Keys
19 Tube Couplings
19 Olives
19 Hose Clips
20 Brakes
20 Exhausts
21 Core Plugs
21 Grease Nipples
22 Terminals
24 Cable Accessories
25 Fuses
26 Empty Boxes + Storage System

12

13

14

15

16

18


21

22

25

26

Contents

Set Screws
High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No.	Box of
AB9N	150 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm. 2 x M8: x 25, 40 mm.
2 x M10: x 25, 40 mm.

Set Screws
High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No.	Box of
AB564	290 Pieces

2 x M4: x 10, 20 mm. 3 x M5: x 10, 16, 30 mm.
5 x M6: x 10, 12, 16, 20, 30 mm. 4 x M8: x 16, 20, 30, 40 mm.
2 x M10: x 25, 30 mm. 3 x M12: x 20, 30, 40 mm.

M5 Fasteners

Zinc plated steel.
DIN 933 Grade 8.8 (Set Screws High Tensile).
DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB163N	550 Pieces

5 x Set Screws: M5 x 16, 20, 25, 40, 50 mm.
1 x Steel Nuts: M5. 1 x Flat Washers: M5.

M6 Fasteners

Zinc plated steel.
DIN 933 Grade 8.8 (Set Screws High Tensile).
DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB128N	485 Pieces

5 x Set Screws: M6 x 16, 20, 25, 35, 50 mm.
1 x Steel Nuts: M6. 1 x Flat Washers: M6.

AB 'Flip Box'

Standard size transparent polypropylene box.
Complete with 8 dividers. Dimensions (W x H x D):
214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box

M8 Fasteners

Zinc plated steel.
DIN 933 Grade 8.8 (Set Screws High Tensile).
DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB129N	245 Pieces

5 x Set Screws: M8 x 20, 25, 40, 50, 75 mm. 1 x Steel Nuts: M8.
1 x Flat Washers: M8.

M10 Fasteners

Zinc plated steel.
DIN 933 Grade 8.8 (Set Screws High Tensile).
DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB130N	150 Pieces

4 x Set Screws: M10 x 25, 40, 50, 75 mm. 1 x Steel Nuts: M10.
1 x Flat Washers: M10.

Stainless Steel Set Screws
- Metric

Stainless Steel. DIN 933 Grade A2.

Part No.	Box of
AB154	120 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm. 1 x M8: x 25 mm.
1 x M8: x 40 mm. 2 x M10: x 25, 40 mm.

Set Screws High Tensile - Metric Fine

Zinc plated steel.
DIN 961 Grade 8.8.

Part No.	Box of
AB11N	140 Pieces

1 x M5 (x 0.50 mm Pitch): x 25 mm.
1 x M6 (x 0.75 mm Pitch): x 25 mm.
2 x M8 (x 1.00 mm Pitch): x 25, 40 mm.
1 x M10 (x 1.25 mm Pitch): x 40 mm. 1 x M12 (x 1.50 mm Pitch) x 55 mm.

Set Screws High Tensile - UNC

Zinc plated steel.
ANSI B18.2.1.1965 Grade 8.8 Equivalent.

Part No.	Box of
AB7N	150 Pieces

2 x 1/4" UNC: x 3/4", x 1". 2 x 5/16" UNC: x 1", x 1 1/2".
2 x 3/8" UNC: x 1", x 1 1/2".

Set Screws High Tensile - UNF

Zinc plated steel.
ANSI B18.2.1.1965 Grade 8.8 Equivalent.



Part No.	Box of
AB5N	150 Pieces

1 x 3/16" UNF: x 1". 1 x 1/4" UNF: x 1".
2 x 5/16" UNF: x 1", x 1 1/2". 2 x 3/8" UNF: x 1", 1 1/2".

Storage Rack for AB 'Flip Box'

PVC coated wire. Dimensions (H xW x D):
460 x 300 x 210 mm. (Boxes shown NOT included).

- **Holds up to 10 boxes for fast and easy retrieval.**
- **Can be free-standing or wall mounted.**

Part No.	Qty	Description
ABR	1	Storage Rack

AB 'Max Box' Carrying Case

Made from cold rolled steel, finished in grey baked enamel.

- **Holds up to 5 boxes (NOT included).**
- **Keyhole slots enable case to be wall-mounted.**
- **Bolt holes enable cases to be stacked.**

Part No.	Qty	Description
SB101	1	Carrying Case

Looking for Spanners & Wrenches?

A comprehensive range of Spanners and Wrenches start from Page 452

Looking for Ratchets & Sockets?

Our full range of Ratchets and Sockets start from Page 455

Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No.	Box of
AB92	100 Pieces

2 x M5: x 30, 40 mm. 2 x M6: x 30, 40 mm.
2 x M8: x 30, 40 mm. 2 x M10: x 30, 40 mm.

Socket Screws, Button Head - Metric Black

Black. Grade 10.9.

Part No.	Box of
AB204N	115 Pieces

2 x M5: x 12, 16 mm. 4 x M6: x 12, 16, 25, 30 mm.
3 x M8: x 20, 25, 30 mm. 1 x M10: x 40 mm.



Grub Screws - Metric

Black. DIN 916.

Part No.	Box of
AB17	250 Pieces

1 x M4: x 8 mm. 2 x M5: x 5, 10 mm. 3 x M6: x 6, 8, 10 mm.
3 x M8: x 8, 10, 12 mm. 1 x M10: x 10 mm.

Grub Screws - Metric

Black. Flat Point, Cone Point, Dog Point.

Part No.	Box of
AB219	130 Pieces

3 x Flat Point: M5 x 10, M8 x 35, M8 x 40.
2 x Cone Point: M6 x 12, M8 x 12. 2 x Dog Point: M8 x 16, M10 x 25.



Grub Screws - UNC/BSW

Black. DIN 916.

Part No.	Box of
AB18	275 Pieces

4 x 3/16" UNC/BSW: x 3/16", 1/4", 5/16", 3/8".
3 x 1/4" UNC/BSW: x 1/4", 5/16", 1/2".
3 x 5/16" UNC/BSW: x 1/4, 5/16", 1/2". 1 x 3/8" UNC/BSW: x 3/8".



Grub Screws - UNF

Black. DIN 916.

Part No.	Box of
AB16	225 Pieces

3 x 3/16" UNF: x 3/16", 1/4", 3/8". 3 x 1/4" UNF: x 1/4", 5/16", 7/16".
2 x 5/16" UNF: x 5/16, 3/8". 1 x 3/8" UNF: x 3/8".

Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No.	Box of
AB562	270 Pieces

2 x M4: 12, 20 mm. 4 x M5: 16, 20, 30, 40 mm. 5 x M6: 12, 16, 20, 30, 40 mm. 4 x M8: 12, 20, 30, 40 mm.
2 x M10: 30, 40. 1 x M12: 50.

Socket Screws Cap Head - Metric

Zinc plated steel. DIN 912 Grade 12.9.

Part No.	Box of
AB563	300 Pieces

2 x M3: x 8, 16 mm. 2 x M4: x 20, 30 mm. 6 x M5: x 10, 16, 25, 30, 35, 40 mm.
4 x M6: x 20, 25, 30, 35 mm. 4 x M8: x 16, 20, 30, 45 mm. 3 x M10: x 25, 30, 40 mm. 1 x M12: x 25 mm.



Machine Screws (Body Screws) Pan Head, Pozi - Metric

Zinc plated steel. DIN 7985.

Part No.	Box of
AB134N	290 Pieces

3 x M4: x 12, 35, 50 mm. 4 x M5: x 20, 25, 40, 50 mm.
2 x M6: x 20, 25 mm.

Machine Screws (Body Screws) Countersunk, Pozi - Metric

Zinc plated steel. DIN 965.

Part No.	Box of
AB135N	250 Pieces

2 x M5: x 20, 25 mm. 3 x M6: x 20, 25, 50 mm. 1 x M8: x 20 mm.

Machine Screws Cheese Head, Slotted - Metric

Zinc plated steel. DIN 84 Grade 4.8.

Part No.	Box of
AB209N	435 Pieces

8 x M3: x 6, 8, 10, 12, 20, 25, 30, 50 mm. 2 x M4: x 6, 12 mm.
1 x M5: x 8. 2 x M6: 10, 20 mm.

Machine Screws with Nuts, Round Head, Slotted - BA

Zinc plated steel. BS 57.

Part No.	Box of
AB3	1,025 Pieces

8 x Machine Screws: 6BA x 3/4", 6BA x 1",
4BA x 3/4", 4BA x 1", 4BA x 2",
2BA x 1, 2BA x 1 1/2", 2BA x 2". 3 x Nuts: 6BA, 4BA, 2BA.

Machine Screws with Nuts, Round Head, Slotted - BA

Brass. BS 57.

Part No.	Box of
AB4N	410 Pieces

10 x Machine Screws: 6BA x 1/2", 6BA x 3/4", 6BA x 1",
4BA x 1/2", 4BA x 3/4", 4BA x 1",
2BA x 1/2", 2BA x 3/4", 2BA x 1", 2BA x 1 1/2".
3 x Nuts: 6BA, 4BA, 2BA.

Machine Screws with Nuts & Washers, Pan Head, Slotted - Metric

Zinc plated steel. DIN 85 & DIN 934.

Part No.	Box of
AB68N	840 Pieces

6 x Machine Screws: M3 x 8 mm, M3 x 20 mm,
M4 x 20 mm, M4 x 40 mm, M5 x 25 mm, M5 x 50 mm.
3 x Nuts: M3, M4, M5. 3 x Washers: M3, M4, M5.



Looking for Hex Keys?

A full range of Hex T-Handles and Hex Keys start from Page 448

Looking for Screwdrivers & Bits?

Our full range of Screwdrivers and Bits start from Page 442



Steel Nuts - Metric (Popular Sizes)

Zinc plated steel.
DIN 934.

Part No.	Box of
AB10N	370 Pieces

5 x Sizes: M5, M6, M8, M10, M12.



Steel Nuts - Metric

Zinc plated steel.
DIN 934.

Part No.	Box of
AB202N	275 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.



Steel Nuts - Metric Fine

Zinc plated steel.
DIN 934.

Part No.	Box of
AB12N	350 Pieces

7 x Sizes: M5 x 0.50 mm, M6 x 0.75 mm, M8 x 1.00 mm, M10 x 1.00 mm, M10 x 1.25 mm, M12 x 1.25 mm, M12 x 1.50 mm.

Stainless Steel Nuts - Metric

Stainless Steel.
DIN 934 Grade A2.

Part No.	Box of
AB155	250 Pieces

4 x Sizes: M5, M6, M8, M10.



Steel Nuts - UNF

Zinc plated steel.
ANSI B18.2.2.

Part No.	Box of
AB6N	325 Pieces

4 x UNF: 3/16", 1/4", 5/16", 3/8".



Steel Nuts - UNC

Zinc plated steel.
ANSI B18.2.2.

Part No.	Box of
AB8N	350 Pieces

3 x UNC: 1/4", 5/16", 3/8".



Serrated Flange Nuts - Metric

Zinc plated steel.
DIN 6923.

Part No.	Box of
AB104N	330 Pieces

5 x Sizes: M5, M6, M8, M10, M12.

Steel Nuts & Nylon Lock Nuts

Zinc plated steel.
DIN 934 (Steel Nuts)/DIN 982 (Nylon Lock Nuts, P-Type).

Part No.	Box of
AB510	400 Pieces

5 x Sizes, Steel Nuts: M5, M6, M8, M10, M12.
7 x Sizes, Nylon Lock Nuts: M5, M6, M7, M8, M10, M12, M14.



Nylon Lock Nuts - Metric (Popular Sizes)

Zinc plated steel. P-Type.
DIN 982.

Part No.	Box of
AB15N	300 Pieces

4 x Sizes: M6, M8, M10, M12.



Nylon Lock Nuts - Metric

Zinc plated steel. P-Type.
DIN 982.

Part No.	Box of
AB201N	275 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.

Stainless Steel Nylon Lock Nuts - Metric

Stainless Steel.
T-Type. DIN 985 Grade A2.

Part No.	Box of
AB156N	225 Pieces

4 x Sizes: M5, M6, M8, M10.



Nylon Lock Nuts - UNF

Zinc plated steel.
BS 4929 Equivalent.

Part No.	Box of
AB13N	290 Pieces

5 x UNF: 1/4", 5/16", 3/8", 7/16", 1/2".



Threaded Inserts - Regular

Zinc plated steel.

Part No.	Box of
AB78N	250 Pieces

5 x Sizes: M4, M5, M6, M8, M10.

Threaded Inserts - Half Hex

Zinc plated steel.

Part No.	Box of
AB182	225 Pieces

4 x Sizes: M4, M5, M6, M8.



Nylon Lock Nuts - UNC

Zinc plated steel.
BS 4929 Equivalent.

Part No.	Box of
AB14N	275 Pieces

4 x UNC: 1/4", 5/16", 3/8", 1/2".

Threaded Inserts - Cylindrical Head Full Hex

Zinc plated steel. Large flange.

Part No.	Box of
AB181	250 Pieces

5 x Sizes: M4, M5, M6, M8, M10

Threaded Inserts - Splined

Zinc plated steel.

Part No.	Box of
AB183	225 Pieces

4 x Sizes: M4, M5, M6, M8.

Flat Washers 'Form A' - Metric

Zinc plated steel.
DIN 125 Type A. Heavy Gauge.

Part No.	Box of
AB76N	800 Pieces

9 x Sizes: M3, M4, M5, M6, M8, M10, M12, M16, M20.

Flat Washers 'Table 3' - Imperial

Zinc plated steel.
BS 3410 Table 3 (Heavy Gauge).

Part No.	Box of
AB20N	800 Pieces

6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".

Stainless Steel Flat Washers - Metric

Stainless Steel. BS 4320 [Table 1] Form B Grade A2.
*DIN 125A (BS 4320 [Table 1] Form A) Grade A2.

Part No.	Box of
AB157	650 Pieces

4 x Sizes: M5*, M6, M8, M10.

Flat Washers 'Form C' - Metric

Zinc plated steel.
BS 4320 Form C.

Part No.	Box of
AB119N	620 Pieces

6 x Sizes: M6, M8, M10, M12, M14, M16.



Flat Washers 'Table 4' - Imperial

Zinc plated steel.
BS 3410 Table 4 (Heavy Gauge).

Part No.	Box of
AB109N	920 Pieces

6 x Sizes: 3/16" x 1/2", 1/4" x 5/8", 5/16" x 3/4", 3/8" x 7/8", 1/2" x 1 1/8", 5/8" x 1 3/8".

Shim Washers

Zinc plated steel.

Part No.	Box of
AB28N	315 Pieces

8 x 0.010 Thick: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2".
7 x 0.015 Thick: 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2".



Lock Washers Serrated - Internal

Zinc plated steel.
DIN 6798.

Part No.	Box of
AB27N	800 Pieces

6 x Sizes: M5, M6, M8, M10, M11, M13.



Lock Washers Serrated - External

Zinc plated steel.

Part No.	Box of
AB208N	440 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box



Spring Washers - Imperial

Zinc plated steel.
Rectangular Section ANSI B18.21.1 Table 2.

Part No.	Box of
AB21N	800 Pieces

6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".

Spring Washers - Metric

Zinc plated steel. Rectangular Section.
DIN 127B.

Part No.	Box of
AB77N	1,015 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M16, M20.

Stainless Steel Spring Washers - Metric

Stainless Steel. Square Section.
DIN 7980 Grade A2.

Part No.	Box of
AB158	650 Pieces

4 x Sizes: M5, M6, M8, M10.

Bonded Seals (Dowty Washers) - BSP

Metal with black nitrile rubber (NBR).
Self centralising.

Part No.	Box of
AB67N	100 Pieces

7 x Sizes: 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP, 5/8" BSP, 3/4" BSP, 1" BSP.

Bonded Seals (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR).
Self centralising.

Part No.	Box of
AB107	90 Pieces

8 x Sizes: M10, M12, M14, M16, M18, M20, M22, M24.

Repair Washers - Imperial

Zinc plated steel.
1.37/1.69 mm thickness.

Part No.	Box of
AB22N	220 Pieces

6 x Sizes (I.D. x O.D.): 3/16" x 1", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 1 1/2", 3/8" x 1 1/2".

Fibre Washers - Metric

DIN 7603A.

Part No.	Box of
AB143	600 Pieces

8 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M8 x 12 x 1.0, M10 x 14 x 1.0, M12 x 18 x 1.5, M14 x 20 x 1.5, M16 x 22 x 1.5, M18 x 24 x 1.5.

Fibre Washers - Imperial

WS 010.

Part No.	Box of
AB25N	600 Pieces

8 x Sizes: 13/64" x 3/8", 1/4" x 3/8", 5/16" x 5/8", 3/8" x 5/8", 29/64" x 11/16", 1/2" x 11/16", 5/8" x 7/8", 49/64" x 1".

Copper Washers - Imperial

WS 086.

Part No.	Box of
AB24N	400 Pieces

6 x Sizes: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1" (M5, M6, M8, M10, M12).

BEST SELLER

Copper Sealing Washers - Metric

DIN 7603A.

Part No.	Box of
AB106	250 Pieces

16 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M6 x12 x 1.0, M8 x 12 x 1.0, M8 x 14 x 1.0, M10 x 14 x 1.0, M10 x 16 x 1.0, M12 x 16 x 1.5, M12 x 18 x 1.5, M14 x 18 x 1.5, M14 x 20 x 1.5, M16 x 20 x 1.5, M16 x 22 x 1.5, M18 x 22 x 1.5, M18 x 24 x 1.5, M20 x 26 x 1.5 mm.

MAX BOX

Copper Sealing Washers - Metric

DIN 7603A.

Part No.	Box of
AB505	1,050 Pieces

16 Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M6 x12 x 1.0, M8 x 12 x 1.0, M8 x14 x 1.0, M10 x 14 x 1.0, M10 x16 x 1.0, M12 x 16 x 1.5, M12 x18 x 1.5, M14 x 18 x 1.5, M14 x 20 x 1.5, M16 x 20 x 1.5, M16 x 22 x 1.5, M18 x 22 x 1.5, M18 x 24 x 1.5, M20 x 26 x 1.5 mm.

Copper Sealing Washers - Imperial/BSP

Part No.	Box of
AB23	225 Pieces

16 x Sizes: 1/4" (.265 x .375 x 20g), 1/4" (.265 x .437 x 20g), 1/4" (.265 x .500 x 20g), 5/16" (.323 x .437 x 20g), 5/16" (.323 x .500 x 20g), 1/8" BSP (3/8") (.390 x .590 x 20g), 1/8" BSP (3/8") (.390 x .590 x 18g), 1/4" BSP (.530 x .720 x 20g), 1/4" BSP (.530 x .750 x 18g), 3/8" BSP (21/32") (.665 x .875 x 18g), 1/2" BSP (13/16") (.830 x 1.00 x 18g), 1/2" BSP (13/16") (.830 x 1.04 x 18g), 5/8" BSP (29/32") (.910 x 1.13 x 16g), 3/4" BSP (1.05 x 1.32 x 16g), 7/8" BSP (1.20 x 1.50 x 16g), 1" BSP (15/16") (1.32 x 1.62 x 16g).



Aluminium Washers - Metric

DIN 7603A.

Part No.	Box of
AB149	260 Pieces

11 x Sizes: M6 x 10, M8 x 11, M10 x 13, M10 x 14, M12 x 16, M12 x 18, M14 x 18, M14 x 20, M16 x 20, M17 x 21, M22 x 27.

Copper Washers - Imperial

WS 086.

Part No.	Box of
AB24N	400 Pieces

6 x Sizes: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1" (M5, M6, M8, M10, M12).

Copper Sealing Washers (Diesel Injector Washers)

Copper. DIN 7603A.

Part No.	Box of
AB142	250 Pieces

16 x Sizes: M6 x 10 x 1.0 (BOSCH 2916 710 602), M8 x 11.5 x 1.0 (LUCAS NW5-17W4, BOSCH 2916 710 646), M10 x 13.5 x 1.0 (BOSCH 2916 710 605), M10 x 14 x 1.0 (BOSCH 2916 710 649), M10 x 20 x 1.0 (MAN/PERKINS P.2411126), M10 x 20 x 2.0 (LUCAS 5339401, PERKINS P.0920113), M12 x 16 x 1.5 (BOSCH 2916 710 607), M12 x 18 x 1.5 (BOSCH 2916 710 608), M14 x 18 x 1.5 (BOSCH 2916 710 609), M14 x 20 x 1.5 (BOSCH 2916 710 610), M16 x 20 x 1.5 (BOSCH 2916 710 611), M17 x 21 x 1.5 (BOSCH 2916 710 611, GM 14025557), M21 x 25 x 1.0 (LUCAS NW5/59), M22 x 27 x 1.0 (LUCAS NW5/60).

BEST SELLER

Sump Plug Washers

Part No.	Box of
AB117N	265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.
4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5, 14 x 20 x 2.0 mm.
2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm.
2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm. 1 x Nitrile Rubber O-Ring: 18 x 2 NBR.
1 x Fibre: 12 x 24 x 2.0 mm. 1 x Bonded Seal: 16.7 x 24 mm.

BEST SELLER

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box

O-Rings - Metric

Nitrile rubber. BS 4518.

Part No.	Box of
AB81	**325 Pieces**

4 x I.D. x Thickness: 4.1 x 1.6, 6.1 x 1.6, 10.1 x 1.6, 12.1 x 1.6.
4 x I.D. x Thickness: 7.6 x 2.4, 9.6 x 2.4, 11.6 x 2.4, 12.6 x 2.4
2 x I.D. x Thickness: 19.5 x 3.0, 24.5 x 3.0.

O-Rings - Imperial

Nitrile rubber. BS 1806.

Part No.	Box of
AB61	**325 Pieces**

10 x ARP/BS: 008, 010, 011, 012, 013, 014, 016, 116, 118, 120.

O-Ring Splicing Kit

Nitrile rubber.

Part No.	Description
AB126	**14 Piece Kit**

5 x Imperial Nitrile Rubber Cord, 1 m Lengths: 1/16", 3/32", 1/8", 3/16", 1/4".
6 x Metric Nitrile Rubber Cord, 1 m Lengths: 1.6, 2, 3, 4, 5, 5.7 mm.
1 x Trimming Knife. 1 x Cutting Block. 1 x S.A.S Super Glue: 5g.

BEST SELLER

O-Rings Service Kit - Metric

Nitrile rubber. BS 4518.

Part No.	Box of
AB100	**404 Pieces**

30 x Sizes (Peg Ref) I.D. x Thickness:
3 x 2 (006), 4 x 2 (007), 5 x 2 (008), 6 x 2 (009), 7 x 2 (010), 8 x 2 (011),
10 x 2 (012), 10 x 2.5 (110), 11 x 2.5 (111), 12 x 2.5 (112), 14 x 2.5 (113),
16 x 2.5 (114), 17 x 2.5 (115), 19 x 2.5 (116), 19 x 3 (210), 20 x 3 (211),
22 x 3 (212), 24 x 3 (213), 25 x 3 (214), 27 x 3 (215), 28 x 3 (216),
30 x 3 (217), 32 x 3 (218), 33 x 3 (219), 35 x 3 (220), 36 x 3 (221),
38 x 3 (222), 38 x 4 (325), 41 x 4 (326), 44 x 4 mm (327).

BEST SELLER

O-Rings Service Kit - Imperial

Nitrile rubber. BS 1806.

Part No.	Box of
AB101	**382 Pieces**

30 x Sizes (ARP/BS) I.D. x Thickness:
2.90 x 1.78 (006), 3.68 x 1.78 (007), 4.48 x 1.78 (008), 5.28 x 1.78 (009),
6.07 x 1.78 (010), 7.66 x 1.78 (011), 9.25 x 1.78 (012), 9.19 x 2.62 (110),
10.78 x 2.62 (111), 12.37 x 2.62 (112), 13.95 x 2.62 (113),
15.54 x 2.62 (114), 17.13 x 2.62, (115), 18.72 x 2.62 (116),
18.64 x 3.53 (210), 20.22 x 3.53 (211), 21.82 x 3.53 (212),
23.40 x 3.53 (213), 24.99 x 3.53 (214), 26.58 x 3.53 (215),
28.17 x 3.53 (216), 29.75 x 3.53 (217), 31.34 x 3.53 (218),
32.92 x 3.53 (219), 34.52 x 3.53 (220), 36.10 x 3.53 (221),
37.69 x 3.53 (222), 37.47 x 5.33 (325), 40.65 x 5.33 (326),
43.82 x 5.33 (327).

Air Conditioning O-Rings Kit

Highly saturated nitrile O-rings for use with Freon R134a.
Supplied in a hinged plastic case.

Part No.	Description
HAC200	**270 Piece Kit**

18 x Sizes (I.D. x Thickness):
5.29 x 1.78 (7/32" x 1/16"), (1/4" x 1/16"), 6.07 x 1.78,
6.8 x 1.9, 7.65 x 1.78 (5/16" x 1/16"), 7.8 x 1.9, 8 x 2, 8.8 x 1.9 (20 pcs).
10.82 x 1.78 (7/16" x 1/16"), 10.77 x 2.62 (7/16" x 3/32"),
11 x 2, 12 x 2 (15 pcs). 13.9 x 1.8, 13.95 x 2.62 (9/16" x 3/32"),
14 x 2, 15 x 2, 17 x 2, 17.17 x 1.78 (11/16" x 1/16"),
17.04 x 3.53 mm (11/16" x 1/8") (10 pcs).

Self-Drilling Screws Pan Head - Phillips

Zinc plated steel. DIN 7504N.

Part No.	Box of
AB137	500 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1".
5 x No. 10: x 1/2", 3/4", 1", 1 1/2", x 2".



BEST SELLER

Self-Drilling Screws Hex Head

Zinc plated steel. DIN 7504K.

Part No.	Box of
AB138	400 Pieces

3 x No. 8: x 1/2", 3/4", 1".3 x No. 10: x 1/2", 3/4", 1".
3 x No. 12: x 1", 1 1/2", 2".



Self-Tapping Screws Countersunk - Pozi

AB Type. Zinc plated steel. DIN 7982/C/Z.

Part No.	Box of
AB63N	550 Pieces

4 x No. 6: x 5/8", 3/4", 1", 1 1/2".4 x No. 8: x 5/8", 3/4", 1", 1 1/2".
4 x No. 10: x 5/8", 3/4", 1", 1 1/2".



BEST SELLER

Self-Tapping Screws Pan Head - Pozi (Small Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Box of
AB2	700 Pieces

1 x No. 4: x 1/2". 2 x No. 6: x 1/2", 3/4". 3 x No. 8: x 1/2", 3/4", 1".
3 x No. 10: x 1/2", 3/4", 1". 2 x No. 12: x 3/4", 1".



BEST SELLER

Self-Tapping Screws Pan Head - Pozi (Large Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Box of
AB94	300 Pieces

4 x No. 10: x 1/2", 3/4", 1", 1 1/2". 3 x No. 12: x 3/4", 1", 1 1/2".
2 x No. 14: x 1", 1 1/2".

STAINLESS STEEL

Stainless Steel Self-Tapping Screws Pan Head - Pozi

AB Type. Stainless Steel. DIN 7981 Grade A2.

Part No.	Box of
AB141	450 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1".
3 x No. 10: x 1/2", 3/4", 1".

MAX BOX

Self-Tapping Screws Pan Head - Pozi

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Box of
AB507	1,150 Pieces

1 x No. 4: x 1/2". 3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1".
4 x No. 10: x 1/2", 3/4", 1", 1 1/2". 3 x No. 12: x 3/4", 1", 1 1/2".
2 x No. 14: x 1", 1 1/2".

Looking for Screwdrivers & Bits?

Our full range of Screwdrivers and Bits start from Page 442

Multi-Use Screws Countersunk - Pozi

Zinc plated steel.

Part No.	Box of
AB140	**525 Pieces**

3 x No. 6: x 3/4", 1", 1 1/2". 4 x No. 8: x 3/4", 1", 1 1/2", 2".
3 x No. 10: x 1 1/2", 2", 2 1/2". 1 x No. 12: x 2".



BEST SELLER

Self-Tapping Screws Flanged - Pozi Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Box of
AB71	**700 Pieces**

2 x No. 6: x 1/2", 3/4". 4 x No. 8: x 1/2", 3/4", 1", 1 1/2".
3 x No. 10: x 1/2", 3/4", 1".

Self-Tapping Screws Flanged Pan Head - TORX® Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Box of
AB168N	**450 Pieces**

1 x No. 6: x 5/8". 1 x No. 7: x 3/4". 3 x No. 8: x 5/8", 3/4", 1".
1 x No. 10: x 5/8".

BEST SELLER

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	**AB Flip Box**

MAX BOX

Self-Tapping Screws Flanged Pan Head - Pozi

AB Type. Black zinc plated steel. BS 4174.

Part No.	Box of
AB506	**1,250 Pieces**

6 x No. 6: x 3/8", 1/2", 5/8", 3/4", 1", 3/8".
5 x No. 8: x 1/2", 5/8", 3/4", 1", 1 1/2". 4 x No. 10: x 1/2", 5/8", 3/4", 1".

Number Plate Fasteners with Plastic Head - Short

Self tapping screws with plastc head, 4.8 x 18 mm.

Part No.	Box of
AB184	**260 Pieces**

4 x Colours: White Yellow, Black, Blue.

Number Plate Fasteners

White, Yellow, Black.

Part No.	Box of
AB62	**240 Pairs**

1 x Self-Tapping Screw, Pan Head - Pozi: 8 x 3/4" (4.9 x 19 mm).
3 x Hinged Caps: White, Yellow, Black.
3 x Plastic Bolts & Nuts: White, Yellow, Black.

Security Number Plate Fasteners

Slotted One Way/Clutch Head Screws (Tamperproof).

Part No.	Box of
AB222	**200 Pieces**

1 x Self-Tapping Screw, Pan-Head - One-Way: 8 x 3/4" (4.9 x 19 mm).
4 x Hinged Caps: White, Yellow, Black, Blue.

Sheet Metal Screws & J-Nuts

Zinc plated steel. BS 4174 (Screws).

Part No.	Box of
AB51N	350 Pieces

3 x Washer-Faced Screws: No. 8, 10, 12.
1 x Screws with Captive Washers: No. 14.
4 x J-Nuts: No. 8, 10, 12, 14.

BEST SELLER

Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976 (Screws).

Part No.	Box of
AB132	300 Pieces

2 x 8 (4.2 mm): x 1/2" (13 mm), 3/4" (19 mm).
2 x 10 (4.8 mm): x 1/2" (13 mm), 3/4" (19 mm).
2 x 12 (5.5 mm): x 1/2" (13 mm), 3/4" (19 mm).
2 x 14 (6.3 mm): x 1/2" (13 mm), 3/4" (19 mm).

BEST SELLER

U-Nuts

Zinc plated steel.

Part No.	Box of
AB166	200 Pieces

10 x Sizes: No. 4, 6 (x 2), 8 (x 4),10, 12, 14.

MAX BOX

Sheet Metal Screws, U-Nuts & J-Nuts

Zinc plated steel. DIN 7976 (Screws), BS EN 10132 : 2000 (U-Nuts).

Part No.	Box of
AB504	600 Pieces

3 x Washer Faced Screws: 8 x 3/4" (4.2 x 19 mm), 10 x 3/4" (4.8 x 19 mm), 12 x 3/4" (5.5 x 19 mm).
8 x Captive Washer Screws: 8 x 1/2" (4.2 x 13 mm), 8 x 3/4" (4.2 x 19 mm), 10 x 1/2" (4.8 x 13 mm), 10 x 3/4" (4.8 x 19 mm), 12 x 1/2" (5.5 x 13 mm), 12 x 3/4" (5.5 x 19 mm), 14 x 1/2" (6.3 x 13 mm), 14 x 3/4" (6.3 x 19 mm).
6 x U-Nuts: No. 8 (4.2 mm) (3 x Sizes), No. 10 (4.8 mm), No. 12 (5.5 mm), No. 14 (6.3 mm).
1 x J-Nuts: No. 14 (6.3 mm).

BEST SELLER

U-Nuts & J-Nuts

Zinc plated steel.

Part No.	Box of
AB49N	250 Pieces

5 x U-Nuts: No. 6, 8, 10, 12, 14. 4 x J-Nuts: No. 8, 10, 12, 14.

Chimney Nuts

Zinc & Black.

Part No.	Box of
AB167N	60 Pieces

1 x Zinc: M5.
2 x Zinc: M6.
1 x Black: M6.

BEST SELLER

Flat Clips (Push-on Fixes)

Zinc plated steel.

Part No.	Box of
AB50	1,000 Pieces

3 x Round, Imperial: 3/32", 1/8", 3/8".
3 x Round, Metric (Imperial): 5 mm (3/16"), 6 mm (1/4"), 8 mm (5/16").
3 x Rectangular: 3/32", 1/8", 5/32".

BEST SELLER

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box

POP® Avdel®

BEST SELLER

POP AVDEL 'Avex' Multi-grip Rivets with Washers

Aluminium.

Part No.	Box of
AB48N	440 Pieces

2 x Standard Flange, 3.2: x 10, 13 mm.
2 x Standard Flange, 4.0: x 12, 15 mm.
2 x Standard Flange, 4.8: x 13, 19 mm.
1 x Large Flange, 4.8: x 19 mm. 1 x Washers, M3 x 13.

BEST SELLER



Black Rivets

Black anodised aluminium.

Part No.	Box of
AB112	200 Pieces

1 x Standard Flange, 3.2 x 8 mm. 1 x Standard Flange, 4.0 x 10.
1 x Standard Flange, 4.8 x 14 mm. 1 x Large Flange, 3.2 x 10 mm.
2 x Large Flange, 4.0: x 10, 14 mm. 2 x Large Flange, 4.8: x 14, 18 mm.

Rivets - Sealed Type (Closed End)

Aluminium. DIN 7337.

Part No.	Box of
AB146N	200 Pieces

5 x Sizes: 4.8 x 10, 12, 14, 16, 18 mm.

Trim Buttons

Part No.	Box of
AB151	220 Pieces

1 x Canoe Clip: FIX1.
1 x Self Pierce: FIX34.
1 x Trim Buttons: FIX35 .
2 x Multi-Step: FIX30, FIX33.
3 x Fir-Tree Fixings: FIX20, FIX21, FIX29.

Fir-Tree Fixings

Part No.	Box of
AB253	180 Pieces

2 x Trim Buttons: FIX164, FIX163.
4 x Fir-Trees: FIX29, FIX20, FIX21, FIX218.



Drive Rivets

Part No.	Box of
AB152	220 Pieces

8 x Sizes: FIX31, FIX39, FIX42, FIX43, FIX44, FIX45, FIX65, FIX66.

Looking for Trim Clip Removal Tools?

Our full range of Trim Clip Removal Tools are on Page 477



Screw-Type Rivets

Part No.	Box of
AB172	130 Pieces

8 x Sizes: FIX31, FIX117, FIX118, FIX119, FIX120, FIX121, FIX122, FIX123.

Locking Nuts

Part No.	Box of
AB153	220 Pieces

3 x Round: FIX9, FIX28, FIX38.
1 x Reverse Round: FIX71.
1 x Square: FIX23.
1 x Square Reverse: FIX22.
2 x Large Locking Nuts: FIX73, FIX74.

Split Pins - Imperial (Small Sizes)

Zinc plated steel.
DIN 94 / BS 1574.

Part No.	Box of
AB32N	800 Pieces

8 x Sizes, O.D. x Length: 1/16" x 1" (1.6 x 25 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.4 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 40 mm), 9/64" x 1 1/2" (3.6 x 40 mm), 5/32" x 1 5/8" (4.0 x 40 mm).

Split Pins - Imperial & Metric

Zinc plated steel. DIN 94 / BS 1574 (Imperial).
DIN 94 / ISO 1234 (BS 7774) (Metric).

Part No.	Box of
AB206	370 Pieces

4 x Imperial Sizes, O.D. x Length: 1/32" x 3/8" (1.0 x 10 mm), 5/64" x 1" (2.0 x 25 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 3/16" x 2" (4.8 x 51 mm).
6 x Metric Sizes, O.D. x Length: 2.0 x 14 mm (5/64" x 9/16"), 2.0 x 20 mm (5/64" x 3/4"), 2.5 x 28 mm (3/32" x 1 3/32"), 3.2 x 20 mm (1/8" x 3/4"), 3.2 x 32 mm (1/8" x 1 1/4"), 4.0 x 36 mm (5/32" x 1 3/8").

Spring Roll Pins - Imperial

Black.

Part No.	Box of
AB35	300 Pieces

11 x Sizes, O.D. x Length: 3/32" x 1", 1/8" x 1", 1/8" x 1 1/2", 5/32" x 1", 5/32" x 1 1/2", 3/16" x 1", 3/16" x 1 1/2", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 2".

Split Pins - Imperial (Large Sizes)

Zinc plated steel. DIN 94 / BS 1574.

Part No.	Box of
AB73	225 Pieces

5 x Sizes, O.D. x Length: 1/8" x 1 1/2" (3.2 x 38 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).

Clevis Pins

BS 1574.

Part No.	Box of
AB33	200 Pieces

8 x Sizes: 3/16" x 5/8", 3/16" x 7/8", 1/4" x 1/2", 1/4" x 1 1/16", 9/32" x 7/8", 5/16" x 1", 3/8" x 1 1/4", M6 x 20 (1/4" x 7/8").

Spring Roll Pins - Metric

Black. DIN 1481.

Part No.	Box of
AB80	300 Pieces

12 x Sizes, O.D. x Length: 2.5 x 24 mm, 2.5 x 36 mm, 3 x 24 mm, 3 x 40 mm, 4 x 24 mm, 4 x 40 mm, 5 x 24 mm, 5 x 40 mm, 6 x 24 mm, 6 x 40 mm, 8 x 24 mm, 8 x 55 mm.

Split Pins - Imperial

Zinc plated steel. DIN 94 / BS 1574.

Part No.	Box of
AB508	850 Pieces

12 x Sizes, O.D. x Length: 1/16" x 1" (1.6 x 5 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.5 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 38 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 5/32" x 1 5/8" (4.0 x 41 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).

Spring Roll Pins - Metric

Black. DIN 1481.

Part No.	Box of
AB555	340 Pieces

19 x Sizes, O.D. x Length: 3 x 20 mm, 3 x 24 mm, 3 x 30 mm, 4 x 24 mm, 4 x 28 mm, 4 x 40 mm, 4 x 50 mm, 5 x 16 mm, 5 x 20 mm, 5 x 24 mm, 5 x 28 mm, 5 x 32 mm, 5 x 35 mm, 5 x 40 mm, 5 x 45 mm, 6 x 30 mm, 6 x 45 mm, 8 x 32 mm, 8 x 45 mm.

R-Clips
Zinc plated.

Part No.	Box of
AB88N	80 Pieces

5 x Sizes (Wire Ø x Length): 2.5 x 45, 3 x 54, 4 x 75, 5 x 107, 6 x 117 mm.



E-Retainers - Metric
DIN 6799.

Part No.	Box of
AB127N	725 Pieces

8 x Sizes (Shaft Ø): 1.7, 2.75, 3.5, 4.5, 6.0, 7.0, 13.0, 15.5 mm.



E-Retainers - Imperial
DIN 6799 (BS 3673/2).

Part No.	Box of
AB55N	800 Pieces

10 x Sizes (Shaft Ø): 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8".

Circlips Internal - Metric
DIN 472.

Part No.	Box of
AB173	230 Pieces

13 x Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38, 40, 42, 47 mm.

Circlips External - Metric
DIN 471.

Part No.	Box of
AB174	350 Pieces

16 x External Sizes: 7, 8, 10, 12, 14, 15, 17, 18, 20, 22, 24, 25, 30, 35, 40, 50 mm.

Circlips Internal & External - Metric
DIN 472 (Internal), DIN 471 (External).

Part No.	Box of
AB37N	280 Pieces

10 x Internal Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.
10 x External Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.

AB 'Flip Box'
Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box

Circlips Internal & External - Metric
DIN 472 (Internal), DIN 471 (External).

Part No.	Box of
AB561	400 Pieces

3 x Internal: 40, 42, 47 mm.
15 x External: 7, 8, 10, 12, 14, 15, 17, 18, 20, 24, 25, 30, 35, 40, 50 mm.



Woodruff Keys - Imperial

Part No.	Box of
AB47N	96 Pieces

15 x Sizes: 1/16" x 1/2", 3/32" x 1/2", 1/8" x 1/2", 1/8" x 5/8", 5/32" x 5/8", 5/32" x 3/4", 3/16" x 3/4", 3/16" x 7/8", 3/16" x 11/8", 7/32" x 7/8", 7/32" x 11/8", 1/4" x 1", 1/4" x 1 1/8", 5/16" x 1 1/4", 3/8" x 1 1/4".

Expansion Springs



Part No.	Box of
AB72	70 Pieces

7 x Sizes (Free Length x O.D.): 29.5 x 6.4 mm, 31.5 x 5.0 mm, 33.3 x 6.8 mm, 56.5 x 7.8 mm, 74 x 10.3 mm, 90 x 11.4 mm, 126 x 9.4 mm.



Compression Springs

Part No.	Box of
AB89	70 Pieces

10 x Sizes (Free Length x O.D.): 21.2 x 8.9 mm, 22.5 x 9.0 mm, 25 x 12.2 mm, 26.5 x 5.4 mm, 31.5 x 10.4 mm, 37 x 7.8 mm, 65.5 x 13 mm, 66 x 10.4 mm, 100 x 18.5 mm, 124 x 16.0 mm.

Woodruff Keys & Key Steel - Metric

Part No.	Box of
AB216	24 Pieces

3 x Woodruff Keys: 4 x 6.5 x 16 mm, 4 x 9 x 22 mm, 6 x 9 x 22 mm. 4 x Key Steel, Parallel: 8 x 7 x 25 mm, 8 x 7 x 32 mm, 8 x 7 x 36 mm, 12 x 8 x 50 mm.

JG 'Speedfit' Push-Fit Tube Couplings - Straights, Metric

Plastic. Black.

Part No.	Box of
AB97N	22 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Quick-Fit Couplings - Straights, Metric

Plastic, Black.

Part No.	Box of
AB187	24 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box

JG 'Speedfit' Push-Fit Tube Couplings - Elbows & Tees, Metric

Plastic. Black.

Part No.	Box of
AB99	17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.

Quick-Fit Couplings - Elbows + Tees, Metric

Plastic, Black.

Part No.	Box of
AB188	17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.

Tube Couplings Brass - Metric

Part No.	Box of
AB95N	27 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Olives Stepped - Metric

Part No.	Box of
AB111N	185 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Olives Stepped & Barrel - Imperial

Part No.	Box of
AB64N	450 Pieces

7 x Stepped: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2".
7 x Barrel: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2".

Brass Push-Fit Couplings - Straights, Metric

Part No.	Box of
AB189	18 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Pipe Repair Kit

Part No.	Box of
AB74	72 Pieces

6 x O-Clips: 7/16", 1/2", 9/16", 5/8", 3/4", 7/8".
6 x Pipe Joiners (Hose I.D.): 3/16", 1/4", 5/16", 3/8", 1/2", 5/8".



BEST SELLER

Mini Hose Clips

Part No.	Box of
AB102	100 Pieces

10 x Sizes (Ø Range): 7 - 9, 8 - 10, 9 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18 mm.

Looking for Hose Tools?

A range of Hose + Tubing Tools are available from Page 208

OETIKER '167' O-Clips - Single Ear Clamps

Stainless steel. DIN 1.4301 / UNS S30400.

Part No.	Box of
AB144	160 Pieces

8 x Size Ranges: 7.0 - 8.5 mm, 8.5 - 10.0 mm, 9.8 - 11.8 mm, 11.8 - 3.8 mm, 13.2 - 15.8 mm, 15.6 - 17.8 mm, 17.1 - 20.0 mm, 20.2 - 22.8 mm.

BEST SELLER

O-Clips - 2-Ear Clamps

Zinc plated steel. DIN 1.0338 / SAE 1008/1010.

Part No.	Box of
AB38	140 Pieces

6 x Sizes (Ø Range): 3/8" (8 - 11 mm), 7/16" (9 - 11 mm), 1/2" (11 - 13 mm), 9/16" (13 - 15 mm), 5/8" (15 - 18 mm), 3/4" (17 - 20 mm).

Brake Nuts

For 3/16" pipe.

Part No.	Box of
AB45N	150 Pieces

2 x Brake Nuts, Short Males: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
2 x Brake Nuts, Long Males: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
1 x Brake Nuts, Fully Threaded Males: 10 x 1.00 mm.
1 x Part Threaded Males: 12 x 1.00 mm.
1 x Long Females: 3/8" UNF x 24 TPI. 1 x Short Females: 10 x 1.00 mm.
1 x Female Connector: M10 x 1.00mm.

Brake Tubing Connectors & Brake Bleed Screws - UNF & Metric

For 3/16" pipe.

Part No.	Box of
AB85N	63 Pieces

1 x Male Connector: 10 x 1.00 mm.
2 x Female Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
2 x 3-way Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
5 x Brake Bleed Screws: 1/4" UNF x 28 TPI, 3/8" UNF x 24 TPI, M7 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.

BEST SELLER

Brake Shoe Hold-Down Kit

Part No.	Box of
AB145N	200 Pieces

3 x Pins, Suits: FORD, GM, ROVER.
2 x Washers: LOCKHEED, GIRLING.
4 x Springs, Suits: FORD, VAUXHALL/GM, Lockheed, BL.

Exhaust Manifold Studs & Nuts - Metric

Part No.	Box of
AB116	72 Pieces

2 x Nuts, Copper Flashed Steel (Size x Pitch):
M8 x 1.25 mm, M10 x 1.50 mm.
2 x Nuts, Brass (Size x Pitch): M8 x 1.25 mm, M10 x 1.25 mm.
5 x Studs (Size x Pitch x Length): M8 x 1.25 mm x 37 mm,
M10 x 1.25 x 37 mm, M10 x 1.50 mm x 38 mm, M10 x 1.50 mm x 52 mm,
M10 x 1.50 mm x 55 mm.

Copper Sealing Washers (Diesel Injector Washers)

Copper. DIN 7603A.

Part No.	Box of
AB142	250 Pieces

16 x Sizes: M6 x 10 x 1.0 (BOSCH 2916 710 602),
M8 x 11.5 x 1.0 (LUCAS NW5-17W4, BOSCH 2916 710 646),
M10 x 13.5 x 1.0 (BOSCH 2916 710 605), M10 x 14 x 1.0 (BOSCH 2916 710 649),
M10 x 20 x 1.0 (MAN/PERKINS P:2411126),
M10 x 20 x 2.0 (LUCAS 5339401, PERKINS P:0920113),
M12 x 16 x 1.5 (BOSCH 2916 710 607), M12 x 18 x 1.5 (BOSCH 2916 710 608),
M14 x 18 x 1.5 (BOSCH 2916 710 609), M14 x 20 x 1.5 (BOSCH 2916 710 610),
M16 x 20 x 1.5 (BOSCH 2916 710 611), M17 x 21 x 1.5 (BOSCH 2916 710 611, GM 14025557), M21 x 25 x 1.0 (LUCAS NW5/59), M22 x 27 x 1.0 (LUCAS NW5/60).

BEST SELLER

Sump Plug Washers

Part No.	Box of
AB117N	265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.
4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5, 14 x 20 x 2.0 mm.
2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm.
2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm.
1 x Nitrile Rubber O-Ring: 18 x 2 NBR. 1 x Fibre: 12 x 24 x 2.0 mm.
1 x Bonded Seal: 16.7 x 24 mm.

Dust Covers for Vehicle Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Box of
AB220	10 Kits

2 x Each Kit: DC1, DC2, DC3, DC4, DC5.

Core Plugs Cup Type - Metric

Zinc plated mild steel.

Part No.	Box of
AB120	60 Pieces

10 x Sizes: 18, 22, 24, 26, 28, 30, 32, 34, 36, 48 mm.

Core Plugs Cup Type - Imperial

Zinc plated mild steel.

Part No.	Box of
AB30N	38 Pieces

8 x Sizes: 7/8", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 1 7/8" (48 mm), 1 5/16", 2".

Accelerator & Clutch Springs

Part No.	Box of
AB29	40 Pieces

8 x Sizes (Free Length x O.D.): 53 x 12.4 mm, 61.2 x 15.4 mm, 63.4 x 13 mm, 66 x 13.1 mm, 77.4 x 23.15 mm, 82.5 x 12.95 mm, 84.2 x 10.9 mm, 86 x 13.3 mm.

BEST SELLER

Grease Nipples - Metric & Imperial

Part No.	Box of
AB46	130 Pieces

3 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M10 x 1.00 mm.
3 x Straights: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.
1 x Straight: 1/8" BSP Gas. Button Head (Tat Type).
1 x Straight: 1/4" UNF Long.
3 x Angled 45° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M10 x 1.00 mm.
3 x Angled 45°: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.



Grease Nipples - Metric & Imperial, Straights

Part No.	Box of
AB207N	80 Pieces

4 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.
3 x Straights: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas
1 x Long Straight: 1/4" UNF.

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers. Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

Part No.	Qty	Description
ABM	1	AB Flip Box

BEST SELLER

Grease Nipples - Metric

Part No.	Box of
AB115N	125 Pieces

4 x Straights (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.
4 x Angled 45° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.
4 x Angled 90° (Size x Pitch): M6 x 1.00 mm, M8 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.

Grease Nipple - Imperial

Part No.	Box of
AB159	90 Pieces

3 x Straights: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.
3 x Angled 45°: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.
3 x Angled 90°: 1/4" UNF, 1/4" BSP, 1/8" BSP Gas.
1 x Long Straights: 1/4" UNF.
1 x Button Head (Tat Type): 1/8" BSP Gas.

Terminals Insulated - Red & Blue with Crimping Pliers

Part No.	Box of
AB43	206 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue.
1 x Piggyback: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue.
3 x Rings: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue , 6.4 mm (1/4") Blue.
1 x Crimping Pliers.

Terminals Insulated - Red & Blue

Part No.	Box of
AB110N	210 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Red, 4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue.
1 x Push-on Female, Fully Insulated: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue.

Terminals Insulated

Part No.	Box of
AB42	340 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue, 9.5 mm Yellow. 1 x Piggyback: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
1 x Bullet: Ø 5.0 mm Blue. 1 x Receptacle Socket: Ø 5.0 mm Blue.
1 x Butt Connector: 4.0 mm O.D. Blue. 4 x Rings: Ø 4.3 mm Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.
2 x Bullet Connectors: Single, Double.

Terminals Insulated - Red

Part No.	Box of
AB160	260 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm.
1 x Push-on Female, Fully Insulated: 6.3 mm. 1 x Piggyback: 6.3 mm.
1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm.
1 x Receptacle Socket: Ø 4.0 mm. 1 x Butt Connector: 3.3 mm O.D.
4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16").

Terminals Insulated - Blue

Part No.	Box of
AB161	280 Pieces

2 x Push-on Females: 4.8, 6.3 mm.
1 x Push-on Female, Fully Insulated: 4.8 mm. 1 x Piggyback: 6.3 mm.
1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 5.0 mm.
1 x Receptacle Socket: Ø 5.0 mm. 1 x Butt Connector: 4.0 mm O.D.
6 x Rings: 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8"), 13.0 mm (1/2").

Terminals Insulated - Yellow

Part No.	Box of
AB162	110 Pieces

2 x Push-on Females: 6.3, 9.5 mm.
2 x Push-on Females, Fully Insulated: 6.3, 9.5 mm.
1 x Push-on Male: 6.3 mm. 1 x Butt Connector: 5.5 mm O.D.
5 x Rings: Ø 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8"), 13.0 mm (1/2").

Terminals Insulated - Red

Part No.	Box of
AB501	600 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm. 3 x Push-on Females, Fully Insulated: 2.8, 4.8, 6.3 mm.
1 x Piggyback: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm. 1 x Receptacle Socket: Ø 4.0 mm.
1 x Butt Connector: 3.3 mm. 1 x Pin (12 mm): Ø 1.9 mm. 1 x Blade (18 mm): 2.3 mm. 1 x Forks: 3.7 mm (4BA).
4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16").

Terminals Insulated - Blue

Part No.	Box of
AB502	600 Pieces

2 x Push-on Females: 4.8, 6.3 mm. 2 x Push-on Females, Fully Insulated: 4.8, 6.3 mm. 1 x Piggyback: 6.3 mm.
1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 5.0 mm. 1 x Receptacle Socket: Ø 5.0 mm. 1 x Butt Connector: 4.0 mm O.D.
2 x Forks: 3.7 mm (4BA), 5.2 mm (2BA). 1 x Blade (18 mm): 2.3 mm. 1 x Pin (12 mm): Ø1.9 mm.
5 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8").

MAX BOX

BEST SELLER

Terminals Insulated

Part No.	Box of
AB509	600 Pieces

4 x Push-on Females: 2.8 mm Red, 6.3 mm Red, 6.3 mm Blue, 9.5 mm Yellow.
3 x Push-on Females, Fully Insulated: 6.3 mm Red, 6.3 mm Blue, 6.3 mm Yellow.
1 x Piggyback: 6.3 mm Blue. 2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.
3 x Butt Connectors: 3.3 mm Red, 4.0 mm Blue, 5.5 mm O.D. Yellow. 7 x Rings: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 6.4 mm (1/4") Yellow, 8.4 mm (5/16") Blue, 8.4 mm (5/16") Yellow, 10.5 mm (3/8") Yellow.

Terminals - Non-Insulated

Part No.	Box of
AB147N	150 Pieces

15 x Types: Bullets Male, Bullets Female, Push-on Males, Push-on Females (Suits VW, AUDI, VOLVO, SAAB, FORD, BMW, GM).

BEST SELLER

Heat Shrink Terminals, Adhesive Lined - Butt Connectors

Part No.	Box of
AB190	220 Pieces

3 x Colours (Ø): Red (3.7 mm), Blue (5.0 mm), Yellow (6.5 mm)

Heat Shrink Terminals, Adhesive Lined - Red & Blue

Part No.	Box of
AB125	130 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Butt Connectors: Ø 3.7 mm Red, 5.0 mm Blue.
4 x Rings, Standard Length: Ø 5.3 mm (2BA) Red, 6.4 mm (1/4") Red, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.

Copper Tube Terminals

Part No.	Box of
AB114N	40 Pieces

10 x Sizes (for Cable Size x Bolt Hole Size): 10 mm^2 x 8 mm, 16 mm^2 x 8 mm, 25 mm^2 x 6 mm, 25 mm^2 x 8 mm, 35 mm^2 x 8 mm, 35 mm^2 x 10 mm, 50 mm^2 x 8 mm, 50 mm^2 x 10 mm, 70 mm^2 x 10 mm, 70 mm^2 x 12 mm.

BEST SELLER

Heat Shrink Tubing - 50 mm Lengths

Polyolefin. Shrink Ratio: 2:1.



Part No.	Box of
AB103	172 Pieces

4 x Sizes: 3.2, 4.8, 6.4, 12.7 mm.
4 x Colours: Black, Blue, Red, Yellow.

Heat Shrink Tubing - 100 mm Lengths

Polyolefin. Shrink Ratio: 2:1.



Part No.	Box of
AB221	100 Pieces

2 x Sizes: 4.8, 6.4 mm.
2 x Colours: Black, Red.

Copper Tube Butt Connectors



Part No.	Box of
AB123N	110 Pieces

6 x Sizes (for Cable Diameter): 10, 16 , 25, 35, 50, 70 mm^2.

NEW

Grommets - Wiring

Black PVC.

Part No.	Box of
AB192N	220 Pieces

7 x Sizes, for hole Ø x I.D.: 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5, 31.0 x 24.0 mm.

NEW

Grommets - Blanking

Black PVC.

Part No.	Box of
AB191N	220 Pieces

7 x Sizes, for hole Ø: 6.4, 9.3, 12.3, 15.8, 20.0, 25.0, 31.7 mm.

NEW

BEST SELLER

Blanking & Wiring Grommets

Black PVC.

Part No.	Box of
AB244	250 Pieces

7 x Blanking (for Holes Ø) 6.4, 9.3, 12.3, 15.8, 20.0, 25.0 mm.
7 x Wiring (for Holes Ø x I.D.) 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5 mm.

NEW

P-Clips

Nylon. Black.

Part No.	Box of
AB193	160 Pieces

5 x Sizes (for Cable Ø): 4.8, 6.0, 9.0, 12.0, 19.1 mm.

NEW

Supaseal Connectors

Use part number TL936 for a professional crimp.

Part No.	Box of
AB520	424 Pieces

6 x 1-way Female. 6 x 1-way Male. 12 x 2-way Female. 12 x 2-way Male.
5 x 3-way Female. 5 x 3-way Male. 4 x 4-way Female. 4 x 4-way Male.
3 x 5-way Female. 3 x 5-way Male. 2 x 6-way Female. 2 x 6-way Male.
180 x Yellow Rubber Seals. 90 x 1.5 mm Female Pin. 90 x 1.5 mm Male Pin.

Cable Tie Bases & Cradle Mounts

Bases: Self adhesive with 2 screw holes.
Cradle Mounts: Polyamide. Operating Temperature: -40 to 85°C.

Part No.	Box of
AB178N	120 Pieces

4 x Cradle Mounts; Sizes (Colour): 5, 9 mm (Black), 5, 9 mm (White)
4 x Cable Tie Bases, Sizes (Colour): 3.5, 4.8 mm (Black), 3.5, 4.8 mm (White)

MAX BOX

Littelfuse

LITTELFUSE Blade Fuses & Holders

Nylon housing.

Part No.	Box of
AB503	321 Pieces

11 x ATOF® Standard Blade Fuses: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30, 40 A.
10 x MINI® Blade Fuses: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.
1 x ATOF® Standard Blade Fuse Holders: 20 A.
1 x MINI® Blade Fuse Holders - Splash Proof: 20 A.
1 x Standard Blade Fuse Holders - Splash Proof: 20 A.

Mini Blade Fuses

Part No.	Box of
AB165N	200 Pieces

10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.

Standard Blade Fuses with Fuse Holders

Part No.	Box of
AB164	105 Pieces

9 x Standard Blade Fuses, Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.
1 x Holder: White.

LED Standard Blade Fuses

RoHS. Voltage Rating: 12 or 24 V. Standard blade fuse style.

- **LED on top of the fuse glows when it has blown.**
- **No more guesswork and testing of troublesome circuits.**
- **Instant identification of blown fuses - Saves time & effort.**

Part No.	Box of
AB224	75 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.

LITTELFUSE MINI® Blade Fuses

Nylon housing.

Part No.	Box of
AB118	100 Pieces

10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.

LITTELFUSE ATOF® Standard Blade Fuses with Fuse Holders

Standard type blade fuse. Nylon housing.

Part No.	Box of
AB41N	120 Pieces

10 x Amperages: 2, 3, 5, 7.5, 10, 15, 20, 25, 30, 40 A.

LITTELFUSE MAXI™ Blade Fuses

Nylon housing.

Part No.	Box of
AB176	29 Pieces

7 x Amperages: 20, 30, 40, 50, 60, 70, 80 A.

LITTELFUSE Low Profile MINI® Blade Fuses

Nylon housing.

Part No.	Box of
AB175N	75 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.

LITTELFUSE MICRO2™ Blade Fuses

32 V. Nylon housing.

Part No.	Box of
AB179	175 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.

Glass & Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

Part No.	Box of
AB194	350 Pieces

8 x Glass Fuses: 2, 5, 10, 15, 20, 25, 35, 50 A.
4 x Torpedo (Ceramic Type/Continental): 5, 8, 16, 25 A.

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers.
Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

- **Hinged lid overlaps on all sides of the box tray.**
- **2 x Snap latches for secure closing.**
- **8 x Removable dividers provide up to 10 compartments in various configurations.**
- **Boxes can be stacked or stored in a Storage Rack (Part No. ABR).**

Part No.	Qty	Description
ABM	1	AB Flip Box



Storage Rack for AB 'Flip Box'

PVC coated wire. Dimensions (H xW x D): 460 x 300 x 210 mm. (Boxes shown NOT included).

- **Holds up to 10 boxes for fast and easy retrieval.**
- **Can be free-standing or wall mounted.**

Part No.	Qty	Description
ABR	1	Storage Rack

MAX BOX

AB 'Max Box'

Large size transparent polypropylene compartment box.
Dimensions (W x H x D): 333 x 58 x 228 mm (13 1/8" x 2 5/16" x 9").

- **High strength, oil-resistant transparent polypropylene.**
- **Reinforced hinges and two snap latches give secure closure and prevent parts moving between compartments.**
- **Can be stacked or stored in Carrying Case (Part No. SB101).**
- **Available in 6 configurations.**

Part No.	Qty	Compartments
SB112	1	12 Fixed

Part No.	Qty	Compartments
SB124	1	24 Fixed

Part No.	Qty	Compartments
SB116	1	16 Fixed

Part No.	Qty	Compartments
SB106	1	6 Fixed

Part No.	Qty	Compartments
SB118	1	18 Fixed

Part No.	Qty	Compartments
SB100	1	24 Adjustable c/w 20 Dividers

AB 'Max Box' Carrying Case

Made from cold rolled steel, finished in grey baked enamel.

- **Holds up to 5 boxes (NOT included).**
- **Keyhole slots enable case to be wall-mounted.**
- **Bolt holes enable cases to be stacked.**

Part No.	Qty	Description
SB101	1	Carrying Case

AB 'Max Box' Carrying Case Locking Hinge

Holds boxes in place whilst being transported. Can be locked with a padlock (NOT included). (Boxes NOT included).

Part No.	Qty	Description
SB102	1	Locking Hinge

28

32

33

37

39

40

Electrical Assembly



41

28 Terminals
34 Connectors
37 Grommets
38 Heat Shrink Tubing
39 Insulation Tapes
40 Battery Terminals
41 Relays
42 Capacitors
43 Switches
46 Fuses
52 Cable Accessories
54 Cable Ties
58 Cable Tools
61 Auto Cable
63 Starter + Mains Cable
64 Mains Cable Accessories
65 Plugs + Couplers
67 RCD Circuit Breakers
68 Dash Cams

45

46

52


53

54


59

61

64

65

68

Red Insulated Terminals
Cable Size: 0.5 - 1.5 mm²

Push-on Females

Part No.	Pack of	Width
ET3	100	2.8 mm

Part No.	Pack of	Width
ET4	100	4.8 mm



Part No.	Pack of	Width
ET6	100	6.3 mm

Push-on Females, Fully Insulated

Part No.	Pack of	Width
ET44	100	2.8 mm

Part No.	Pack of	Width
ET45	100	4.8 mm

Part No.	Pack of	Width
ET9	100	6.3 mm

Piggybacks

Part No.	Pack of	Width
ET13	100	6.3 mm

Push-on Males

Part No.	Pack of	Width
ET36	100	6.3 mm

Push-on Males, Fully Insulated

Part No.	Pack of	Width
ET48	100	6.3 mm

Bullets

Part No.	Pack of	Ø
ET15	100	4.0 mm

Receptacle Sockets

Part No.	Pack of	Ø
ET18	100	4.0 mm

Butt Connectors

Part No.	Pack of	O.D.
ET33	100	3.3 mm
ET33K	1,000	3.3 mm

1:1 Actual Size Images

Red Insulated Terminals
Cable Size: 0.5 - 1.5 mm²

Forks

Part No.	Pack of	Width
ET51	100	3.7 mm

Part No.	Pack of	Width
ET53	100	5.3 mm

Blades

Part No.	Pack of	Blade W x L
ET55	100	2.3 x 18 mm

Pins

Part No.	Pack of	Pin Ø x Length
ET57	100	1.9 x 12 mm

Rings

Part No.	Pack of	Ø
ET20	100	4.3 mm

Part No.	Pack of	Ø
ET22	100	5.3 mm

Part No.	Pack of	Ø
ET25	100	6.4 mm

Part No.	Pack of	Ø
ET28	100	8.4 mm

Assorted Box of Terminals Insulated - Red

Part No.	Box of
AB160	260 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm.
1 x Push-on Female, Fully Insulated: 6.3 mm.
1 x Piggyback: 6.3 mm.
1 x Push-on Male: 6.3 mm.
1 x Bullet: Ø 4.0 mm.
1 x Receptacle Socket: Ø 4.0 mm.
1 x Butt Connector: 3.3 mm O.D.
4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16").

MAX BOX



'Max Box' Assortment of Terminals Insulated - Red

Part No.	Box of
AB501	600 Pieces

3 x Push-on Females: 2.8, 4.8, 6.3 mm. 3 x Push-on Females, Fully Insulated: 2.8, 4.8, 6.3 mm.
1 x Piggyback: 6.3 mm. 1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 4.0 mm. 1 x Receptacle Socket: Ø 4.0 mm.
1 x Butt Connector: 3.3 mm. 1 x Pin (12 mm): Ø 1.9 mm. 1 x Blade (18 mm): 2.3 mm. 1 x Forks: 3.7 mm (4BA).
4 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16").

Blue Insulated Terminals
Cable Size: 1.5 - 2.5 mm²

Push-on Females

Part No.	Pack of	Width
ET5	100	4.8 mm

Part No.	Pack of	Width
ET7	100	6.3 mm

BEST SELLER

Push-on Females, Fully Insulated

Part No.	Pack of	Size
ET46	100	4.8 mm

Part No.	Pack of	Size
ET10	100	6.3 mm
ET10K	1,000	6.3 mm

BEST SELLER

Piggybacks

Part No.	Pack of	Width
ET14	100	6.3 mm

Push-on Males

Part No.	Pack of	Ø
ET37	100	6.3 mm
ET37K	1,000	6.3 mm

BEST SELLER

Bullets

Part No.	Pack of	Ø
ET16	100	5.0 mm

Receptacle Sockets

Part No.	Pack of	Ø
ET19	100	5.0 mm

Butt Connectors

Part No.	Pack of	O.D.
ET34	100	4.0 mm
ET34K	1,000	4.0 mm

BEST SELLER

Forks

Part No.	Pack of	Width
ET52	100	3.7 mm
ET54	100	5.3 mm

Blades

Part No.	Pack of	Blade W x L
ET56	100	2.3 x 18 mm

Pins

Part No.	Pack of	Pin Ø x Length
ET58	100	1.9 x 12 mm

1:1 Actual Size Images

Blue Insulated Terminals
Cable Size: 1.5 - 2.5 mm²

Rings

Part No.	Pack of	Size
ET21	100	4.3 mm
ET23	100	5.3 mm
ET26	100	6.4 mm
ET29	100	8.4 mm
ET31	100	10.5 mm
ET42	100	13.0 mm

Blue Fully Insulated Terminals
Cable Size: 1.5 - 2.5 mm²

Push-on Females

Part No.	Pack of	Width
ET67	100	6.3 mm

Push-on Males

Part No.	Pack of	Width
ET47	100	6.3 mm

Assorted Box of Terminals Insulated - Blue

Part No.	Box of
AB161	280 Pieces

2 x Push-on Females: 4.8, 6.3 mm.
1 x Push-on Female, Fully Insulated: 4.8 mm.
1 x Piggyback: 6.3 mm.
1 x Push-on Male: 6.3 mm.
1 x Bullet: Ø 5.0 mm.
1 x Receptacle Socket: Ø 5.0 mm.
1 x Butt Connector: 4.0 mm O.D.
6 x Rings: 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8"), 13.0 mm (1/2").

MAX BOX

'Max Box' Assortment of Terminals Insulated - Blue



Part No.	Box of
AB502	600 Pieces

2 x Push-on Females: 4.8, 6.3 mm. 2 x Push-on Females, Fully Insulated: 4.8, 6.3 mm. 1 x Piggyback: 6.3 mm.
1 x Push-on Male: 6.3 mm. 1 x Bullet: Ø 5.0 mm. 1 x Receptacle Socket: Ø 5.0 mm. 1 x Butt Connector: 4.0 mm O.D.
2 x Forks: 3.7 mm (4BA), 5.2 mm (2BA). 1 x Blade (18 mm): 2.3 mm. 1 x Pin (12 mm): Ø1.9 mm.
5 x Rings: Ø 4.3 mm, 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8").

Yellow Insulated Terminals

Cable Size: 4.0 - 6.0 mm²

Push-on Females

Part No.	Pack of	Width
ET8	100	6.3 mm
ET12	100	9.5 mm

Push-on Females, Fully Insulated



Part No.	Pack of	Width
ET11	100	6.3 mm
ET49	100	9.5 mm

Push-on Males

Part No.	Pack of	Width
ET38	100	6.3 mm

Butt Connectors

Part No.	Pack of	O.D.
ET35	100	5.5 mm

Bullets

Part No.	Pack of	Ø
ET17	100	5.0 mm

Receptacle Sockets

Part No.	Pack of	Ø
ET50	100	5.0 mm

Pins

Part No.	Pack of	Pin Ø x Length
ET59	100	2.9 x 14 mm

Rings

Part No.	Pack of	Ø

ET24	100	5.3 mm

ET27	100	6.4 mm

ET30	100	8.4 mm

ET32	100	10.5 mm

ET43	100	13.0 mm

1:1 Actual Size Images

Assorted Box of Terminals Insulated - Yellow

Part No.	Box of
AB162	110 Pieces

2 x Push-on Females: 6.3, 9.5 mm.
2 x Push-on Females, Fully Insulated: 6.3, 9.5 mm.
1 x Push-on Male: 6.3 mm.
1 x Butt Connector: 5.5 mm O.D.
5 x Rings: Ø 5.3 mm (2BA), 6.4 mm (1/4"), 8.4 mm (5/16"), 10.5 mm (3/8"), 13.0 mm (1/2").

MAX BOX

'Max Box' Assortment of Terminals Insulated

Part No.	Box of
AB509	600 Pieces

4 x Push-on Females: 2.8 mm Red, 6.3 mm Red, 6.3 mm Blue, 9.5 mm Yellow.
3 x Push-on Females, Fully Insulated: 6.3 mm Red, 6.3 mm Blue, 6.3 mm Yellow.
1 x Piggyback: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.
3 x Butt Connectors: 3.3 mm Red, 4.0 mm Blue, 5.5 mm O.D. Yellow.
7 x Rings: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 6.4 mm (1/4") Yellow, 8.4 mm (5/16") Blue, 8.4 mm (5/16") Yellow, 10.5 mm (3/8") Yellow.

Assorted Box of Terminals Insulated

Part No.	Box of
AB42	340 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue, 9.5 mm Yellow.
1 x Piggyback: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
1 x Bullet: Ø 5.0 mm Blue.
1 x Receptacle Socket: Ø 5.0 mm Blue.
1 x Butt Connector: 4.0 mm O.D. Blue.
4 x Rings: Ø 4.3 mm Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.
2 x Bullet Connectors: Single, Double.

Assorted Box of Terminals Insulated - Red & Blue

Part No.	Box of
AB110N	210 Pieces

5 x Push-on Females: 2.8 mm Red, 4.8 mm Red, 4.8 mm Blue, 6.3 mm Red, 6.3 mm Blue.
1 x Push-on Female, Fully Insulated: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue.

Assorted Box of Terminals Insulated - Red & Blue with Crimping Pliers

Part No.	Box of
AB43	206 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue.
1 x Piggyback: 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Bullets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Receptacle Sockets: Ø 4.0 mm Red, 5.0 mm Blue.
2 x Butt Connectors: 3.3 mm O.D. Red, 4.0 mm O.D. Blue.
3 x Rings: Ø 5.3 mm (2BA) Red, 5.3 mm (2BA) Blue, 6.4 mm (1/4") Blue.
1 x Crimping Pliers.

Bullets & Connectors

Brass Bullets

Part No.	Pack of	Ø	Hole Ø
ET39	100	4.6 mm	2.0 mm

Bullet Connectors

Part No.	Pack of	Type	Hole Ø
ET1	100	Single	4.6 mm

Bullet Connectors

Part No.	Pack of	Type	Holes Ø
ET2	100	Double	4.6 mm

Non-Insulated Terminal Covers

Push-on Female

Part No.	Pack of	For Cable	Fits Width
ET41	100	Up to 2.50 mm²	6.3 mm

Female Bullet

Part No.	Pack of	For Cable	Fits Ø
ET482	100	0.50 - 2.00 mm²	4 mm

Male Bullet

Part No.	Pack of	For Cable	Fits Ø
ET481	100	0.50 - 2.00 mm²	4 mm

Non-Insulated Terminals

Push-on Females - 2.8 mm Brass

Part No.	Pack of	For Cable
ET423	50	0.75 - 1.50 mm²

Suits: BMW.

Push-on Females - 6.3 mm Zinc

Part No.	Pack of	For Cable
ET420	50	0.50 - 1.00 mm²

Suits: VW/AUDI/VOLVO/FORD/BMW/GM.

Push-on Females - 6.3 mm Brass

Part No.	Pack of	For Cable
ET60	100	1.00 - 2.50 mm

Push-on Females - 6.3 mm Zinc

Part No.	Pack of	For Cable
ET421	50	1.00 - 2.50 mm²

Suits: VW/AUDI/VOLVO/FORD/BMW/GM.

Push-on Males - 6.3 mm Zinc

Part No.	Pack of	For Cable
ET429	50	0.50 - 1.00 mm²

Suits: VW/AUDI/VOLVO/FORD/BMW/GM.

Push-on Males - 6.3 mm Brass

Part No.	Pack of	For Cable
ET61	100	1.00 - 2.50 mm

Suits: VW/AUDI/VOLVO/FORD/BMW/GM.

Push-on Males - 6.3 mm Zinc

Part No.	Pack of	For Cable
ET428	50	1.00 - 2.50 mm²

Bullets Male - 4.0 mm Ø

Part No.	Pack of	For Cable
ET401	100	0.50 - 2.00 mm²

Bullets Female - 4.0 mm Ø

Part No.	Pack of	For Cable
ET402	100	0.50 - 2.00 mm²

Flags - 6.3 mm

Part No.	Pack of	For Cable
ET432	50	1.50 - 2.50 mm²

Non-Insulated Terminals

Bullets Male - 1.6 mm Ø

Part No.	Pack of	For Cable
ET410	20	0.50 - 1.00 mm²

Suits: VW/AUDI/SAAB/FORD/BMW.

Bullets Female - 1.6 mm Ø

Part No.	Pack of	For Cable
ET409	20	0.50 - 1.00 mm²

Suits: VW/AUDI/SAAB/FORD/BMW.

Bullets Male - 1.6 mm Ø

Part No.	Pack of	For Cable
ET408	20	0.75 - 1.50 mm²

Suits: SAAB/FORD/BMW.

Bullets Female - 1.6 mm Ø

Part No.	Pack of	For Cable
ET407	20	0.75 - 1.50 mm²

Suits: SAAB/FORD/BMW.

Bullets Male - 3.5 mm Ø

Part No.	Pack of	For Cable
ET404	20	0.50 - 1.00 mm²

Suits: VW/AUDI/VOLVO/SAAB/BMW.

Bullets Female - 3.5 mm Ø

Part No.	Pack of	For Cable
ET405	20	0.50 - 1.00 mm²

Suits: VW/AUDI/VOLVO/SAAB/BMW.

Bullets Male - 3.5 mm Ø

Part No.	Pack of	For Cable
ET403	20	1.00 - 2.50 mm²

Suits: VW/AUDI/VOLVO/SAAB/BMW.

Bullets Female - 3.5 mm Ø

Part No.	Pack of	For Cable
ET406	20	1.00 - 2.50 mm²

Suits: VW/AUDI/VOLVO/SAAB/BMW.

Terminals - 4.8 mm

Part No.	Pack of	For Cable
ET491	20	0.50 - 2.00 mm²

Suits: VW/AUDI/VOLVO/SAAB/FORD/BMW/GM.

Terminals - 4.8 mm

Part No.	Pack of	For Cable
ET492	20	1.50 - 2.50 mm²

Suits: VW/AUDI/VOLVO/SAAB/FORD/BMW/GM.

Red Heat Shrink Terminals, Adhesive Lined
Cable Size: 0.5 - 1.5 mm²

Push-on Females

Part No.	Pack of	Width
ET204	25	6.3 mm

Push-on Males

Part No.	Pack of	Width
ET203	25	6.3 mm

Rings
Standard length.

Part No.	Pack of	Ø	
ET201	25	5.3 mm	(2BA)
ET202	25	6.4 mm	(1/4")

Butt Connectors

Part No.	Pack of	Ø
ET91	25	3.7 mm
ET91A	100	3.7 mm
ET91K	1,000	3.7 mm

Blue Heat Shrink Terminals, Adhesive Lined
Cable Size: 1.5 - 2.5 mm²

Push-on Females

Part No.	Pack of	Width
ET224	25	6.3 mm

Push-on Males

Part No.	Pack of	Width
ET223	25	6.3 mm

Rings
Standard length.

Part No.	Pack of	Ø	
ET221	25	6.4 mm	(1/4")
ET222	25	8.4 mm	(5/16")

Butt Connectors

Part No.	Pack of	Ø
ET92	25	5.0 mm
ET92A	100	5.0 mm
ET92K	1,000	5.0 mm

Assorted Box of Heat Shrink Terminals, Adhesive Lined - Red & Blue

Part No.	Box of
AB125	130 Pieces

2 x Push-on Females: 6.3 mm Red, 6.3 mm Blue.
2 x Push-on Males: 6.3 mm Red, 6.3 mm Blue.
2 x Butt Connectors: Ø 3.7 mm Red, 5.0 mm Blue.
4 x Rings, Standard Length: Ø 5.3 mm (2BA) Red, 6.4 mm (1/4") Red, 6.4 mm (1/4") Blue, 8.4 mm (5/16") Blue.

Assorted Box of Heat Shrink Terminals, Adhesive Lined - Butt Connectors

Part No.	Box of
AB190	220 Pieces

3 x Colours (Ø): Red (3.7 mm), Blue (5.0 mm), Yellow (6.5 mm)

Heat Shrink Butt Connectors - Solder Type
Shrink ratio: 3:1.



Part No.	Pack of	Stripe Colour	For Cable
ET301	10	Clear	0.1 - 0.5 mm²
ET302	10	Red	0.5 - 1.0 mm²
ET303	10	Blue	1.0 - 2.5 mm²
ET304	10	Yellow	2.5 - 6.0 mm²

1:1 Actual Size Images

Yellow Heat Shrink Terminals, Adhesive Lined
Cable Size: 4.0 - 6.0 mm²

Rings
Standard length.

Part No.	Pack of	Ø	
ET241	25	6.4 mm	(1/4")
ET242	25	8.4 mm	(5/16")

Butt Connectors

Part No.	Pack of	Ø
ET93	10	6.5 mm

Windproof Jet Flame Torch

Refills with standard butane gas chargers (suits Part No. SAS50). Colour/model may vary.

- **Windproof jet flame**

Part No.	Qty	Description
TL130	1	Jet Flame Torch



Crocodile Clips - Non-Insulated

Part No.	Pack of	Amperage
ECC25	25	25 A
ECC50	25	50 A

Crocodile Clips - Red & Black Insulated Grips

Part No.	Pack of	Amperage
ECC5	24 (12 x Each Colour)	5 A

Looking for Supaseal Connectors?

Our brand new range of Supaseal Connectors are on pages 36-37

Need a Crimping Tool?

Wiring Tools are on Pages 58-60



Copper Tube Butt Connectors

Part No.	Pack of	Cable Size	(Cable Entry Ø)
ET80	25	10 mm²	(4.5 mm)
ET81	25	16 mm²	(5.4 mm)
ET82	25	25 mm²	(6.8 mm)
ET83	10	35 mm²	(8.2 mm)
ET84	10	50 mm²	(9.5 mm)
ET85	10	70 mm²	(11.2 mm)

Assorted Box of Copper Tube Butt Connectors

Part No.	Box of
AB123N	110 Pieces

6 x Sizes (for Cable Diameter): 10, 16 , 25, 35, 50, 70 mm².

Copper Tube Terminals (Cable Lugs)

Part No.	Pack of	Cable Ø x Bolt Hole	(Cable Entry Ø)
ET69	10	10 mm² x 8 mm	(4.5 mm)
ET62	50	10 mm² x 12 mm	(4.5 mm)
ET70	10	16 mm² x 8 mm	(5.4 mm)
ET79	50	16 mm² x 12 mm	(5.4 mm)
ET71	10	25 mm² x 6 mm	(6.8 mm)
ET72	10	25 mm² x 8 mm	(6.8 mm)
ET63	50	25 mm² x 12 mm	(6.8 mm)
ET73	10	35 mm² x 8 mm	(8.8 mm)
ET74	10	35 mm² x 10 mm	(8.8 mm)
ET64	20	35 mm² x 12 mm	(8.8 mm)
ET75	10	50 mm² x 8 mm	(9.5 mm)
ET76	10	50 mm² x 10 mm	(9.5 mm)
ET77	10	70 mm² x 10 mm	(11.2 mm)
ET78	10	70 mm² x 12 mm	(11.2 mm)
ET65	1	120 mm² x 16 mm	(15.0 mm)
ET66	1	185 mm² x 12 mm	(19.0 mm)
ET68	1	240 mm² x 12 mm	(21.0 mm)

Assorted Box of Copper Tube Terminals

Part No.	Box of
AB114N	40 Pieces

10 x Sizes (for Cable Size x Bolt Hole Size): 10 mm² x 8 mm, 16 mm² x 8 mm, 25 mm² x 6 mm, 25 mm² x 8 mm, 35 mm² x 8 mm, 35 mm² x 10 mm, 50 mm² x 8 mm, 50 mm² x 10 mm, 70 mm² x 10 mm, 70 mm² x 12 mm.

Multiple Connectors
For 6.3 mm male terminals.
Suits Part No. ET61.



Single Female Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB621	25	9.0 x 32.5 x 12.8 mm

2-way Female Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB622	25	13.5 x 32.5 x 15.5 mm

2-way (T-shape) Female Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB622T	25	20.0 x 32.5 x 2.5 mm

3-way Female Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB623	25	20.4 x 31.7 x 15.2 mm



4-way Female Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB624	25	17.1 x 32.5 x 27.9 mm



6-way Female Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB626	25	18.1 x 32.3 x 31.5 mm

Multiple Connectors
For 6.3 mm female terminals.
Suits Part No. ET60.

Single Male Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB611	25	6.5 x 21.4 x 10.0 mm

2-way Male Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB612	25	10.0 x 23.0 x 12.8 mm

2-way (T-shape) Male Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB612T	25	10.0 x 23.0 x 12.8 mm

3-way Male Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB613	25	18.0 x 22.8 x 15.2 mm

4-way Male Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB614	25	14.0 x 22.9 x 23.9 mm

6-way Male Housing

Part No.	Pack of	Dimensions (H x L x W)
ETB616	25	15.0 x 24.0 x 37.6 mm

Push-on Males - 6.3 mm Brass

Part No.	Pack of	For Cable
ET61	100	1.00 - 2.50 mm

Suits: VW/AUDI/VOLVO/FORD/BMW/GM.

BEST SELLER

Push-on Females - 6.3 mm Brass

Part No.	Pack of	For Cable
ET60	100	1.00 - 2.50 mm

HellermannTyton







HELLERMANN TYTON 'Helacon' Mini Wire Connectors

450v 24A. Transparent wire connectors.
Suitable for 2.5 mm² solid and stranded cable.

- Voltage test entry on the front guarantees safety during application, installation and maintenance.
- Provides a proper fixing that can be optically checked through the transparent housing.

Part No.	Pack of	Type	Colour
ETB102	100	2 Hole	Yellow
ETB103	100	3 Hole	Orange
ETB104	75	4 Hole	Clear
ETB105	50	5 Hole	Light Blue
ETB106	50	6 Hole	Purple
ETB108	40	8 Hole	Black

'Helacon' mini wire connectors are used for fast, easy and reliable connection and distribution of cable and conductors. Simply insert the cable completely into the connect. A double spring mechanism provides a secure installation and will support fitters especially in awkward situations like difficult-to-reach areas and overhead work. To change or correct a wire, simply hold and twist it left and right while pulling the connector.



Terminal Blocks - 12-Way

Part No.	Pack of	Amperage
ETB2.5	10 Blocks	2.5 A
ETB5	10 Blocks	5 A
ETB15	10 Blocks	15 A
ETB30	10 Blocks	30 A

Ceramic Terminal Block

76A, 450V. Temperature rating: 500°C.

Part No.	Qty	Type	Cable Size
ETB50	1	2 Pole	16 mm²

3M

3M 'Scotchlok' Connectors

Part No.	Pack of	Colour	3M No.
ESL1	100	Red	No. 905

3M

BEST SELLER

3M 'Scotchlok' Connectors

Part No.	Pack of	Colour	3M No.
ESL2	100	Blue	No. 560

3M

3M 'Scotchlok' Connectors - 'T' Tap

Part No.	Pack of	Colour	3M No.
ESL5	50	Blue	No. 952

3M

3M 'Scotchlok' Connectors - Self-Stripping Blade Fuse Holders

Part No.	Pack of	Colour	3M No.
ESL6	20	Blue	No. 972

Snap-Lock Connectors

Part No.	Pack of	Colour
ESL51	100	Red

BEST SELLER

Snap-Lock Connectors

Part No.	Pack of	Colour
ESL52	100	Blue

Supaseal Connectors

Ideal for applications where a waterproof joint/seal is required for electrical cabling.
The system comprises of the connector, the pin and the seal and is suitable for cable sizes from 0.5 mm² to 1.5mm².
Use Part No. TL936 for a professional crimp.

Supaseal Pins

Part No.	Qty	Size	Type
ET513	50	1.5 mm	Female
ET514	50	1.5 mm	Male

Supaseal Rubber Seals

Part No.	Qty	Colour
ET512	50	Yellow

Assorted Box of Supaseal Connectors

Part No.	Box of
AB520	424 Pieces

6 x 1-way Female. 6 x 1-way Male. 12 x 2-way Female. 12 x 2-way Male. 5 x 3-way Female. 5 x 3-way Male. 4 x 4-way Female. 4 x 4-way Male. 3 x 5-way Female. 3 x 5-way Male. 2 x 6-way Female. 2 x 6-way Male. 180 x Yellow Rubber Seals. 90 x 1.5 mm Female Pin. 90 x 1.5 mm Male Pin.

Supaseal Crimping Pliers - Ratchet Type

- Ergonomically designed handle for ease of use
- Ratchet ensures correct crimping pressure
- Crimp range 0.5mm – 2.0mm²

Part No.	Qty	Description
TL936	1	Ratchet Crimping Pliers

NEW RANGE

Supaseal Male 1-way Connectors

Part No.	Qty	Contacts	Type
ET501	10	1-way	Male

Supaseal Male 2-way Connectors

Part No.	Qty	Contacts	Type
ET503	10	2-way	Male

Supaseal Male 3-way Connectors

Part No.	Qty	Contacts	Type
ET505	10	3-way	Male

Supaseal Male 4-way Connectors

Part No.	Qty	Contacts	Type
ET507	10	4-way	Male

Supaseal Male 5-way Connectors

Part No.	Qty	Contacts	Type
ET509	10	5-way	Male

Supaseal Male 6-way Connectors

Part No.	Qty	Contacts	Type
ET511	10	6-way	Male

NEW RANGE

Supaseal Female 1-way Connectors

Part No.	Qty	Contacts	Type
ET500	10	1-way	Female

Supaseal Female 2-way Connectors

Part No.	Qty	Contacts	Type
ET502	10	2-way	Female

Supaseal Female 3-way Connectors

Part No.	Qty	Contacts	Type
ET504	10	3-way	Female

Supaseal Female 4-way Connectors

Part No.	Qty	Contacts	Type
ET506	10	4-way	Female

Supaseal Female 5-way Connectors

Part No.	Qty	Contacts	Type
ET508	10	5-way	Female

Supaseal Female 6-way Connectors

Part No.	Qty	Contacts	Type
ET510	10	6-way	Female

NEW RANGE

Wiring Grommets

Black PVC. Fits 1.6 mm panel thickness.

Part No.	Pack of	Size	For Hole x I.D.
EG28	100	6 mm	6.4 x 4.0 mm
EG29	100	9 mm	9.3 x 7.7 mm
EG30	100	12 mm	12.3 x 9.5 mm
EG31	100	16 mm	15.8 x 12.0 mm
EG32	100	20 mm	20.2 x 15.8 mm
EG33	100	25 mm	25.0 x 19.5 mm
EG34	100	32 mm	31.0 x 24.0 mm
EG35	100	38 mm	37.4 x 31.5 mm
EG36	100	50 mm	50.5 x 44.5 mm

Assorted Box of Grommets - Wiring

Black PVC.

Part No.	Box of
AB192N	220 Pieces

7 x Sizes, for hole Ø x I.D.: 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5, 31.0 x 24.0 mm.

Blanking Grommets

Black PVC. Fits 1.6 mm panel thickness.

Part No.	Pack of	Size	For Hole x O.D.
EG1	100	6 mm	6.4 x 8.5 mm
EG2	100	9 mm	9.3 x 13.4 mm
EG3	100	12 mm	12.3 x 16.2 mm
EG4	100	16 mm	15.8 x 19.0 mm
EG5	100	20 mm	20.0 x 24.2 mm
EG6	100	25 mm	25.0 x 29.2 mm
EG7	100	32 mm	31.7 x 38.1 mm
EG8	100	38 mm	37.7 x 44.4 mm
EG9	100	50 mm	50.5 x 57.2 mm

Assorted Box of Grommets - Blanking

Black PVC.

Part No.	Box of
AB191N	220 Pieces

7 x Sizes, for hole Ø: 6.4, 9.3, 12.3, 15.8, 20.0, 25.0, 31.7 mm.

Assorted Box of Blanking & Wiring Grommets

Black PVC.

Part No.	Box of
AB244	250 Pieces

7 x Blanking (for Holes Ø) 6.4, 9.3, 12.3, 15.8, 20.0, 25.0 mm.
7 x Wiring (for Holes Ø x I.D.) 6.4 x 4.0, 9.3 x 7.7, 12.3 x 9.5, 15.8 x 12.0, 20.2 x 15.8, 25.0 x 19.5 mm.

Easy-Fit Grommet

Black PVC. Fits 1.6 mm panel thickness.

Part No.	Pack of	Size	For Hole x I.D.
EG37	100	20 mm	19.5 x 16.8 mm
EG38	100	25 mm	24.5 x 22.3 mm

Heat Shrink Tubing - Black

Polyolefin. Shrink Ratio: 2:1.

Part No.	Length	I.D. (Pre Shrink)
EHS13	11 m	3.2 mm
EHS41	25 m	3.2 mm
EHS14	10 m	4.8 mm
EHS42	20 m	4.8 mm
EHS43	15 m	6.4 mm
EHS44	15 m	9.5 mm
EHS45	10 m	12.7 mm

Heat Shrink Tubing - Red

Polyolefin. Shrink Ratio: 2:1.

Part No.	Length	I.D. (Pre Shrink)
EHS13RE	11 m	3.2 mm
EHS41RE	25 m	3.2 mm
EHS14RE	10 m	4.8 mm
EHS42RE	20 m	4.8 mm
EHS43RE	15 m	6.4 mm
EHS44RE	15 m	9.5 mm
EHS45RE	10 m	12.7 mm



Assorted Pack of Heat Shrink Tubing - 200 mm Lengths

Polyolefin. Shrink Ratio: 2:1.

Part No.	Pack of
AP33	30 Pieces

4 x Sizes: 3.2, 4.8, 6.4, 12.7 mm. 5 x Colours: Black, Blue, Red, White & Yellow.

Adhesive Lined Heat Shrink Tubing - Black

Polyolefin. Shrink Ratio: 3:1.

Part No.	Length	I.D. (Pre Shrink)
EHS61	1.22 m	4.8 mm
EHS62	1.22 m	9.5 mm
EHS63	1.22 m	12.7 mm
EHS64	1.22 m	19.1 mm

Assorted Box of Heat Shrink Tubing - 50 mm Lengths

Polyolefin. Shrink Ratio: 2:1.

Part No.	Box of
AB103	172 Pieces

4 x Sizes: 3.2, 4.8, 6.4, 12.7 mm.
4 x Colours: Black, Blue, Red, Yellow.

Self-Fusing Silicone Rubber Tape

RoSH compliant to 2022/95/EC.

- No Adhesive.
- Withstands temperatures: +260°C (+500°F).
- Remains flexible to -60°C (-85°F).
- 700 PSI tensile strength.
- Insulates to 8,000 Volts per layer.
- Stretches 300%.

Part No.	Qty	Colour	Width x Length
VC415	1	Black	25 mm x 3 m

Assorted Box of Heat Shrink Tubing - 100 mm Lengths

Polyolefin. Shrink Ratio: 2:1.

Part No.	Box of
AB221	100 Pieces

2 x Sizes: 4.8, 6.4 mm. 2 x Colours: Black, Red.

Non-Adhesive Loom Tape

NON adhesive PVC.

Part No.	Pack of	Colour	Width x Length
EPT5	2	Black	19 mm x 33 m

PVC Insulation Tape
19 mm Wide x 20 m Long.
Flame Retardant to BS EN 60454 Type 2.

Part No.	Pack of	Colour
EPT1	10	Black
EPT11	10	Blue
EPT17	10	Brown
EPT12	10	Green
EPT13	10	Green/Yellow Stripe
EPT18	10	Grey
EPT14	10	Red
EPT15	10	White
EPT16	10	Yellow



Assorted Pack of PVC Insulation Tape
19 mm Wide x 20 m Long. Flame Retardant to BS EN 60454 Type 2.

Part No.	Pack of
EPT3	10 Pieces

5 x Colours: (2 x) Blue, Green, Red, White, Yellow.

ADVANCE

ADVANCE Polyisobutylene Self-Amalgamating Tape
For insulation, termination and sealing.
Quickly fuses into a solid mass with excellent weathering characteristics and high dielectric strength. High resistance to ozone, water and protective against corrosion.

Part No.	Pack of	Colour	Width x Length
EPT4	2	Black	19 mm x 10 m

Loom Tape - Linen
Natural rubber adhesive system.

Part No.	Pack of	Colour	Width x Length
EPT6	2	Black	19 mm x 50 m

PVC Tape - 2" Wide

Part No.	Qty	Colour	Width x Length
EPT2	1	Black	50 mm x 33 m

Nitto

NITTO '21A' PVC Insulation Tape
0.20 mm Tape Thickness (200 Micron).

Part No.	Pack of	Colour	Width x Length
EPT21	10 Rolls	Black	19 mm x 20 m

ADVANCE

ADVANCE 'AT7' PVC Insulation Tape
Flame Retardant to BS EN 60454 Type 2.

Part No.	Pack of	Colour	Width x Length
EPT7	10 Rolls	Black	19mm x 20 m

ADVANCE

ADVANCE High Temperature 'AT74' PVC Insulation Tape
Flame retardant, high temperature PVC electrical insulation tape.
0.15 mm Tape Thickness (150 Micron).

Part No.	Pack of	Colour	Width x Length
EPT74	10 Rolls	Black	19 mm x 33 m

Looking for More Adhesive Tapes?
Our new expanded range is on Pages 319-323

BEST SELLER

Battery Terminals - Twin Screw

Plated brass.

Part No.	Pack of	Polarity	Cable	Entry Ø
BT1	10	+ Positive	25 mm²	8.5 mm
BT2	10	- Negative	25 mm²	8.5 mm

BEST SELLER

Battery Terminals - Twin Screw

Plated brass.

Part No.	Pack of	Polarity	Cable	Entry Ø
BT3	10	+ Positive	60 mm²	10.5 mm
BT4	10	- Negative	60 mm²	10.5 mm

Battery Terminals - Post Type with Nuts

Plated brass.

Part No.	Pack of	Polarity	Post Size
BT25	5	+ Positive	M10
BT26	5	- Negative	M10

Battery Terminals - Twin Screw

Plated brass.

Part No.	Pack of	Polarity	Cable	Entry Ø
BT21	5	+ Positive	70 mm²	14.0 mm
BT22	5	- Negative	70 mm²	14.0 mm



PVC Battery Terminal Covers - L-Shape Left Entry

For cable up to 50 mm² (14 mm Ø). Suits Part No.s BT1, BT2, BT3 & BT4.

Part No.	Pack of	Colour/Polarity	Cable Up To	Entry Ø
BTC2	10	Red + Positive	50 mm²	14 mm
BTC1	10	Black - Negative	50 mm²	14 mm



PVC Battery Terminal Covers - L-Shape Right Entry

For cable up to 50 mm² (14 mm Ø). Suits Part No.s BT1, BT2, BT3 & BT4.

Part No.	Pack of	Colour/Polarity	Cable Up To	Entry Ø
BTC4	10	Red + Positive	50 mm²	14 mm
BTC3	10	Black - Negative	50 mm²	14 mm

Battery Terminals - Post Type with Wing Nuts

Plated brass.
Suitable for FORD Cargo.

Part No.	Pack of	Polarity	Post Size
BT23	5	+ Positive	M10
BT24	5	- Negative	M10



Battery Terminals - Offset Type

Plated brass.

Part No.	Pack of	Polarity
BT27	5	+ Positive
BT28	5	- Negative

Plug-In Bases with SAE Configuration 9-Pole for Relays

Takes 5 x 6.3 mm, 4 x 2.8 mm.

Part No.	Pack of	Description
ERL100	10	Relay Plug-In Bases

SAS

S·A·S Battery Terminal Protector

Suitable for use on batteries and earthing straps in cars, buses, trains and plant hire equipment.

- Protects against corrosion
- Improves electrical continuity thus improving starting
- Contains an indicator to visualise acid leaks (turns red)
- Waterproofs terminals

Part No.	Pack of	Size
SAS3	6	500ml Aerosols

KS TOOLS GERMANY

KS TOOLS Battery Terminal Cleaning Tool

Made from forged aluminium with steel milled inserts.

- Removes corrosion from car battery terminal.
- Scraper for battery positive terminal (+).
- Scraper for battery negative terminal (-).
- Conical mill for battery terminals (+ and -).

Part No.	Qty	Description
K700.1195	1	Battery Terminal Cleaning Tool



Battery Retaining Bracket Sets

Zinc plated. Universal application.

Part No.	Pack of	Description
BT7	10	Bracket Sets

Looking for Battery Cables?

See the Auto Cable range on Page 63



Relay - 4 Pin High Temperature Design

Complete with metal fixing plate and 30 amp blade fuse (standard type).

Part No.	Qty	Volts	Amps
ERL5	1	DC 12V	30 A



Relay - 4 Pin

Complete with metal fixing plate.

Part No.	Qty	Volts	Amps	Contact Type
ERL1	1	DC 12V	30 A	Normally Open



Relay - 4 Pin

Complete with metal fixing plate.

Part No.	Qty	Volts	Amps	Contact Type
ERL11	1	DC 12V	40 A	Normally Open



Relay - 5 Pin

Complete with metal fixing plate.

Part No.	Qty	Volts	Amps	Contact Type
ERL7	1	DC 12V	20/30 A	Normally Open



Relay - 5 Pin Change Over

Complete with metal fixing plate

Part No.	Qty	Volts	Amps
ERL4	1	DC 24V	10/20 A



Relay - 4 Pin Make & Break

Part No.	Qty	Volts	Amps
ERL6	1	DC 12V	70 A

Motor Run Capacitor - Spade Connectors

EN 60252-1 VDE approved. RoHS.
Plastic case with 6.3 x 0.8 mm fast-on terminals
(6.4 mm spade connectors) to PN-EN6120.
M8 x 10 mm thread complete with M8 serrated nut.

Part No.	Qty	Rated Capacitance	Dia x Body Length
CPR14	1	14uF	35 x 83 mm
CPR16	1	16uF	35 x 83 mm
CPR20	1	20uF	40 x 83 mm
CPR25	1	25uF	45 x 83 mm
CPR30	1	30uF	45 x 83 mm
CPR35	1	35uF	50 x 83 mm
CPR40	1	40uF	45 x 119 mm

Motor Run Capacitor - Cable Lead Connectors

EN 60252-1 VDE approved. RoHS.
Plastic case with 2-core cable lead according to PN-91/E-90103.
M8 x 10 mm thread complete with M8 serrated nut.

Part No.	Qty	Rated Capacitance	Dia x Body Length
CPR14M	1	14uF	40 x 70 mm
CPR25M	1	25uF	45 x 78 mm
CPR40M	1	40uF	45 x 114 mm
CPR50M	1	50uF	45 x 114 mm
CPR60M	1	60uF	50 x 119 mm
CPR70M	1	70uF	55 x 119 mm
CPR80M	1	80uF	60 x 119 mm



Heater Tip Over Safety Cut Out Switch

16A, 250VAC. Turns a heater off if turned over.

Part No.	Qty	Description
EC15	1	Safety Cut Out Switch

1:1 Actual Size Images

12V Illuminated Indicator Light

Fits 12 mm round hole, 6.3 mm male blade terminals.

Part No.	Pack of	Colour
EC85	10	Red
EC82	10	Amber
EC84	10	Green
EC83	10	Blue

12V LED Warning Light - Round

Fits 20 mm round hole, 6.3 mm male blade terminals.

Part No.	Pack of	Colour
EC88A	1	Red
EC88	10	Red
EC89A	1	Amber
EC89	10	Amber
EC91	10	Green
EC90A	1	Blue
EC90	10	Blue



Heater & Vacuum On/Off Switches

16(4)A, 250VAC. Panel cut out 'A' style: 27.2 x 22.3 mm.

Part No.	Qty	Switch Colour
EC13	1	Black
EC14	1	Illuminated Red



12V Illuminated Toggle Switch - On/Off

Fits 12.5 mm round hole, 20A.(*NOT Illuminated).

Part No.	Pack of	Colour
EC9	10	Black *
EC77	10	Red
EC74A	1	Amber
EC74	10	Amber
EC76A	1	Green
EC76	10	Green
EC75A	1	Blue
EC75	10	Blue

12V LED Metal Toggle Switch - On/Off

Fits 12.5 mm round hole, 25A, Silver contacts.
Heavy Duty, 6.3 mm male blade terminals.

Part No.	Pack of	Colour
EC66	10	Red
EC63	10	Amber
EC65	10	Green
EC64	10	Blue

12V LED Spot Rocker Switch - On/Off

Fits 12.5 mm hole, 16A. 6.3 mm blade terminals.

Part No.	Pack of	Colour
EC73	10	Red
EC70	10	Amber
EC72	10	Green
EC71A	1	Blue
EC71	10	Blue



12V LED Rocker Switch - On/Off

Fits 12.5 mm hole, 16A. 6.3 mm blade terminals.

Part No.	Pack of	Colour
EC81	10	Red
EC78A	1	Amber
EC78	10	Amber
EC80	10	Green

Looking for RCD Switches?

A range of Circuit Breakers starts from Page 66

1:1 Actual Size Images



12V Metal Toggle Switch - On/Off

Fits 12.5 mm round hole, 25A, Silver contacts.
Heavy Duty, 6.3 mm male blade terminals.

Part No.	Pack of	Type
EC67	10	On/Off



12V Metal Toggle Switch - On/Off/On

Fits 12.5 mm round hole, 25A, Silver contacts.
Heavy Duty, 6.3 mm male blade terminals.

Part No.	Pack of	Type
EC68	10	On/Off/On



12V LED Metal Toggle Switch - On/Off

Fits 12.5 mm round hole, 25A, Silver contacts.
Heavy Duty, 6.3 mm male blade terminals.

Part No.	Pack of	Colour
EC66	10	Red
EC63	10	Amber
EC65	10	Green
EC64	10	Blue

12V Push Button Switch - Brass

20A. Fits 19 mm round hole. Vandal resistant. Zinc plated.

Part No.	Pack of	Description
EC86	5	Push Switches

12V Push Button Switch - Heavy Duty

Fits 26 mm round hole 16A. Plastic. Stays on while the button is pressed.

Part No.	Pack of	Description
EC87	10	Push Switches

1:1 Actual Size Images



12V Metal Toggle Switch - Flash/Off/Flash

Fits 12.5 mm round hole, 25A, Silver contacts.
Heavy Duty, 6.3 mm male blade terminals.

Part No.	Pack of	Type
EC69	10	Flash/Off/Flash



12V Metal Toggle Switch - Flash/Off

Fits 12.5 mm round hole, 25A, Silver contacts.
Heavy Duty, 6.3 mm male blade terminals.

Part No.	Pack of	Type
EC62	10	Flash/Off

12V/24V Push/Pull Switch

Fits 8 mm round hole, 16A @ 12V, 8A @ 24V, screw terminals.

Part No.	Pack of	Type
EC60	10	Long Neck

12V/24V Push/Pull Switch

Fits 8 mm round hole, 16A @ 12V, 8A @ 24V, screw terminals.

Part No.	Pack of	Type
EC61	10	Short Neck



12V Metal TIR Battery Isolator Switch

250 A continuous, 2500 A for 10 seconds.
Heavy duty. (Image shown NOT actual size).

Part No.	Qty	Description
EC94	1 Set	Switch & Key
EC95	1	Spare Key



12V Battery Isolator Switch

100 A continuous, 500 A for 5 seconds.
(Image shown NOT actual size).

Part No.	Qty	Description
EC92	1 Set	Switch & Key
EC93	5	Spare Keys

Littelfuse

LITTELFUSE ATOF® Standard Blade Fuses

Nylon housing.

Part No.	Pack of	Amperage
EFB1	50	1 A
EFB2	50	2 A
EFB3	50	3 A
EFB4	50	4 A
EFB5	50	5 A
EFB7.5	50	7.5 A
EFB10	50	10 A
EFB15	50	15 A
EFB20	50	20 A
EFB25	50	25 A
EFB30	50	30 A
EFB40	50	40 A

Assorted Box of LITTELFUSE ATOF® Standard Blade Fuses with Fuse Holders

Standard type blade fuse. Nylon housing.

Part No.	Box of
AB41N	120 Pieces

10 x Amperages: 2, 3, 5, 7.5, 10, 15, 20, 25, 30, 40 A.

'Max Box' Assortment of LITTELFUSE Blade Fuses & Holders

MAX BOX

Nylon housing.

Part No.	Box of
AB503	321 Pieces

11 x ATOF® Standard Blade Fuses: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30, 40 A.
10 x MINI® Blade Fuses: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.
1 x ATOF® Standard Blade Fuse Holders: 20 A.
1 x MINI® Blade Fuse Holders - Splash Proof: 20 A.
1 x Standard Blade Fuse Holders - Splash Proof: 20 A.

Standard Blade Fuse Circuit Breakers

RoHS. Voltage Rating: 28V DC.
Standard size blade fuse style.

- **Manual trip/reset button on top of the fuse.**

Part No.	Pack of	Amperage
EFX305	5	5 A
EFX307	5	7.5 A
EFX310	5	10 A
EFX315	5	15 A
EFX320	5	20 A
EFX325	5	25 A
EFX330	5	30 A

1:1 Actual Size Images

BEST SELLER

Standard Blade Fuses

Part No.	Pack of	Amperage
EFX3	50	3 A
EFX4	50	4 A
EFX5	50	5 A
EFX7.5	50	7.5 A
EFX10	50	10 A
EFX10K	1,000	10 A
EFX15	50	15 A
EFX15K	1,000	15 A
EFX20	50	20 A
EFX20K	1,000	20 A
EFX25	50	25 A
EFX30	50	30 A

Assorted Box of Standard Blade Fuses with Fuse Holders

Part No.	Box of
AB164	105 Pieces

9 x Standard Blade Fuses, Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.
1 x Holder: White.

LED Standard Blade Fuses

RoHS. Voltage Rating: 12 or 24V.
Standard blade fuse style.

- **LED on top of the fuse glows when it has blown.**
- **No more guesswork and testing of troublesome circuits.**
- **Instant identification of blown fuses - Saves time & effort.**



Part No.	Pack of	Amperage
EFX203	25	3 A
EFX204	25	4 A
EFX205	25	5 A
EFX207	25	7 A
EFX210	25	10 A
EFX215	25	15 A
EFX220	25	20 A
EFX225	25	25 A
EFX230	25	30 A

Assorted Box of LED Standard Blade Fuses

RoHS. Voltage Rating: 12 or 24V.
Standard blade fuse style.

Part No.	Box of
AB224	75 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.

LITTELFUSE In-Line ATOF® Standard Blade Fuse Holders

Part No.	Pack of		Amperage	Cable Size
EFH20	10	●	20 A	2 mm²
EFH30	10	●	30 A	3 mm²

In-Line Standard Blade Fuse Holders

Part No.	Pack of		Amps	Cable Size
EFH150	10	●	20A	2 mm²

LITTELFUSE In-Line ATOF® Standard Blade Fuse Holders - Splash Proof

Part No.	Pack of		Amperage	Cable Size
EFH5	10	●	20 A	1.5 mm²
EFH530	10	●	30 A	3 mm²



LED In-Line Standard Blade Fuse Holders - Splash Proof

RoHS. Voltage Rating: 12 or 24 V. Fitted lid prevents water ingress.
For use with standard blade fuses.
• Built-in LED glows when fuse has blown.

Part No.	Pack of		Amperage	Cable Size
EFH220	10	●	20A	2 mm²
EFH230	10	●	30A	3 mm²



'Add A Circuit' Standard Blade Fuse Holders

Extension board for an additional fuse
protected tap from an existing standard type blade fuse socket.
The two fuses for the existing and the new circuit are stored horizontally.

Part No.	Qty	Description
EFH50	10	'Add A Circuit' Fuse Holder

Standard Blade Fuse Holders

Part No.	Pack of	Colour
EFH6	10	White

LITTELFUSE Blade Fuse Extractor & Tester

For testing ATOF® (standard type),
MINI® & Low Profile MINI® blade fuses.

Part No.	Pack of	Description
EFBX	3	Extractor/Testers



Standard Blade Fuse Holders

Can be clipped together to make a multiple fuse box.

Part No.	Pack of	Description
EFH8	10	Fuse Holders
EFH9	10	Clear Covers
EFH10	10	Fixing Plates

Littelfuse



LITTELFUSE Low Profile MINI® Blade Fuses

Also known as 'Micro' fuses. Nylon housing.

Part No.	Pack of	Amperage
EFL105	25	5 A
EFL107	25	7.5 A
EFL110	25	10 A
EFL115	25	15 A
EFL120	25	20 A
EFL125	25	25 A
EFL130	25	30 A

Assorted Box of LITTELFUSE Low Profile MINI® Blade Fuses

Part No.	Box of
AB175N	75 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.

Littelfuse



LITTELFUSE MICRO2™ Blade Fuses

32 V. Nylon housing.

Part No.	Pack of	Amperage
EFBM25	25	5 A
EFBM27.5	25	7.5 A
EFBM210	25	10 A
EFBM215	25	15 A
EFBM220	25	20 A
EFBM225	25	25 A
EFBM230	25	30 A

Assorted Box of LITTELFUSE MICRO2™ Blade Fuses

32 V. Nylon housing.

Part No.	Box of
AB179	175 Pieces

7 x Amperages: 5, 7.5, 10, 15, 20, 25, 30 A.

1:1 Actual Size Images

Mini Blade Fuses

Part No.	Pack of	Amperage
EFX102	50	2 A
EFX103	50	3 A
EFX104	50	4 A
EFX105	50	5 A
EFX107	50	7.5 A
EFX110	50	10 A
EFX110K	1,000	10 A
EFX115	50	15 A
EFX115K	1,000	15 A
EFX120	50	20 A
EFX120K	1,000	20 A
EFX125	50	25 A
EFX130	50	30 A

Assorted Box of Mini Blade Fuses

Part No.	Box of
AB165N	200 Pieces

10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.

In-Line Mini Blade Fuse Holders - Splash Proof

Part No.	Pack of	Amps	Cable Size
EFH140	10	20A	2 mm²

Littelfuse

LITTELFUSE MICRO3™ Blade Fuses

32 V. Nylon housing.

Part No.	Pack of	Amperage
EFBM35	25	5 A
EFBM37.5	25	7.5 A
EFBM310	25	10 A
EFBM315	25	15 A

Littelfuse

LITTELFUSE MINI® Blade Fuses

Nylon housing.

Part No.	Pack of	Amperage
EFB102	25	2 A
EFB103	25	3 A
EFB104	25	4 A
EFB105	25	5 A
EFB107	25	7.5 A
EFB110	25	10 A
EFB115	25	15 A
EFB120	25	20 A
EFB125	25	25 A
EFB130	25	30 A

Littelfuse



LITTELFUSE MAXI™ Blade Fuses

Nylon housing.

Part No.	Pack of	Amperage
EFB220	10	20 A
EFB230	10	30 A
EFB240	10	40 A
EFB250	10	50 A
EFB260	10	60 A
EFB270	10	70 A
EFB280	10	80 A

Assorted Box of LITTELFUSE MINI® Blade Fuses

Nylon housing.

Part No.	Box of
AB118	100 Pieces

10 x Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A.

Assorted Box of LITTELFUSE MAXI™ Blade Fuses

Nylon housing.

Part No.	Box of
AB176	29 Pieces

7 x Amperages: 20, 30, 40, 50, 60, 70, 80 A.

Littelfuse



LITTELFUSE In-Line MINI® Blade Fuse Holders - Splash Proof

Part No.	Pack of	Amperage	Cable Size
EFH4	10	20 A	2.1 mm²
EFH430	10	30 A	3.3 mm²

Littelfuse



LITTELFUSE MAXI™ Fuse Holder

Part No.	Qty	Description
EFH7	1	Fuse Holder



LED in-Line Mini Blade Fuse Holders - Splash Proof

RoHS. Voltage Rating: 12 or 24 V.
Fitted lid prevents water ingress. For use with mini blade fuses.

- **Built-in LED glows when fuse has blown.**

Part No.	Pack of	Amperage	Cable Size
EFH120	10	20A	2 mm²
EFH130	10	30A	3 mm²

Littelfuse

LITTELFUSE MAXI™ Fuse Holder - Splash Proof

80 amp. For Cable size 4-6 mm².

Part No.	Qty	Description
EFH84	1	Fuse Holder

Littelfuse

LITTELFUSE
JCASE® Cartridge Fuses

Standard type.

Part No.	Pack of	Amperage
EFJ20	10	20 A
EFJ30	10	30 A
EFJ40	10	40 A
EFJ50	10	50 A
EFJ60	10	60 A

Littelfuse

LITTELFUSE
Low Profile JCASE® Cartridge Fuses

Standard type.

Part No.	Pack of	Amperage
EFJ120	10	20 A
EFJ130	10	30 A
EFJ140	10	40 A
EFJ150	10	50 A
EFJ160	10	60 A

Littelfuse



LITTELFUSE
PAL Auto Fuses - Type 293

Part No.	Pack of	Amperage
EFA320	10	20 A
EFA340	10	40 A
EFA360	10	60 A

Littelfuse



LITTELFUSE
PAL Auto Fuses - Type 294

Part No.	Pack of	Amperage
EFA150	10	50 A
EFA160	10	60 A
EFA180	10	80 A

1:1 Actual Size Images

Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

Part No.	Pack of	Amperage	Colour
EFC5	100	5 A	Yellow
EFC8	100	8 A	White
EFC16	100	16 A	Red
EFC25	100	25 A	Blue

Assorted Box of Glass & Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

Part No.	Box of
AB194	350 Pieces

8 x Glass Fuses: 2, 5, 10, 15, 20, 25, 35, 50 A.
4 x Torpedo (Ceramic Type/Continental): 5, 8, 16, 25 A.

Littelfuse



LITTELFUSE MEGA™ Fuse 32V

Bolt-down fuses. Voltage Rating: 32 VDC. Complies to ISO 8820-5

Part No.	Pack of	Amperage
EFM150	10	150 A
EFM175	10	175 A
EFM250	10	250 A
EFM500	10	500 A



Domestic Mains Fuses

BS 1362.

Part No.	Pack of	Amperage
EFD3	50	3 A
EFD5	50	5 A
EFD13	50	13 A

Looking for a new plug?

A range of plugs and trailing sockets are on Page 64

Glass Fuses

Part No.	Pack of	Amperage	Length
EFG2	100	2 A	30 mm
EFG5	100	5 A	30 mm
EFG10	100	10 A	30 mm
EFG15	100	15 A	30 mm
EFG20	100	20 A	30 mm
EFG25	100	25 A	30 mm
EFG35	100	35 A	30 mm
EFG50	100	50 A	30 mm

Assorted Box of Glass & Torpedo Fuses

Torpedo (Ceramic Type/Continental) Fuses to DIN 72581/1.

Part No.	Box of
AB194	350 Pieces

8 x Glass Fuses: 2, 5, 10, 15, 20, 25, 35, 50 A.
4 x Torpedo (Ceramic Type/Continental): 5, 8, 16, 25 A.



Glass Fuse Holders

In-line type with insulated connectors.

Part No.	Pack of	Amperage	Cable Size
EFH1	10	8 A	1 mm²
EFH11	10	17 A	2 mm²

Mini Glass Fuses

Radio type.

Part No.	Pack of	Amperage	Length
EFG101	50	1 A	25 mm
EFG102	50	2 A	25 mm

1:1 Actual Size Images



Cable Tie Bases - Plastic

Self-adhesive with 2 screw holes.

Part No.	Pack of	For Tie Width	Colour	Base Size
EAC9BK	50	3.5 mm	Black	19 mm x 19 mm
EAC4BK	50	4.8 mm	Black	28 mm x 28 mm

Cable Tie Bases - Plastic

Self-adhesive with 2 screw holes.

Part No.	Pack of	For Tie Width	Colour	Base Size
EAC9	50	3.5 mm	White	19 mm x 19 mm
EAC4	50	4.8 mm	White	28 mm x 28 mm

Cable Tie Cradles

Polyamide. Operating Temperature: -40 to 85°C.

Part No.	Qty	Max Tie Width	Colour	Screw Size
EMC5BK	100	5 mm	Black	M3
EMC9BK	100	9 mm	Black	M5

Cable Tie Cradles

Polyamide. Operating Temperature: -40 to 85°C.

Part No.	Qty	Max Tie Width	Colour	Screw Size
EMC5	100	5 mm	White	M3
EMC9	100	9 mm	White	M5

Assorted Box of Cable Tie Bases & Cradle Mounts

Bases: Self adhesive with 2 screw holes.
Cradle Mounts: Polyamide.
Operating Temperature: -40 to 85°C.

Part No.	Box of
AB178N	120 Pieces

4 x Cradle Mounts; Sizes (Colour): 5, 9 mm (Black), 5, 9 mm (White)
4 x Cable Tie Bases, Sizes (Colour): 3.5, 4.8 mm (Black), 3.5, 4.8 mm (White)

Cable Clips - Plastic

Self-adhesive.

Part No.	Pack of	For Ø Up To	Colour	Base Size
EAC1	50	5 mm	White	19 mm x 19 mm
EAC2	50	8 mm	White	25 mm x 25 mm
EAC3	50	14 mm	White	33 mm x 28 mm

Assorted Pack of Cable Clips - Plastic

Self-adhesive.

Part No.	Pack of
AP5	50 Pieces

3 x Sizes (for Ø Up To): 5, 8 and 14 mm.

JCS Rubber Lined P-Clips

Hole Dia 6 mm. Mild steel, zinc plated.
EPDM rubber lined to prevent chafing caused by vibration.

Part No.	Pack of	Size
EAC105	50	5 mm
EAC106	50	6 mm
EAC108	50	8 mm
EAC110	50	10 mm
EAC113	50	13 mm
EAC116	50	16 mm
EAC121	50	21 mm
EAC125	50	25 mm
EAC129	50	29 mm
EAC135	50	35 mm
EAC138	50	38 mm
EAC144	25	44 mm
EAC148	25	48 mm
EAC152	25	52 mm
EAC160	25	60 mm

Assorted Pack of JCS Rubber Lined P-Clips

Part No.	Pack of
EAC100	60 Pieces

5 x Sizes: 6, 21, 29, 35 mm. 10 x Sizes: 8, 10, 13, 16 mm.

P-Clips

Nylon. Black.

Part No.	Pack of	For Cable Ø
EAC405	100	4.8 mm
EAC406	100	6.0 mm
EAC409	100	9.0 mm
EAC412	100	12.0 mm
EAC419	50	19.1 mm

Assorted Box of P-Clips

Nylon. Black.

Part No.	Box of
AB193	160 Pieces

5 x Sizes (for Cable Ø): 4.8, 6.0, 9.0, 12.0, 19.1 mm.



Cable Clips - Metal

Permanent self-adhesive.
Galvanised mild steel, white acrylic coated.

Part No.	Pack of	Size	for Cable Ø
EAC26	100	**Medium**	8 mm
EAC27	25	**Large**	12 mm



Cable Clips - Metal

Self-adhesive.

Part No.	Pack of	Diameter
EAC6	50	**9.5 mm**

Chassis Clips - Steel

Part No.	Pack of	Cable Grip	Length
EAC13	50	**6 mm**	40 mm

Cable Gland - Metric

DIN EN 50262/VDE 0619.
Body material Polyamide 6 with neoprene seal. IP68 rating.
Temp range: -30°C to 80°C. Locking nut included.

Part No.	Qty	Size	Cable Range
ECG16	10	**M16**	5 - 10 mm
ECG20	10	**M20**	10 - 14 mm
ECG25	10	**M25**	13 - 18 mm
ECG32	2	**M32**	18 - 25 mm
ECG40	2	**M40**	22 - 32 mm
ECG50	1	**M50**	30 - 38 mm

Cable Gland - PG

DIN EN 50262/VDE 0619.
Body material Polyamide 6 with neoprene seal.
IP68 rating. Temp range: -30°C to 80°C. Locking nut included.

Part No.	Qty	Size	Cable Range
EPG13	10	**PG13.5**	6 - 12 mm
EPG16	10	**PG16**	10 - 14 mm
EPG21	5	**PG21**	13 - 18 mm
EPG29	2	**PG29**	18 - 25 mm
EPG36	1	**PG36**	22 - 32 mm
EPG42	1	**PG42**	30 - 38 mm

Conduit - Split

Nylon.

Part No.	Length	Size	I.D. x O.D.
ECS10	10 m	**10 mm**	6.9 x 9.9 mm
ECS11	10 m	**16 mm**	11.5 x 15.5 mm
ECS16	10 m	**21 mm**	16.5 x 20.7 mm
ECS19	10 m	**24 mm**	19.5 x 23.5 mm
ECS31	25 m	**10 mm**	6.5 x 10.0 mm
ECS33	25 m	**21 mm**	16.9 x 21.2 mm
ECS34	25 m	**26 mm**	21.3 x 25.6 mm

Conduit - Unsplit

Nylon.

Part No.	Length	Size	I.D. x O.D.
ECS41	25 m	**10 mm**	6.5 x 10.0 mm
ECS42	25 m	**16 mm**	11.8 x 16.0 mm
ECS43	25 m	**21 mm**	16.9 x 21.2 mm
ECS44	25 m	**26 mm**	21.3 x 25.6 mm

Spiral Binding - Black

Polythene.

Part No.	Length	Band Width	Range
ECS29	10 m	**9 mm**	9 - 65 mm

Cable Ties - Black

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECT210	100	100 mm x 2.5 mm
ECT210/5	5 x 100	100 mm x 2.5 mm
ECT210/10	10 x 100	100 mm x 2.5 mm
ECT210/55K	550 x 100	100 mm x 2.5 mm
ECT216	100	160 mm x 2.5 mm
ECT216/5	5 x 100	160 mm x 2.5 mm
ECT216/10	10 x 100	160 mm x 2.5 mm
ECT216/40K	400 x 100	160 mm x 2.5 mm
ECT220	100	200 mm x 2.5 mm
ECT220/5	5 x 100	200 mm x 2.5 mm
ECT220/10	10 x 100	200 mm x 2.5 mm
ECT220/30K	300 x 100	200 mm x 2.5 mm

Part No.	Pack of	Length x Width
ECT314	100	140 mm x 3.6 mm
ECT314/5	5 x 100	140 mm x 3.6 mm
ECT314/10	10 x 100	140 mm x 3.6 mm
ECT314/30K	300 x 100	140 mm x 3.6 mm
ECT320	100	200 mm x 3.6 mm
ECT320/5	5 x 100	200 mm x 3.6 mm
ECT320/10	10 x 100	200 mm x 3.6 mm
ECT320/20K	200 x 100	200 mm x 3.6 mm
ECT330	100	300 mm x 3.6 mm
ECT330/5	5 x 100	300 mm x 3.6 mm
ECT330/10	10 x 100	300 mm x 3.6 mm
ECT330/17K	170 x 100	300 mm x 3.6 mm

Part No.	Pack of	Length x Width
ECT416	100	160 mm x 4.8 mm
ECT416/5	5 x 100	160 mm x 4.8 mm
ECT416/10	10 x 100	160 mm x 4.8 mm
ECT416/16K	160 x 100	160 mm x 4.8 mm
ECT420	100	200 mm x 4.8 mm
ECT420/5	5 x 100	200 mm x 4.8 mm
ECT420/10	10 x 100	200 mm x 4.8 mm
ECT420/15K	150 x 100	200 mm x 4.8 mm
ECT425	100	250 mm x 4.8 mm
ECT425/5	5 x 100	250 mm x 4.8 mm
ECT425/10	10 x 100	250 mm x 4.8 mm
ECT425/12K	120 x 100	250 mm x 4.8 mm
ECT430	100	300 mm x 4.8 mm
ECT430/5	5 x 100	300 mm x 4.8 mm
ECT430/10	10 x 100	300 mm x 4.8 mm
ECT430/11K	110 x 100	300 mm x 4.8 mm
ECT437	100	370 mm x 4.8 mm
ECT437/5	5 x 100	370 mm x 4.8 mm
ECT437/10	10 x 100	370 mm x 4.8 mm
ECT437/9K	90 x 100	370 mm x 4.8 mm
ECT439	100	390 mm x 4.8 mm
ECT439/5	5 x 100	390 mm x 4.8 mm
ECT439/10	10 x 100	390 mm x 4.8 mm
ECT439/85	85 x 100	390 mm x 4.8 mm
ECT443	100	430 mm x 4.8 mm
ECT443/5	5 x 100	430 mm x 4.8 mm
ECT443/10	10 x 100	430 mm x 4.8 mm
ECT443/75	75 x 100	430 mm x 4.8 mm

Part No.	Pack of	Length x Width
ECT720	100	200 mm x 7.6 mm
ECT720/5	5 x 100	200 mm x 7.6 mm
ECT720/10	10 x 100	200 mm x 7.6 mm
ECT720/7K	70 x 100	200 mm x 7.6 mm
ECT730	100	300 mm x 7.6 mm
ECT730/5	5 x 100	300 mm x 7.6 mm
ECT730/10	10 x 100	300 mm x 7.6 mm
ECT730/5K	50 x 100	300 mm x 7.6 mm
ECT737	100	370 mm x 7.6 mm
ECT737/5	5 x 100	370 mm x 7.6 mm
ECT737/10	10 x 100	370 mm x 7.6 mm
ECT737/4K	40 x 100	370 mm x 7.6 mm
ECT745	100	450 mm x 7.6 mm
ECT745/5	5 x 100	450 mm x 7.6 mm
ECT745/10	10 x 100	450 mm x 7.6 mm
ECT745/25	25 x 100	450 mm x 7.6 mm
ECT754	100	540 mm x 7.6 mm
ECT754/5	5 x 100	540 mm x 7.6 mm
ECT754/10	10 x 100	540 mm x 7.6 mm
ECT754/2K	20 x 100	540 mm x 7.6 mm

Part No.	Pack of	Length x Width
ECT943	100	430 mm x 9.0 mm
ECT943/5	5 x 100	430 mm x 9.0 mm
ECT943/10	10 x 100	430 mm x 9.0 mm
ECT943/25	25 x 100	430 mm x 9.0 mm
ECT953	100	530 mm x 9.0 mm
ECT953/5	5 x 100	530 mm x 9.0 mm
ECT953/10	10 x 100	530 mm x 9.0 mm
ECT953/2K	20 x 100	530 mm x 9.0 mm
ECT971	100	710 mm x 9.0 mm
ECT971/5	5 x 100	710 mm x 9.0 mm
ECT971/10	10 x 100	710 mm x 9.0 mm
ECT971/2K	20 x 100	710 mm x 9.0 mm
ECT978	100	780 mm x 9.0 mm
ECT978/5	5 x 100	780 mm x 9.0 mm
ECT978/10	10 x 100	780 mm x 9.0 mm
ECT978/2K	20 x 100	780 mm x 9.0 mm
ECT9102	100	1020 mm x 9.0 mm
ECT9102/5	5 x 100	1020 mm x 9.0 mm
ECT9102/1K	10 x 100	1020 mm x 9.0 mm

Part No.	Pack of	Length x Width
ECT1258	100	580 mm x 12.7 mm
ECT1258/5	5 x 100	580 mm x 12.7 mm
ECT1258/12	12 x 100	580 mm x 12.7 mm
ECT12103	100	1030 mm x 12.7 mm
ECT12103/6	6 x 100	1030 mm x 12.7 mm

Cable Ties - Natural

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECTW210	100	100 mm x 2.5 mm
ECTW210/5	5 x 100	100 mm x 2.5 mm
ECTW210/10	10 x 100	100 mm x 2.5 mm
ECTW210/55K	550 x 100	100 mm x 2.5 mm
ECTW216	100	160 mm x 2.5 mm
ECTW216/5	5 x 100	160 mm x 2.5 mm
ECTW216/10	10 x 100	160 mm x 2.5 mm
ECTW216/40K	400 x 100	160 mm x 2.5 mm
ECTW220	100	200 mm x 2.5 mm
ECTW220/5	5 x 100	200 mm x 2.5 mm
ECTW220/10	10 x 100	200 mm x 2.5 mm
ECTW220/30K	300 x 100	200 mm x 2.5 mm

Part No.	Pack of	Length x Width
ECTW314	100	140 mm x 3.6 mm
ECTW314/5	5 x 100	140 mm x 3.6 mm
ECTW314/10	10 x 100	140 mm x 3.6 mm
ECTW314/30K	300 x 100	140 mm x 3.6 mm
ECTW320	100	200 mm x 3.6 mm
ECTW320/5	5 x 100	200 mm x 3.6 mm
ECTW320/10	10 x 100	200 mm x 3.6 mm
ECTW320/20K	200 x 100	200 mm x 3.6 mm
ECTW330	100	300 mm x 3.6 mm
ECTW330/5	5 x 100	300 mm x 3.6 mm
ECTW330/10	10 x 100	300 mm x 3.6 mm
ECTW330/17K	170 x 100	300 mm x 3.6 mm

Part No.	Pack of	Length x Width
ECTW416	100	160 mm x 4.8 mm
ECTW416/5	5 x 100	160 mm x 4.8 mm
ECTW416/10	10 x 100	160 mm x 4.8 mm
ECTW416/16K	160 x 100	160 mm x 4.8 mm
ECTW420	100	200 mm x 4.8 mm
ECTW420/5	5 x 100	200 mm x 4.8 mm
ECTW420/10	10 x 100	200 mm x 4.8 mm
ECTW420/15K	150 x 100	200 mm x 4.8 mm
ECTW425	100	250 mm x 4.8 mm
ECTW425/5	5 x 100	250 mm x 4.8 mm
ECTW425/10	10 x 100	250 mm x 4.8 mm
ECTW425/12K	120 x 100	250 mm x 4.8 mm
ECTW430	100	300 mm x 4.8 mm
ECTW430/5	5 x 100	300 mm x 4.8 mm
ECTW430/10	10 x 100	300 mm x 4.8 mm
ECTW430/11K	110 x 100	300 mm x 4.8 mm
ECTW437	100	370 mm x 4.8 mm
ECTW437/5	5 x 100	370 mm x 4.8 mm
ECTW437/10	10 x 100	370 mm x 4.8 mm
ECTW437/9K	90 x 100	370 mm x 4.8 mm
ECTW439	100	390 mm x 4.8 mm
ECTW439/5	5 x 100	390 mm x 4.8 mm
ECTW439/10	10 x 100	390 mm x 4.8 mm
ECTW439/85	85 x 100	390 mm x 4.8 mm
ECTW443	100	430 mm x 4.8 mm
ECTW443/5	5 x 100	430 mm x 4.8 mm
ECTW443/10	10 x 100	430 mm x 4.8 mm
ECTW443/75	75 x 100	430 mm x 4.8 mm



Part No.	Pack of	Length x Width
ECTW720	100	200 mm x 7.6 mm
ECTW720/5	5 x 100	200 mm x 7.6 mm
ECTW720/10	10 x 100	200 mm x 7.6 mm
ECTW720/7K	70 x 100	200 mm x 7.6 mm
ECTW730	100	300 mm x 7.6 mm
ECTW730/5	5 x 100	300 mm x 7.6 mm
ECTW730/10	10 x 100	300 mm x 7.6 mm
ECTW730/5K	50 x 100	300 mm x 7.6 mm
ECTW737	100	370 mm x 7.6 mm
ECTW737/5	5 x 100	370 mm x 7.6 mm
ECTW737/10	10 x 100	370 mm x 7.6 mm
ECTW737/4K	40 x 100	370 mm x 7.6 mm
ECTW745	100	450 mm x 7.6 mm
ECTW745/5	5 x 100	450 mm x 7.6 mm
ECTW745/10	10 x 100	450 mm x 7.6 mm
ECTW745/25	25 x 100	450 mm x 7.6 mm
ECTW754	100	540 mm x 7.6 mm
ECTW754/5	5 x 100	540 mm x 7.6 mm
ECTW754/10	10 x 100	540 mm x 7.6 mm
ECTW754/2K	20 x 100	540 mm x 7.6 mm

Part No.	Pack of	Length x Width
ECTW943	100	430 mm x 9.0 mm
ECTW943/5	5 x 100	430 mm x 9.0 mm
ECTW943/10	10 x 100	430 mm x 9.0 mm
ECTW943/25	25 x 100	430 mm x 9.0 mm
ECTW953	100	530 mm x 9.0 mm
ECTW953/5	5 x 100	530 mm x 9.0 mm
ECTW953/10	10 x 100	530 mm x 9.0 mm
ECTW953/2K	20 x 100	530 mm x 9.0 mm
ECTW971	100	710 mm x 9.0 mm
ECTW971/5	5 x 100	710 mm x 9.0 mm
ECTW971/10	10 x 100	710 mm x 9.0 mm
ECTW971/2K	20 x 100	710 mm x 9.0 mm
ECTW978	100	780 mm x 9.0 mm
ECTW978/5	5 x 100	780 mm x 9.0 mm
ECTW978/10	10 x 100	780 mm x 9.0 mm
ECTW978/2K	20 x 100	780 mm x 9.0 mm
ECTW9102	100	1020 mm x 9.0 mm
ECTW9102/5	5 x 100	1020 mm x 9.0 mm
ECTW9102/1K	10 x 100	1020 mm x 9.0 mm

Part No.	Pack of	Length x Width
ECTW1258	100	580 mm x 12.7 mm
ECTW1258/5	5 x 100	580 mm x 12.7 mm
ECTW1258/12	12 x 100	580 mm x 12.7 mm
ECTW12103	100	1030 mm x 12.7 mm
ECTW12103/6	6 x 100	1030 mm x 12.7 mm

Cable Ties - Silver/Grey

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECTG420	100	200 mm x 4.8 mm
ECTG420/5	5 x 100	200 mm x 4.8 mm
ECTG420/10	10 x 100	200 mm x 4.8 mm
ECTG420/15K	150 x 100	200 mm x 4.8 mm
ECTG430	100	300 mm x 4.8 mm
ECTG430/5	5 x 100	300 mm x 4.8 mm
ECTG430/10	10 x 100	300 mm x 4.8 mm
ECTG430/11K	110 x 100	300 mm x 4.8 mm
ECTG437	100	370 mm x 4.8 mm
ECTG437/5	5 x 100	370 mm x 4.8 mm
ECTG437/10	10 x 100	370 mm x 4.8 mm
ECTG437/9K	90 x 100	370 mm x 4.8 mm

Cable Ties - Green

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECT420GR	100	200 mm x 4.8 mm
ECT420GR/5	5 x 100	200 mm x 4.8 mm
ECT420GR/10	10 x 100	200 mm x 4.8 mm
ECT420GR/15K	150 x 100	200 mm x 4.8 mm
ECT430GR	100	300 mm x 4.8 mm
ECT430GR/5	5 x 100	300 mm x 4.8 mm
ECT430GR/10	10 x 100	300 mm x 4.8 mm
ECT430GR/11K	110 x 100	300 mm x 4.8 mm
ECT437GR	100	370 mm x 4.8 mm
ECT437GR/5	5 x 100	370 mm x 4.8 mm
ECT437GR/10	10 x 100	370 mm x 4.8 mm
ECT437GR/9K	90 x 100	370 mm x 4.8 mm

Cable Ties - Blue

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECT420BU	100	200 mm x 4.8 mm
ECT420BU/5	5 x 100	200 mm x 4.8 mm
ECT420BU/10	10 x 100	200 mm x 4.8 mm
ECT420BU/15K	150 x 100	200 mm x 4.8 mm
ECT430BU	100	300 mm x 4.8 mm
ECT430BU/5	5 x 100	300 mm x 4.8 mm
ECT430BU/10	10 x 100	300 mm x 4.8 mm
ECT430BU/11K	110 x 100	300 mm x 4.8 mm
ECT437BU	100	370 mm x 4.8 mm
ECT437BU/5	5 x 100	370 mm x 4.8 mm
ECT437BU/10	10 x 100	370 mm x 4.8 mm
ECT437BU/9K	90 x 100	370 mm x 4.8 mm

Cable Ties - Yellow

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECT420YE	100	200 mm x 4.8 mm
ECT420YE/5	5 x 100	200 mm x 4.8 mm
ECT420YE/10	10 x 100	200 mm x 4.8 mm
ECT420YE/15K	150 x 100	200 mm x 4.8 mm
ECT430YE	100	300 mm x 4.8 mm
ECT430YE/5	5 x 100	300 mm x 4.8 mm
ECT430YE/10	10 x 100	300 mm x 4.8 mm
ECT430YE/11K	110 x 100	300 mm x 4.8 mm
ECT437YE	100	370 mm x 4.8 mm
ECT437YE/5	5 x 100	370 mm x 4.8 mm
ECT437YE/10	10 x 100	370 mm x 4.8 mm
ECT437YE/9K	90 x 100	370 mm x 4.8 mm

Cable Ties - Red

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
ECT420RE	100	200 mm x 4.8 mm
ECT420RE/5	5 x 100	200 mm x 4.8 mm
ECT420RE/10	10 x 100	200 mm x 4.8 mm
ECT420RE/15K	150 x 100	200 mm x 4.8 mm
ECT430RE	100	300 mm x 4.8 mm
ECT430RE/5	5 x 100	300 mm x 4.8 mm
ECT430RE/10	10 x 100	300 mm x 4.8 mm
ECT430RE/11K	110 x 100	300 mm x 4.8 mm
ECT437RE	100	370 mm x 4.8 mm
ECT437RE/5	5 x 100	370 mm x 4.8 mm
ECT437RE/10	10 x 100	370 mm x 4.8 mm
ECT437RE/9K	90 x 100	370 mm x 4.8 mm

Metal Cable Ties - Rollerball

Stainless Steel 316.

Part No.	Pack of	Length x Width
ECT107	50	362 x 4.6 mm
ECT108	50	521 x 4.6 mm

Assorted Pack of Cable Ties - Coloured

Standard type. Manufactured from Nylon 6.6.

Part No.	Pack of	Length x Width
AP41	200	200 x 4.8 mm

Colours: Red, Blue, Green, Yellow

CV Boot Metal Clamps

Stainless steel.

Part No.	Pack of	Size	Range
HCV1	20	Small	19 - 40 mm
HCV2	20	Large	50 - 110 mm

HellermannTyton

HELLERMANN TYTON
Cable Ties - Black

Standard type.

Part No.	Pack of	Length x Width	Mfr Ref.
ECT1N	100	100 x 2.5 mm	T18R
ECT5N	200	120 x 4.8 mm	LK2
ECT35	100	150 x 3.5 mm	T30R
ECT2	100	200 x 4.6 mm	T50R
ECT2D	500	200 x 4.6 mm	T50R
ECT3	100	270 x 4.8 mm	LK2A
ECT6	100	300 x 7.6 mm	T120I
ECT7	100	390 x 4.6 mm	T50L
ECT7D	500	390 x 4.6 mm	T50L
ECT4	100	390 x 7.6 mm	T120R
ECT9	100	465 x 7.6 mm	T120M
ECT8	50	540 x 13.0 mm	LK5
ECT10	50	760 x 7.6 mm	120L

HellermannTyton

HELLERMANN TYTON
Metal Content Ties

Dark blue nylon. Metal content dispersed throughout the head and strap ensures identification by metal detectors and X-ray machines.

Part No.	Pack of	Length x Width
ECT38	100	150 x 3.5 mm
ECT39	100	200 x 4.6 mm
ECT40	100	390 x 4.6 mm
ECT41	100	380 x 7.6 mm

HellermannTyton

HELLERMANN TYTON
Cable Ties - Mounting Head Type - Black

Part No.	Pack of	Length x Width	Mfr Ref.
ECT21	100	215 x 4.6 mm	T50MR
ECT22	100	400 x 7.6 mm	T120MR

HellermannTyton

HELLERMANN TYTON
Releasable Chassis Cable Ties - Black

Serrated both sides.

- **Ideal for truck frames.**

Part No.	Pack of	Length x Width	Mfr Ref.
ECT26	50	300 x 6.0 mm	DE863220

HellermannTyton



HELLERMANN TYTON
Cable Ties - Natural (White)

Standard type.

Part No.	Pack of	Length x Width	Mfr Ref.
ECTW1N	100	100 x 2.5 mm	T18R
ECTW35	100	150 x 3.5 mm	T30R
ECTW2	100	200 x 4.6 mm	T50R
ECTW3	100	270 x 4.8 mm	LK2A
ECTW6	100	300 x 7.6 mm	T120I
ECTW7	100	390 x 4.6 mm	T50L
ECTW4	100	390 x 7.6 mm	T120R
ECTW9	100	465 x 7.6 mm	T120M
ECTW8	50	540 x 13.0 mm	LK5

HellermannTyton

HELLERMANN TYTON
Cable Ties - Releasable - Black

Part No.	Pack of	Length x Width	Mfr Ref.
ECT20	100	250 x 7.5 mm	REL250

HellermannTyton

HELLERMANN TYTON
Cable Ties - Releasable - Black

Fir-tree base (Mounting Hole: 6.3 - 7.0 mm, Maximum Panel Thickness: 7.0 mm).

Part No.	Pack of	Width x Length	Mfr Ref.
ECT25	100	5.0 x 170 mm	REL30SDP6

HellermannTyton

HELLERMANN TYTON
Cable Ties - Releasable - Black

Panel fixing type.

Part No.	Pack of	Width x Length	Mfr Ref.
ECT23	100	4.6 x 215 mm	RT50R/SF

White Panel Fixing Cable Ties

Part No.	Pack of	Tie W x L
FIX859	20	4.5 x 200 mm

Heavy Duty Cable Tie Tensioning Tool

Rigid metal construction.
For tie widths: 2.2 - 4.8 mm.
Suitable for nylon cable ties ONLY.

- **Automatic cut-off action.**

Part No.	Qty	Description
TL932	1	Cable Tie Tool

Crimping Pliers - Ratchet Type

For insulated terminals.

Part No.	Qty	Description
TL935	1	Ratchet Crimping Pliers

Crimping Pliers - Ratchet Type

Supplied with 2 x jaw sets for insulated and non-insulated terminals.

Part No.	Qty	Description
TL930	1	Ratchet Crimping Pliers

Supaseal Crimping Pliers - Ratchet Type

- **Ergonomically designed handle for ease of use**
- **Ratchet ensures correct crimping pressure**
- **Crimp range 0.5mm – 2.0mm²**

Part No.	Qty	Description
TL936	1	Ratchet Crimping Pliers

Crimping Pliers - Standard

For insulated terminals.

Part No.	Qty	Description
TL933	1	Standard Crimping Pliers

NWS Crimping Pliers - Heavy Duty

For insulated terminals.

Part No.	Qty	Description
TL934	1	Heavy Duty Crimping Pliers

Copper Tube Terminal Indent Crimping Tool

For copper tube terminals: 10 - 120 mm².

Part No.	Qty	Description
TL940	1	Indent Crimping Tool

Wire Stripper, Cutter & Crimping Tool

Part No.	Qty	Description
TL931	1	Wire Stripper, Cutter & Crimper

NWS Wire Stripper - Fully Insulated

For wire: 0.2 - 6.0 mm².
Adjusts automatically to diameter of wire.

- **Includes side cutter.**

Part No.	Qty	Description
TLA341	1	Wire Stripper

KS TOOLS Automatic Wire Strippers

Insulated handles, green for easy cable size differentiation.
Self adjusting, self closing. Adjustable length stop. Length: 170 mm.

- **For stripping electrical single and multi core cable without causing damage.**
- **4 Position holed blade for wire sizes: 0.5, 1.2, 1.6, 2.0 mm.**

Part No.	Qty	For Cable Diameter	Handle Colour
K115.1028	1	0.5 - 2.0 mm	Green



KS TOOLS Automatic Wire Strippers

Insulated handles, red for easy cable size differentiation.
Self adjusting, self closing. Adjustable length stop. Length: 170 mm.

- **For stripping electrical single and multi-core cable without causing damage.**
- **5 Position holed blade for wire sizes: 1.0, 1.6, 2.0, 2.6, 3.2 mm.**

Part No.	Qty	For Cable Diameter	Handle Colour
K115.1029	1	1.0 - 3.2 mm	Red

NWS Boot Lace (End-Sleeve) Terminal Crimping Pliers

Supplied complete with approx. 150 x Assortment of Boot Lace Terminals (0.5 - 2.5 mm²).DIN 46228 (Boot Lace Terminals).

Part No.	Qty	Description
TL252	1	Boot Lace Terminal Pliers

NWS 4-in-1 Electricians' VDE Pliers

Special tool steel, drop-forged, oil hardened. Matt chrome plated. 'Soft-Grip' 2 component handles with soft inlay. Optimised slip guards according to IEC 60900. 1,000V

- **Cuts bolts up to M3.5, strips cable 1.5/2.5 mm², crimp and bend facility.**

Part No.	Qty	Length
TNV5/190	1	190 mm

NWS Cable Cutter

Special tool steel, drop-forged, oil-hardened. Titanium finish head, soft grip 2-component handles. Spring opening.

- **Adjustable screw-joint.**
- **For stripping and cutting copper and aluminium cable up to 25 mm Ø (70 mm²).**

Part No.	Qty	Length	
TNR7/210	1	210 mm	(8 1/4")

NWS VDE Side Cutter

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

Part No.	Qty	Length	
TNV4/160	1	160 mm	(6 1/4")

NWS Electricians' Miniature Side Cutters

Box jointed with double leaf spring. Soft wire capacity: 1.2 mm Ø.

Part No.	Qty	Length
TNE3	1	115 mm

NWS VDE Combination Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

Part No.	Qty	Length	
TNV1/180	1	180 mm	(7")
TNV1/205	1	205 mm	(8")

NWS VDE Long (Chain) Nose Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads. Optimised slip guards according to IEC 60900. 1,000V.

Part No.	Qty	Length
TNV2/205	1	205 mm

NWS VDE Pliers Set

Optimised slip guards according to IEC 60900. 1,000V.Induction hardened precision edges. 2-component safety grip. For hard and soft wire.

Part No.	Qty	Description
KN782	1 Set	3 Piece Set

1 x VDE Combination:180 mm. 1 x VDE Chain Nose: 205 mm. 1 x VDE Side Cutter: 160 mm



NWS 'ErgoMulti' High Leverage VDE Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **With lock and opening spring.**

Part No.	Qty	Length	
TNV9/200	1	200 mm	(8")

NWS 'ErgoMulti' Ergonomic Electricians' Pliers

Tool steel, drop-forged, oil-hardened matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **With lock and opening spring.**

Part No.	Qty	Length	
TNR9/200	1	200 mm	(8")

NWS 'MultiCutter' 3-in-1 VDE Wire Stripping Pliers

Insulation to IEC 60900
1,000V. Matt chromium plated heads.
'Soft-Grip' 2-component handles with soft inlay.

- **Precision cutting edges, induction hardened.**
- **V-shaped cutting edges for stripping of wires.**
- **Cable stripper function: Ø 8 - 13 mm.**

Part No.	Qty	Length	
TNV6/180	1	**180 mm**	(7")

NWS 'MultiCutter' 3-in-1 Wire Stripping Pliers

Special tool steel, drop-forged, oil-hardened.
Precision cutting edges, induction hardened for hard and soft wires.

- **V-shaped cutting edges for stripping of wires and stranded conductors.**
- **Cable stripper function for all common cables from 8 - 13 mm Ø**

Part No.	Qty	Length	
TNR6/180	1	**180 mm**	(7")

NWS 'ErgoCombi' High Leverage VDE Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads.
'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **Can also be used as a spanner.**

Part No.	Qty	Length	
TNV8/200	1	**200 mm**	(8")

NWS 'ErgoCombi' High Leverage Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads.
'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **Can also be used as a spanner.**

Part No.	Qty	Length	
TNR8/200	1	**200 mm**	(8")

NWS VDE Screwdriver - Slotted

DIN 7437 / 7348. Insulation to IEC 60900 1,000V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Tip Width x Height	Shaft Length
TNS120	1	**3.5 x 0.6 mm**	100 mm
TNS130	1	**4.0 x 0.8 mm**	100 mm
TNS140	1	**5.5 x 1.0 mm**	125 mm
TNS150	1	**6.5 x 1.2 mm**	150 mm

NWS VDE Screwdriver - PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Tip No.	Shaft Length
TNS200	1	**PH0**	60 mm
TNS210	1	**PH1**	80 mm
TNS220	1	**PH2**	100 mm

NWS VDE Screwdriver - PZ

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Tip No.	Shaft Length
TNS300	1	**PZ0**	60 mm
TNS310	1	**PZ1**	80 mm
TNS320	1	**PZ2**	100 mm

NWS VDE Screwdriver Set - Slotted & PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Description
TNS500	1 Set	**5 Piece Set**

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125 mm.
1 x PH Head (PH No.x shaft length): PH1 x 80 mm.
1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length.

NWS VDE Screwdriver Set - Slotted & PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Description
TNS700	1 Set	**7 Piece Set**

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125, 6.5 mm.
2 x PH Head (PH No.x shaft length): PH0 x 60 mm, PH1 x 80 mm.
1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length.

1:1 Actual Size Images

Commercial Thick Wall Auto Cable, Single - 1.00 mm²

14/0.30 mm, 8.75 amps.

Designed for commercial applications.

Part No.	Length	Colour
EC2000BK	50 m	Black
EC2000BN	50 m	Brown
EC2000BU	50 m	Blue
EC2000GR	50 m	Green
EC2000PU	50 m	Purple
EC2000RE	50 m	Red
EC2000WH	50 m	White
EC2000YE	50 m	Yellow

Thin Wall Auto Cable, Single - 1.00 mm²

32/0.20 mm, 16.5 amps. ISO 6722 : 2011 (Class B).

- **Suitable for: Side/Tail Lamps, Map/Interior Lamps, Number Plate, Reversing Lamps, Stereos, Alarms, Aerials, Screen Wash Motors, Air Horns.**

Part No.	Length	Colour
EC200BK	50 m	Black
EC200BN	50 m	Brown
EC200BU	50 m	Blue
EC200GR	50 m	Green
EC200PU	50 m	Purple
EC200RE	50 m	Red
EC200WH	50 m	White
EC200YE	50 m	Yellow

Commercial Thick Wall Auto Cable, Single - 2.00 mm²

28/0.30 mm, 17.5 amps.

Designed for commercial applications.

Part No.	Length	Colour
EC3000BK	50 m	Black
EC3000BN	50 m	Brown
EC3000BU	50 m	Blue
EC3000GR	50 m	Green
EC3000PU	50 m	Purple
EC3000RE	50 m	Red
EC3000WH	50 m	White
EC3000YE	50 m	Yellow

Thin Wall Auto Cable, Single - 2.00 mm²

28/0.30 mm, 25.0 amps. ISO 6722 : 2011 (Class B).

- **Suitable for: Headlamps, Halogen Lamps, Fog Lamps, Spot Lamps, Cigar Lighters, Rear Screen Heaters.**

Part No.	Length	Colour
EC300BK	50 m	Black
EC300BN	50 m	Brown
EC300BU	50 m	Blue
EC300GR	50 m	Green
EC300PU	50 m	Purple
EC300RE	50 m	Red
EC300WH	50 m	White
EC300YE	50 m	Yellow

Thin Wall Auto Cable, Single - 3.00 mm²

44/0.30 mm, 33.0 amps. ISO 6722 : 2011 (Class B).

• **Suitable for: Ammeter Circuits, Battery Supply.**

Part No.	Length	Colour
EC400BK	30 m	Black
EC400BN	30 m	Brown
EC400RE	30 m	Red

Thin Wall Auto Cable, Single - 4.50 mm²

65/0.30 mm, 42 amps. ISO 6722 : 2011 (Class B).

• **Suitable for: Dynamo, Ammeter & Alternator Circuits.**

Part No.	Length	Colour
EC500BK	30 m	Black
EC500BN	30 m	Brown
EC500RE	30 m	Red



Thin Wall Auto Cable, Single - 8.50 mm²

120/0.30 mm, 63 amps. ISO 6722 : 2011 (Class B).

Part No.	Length	Colour
EC600BK	30 m	Black
EC600BN	30 m	Brown
EC600RE	30 m	Red

BEST SELLER

Thin Wall Auto Cable, Flat Twin - 2 x 1.00 mm²

2 x 32/0.20 mm, 16.5 amps. ISO 6722 : 2011 (Class B). Suitable for use at temperature: 70˚C.

Part No.	Length	Outer Colour
EC702	30 m	Black
EC712	100 m	Black

Commercial Thick Wall Auto Cable, Flat Twin - 2 x 1.00 mm²

2 x 14/0.30 mm, 8.75 amps. Designed for commercial applications.

Part No.	Length	Outer Colour
EC7020	30 m	Black
EC7120	100 m	Black

Auto Cable, 4-Core - 4 x 0.75 mm²

4 x 24/0.20 mm, 41.0 amps. ISO 6722 : 2011 (Class B).

Part No.	Length	Outer Colour
EC900	30 m	Black

Auto Cable, 5-Core - 5 x 0.75 mm²

5 x 24/0.20 mm, 14.0 amps. ISO 6722 : 2011 (Class B).

Part No.	Length	Outer Colour
EC901	30 m	Black

Auto Cable, 7-Core - 6 x 1.00 mm² & 1 x 2.00 mm²

6 x 32/0.20 mm, 16.5 amps & 1 x 28/0.30 mm, 25.0 amps. ISO 6722 : 2011 (Class B).

Part No.	Length	Outer Colour
EC903	30 m	Black

Auto Cable, 7-Core - 6 x 1.50 mm² & 1 x 2.50 mm²

6 x 21/0.30 mm, 21.0 amps & 1 x 35/0.30 mm, 29.0 amps. ISO 6722 : 2011 (Class B).

Part No.	Length	Outer Colour
EC904	30 m	Grey

Auto Cable, 7-Core - 7 x 0.75 mm²

7 x 24/0.20 mm, 14.0 amps. ISO 6722 : 2011 (Class B).

Part No.	Length	Outer Colour
EC902	30 m	Black

BEST SELLER

Thin Wall Auto Cable, Flat Twin - 2 x 2.00 mm²

2 x 28/0.30 mm, 25.0 amps. ISO 6722 : 2011 (Class B). Suitable for use at temperature: 70˚C.

Part No.	Length	Outer Colour
EC703	30 m	Black
EC713	100 m	Black

Commercial Thick Wall Auto Cable, Flat Twin - 2 x 2.00 mm²

2 x 28/0.30 mm, 17.5 amps. Designed for commercial applications.

Part No.	Length	Outer Colour
EC7030	30 m	Black
EC7130	100 m	Black

Auto Cable, Stereo Twin Speaker - 2 x 0.38 mm²

2 x 12/0.20 mm, 2.00 amps.

Part No.	Length	Colour
EC1102	100 m	Black with White Stripe

Auto Cable, Stereo Twin Speaker - 2 x 0.75 mm² for Hi-Fi Systems

2 x 24/0.20 mm, 6.00 amps.

Part No.	Length	Colour
EC1104	100 m	Black with Red Stripe

Flexible Battery/Starter Cable - 25 mm²

196/0.40 mm. 170 amp.

- Suitable for use at temperatures: -15°C to 70°C.
- Resistant to petrol, lubricating oil and diluted acids.

Part No.	Length	Colour
EC801	10 m	Black
EC801RE	10 m	Red

Flexible Battery/Starter Cable - 40 mm²

315/0.40 mm. 300 amp.

- Suitable for use at temperatures: -15°C to 70°C.
- Resistant to petrol, lubricating oil and diluted acids.

Part No.	Length	Colour
EC802	10 m	Black
EC802RE	10 m	Red

Flexible Battery/Starter Cable - 60 mm²

475/0.40 mm. 415 amp.

- Suitable for use at temperatures: -15°C to 70°C.
- Resistant to petrol, lubricating oil and diluted acids.

Part No.	Length	Colour
EC803	10 m	Black
EC803RE	10 m	Red

Domestic Mains Cable 3-Core - Tough Rubber Sheath

Suitable for single phase.

Part No.	Length	Outer Colour	Size	Amps
EC1201	50 m	Black	3 x 0.75 mm²	6A
EC1205	50 m	Black	3 x 1.00 mm²	10A
EC1202	50 m	Black	3 x 1.50 mm²	15A

Domestic Mains Cable 3-Core - PVC

Suitable for single phase.

Part No.	Length	Outer Colour	Size	Amps
EC1204	50 m	Black	3 x 1.50 mm²	15A
EC1207	50 m	White	3 x 1.50 mm²	15A
EC1211	50 m	Orange	3 x 1.50 mm²	15A

Heavy Duty 'H07' Mains Cable 2-Core - Tough Rubber Sheath

H07RN-F BS EN 60228. Voltage rating: 450-750V. EPR: Type EM2, PCP: Tpe EM2.

- Designed to provide high flexibility and have the capacity to withstand chemical, mechanical and thermal stress.
- Suitable for handling equipment, mobile power supplies, worksites, stage and audio visual equipment, port areas and dams.
- Temperature rating: -30°C to 60°C for fixed installations.

Part No.	Qty	Outer Colour	O.D.	Amps
EC1221	50 m	Black	2 x 1.00 mm²	10 A
EC1222	50 m	Black	2 x 1.50 mm²	16 A
EC1223	50 m	Black	2 x 2.50 mm²	25 A

Heavy Duty 'H07' Mains Cable 3-Core - Tough Rubber Sheath

H07RN-F BS EN 60228. Voltage rating: 450-750V. EPR: Type EM2, PCP: Tpe EM2.

- Designed to provide high flexibility and have the capacity to withstand chemical, mechanical and thermal stress.
- Suitable for handling equipment, mobile power supplies, worksites, stage and audio visual equipment, port areas and dams.
- Temperature rating: -30°C to 60°C for fixed installations.

Part No.	Qty	Outer Colour	O.D.	Amps
EC1231	50 m	Black	3 x 1.00 mm²	10 A
EC1232	50 m	Black	3 x 1.50 mm²	16 A
EC1233	50 m	Black	3 x 2.50 mm²	25 A
EC1234	50 m	Black	3 x 4.00 mm²	30 A

Cable Rack

Approx. Length: Overall 530 mm, Working 460 mm.
For cable reels with 25 mm core x 135 mm reel diameter (cable reels NOT included).

- **Wall mounted or free-standing**
- **Also takes heat shrink tubing reels**
- **Retaining bar can be easily lifted off to reload**
- **Dispense cable without removing reels**

Part No.	Qty	Description
ECR	1	Cable Rack

240V Cable Reels

240V 13A.
Manufactured to BS EN 6124.
Heavy duty with thermal cut-out.
Cable size: 1.25 mm² (H05VV-F).
Maximum load: 720W fully wound, 3,120W fully unwound.
Fitted with 13A mains plug.

- **4 x Safety shutter sockets**
- **Strong steel stand and robust case reel**
- **Power on/off switch**
- **Power LED indicator**

Part No.	Qty	Length
ERP25	1	25 m Reel
ERP50	1	50 m Reel

Cassette Cable Reel

240V 10A.
Heavy duty with thermal cut-out.
Manufactured to BS EN 61242.
Cable size: 1.25 mm².
Fitted with 13A mains plug.

- **4 x Sockets**
- **Sturdy construction with easy wind handle**

Part No.	Qty	Length
ERP18	1	10 m Reel

2 X USB Sockets

Surge Protector Extension Lead with 2 x USB Sockets

240V 2.1A. Surge protection via the 13A socket to protect any connected electronic equipment.
£ Unlimited connected equipment warranty

- **2 x USB charger outputs ideal for use with mobile devices**

Part No.	Qty	Type	Cable Length
ERP74	1	4-Way	2 m

2 X USB Sockets

Surge Protector with 2 x USB Sockets

240V 2.1A. Surge protection via the 13A socket to protect any connected electronic equipment.
£ Unlimited connected equipment warranty

- **2 x USB charger outputs ideal for use with mobile devices**

Part No.	Qty	Description
ERP71	1	Surge Protector

RCD Safety Adaptor

240V.

Part No.	Qty	Description
ERP20	1	RCD Safety Adaptor

3-Pin Rubber Plugs

13 amp with safety sleeving.
BS 1363/A.

Part No.	Pack of	Colour
ERP51	10	White
ERP52	10	Black

Domestic Mains Fuses

BS 1362.

Part No.	Pack of	Amperage
EFD3	50	3 A
EFD5	50	5 A
EFD13	50	13 A

Trailing Sockets

Safety shutters. BS 1363/A.
Supplied without cable or plug.

Part No.	Pack of	Type	Colour
ERP54	2	Single	Black

Trailing Sockets

Safety shutters. BS 1363/A.
Supplied without cable or plug.

Part No.	Qty	Type	Colour
ERP55	1	Double	White
ERP56	1	Double	Black

Trailing Sockets

Safety shutters. BS 1363/A.
Supplied without cable or plug.

Part No.	Qty	Type	Colour
ERP57	1	4-Way	White

Lead Connectors

10A. Black. Manufactured to BS 5733.

Part No.	Pack of	Pin Type
ERP62	2	2-Pin
ERP63	2	3-Pin

Transformer Trip Switches (Circuit Breakers)

125/250VAC. 32VDC.

Part No.	Pack of	Amperage
EC50	1	5 A
EC51	1	8 A
EC52	1	10 A
EC53	1	12 A
EC54	1	15 A
EC55	1	20 A
EC56	1	25 A
EC57	1	30 A

Transformer Trip Switch (Circuit Breakers) - Weatherproof Cover

Protects switch from moisture ingress and dust.
Clear silicone rubber bubble screws over push button.
Complete with 'Circuit Breaker - Press To Reset' washer. (Suits Part No.'s EC50 - EC57).

Part No.	Pack of	Suits Thread
EC49	5	M11

110V Cable Reels

110V 16A. Manufactured to BS EN 61242 & BS EN 60309.
Heavy duty with thermal cut-out.
Cable size: 1.50 mm² 16A yellow cable.

- **Two panel sockets**
- **Strong steel stand and robust case reel**
- **Power neon indicator**

Part No.	Qty	Length
ERP125	1	25 m Reel
ERP150	1	50 m Reel

110V Plugs - Yellow

IP44. 100-130V.

Part No.	Pack of	Amps
ERP68A	1	16 A
ERP68	5	16 A
ERP80	1	32 A

110V Couplers - Yellow

IP44. 100-130V.

Part No.	Pack of	Amps
ERP69A	1	16A
ERP69	5	16A
ERP81	1	32A

110V Panel Sockets - Yellow

IP44. 100-130V.

Part No.	Pack of	Amperage	Flange Size
ERP77	1	16 A	60 mm²
ERP76	1	16 A	75 mm²
ERP79	1	32 A	75 mm²

110V Angled Panel Socket - Yellow

IP44. 100-130V.

Part No.	Pack of	Amperage	Flange Size
ERP78	1	16 A	70 x 85 mm

240V Plugs - Blue

IP44. 200-250V

Part No.	Pack of	Amps
ERP83	1	16 A
ERP89	1	32 A

240V Couplers - Blue

IP44. 200-250V.

Part No.	Pack of	Amps
ERP84	1	16 A
ERP90	1	32 A

240V Panel Sockets - Blue

IP44. 200-250V

Part No.	Pack of	Amperage	Flange Size
ERP82	1	16 A	60 mm²
ERP85	1	16 A	75 mm²
ERP88	1	32 A	75 mm²

240V Angled Panel Sockets - Blue

IP44. 200-250V.

Part No.	Pack of	Amperage	Flange Size
ERP86	1	16 A	70 x 85 mm

Shunt Release

230V AC. Installation on the right side of the MCB.

Part No.	Qty	Description
ERSR230	1	Shut Release

400V Couplers - Red

IP44. 380-415V (4 Pin), 230-400V (5 Pin).

Part No.	Pack of	Type	Amperage
ERP106	1	4 Pin	16 A
ERP107	1	4 Pin	32 A
ERP108	1	5 Pin	16 A
ERP109	1	5 Pin	32 A

400V Plugs - Red

IP44. 380-415V (4 Pin), 230-400V (5 Pin).

Part No.	Pack of	Type	Amperage
ERP102	1	4 Pin	16 A
ERP103	1	4 Pin	32 A
ERP104	1	5 Pin	16 A
ERP105	1	5 Pin	32 A

400V Panel Sockets

IP44. 380-415V (4 Pin), 230-400V (5 Pin).

Part No.	Pack of	Type	Amperage
ERP110	1	4 Pin	16 A
ERP111	1	4 Pin	32 A
ERP112	1	5 Pin	16 A
ERP113	1	5 Pin	32 A

Shunt Trip

230V AC. Installation on the right side of the MCB.

Part No.	Qty	Description
ERST230	1	Shunt Trip

RCD Circuit Breaker - 2 Pole

EN61008-1. AC Type. 30mA

Part No.	Qty	Amperage
ERCD253	1	25 A
ERCD243	1	40 A
ERCD633	1	63 A
ERCD413	1	100 A

RCD Circuit Breaker - 4 Pole

EN61008-1. AC Type. 30mA

Part No.	Qty	Amperage
ERCD425	1	25 A
ERCD443	1	40 A
ERCD463	1	63 A

MCB Circuit Breaker - 3 Pole

EN60898-1. C Type

Part No.	Qty	Amperage
ERCB316	1	16 A
ERCB320	1	20 A
ERCB325	1	25 A
ERCB332	1	32 A
ERCB340	1	40 A
ERCB350	1	50 A
ERCB363	1	63 A

Switch Disconnector - 1 Pole

EN60947-3

Part No.	Qty	Amperage
ERSD125	1	25 A
ERSD140	1	40 A
ERSD163	1	63 A

Switch Disconnector - 3 Pole

EN60947-3

Part No.	Qty	Amperage
ERSD340	1	40 A
ERSD363	1	63 A
ERSD380	1	80 A
ERSD310	1	100 A

Switch Disconnector - 4 Pole

EN60947-3

Part No.	Qty	Amperage
ERSD410	1	100 A

MCB Circuit Breaker - 1 Pole

EN60898-1. C Type

Part No.	Qty	Amperage
ERCB116	1	16 A
ERCB120	1	20 A
ERCB125	1	25 A
ERCB132	1	32 A

RING HD 2.0" Dash Camera

Takes Micro SD Card NOT included (Part No. MEM32).

- 2.0" screen provides clear footage even when driving at night
- 1080p HD resolution
- 90° lens
- Shock sensor saves recordings when a collision is detected

Part No.	QtyQty	Description
ERDCP20	11	HD 2.0" Dash Camera

'Premium Brand' Micro SD Memory Card

Suitable for use in Dash Cams.

Part No.	Qty	Capacity
MEM32	1	32GB

RING HD 2.4" Dash Camera

12/24 DC with hardwire kit and 32GB Micro SD Card included.

- 2.4" screen provides clear footage even when driving at night
- 720p HD resolution
- Adjustable 110° lens to capture a wide view of the road
- Automatically switches on and off with your engine
- Audio and loop recording
- Shock sensor saves recordings when a collision is detected
- Lockable Micro SD slot to prevent tampering
- Includes 32GB Micro SD card

Part No.	Qty	Description
ERVEP1	1	HD 2.4" Dash Camera

RING HD 2.4" Dash Camera with Cabin Camera

12/24 DC with hardwire kit and 64GB Micro SD Card included. Comes with interior cabin camera for extra security.

- 2.4" screen provides clear footage even when driving at night
- 1080p HD resolution
- Adjustable 120° lens to capture a wide view of the road
- GPS Function
- Automatically switches on and off with your engine
- Audio and loop recording
- Shock sensor saves recordings when a collision is detected
- Lockable Micro SD slot to prevent tampering
- Includes 64GB Micro SD card

Part No.	Qty	Description
ERVEP2	1	HD 2.4" Dash Camera with Cabin Camera

71

74

76

77

78

81

Light + Power

82

84

93

70 Head Torches
72 Torches
74 Hand Lamps
76 Work Lights
77 Work Lamps
78 Rotating Beacons
80 Light Bulbs
81 Heat Lamp Bulbs
82 NEOLUX Autobulbs
86 EUROLEC Autobulbs
90 RING Autobulbs
102 RING Autobulb Kits
103 RING Autobulb Stands
104 Power Inverters
105 Battery Chargers
106 Jump Leads
107 Jump Start Power Packs
108 Batteries

102

104

105

106

107

108

110

112

RING

3 x AAA

RING Adjustable LED Head Torch

Complete with 3 x AAA batteries.

- Bright white LED providing 50 lumens light output
- Provides high beam for maximum light output, a low beam for energy saving and flashing beam for attention
- Adjustable head strap with padding for comfortable use
- 8 hours battery life (approx)
- Adjusts through 90° to focus on work area

Part No.	Qty	Description
ERT5174	1	Adjustable LED Head Torch

RING

3 x AAA

RING High Performance LED Head Torch

Complete with 3 x AAA batteries.

- Bright white LED providing 87 lumens light output
- High and low flashing functions
- Red LED flashing mode in case of emergencies
- 8 hours battery life (approx)
- Adjusts through 45° to focus on work area

Part No.	Qty	Description
ERT5191	1	High Performance LED Head Torch

RING

RING Motion Sensor LED Head Torch

Supplied with a micro USB charging cable.

- LED provides 110 lumens light output
- High and low settings to maintain battery power
- Adjustable head strap for comfortable use
- Operated by on/off switch or motion sensor
- 360° light rotation

Part No.	Qty	Description
ERT5210	1	Motion Sensor LED Head Torch

LEDLENSER

3 x AAA

LEDLENSER 'NEO4' 240lm LED Head Torch/Rear Red LED

IP57 rating. 7-year warranty.
Supplied with 3 x AAA Alkaline batteries.

- 240lm provides light up to 30m
- 3 x Modes: High Power (240lm), Low Power (20lm), Blink
- Runtime: 6hrs (240lm), 40hr (20lm)
- Lightweight: 100g (with batteries)

Part No.	Qty	Description
ETLNE4	1	240lm LED Head Torch/Rear Red LED

LEDLENSER

2 x AA

LEDLENSER 'H5 CORE' 350lm LED Head Torch

IP67 rating. 7-year warranty. Supplied with 2 x AA Alkaline batteries.

- 3 x modes: Boost (350lm), Standard Power (200lm), Low Power (15lm)
- Advanced Focus System™ - Flood (near), spot (distance) and any level in-between
- Directable light - Angle the light beam up or down within 160°
- 100% dust tight. Watertight in water between 15 cm an 1 m for up to 30 minutes
- Anti-microbial headstrap material - Helps inhibit the growth of harmful microorganism, can also be detached for washing
- Low Battery warning - Allows time to replace batteries before power runs out
- Transport Lock mode - Prevent battery drain if switch is depressed in transit

Part No.	Qty	Description
ETLH5	1	350lm LED Head Torch

LEDLENSER

3 x AAA

LEDLENSER 'iH5' 200Lm LED Head Torch

Supplied with 1 x AA Alkaline battery.

- 2 modes: Power (200lm), Low Power (20lm)
- Advanced Focusing System: Flood (near) - Spot (distance up to 130m)
- Weight 92g including batteries
- Directable light - angle within 60°
- IP54 rating
- Rubber coated head-strap prevents movement on helmets
- 7 year warranty

Part No.	Qty	Description
ETL1H5	1	200Lm LED Head Torch

LEDLENSER

LEDLENSER 'NEO6R'
240lm Rechargable
LED Head Torch/Rear Red LED

Supplied with 1 x rechargeable battery, USB cable and chest belt.

- 240 Lumens (high) 30m beam, 6hr run time. 20 Lumens (low) 10m beam, 40hr runtime
- Red safety light
- 7 year warranty

Part No.	Qty	Description
ETLNE6R	1	240lm LED Recharge Head Torch/Rear LED

LEDLENSER

LEDLENSER 'H7R CORE'
1,000lm Magnetic
Rechargable LED Head Torch

IP67 rating. 7-year warranty.
Supplied with a fuss-free magnetic charging cable.

- Head diameter: 41 mm
- Weight: 259 g including batteries
- 3 x modes: Boost (1,000lm), Standard Power (600lm), Low Power (15lm)
- Advanced focusing system - Flood (near), spot (distance) and any level in-between
- Transport Lock mode - Prevent battery drain if switch is depressed in transit
- Recharge time: 3.5 hours

Part No.	Qty	Description
ETLH7R	1	1,000lm LED Mag Charge Head Torch

LEDLENSER

LEDLENSER 'H5R CORE'
500lm Magnetic Rechargable LED Head Torch

IP67 rating. 7-year warranty. Supplied with integrated Lithium Polymer rechargeable battery pack and magnetic contact charging cable.

- 3 x modes: Boost (500lm), Power (300lm), Low Power (15lm)
- Range up to 200 meters on Boost
- Weight: 167g including batteries
- Recharge time 3.5 hours via fuss-free magnetic charging cable

Part No.	Qty	Description
ETLH5R	1	500lm LED Mag Charge Head Torch

LEDLENSER

LEDLENSER 'iH5R'
400lm LED Magnetic
Rechargable Helmet/Head Torch

IP54 water-resistance rating. 7-year warranty.
Supplied with magnetic charging cable (USB) pouch and helmet mounting kit.

- 2 x modes Power (400lm / 4hrs run time), Low Power (20lm / 35hrs run time)
- Hands-free, compact head torch for everyday use
- Advanced Focus System™ - Flood (near), spot (distance) and any level in-between
- 60° Tiltable Head
- Non-slip rubber lining on headband with helmet mounting kit
- Metal clip provides alternative attachment options

Part No.	Qty	Description
ETL1H5R	1	400lm LED Mag Charge Helmet/Head Torch

LEDLENSER
POWERCASE Powerbank &
'iH5R' Head Torch Charger Case

For safe transport/storage of head torch Part No. ERL1H5R.
Supplied with USB cable and snap hook.

- Easy charging of head torch via magnetic charge system
- Power bank function provided with a capacity of 5,000mAh
- Battery charge level indicator

Part No.	Qty	Description
ETL1H5RPC	1	Powerbank & Head Torch Charger Case

COAST



COAST
Rechargable LED Penlight

Super-slim inspection torch designed to access the tightest possible areas and provide the best possible vision. USB, 230V mains and 12V/24V DC in-vehicle charging adaptors included.

- **Lightweight (60 grams) and perfectly balanced for use held between thumb and forefinger for maximum extension**
- **Low glare inspection beam with crisp circular edges and consistent light level ideal for inspection in tight spaces**
- **Unique 'pro-flex' charging system, simply insert tip of torch into charger dock (no need to open or remove battery)**
- **Lithium-Polymer Battery for reliability and long service life**
- **COAST 5 year warranty**

Part No.	Qty	Description
ETL10	1	LED Penlight

LEDLENSER

LEDLENSER 'P4R CORE'
200lm Rechargeable LED Penlight

IP54 rated. 7-year warranty. Supplied with rechargeable battery pack (2 x L-ion 10440) with integrated USB port, pocket clip and USB cable.

- **The pen-like LED torch focusable up to 90m**
- **3 x modes: High Power (200lm), Mid-Power (90lm), Low Power (15lm)**
- **Advanced Focus System™ - A seamless beam focusing for flood (near) or spot (distance) illumination and any level in-between**
- **Fully protected against solid objects and resistant to splashing water**
- **Aircraft grade aluminium - Provides strength, durability & corrosion resistant**
- **Recharges via the supplied USB cable in just 2.5 hours**

Part No.	Qty	Description
ETLP4R	1	200lm LED Penlight

LEDLENSER

LEDLENSER 'P5R CORE'
500lm Magnetic Rechargable LED Torch

IP68 rating. 7-year warranty. Magnetic charge system. Small enough to carry comfortably in a pocket.

- **Beam range up to 250 meters on Boost**
- **Weight: 106g with rechargeable batteries**
- **7 x modes: Boost (500lm), Standard Power (350lm), Mid-Power (130lm), Low Power (15lm), Blink, S.O.S & Strobe**
- **Exceptional protection against water and dust ingress**
- **Transport lock mode prevents accidental battery drain**
- **Recharge time: 2 hours**

Part No.	Qty	Description
ETLP5R	1	500lm LED Mag Charge Torch

LEDLENSER

LEDLENSER 'P7R CORE'
1,400lm Magnetic Rechargable LED Torch

IP68 rating. 7-year warranty. Supplied with wrist-strap and fuss-free magnetic contact charging cable.

- **Flicker-free light**
- **Delivers a beam up to 300 meters on Boost**
- **Weight: 202g with rechargable batteries**
- **7 x Modes: Boost (1,400lm), Standard Power (1,000lm), Mid-Power (440lm), Low Power (15lm), Position, S.O.S & Strobe**
- **Transport lock mode**
- **Recharge time 4.5 hours**

Part No.	Qty	Description
ETLP7R	1	1,400lm LED Mag Charge Torch

ELWIS

1 x AA

ELWIS PRO 'P60'
1W LED Aluminium Torch

Complete with 1 x AA battery and clip.

- Bright white LED providing 70 lumens
- Robust aluminium housing
- Fluorescent on/off switch
- Manual twist focus

Part No.	Qty	Description
ETL1060	1	LED Torch

RING

3 x AAA

RING
LED Pocket Lamp

Supplied with 3 x AAA batteries.

- 170 lumen output
- Magnetic base and swivel pocket clip for hands free use
- Soft touch finish

Part No.	Qty	Description
ERIL56	1	LED Pocket Lamp

RING

3 x AAA



RING Flexible LED Pocket Lamp

Takes 3 x AAA batteries (included).

- Flexible, bright pocket inspection lamp
- Emits up to 220 lumens for bright illumination
- Includes LED torch for focused beam
- White LEDs create comfortable working light
- Magnetic base and pocket clip, for hands-free use
- 4.5-hour operating time
- Flexes and folds to position light exactly where you need it

Part No.	Qty	Description
ERIL58	1	Flexible LED Pocket Lamp

VISION

NEW

USB

VISION Slimline COB LED Inspection Lamp

Complete with USB charging lead, wall plug and car adapter.

- LED: 5W COB LED, 1W torch, 6000-7000K, Ra. 70
- Lumen and work time:
  Switch 100% position: 500LM, approx 2.5 hrs
  Switch 50% position: 250LM, approx 5.0 hrs
  Switch 10% position: 50LM, approx 20 hrs
- Battery: 3.7V2500mA Lithium battery
- Charge time: approx 5.5 hours
- Dimensions(W/D/H): 3.5 x 4.5 x 32/16.5cm
- Wet/Damp rated: IP20
- Strong magnet and hook in bottom
- Overload protection
- Product weight: 0.30kg

Part No.	Qty	Description
EHL305	1	Slimline Inspection Lamp

LUCECO

NEW

LUCECO 10W Multi Position COB LED Inspection Lamp

Supplied with mains adaptor lead and 12V in car charger.

- Utility lamp with versatile design - ideal for automotive under bonnet and for professional trade use
- Dual 180° ratcheting and 360° twist function to direct light exactly where you need it
- Dual hanging hooks and strong magnetic bases for hands free use
- Up to 1000 lumen light output
- Up to 2.5 hour operating time

Part No.	Qty	Description
EHL1000	1	Multi Position Inspection Lamp

VISION

USB

VISION Flexible Magnetic Hand Lamp/Torch

230V mains and 12V DC
in-vehicle charging adaptors included.

- 6 x 0.5W High Power SMD LED Lamp: 300 Lumens
- Run time 3.5 hours
- 1 x 1W LED Torch
- 2 x Rear Magnets & Flexible Magnetic Base

Part No.	Qty	Colour
EHL300B	1	Black/Blue
EHL300R	1	Black/Red
EHL300LR	1	Hi-Vis Orange
EHL300LY	1	Hi-Vis Yellow

ELWIS

USB

CRI 95+

ELWIS PRO 'D2' Magnetic Flexible High-CRI LED Hand Lamp/Torch

Complete with USB charging lead ONLY.
Mains adaptor plug NOT included.

- CRI 95+ High colour rendering index - The best quality light to work with, ideal for painting and refinishing
- Directional light with 2 different light outputs (125 & 250 Lumens)
- Run time: 8 or 4 hours front / 10 hours torch
- IP54 Ingress Protection Rating
- 180° flexible function
- Magnet built into bottom and two magnets built into the back of the lamp
- Strong nylon hook at top
- Low battery warning (5 x flash 5 minutes before battery turns off)

Part No.	Qty	Description
EHL1002	1	Flexible Hand Lamp



RING 'MAGflex Pro' Fast Charge LED Hand Lamp

Dimensions (H x W x D): 50 x 40 x 205 mm.
Supplied with Type-C USB cable and mains charging adaptor.

- **Light Output: 500 Lumens (Main) 100 Lumens (Torch)**
- **Battery: 2500mAh Li-ion**
- **Operating Time: 3h (Main), 8h (Torch)**
- **Charging Time: 1h**
- **Rotating hanging hook and magnets for hands free operation**
- **Charging indicator**
- **Soft touch finish**

Part No.	Qty	Description
ERIL4200	1	Flexible Hand Lamp

RING 'MAGflex Slim' Fast Charge LED Hand Lamp

Dimensions when folded (H x W x D): 44 x 37 x 175 mm.
Supplied with Type-C USB cable and mains charging adaptor.

- **Light Output: 500 Lumens (Main) 100 Lumens (Torch)**
- **Battery: 2500mAh Li-ion**
- **Operating Time: 3h (Main), 8h (Torch)**
- **Charging Time: 1h**
- **Charging indicator**
- **Foldable**
- **Soft touch finish**

Part No.	Qty	Description
ERIL4300	1	Slimline Hand Lamp

VISION

VISION Zoom Focus LED Mini Work Light

230V mains and 12V DC in-vehicle charging adaptor included.

- 20W COB LED provides 1800 Lumens
- Dual mode - 50%/100% Lumen output
- Run time up to 6 hours
- USB Powerbank - Output socket (5V Max. 2A)
- Wet location use IP54
- Heavy duty cast aluminium housing
- Battery power indicator
- Magnetic base (available separately)

Part No.	Qty	Description
EWL100	1	Cordless 20W Work Light
EWL101	1	Magnetic Clip-on Base

RING

RING 50w COB LED Work Light

Voltage: 100-230V AC. Includes 3 m mains cable. Adjustable floor stand and carry handle.

- COB LED provides 3200 lumens of light output to illuminate work area clearly
- Provides a pure white light that replicates natural daylight
- Wide angle of light output that has uniform intensity for greater coverage of the work area
- Tough robust die cast aluminium and tempered glass construction to withstand the robust working condition in a workshop
- Construction has an Ingress Protection rating of IP65 that protects from total dust and from low pressure water jet ingress making it suitable for indoor and outdoor use
- Cool operating temperature for comfort and safety

Part No.	Qty	Description
ERWL50	1	50W COB Work Light

LEDLENSER



LEDLENSER 'iF2R' 200lm Rechargeable LED Work Light and Torch

IP54 rating. 7-year warranty. Provides convenient lighting for tight spaces or for illuminating small areas. Position in different ways with the base, hook and magnet. Supplied with magnetic charging cable.

- 3 modes: Power Flood (200lm), Low Power Flood (100lm) and Power Spot (75lm)
- Perfect for workshops or sites
- Equipped with a small spotlight to use as a torch
- Adjustable base, magnet and hook for mounting and positioning flexibility

Part No.	Qty	Description
EHLF2R	1	200lm Rechargeable LED Work Light

LEDLENSER

LEDLENSER 'iF3R' 1,000lm Rechargeable LED Work Light

IP54 rating. 7-year warranty. Supplied with magnetic charging cable.

- 2 Modes: Power (1000lm) , Low Power (100lm)
- Compact design: only 14 cm long
- On the lowest setting it wil run for up to 15 hours
- Charges via magnetic charge system, so it's even waterproof when the ports aren't covered (IP54)
- Small worklight with outstanding light output
- Adjustable base, magnet and hook for flexible mounting and positioning

Part No.	Qty	Description
EHLF3R	1	1,000lm Rechargeable LED Work Light

RING

RING 10W COB LED Work Light

Voltage: 100-230V AC. Includes 3 m mains cable. Adjustable floor stand and carry handle.

- Provides 800 Lumens of light output
- Wide angle, uniform intensity lighting replicating daylight
- Tough robust design
- Cool operating temperature

Part No.	Qty	Description
ERWL10	1	10W COB Work Light

LED Adjustable Work Lamp - 6" Rectangular

IP67. EMC approved. Housing: Aluminium.
Lens: Acrylic. Stainless steel mounting bracket

- 8 x High Performance LEDs
- 24 Watt/1680 Lumens
- Can be used as standard or side mount with swivel function

Part No.	Qty	Voltage	Description	ECE Reg
EBW6	1	12-28V	6" Adjustable	-

LED Magnetic Work Lamp - 4" Round

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic.
Supplied with 9.5M cable with switched in-vehicle adaptor.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens
- Magnetic Base
- Shock Resistant

Part No.	Qty	Voltage	Description	ECE Reg
EBW1	1	12-28V	4" Round	10



LED High Power Work Lamp - 4" Square

IP67. EMC approved. Housing: Aluminium.
Lens: Acrylic. Stainless steel mounting bracket

- 16 x High Performance LEDs
- 48 Watt/3200 Lumens

Part No.	Qty	Voltage	Description	ECE Reg
EBW5	1	12-28V	4" Square	10

LED Work Lamp - 6" Oval

IP67. EMC approved. Housing: Aluminium.
Lens: Polycarbonate.
Stainless steel mounting bracket.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

Part No.	Qty	Voltage	Description	ECE Reg
EBW3	1	12-28V	6" Oval	10



LED Work Lamp - 4" Square

IP67. EMC approved.
Housing: Aluminium. Lens: Acrylic.
Stainless steel mounting bracket

- 5 x High Performance LEDs
- 15 Watt/1050 Lumens

Part No.	Qty	Voltage	Description	ECE Reg
EBW2	1	12-28V	4" Square	10

LED Work Lamp - 5" Rectangular

IP67. EMC approved. Housing: Aluminium.
Lens: Polycarbonate. Stainless steel mounting bracket.

- 6 x High Performance LEDs
- 18 Watt/1350 Lumens

Part No.	Qty	Voltage	Description	ECE Reg
EBW4	1	12-28V	5" Rectangular	10

RING®

NEW



RING 15W LED Square Work Lamp - 105 mm

IP67. Certification: ECE R10. Cable length 300 mm.
Housing: Thermoplastic. Lens: Polycarbonate.

- 750 Lumens
- 5 x 3W LEDs
- Lightweight

Part No.	Qty	Voltage	Description	ECE Reg
ERCV9608	1	10-30V	105 mm Square	R10

RING®

NEW



RING 15W LED Square Work Lamp with Switch

IP67. Certification: ECE R10.
Cable length 300 mm.
Housing: Aluminium. Lens: Polycarbonate.

- 5 x 3W LEDs
- Integrated switch
- Colour temperature: 5600K

Part No.	Qty	Voltage	Description	ECE Reg
ERCV9607	1	10-30V	107 mm Square	R10



LAP ELECTRICAL Halogen Rotating Beacon - DIN Pole Mount

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC104	1	Amber	12/24V	R65
ERCV9420	1	DIN Pole		

LAP ELECTRICAL Halogen Rotating Beacon - 3 Point

IP56. Robust design.
Reverse polarity protection.
-30°C to + 50°C extreme temperature reliability.
Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC103	1	Amber	12/24V	R65

LAP ELECTRICAL Halogen Rotating Beacon - Flexi DIN Pole Mount

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC105	1	Amber	12/24V	R65
ERCV9420	1	DIN Pole		



LAP ELECTRICAL Halogen Rotating Beacon - Magnetic Base

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

- **70 mph rated magnet**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC102	1	Amber	12/24V	R65

LAP ELECTRICAL Halogen Rotating Beacon - Single Point

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC101	1	Amber	12/24V	R65

Halogen Rotating Beacon - 3 Point

EMC approved (ECE R10). Reverse polarity protection. -15°C to +40°C extreme temperature reliability. Maintenance free worm drive mechanism. Supplied with 12V and 24V H1 halogen bulbs.

- **Ideal for Refuse Trucks, Agriculture Plant & Contracting**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC203	1	Amber	12/24V	R65

RING 'Truck Master' LED Amber Mini Bar - Magnetic Mount

60 MPH speed rating. Reg 65 compliant. IP67 rated.
20 x programmable patterns. 2.4 m cable.
In-vehicle power adaptor with flash and on/off switch included.
Dimensions (H x W x D): 41 x 251 x 170 mm. 3 years warranty.

Part No.	Qty	DC Voltage	Watts
ERCV9822	1	9-30V	40W

RING LED Amber Mini Lightbar Single Bolt Mount

Reg 65 compliant. IP67 rated.
40 x 1 W LED. 5 m cable. 3 years warranty.

Part No.	Qty	DC Voltage	Watts
ERCV9761	1	10-30V	20W

LED Rotating Beacon - Magnetic Base

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **40mph rated magnet**
- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC302	1	Amber	12/24V	R65

LED Rotating Beacon - Flexi DIN Pole Mount

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC305	1	Amber	12/24V	R65
ERCV9420	1	DIN Pole		

LED Rotating Beacon - Single Point

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC301	1	Amber	12/24V	R65

LED Rotating Beacon - 3 Point

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC303	1	Amber	12/24V	R65
EBC303G	1	Green	12/24V	R65

LED Interior Lamp - 18 x SMD LED 3W

Lamp material: Aluminium. Lens material: Acrylic.
Supplied with stainless steel fixings

- **On/Off switch**

Part No.	Qty	Width x Length	12-24V	Lumens
EBL270	1	28 x 266 mm	12-24V	380

LED Interior Lamp - 45 x SMD LED 6W

Lamp material: Aluminium. Lens material: Acrylic.
Supplied with stainless steel fixings

- **On/Off switch**

Part No.	Qty	Width x Length	Voltage	Lumens
EBL570	1	28 x 570 mm	12-24V	900



LED Interior Swivel Lamp - 6 x LED 6W

Lamp material: Aluminium. Lens material: Acrylic.
Supplied with stainless steel fixings and 400 mm cable.

- **On/Off switch**
- **Lens swivels 180°**

Part No.	Qty	Depth x Length	Voltage	Lumens
EBL330	1	51 x 327 mm	12-24V	600

RING

RING 'TruckMaster' Baton LED Strip Light

Dimensions (H x W): 33 x 19 mm.

Part No.	Qty	Width	DC Voltage	Lumens
ERCV5012	1	300 mm	12/24V	400
ERCV5013	1	600 mm	12/24V	800



Heater Tip Over Safety Cut Out Switch

16A, 250VAC. Turns a heater off if turned over.

Part No.	Qty	Description
EC15	1	Safety Cut Out Switch

Metal-Halide Bulbs

Giant Edison screw cap (40 mm). Dia x Length: 46 x 225 mm.
Provides 10,000 hours of "Day Light" (10 Years).

Part No.	Qty	Watts	Output	Cap
EMH250	1	250W	4200K	GES/E40
EMH400	1	400W	4200K	GES/E40



Metal-Halide Bulbs

Giant Edison screw cap (40 mm). Dia x Length: 76 x 335 mm.
Provides 10,000 hours of "Day Light" (10 Years).
Suits VT-1 type tower lights.

Part No.	Qty	Watts	Output	Cap
EMH1000	1	1000W	4200K	GES/E40

Fluorescent Hand Lamp - Replacement Tube

4 Pin type.

Part No.	Qty	Description
EHL640	1	11W Replacement Tube

Fluorescent Tube - Single

Suits BEDSONS 'Smartlamp'.

Part No.	Qty	Wats	Length
EHL55	1	8W	12"

Halogen Bulbs

Size 12 x 117 mm. Base R7S for general lighting.

Part No.	Qty	Volts	Watts
EHL30	1	240V	230W
EHL12	1	240V	400W
EHL29	1	110V	500W

LED Classic Bulbs - Edison Screw

E27 Cap. 60W equivalent. Colour Temperature: 4,000K (Daylight). NOT dimmable.

- **A+ rated**
- **30% energy saving of CFLs**
- **Double lifetime of CFLs, 15,000 hours**

Part No.	Qty	Voltage	Watts
EHLED4A	1	240V	10W
EHLED4	10	240V	10W

LED Classic Bulbs - Standard Bayonet Cap

B22 Cap (SBC). 60W equivalent. Colour Temperature: 4,000K (Daylight). NOT dimmabl

- **A+ rated**
- **30% energy saving of CFLs**
- **Double lifetime of CFLs, 15,000 hours**

Part No.	Qty	Voltage	Watts
EHLED6A	1	240V	10W
EHLED6	10	240V	10W

RING®

RING Hand Lamp Bulbs

Pearl glass. Small bayonet cap (SBC).

Part No.	Qty	Volts	Watts
EHL805	10	12V	12W
EHL810	10	12V	24W

1400w Infra-Red Heater Lamp Bulbs

R7S Push in type. For use with most common heaters. Length: 350 mm.

Part No.	Qty	Voltage
EH1	1	110V
EH2	1	240V



1500w Infra-Red Heater Lamp Bulbs

Fly lead type with 300 mm leads. For use with most common heaters. Length: 350 mm.

Part No.	Qty	Voltage*
EH3	1	110V
EH4	1	240V

Ceramic Terminal Block

76A, 450V. Temperature rating: 500°C.

Part No.	Qty	Type	Cable Size
ETB50	1	2 Pole	16 mm^2

R7S Ceramic Lamp Holder

600V, 1500W, 5KV Pulse Rated. Suits Part No.s EH1 & EH2.

Part No.	Qty	Description
ETB51	1	Ceramic Lamp Holder

R7S Metal Lamp Holder

Suits Part No.s EH1 & EH2

Part No.	Qty	Description
ETB52	1	R7S Metal Lamp Holder

NEOLUX®
GERMAN TECHNOLOGY

H1 Cap P14.5s
NEOLUX Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB448	10	12V 55W	E	H1
EB466	10	24V 70W	E	H1

NEOLUX®
GERMAN TECHNOLOGY

H3 Cap PK22s
NEOLUX Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB453	10	12V 55W	E	H3
EB460	10	24V 70W	E	H3

NEOLUX®
GERMAN TECHNOLOGY

H7 Cap Px26d
NEOLUX Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB477	10	12V 55W	E	H7
EB474	10	24V 70W	E	H7

NEOLUX®
GERMAN TECHNOLOGY

HB3 Cap P20d
NEOLUX Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB9005	10	12V 60W	E	HB3

NEOLUX®
GERMAN TECHNOLOGY

HB4 Cap P22d
NEOLUX Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB9006	10	12V 51W	E	HB4

NEOLUX®
GERMAN TECHNOLOGY

H4 Cap P43t
NEOLUX Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB472	10	12V 60/55W	E	H4
EB475	10	24V 75/70W	E	H4

NEOLUX®
GERMAN TECHNOLOGY

- Direct replacement for existing Gas Discharge Bulbs.
- Long life - 2500 hours.
- High luminance (nom 3200lm).
- 'E' approved.

D2S Cap P32d-2
NEOLUX HID
Gas Discharge Bulbs

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB85122	1	85V 35W	E	D2S

1:1 Actual Size Images

NEOLUX®
GERMAN TECHNOLOGY

- Direct replacement for existing Gas Discharge Bulbs.
- Long life - 2500 hours.
- High luminance (nom 3200lm).
- 'E' approved.



D1S Cap PK32d-2
NEOLUX HID
Gas Discharge Bulbs

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB85402	1	85V 35W	E	D1S

NEOLUX®
GERMAN TECHNOLOGY

NEOLUX offer a broad range of vehicle lamps produced with high quality standards for price-conscious customers. In considering the needs of their customers, NEOLUX applies German technology standards at all stages of the supply chain. For more than 90 years, NEOLUX has been providing excellent value for money products.

NEOLUX automotive bulbs are specified in accordance with strict German quality standards and comply with ECE R37 respectively and R99 as far as relevant.

NEOLUX halogen bulbs conform to ECE R37 and ECE R99 regulations, making them approved for use across Europe and many other countries around the world which have agreed to follow UNECE 1958 agreement. Thanks to an innovative design, NEOLUX halogen bulbs surpass ECE safety regulations for UV radiation. They are suitable for the most types of headlights with glass or plastic lenses.



NEOLUX®
GERMAN TECHNOLOGY

P21W Cap BA15d
NEOLUX Stop, Flasher, Reverse Lamps

SBC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB346	10	24V 21W	E	P21W

NEOLUX®
GERMAN TECHNOLOGY

P21W Cap BA15s
NEOLUX Stop, Flasher, Reverse Lamps

SCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB382	10	12V 21W	E	P21W
EB241	10	24V 21W	E	P21W

NEOLUX®
GERMAN TECHNOLOGY

PY21W Cap BAU15s
NEOLUX Stop, Flasher, Reverse Lamps

Off Set Pin (SCC).

Part No.	Qty	Volts/Watts	Colour	E Mark	ECE No.
EB581	10	12V 21W	Amber	E	PY21W

NEOLUX®
GERMAN TECHNOLOGY



P21/5W Cap BAY15d
NEOLUX Stop/Tail Lamps

OSP Index (SBC).

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB380	10	12V 21/5W	E	P21/5W
EB334	10	24V 24/6W		-

NEOLUX®
GERMAN TECHNOLOGY



P21/4W Cap BAZ15d
NEOLUX Fog/Tail Lamps

SBC Index.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB566	10	12V 21/4W	E	P21/4W

NEOLUX®
GERMAN TECHNOLOGY

W2.1 x 9.5d
NEOLUX Side and Tail Lamps

Wedge Base.

Part No.	Qty	Volts/Watts		E Mark	ECE No.
EB501	10	12V 5W		E	W5W
EB501A	10	12V 5W	Amber	E	WY5W
EB507	10	24V 5W		E	W5W

NEOLUX®
GERMAN TECHNOLOGY

Cap BA15s
NEOLUX Side and Tail Lamps

SCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB207	10	12V 5W	E	R5W
EB245	10	12V 10W	E	R10W
EB149	10	24V 5W	E	R5W

NEOLUX®
GERMAN TECHNOLOGY

Cap BA9s
NEOLUX Side and Tail Lamps

MCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB233	10	12V 4W	E	T4W
EB249	10	24V 4W	E	T4W

NEOLUX®
GERMAN TECHNOLOGY

R5W Cap BA15d
NEOLUX Side and Tail Lamps

SBC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB209	10	12V 5W	E	R5W
EB150	10	24V 5W	E	R5W

NEOLUX®
GERMAN TECHNOLOGY

S8.5d
NEOLUX Festoon

Part No.	Qty	Volts/Watts	Size (mm)	E Mark	ECE No.
EB239	10	12V 5W	11 x 38		C5W
EB269	10	12V 10W	11 x 30		-
EB264	10	12V 10W	11 x 44		-
EB242	10	24V 5W	11 x 38		C5W

NEOLUX®
GERMAN TECHNOLOGY

W2.3W x 4.6d
NEOLUX Wedge Base Panel Lamps

Wedge Base.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EB286	10	12V 1.2W		-
EB508	10	24V 1.2W		-

1:1 Actual Size Images

H1 Cap P14.5s
EUROLEC Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB448	10	12V 55W	E	H1
EUB466	10	24V 70W	E	H1



H3 Cap PK22s
EUROLEC Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB453	10	12V 55W	E	H3
EUB460	10	24V 70W	E	H3

H7 Cap Px26d
EUROLEC Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB499	10	12V 55W	E	H7
EUB474	10	24V 70W	E	H7

HB3 Cap P20d
EUROLEC Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB9005	10	12V 60W	E	HB3

HB4 Cap P22d
EUROLEC Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB9006	10	12V 51W	E	HB4

EUROLEC

H4 Cap P43t EUROLEC Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB472	10	12V 60/55W	E	H4
EUB475	10	24V 75/70W	E	H4

EUROLEC

- Direct replacement for existing Gas Discharge Bulbs.
- Long life - 2500 hours.
- High luminance (nom 3200lm).
- 'E' approved.

D1S Cap PK32d-2 EUROLEC HID Gas Discharge Bulbs

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB85402	1	85V 35W	E	D1S

EUROLEC

- Direct replacement for existing Gas Discharge Bulbs.
- Long life - 2500 hours.
- High luminance (nom 3200lm).
- 'E' approved.

D2S Cap P32d-2 EUROLEC HID Gas Discharge Bulbs

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB85122	1	85V 35W	E	D2S

EUROLEC

- Direct replacement for existing Gas Discharge Bulbs.
- Long life - 2500 hours.
- High luminance (nom 3200lm).
- 'E' approved.

D2R Cap P32d-3 EUROLEC HID Gas Discharge Bulbs

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EUB85126	1	85V 35W	E	D2R

EUROLEC

1:1 Actual Size Images

Autolamps

P21W Cap BA15d
AUTOLAMPS
Stop, Flasher, Reverse Lamps

SBC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EP335	10	12V 21W	E	P21W
EP346	10	24V 21W	E	P21W

EUROLEC

P21W Cap BA15s
EUROLEC
Stop, Flasher, Reverse Lamps

SCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EU382	10	12V 21W	E	P21W
EU241	10	24V 21W	E	P21W

Autolamps

P21W Cap BA15s
AUTOLAMPS
Stop, Flasher, Reverse Lamps

SCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EP339	10	24V 24W		-

EUROLEC

PY21W Cap BAU15s
EUROLEC
Stop, Flasher, Reverse Lamps

Off Set Pin (SCC).

Part No.	Qty	Volts/Watts	Colour	E Mark	ECE No.
EU581	10	12V 21W	Amber	E	PY21W

EUROLEC

P21/5W Cap BAY15d
EUROLEC
Stop/Tail Lamps

OSP Index (SBC).

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EU380	10	12V 21/5W	E	P21/5W
EU334	10	24V 24/6W	E	P21/5W

EUROLEC

P21/4W Cap BAZ15d
EUROLEC
Fog/Tail Lamps

SBC Index.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EU566	10	12V 21/4W	E	P21/4W

EUROLEC

1:1 Actual Size Images

EUROLEC

W2.1 x 9.5d EUROLEC Side and Tail Lamps

Wedge Base.

Part No.	Qty	Volts/Watts		E Mark	ECE No.
EU501	10	12V 5W		E	W5W
EU501A	10	12V 5W	Amber	E	WY5W
EU507	10	24V 5W		E	W5W

EUROLEC

Cap BA15s EUROLEC Side and Tail Lamps

SCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EU207	10	12V 5W	E	R5W
EU245	10	12V 10W	E	R10W
EU149	10	24V 5W	E	R5W

EUROLEC

Cap BA9s EUROLEC Side and Tail Lamps

MCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EU233	10	12V 4W	E	T4W
EU249	10	24V 4W	E	T4W

Autolamps

R5W Cap BA15d AUTOLAMPS Side and Tail Lamps

SBC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EP209	10	12V 5W	E	R5W

EUROLEC

R5W Cap BA15d EUROLEC Side and Tail Lamps

SBC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
EU150	10	24V 5W	E	R5W

EUROLEC

S8.5d EUROLEC Festoon

Part No.	Qty	Volts/Watts	Size (mm)	ECE No.
EU239	10	12V 5W	11 x 38	C5W
EU269	10	12V 10W	11 x 30	C10W
EU242	10	24V 5W	11 x 38	C5W

Autolamps

S8.5d AUTOLAMPS Festoon

Part No.	Qty	Volts/Watts	Size (mm)	ECE No.
EP269	10	12V 10W	11 x 30	-

EUROLEC

W2.3W x 4.6d EUROLEC Wedge Base Panel Lamps

Wedge Base.

Part No.	Qty	Volts/Watts	ECE No.
EU286	10	12V 1.2W	-
EU508	10	24V 1.2W	-

Autolamps

Cap B8.5D AUTOLAMPS Printed Circuit Board Base

Part No.	Qty	Volts/Watts	Colour	ECE No.
EP286T	10	12V 1.2W	Black	-

Autolamps

H3 Cap PK22s
RING Halogen Headlamps

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ER453	1	12V 55W		E	H3
ER460	1	24V 70W		E	H3
ER442	1	48V 45W	(for Fork Lift Truck)		-
ER443	1	80V 55W	(for Fork Lift Truck)		-

H7 Cap Px26d
RING Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER477	1	12V 55W	E	H7
ER474	1	24V 70W	E	H7

H7 Cap Px26d
RING 'Xenon150' Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERW1577	2	12V 55W	E	H7

H7 Cap Px26d
RING Fog Light Upgrade LED Bulbs

Ice White LED fog light. HID Xenon look.

Part No.	Qty	Volts/Watts	Colour Temp	ECE No.
ERW477FLED	2	12V 2W	6000K	H7

H1 Cap P14.5s
RING Halogen Headlamps

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ER448	1	12V 55W		E	H1
ER448EQ	1	12V 55W	(Spot)	E	H1
ER466	1	24V 70W		E	H1

H1 Cap P14.5s
RING 'Xenon150' Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERW1548	2	12V 55W	E	H1

H4 Cap P43t
RING Halogen Headlamps

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ER472	1	12V 60/55W		E	H4
ER473	1	12V 100/55W	(for Off Road Use)		-
ER475	1	24V 75/70W		E	H4

H4 Cap P43t
RING 'Xenon150' Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERW1572	2	12V 55W	E	H4

1:1 Actual Size Images

HB3 Cap P20d
RING Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER9005	1	12V 60W	E	HB3

HB4 Cap P22d
RING Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER9006	1	12V 51W	E	HB4

H8 Cap PGJ19-1
RING Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER708	1	12V 35W	E	H9

H4 Halogen
Conversion Cap P45t (UEC)
RING Headlamps

For 410 and 429 type bulbs.

Part No.	Qty	Volts/Watts	ECE No.
ER12	1	12V 60/55W	-
ER24	1	24V 75/70W	-

1:1 Actual Size Images

H9 Cap PGJ19-5
RING Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER709	1	12V 65W	E	H9

H11 Cap PGJ19-2
RING Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER711	1	12V 55W	E	H11

RING Asymmetric
Headlamps - Cap P45t (UEC)

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER410	10	12V 45/40W	E	R2
ER429	10	24V 55/50W	E	R2

H11 Cap PGJ19-2
RING 'Xenon150' Halogen Headlamps

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERW1511	2	12V 55W	E	H11

1:1 Actual Size Images

RING Standard Headlamps - Cap BA20d (Bosch Type Fitting)

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER395	1	12V 35/35W	E	S2

RING HID Gas Discharge Bulbs - D2S Cap P32d-2

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER85122	1	85V 35W	E	D2S

RING HID Gas Discharge Bulbs - D1S Cap PK32d-2

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER85402	1	85V 35W	E	D1S

RING HID Gas Discharge Bulbs - D2R Cap P32d-3

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER85126	1	85V 35W	E	D2R

1:1 Actual Size Images

RING
Stop, Flasher, Reverse Lamps - P21W Cap BA15d

SBC.

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB335	10 x 1	12V 21W		E	P21W
ER335	10	12V 21W		E	P21W
ERB346	10 x 1	24V 21W		E	P21W
ER346	10	24V 21W		E	P21W
ER291	10	24V 21W	Heavy Duty	E	P21W

RING
Stop, Flasher, Reverse Lamps - W21W W3 x 16d

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB582	10 x 1	12V 21W		E	W21W
ER582	10	12V 21W		E	W21W
ERB585	10 x 1	12V 21W	Amber	E	WY21W
ER585	10	12V 21W	Amber	E	WY21W

RING
Stop, Flasher, Reverse Lamps - P21W Cap BA15s

SCC.

Part No.	Qty	Volts/Watts	Colour	ECE No.
ERB343	10 x 1	12V 21W	Amber	-
ER343	10	12V 21W	Amber	-

RING
Stop, Flasher, Reverse Lamps - P21W Cap BA15s

SCC.

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB382	10 x 1	12V 21W		E	P21W
ER382	10	12V 21W		E	P21W
ERB241	10 x 1	24V 21W		E	P21W
ER241	10	24V 21W		E	P21W
ER290	10	24V 21W	Heavy Duty	E	P21W
ER339	10	24V 24W			-
ER345	10	28V 26W	Long Life		-

RING LED Bulbs
Stop, Flasher, Reverse -P21W Cap BA15s

SCC. Ice White LED light.
Illuminates quicker than a standard bulb.

Part No.	Qty	Volts/Watts	Colour Temp	ECE No.
ERW382LED	2	12V 4W	6000K	P21W
ERB2416LED	1	24V 4W	6000K	P21W

RING
Stop, Flasher, Reverse Lamps - PY21W Cap BAU15s

Off Set Pin (SCC).

Part No.	Qty	Volts/Watts	Colour	E Mark	ECE No.
ERB581	10 x 1	12V 21W	Amber	E	PY21W
ER581	10	12V 21W	Amber	E	PY21W
ER588	10	24V 21W	Amber	E	PY21W

RING
Stop/Tail Lamps
- W21/5W W3 x 16q

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERB580	10 x 1	12V 21/5W	E	W21/5W
ER580	10	12V 21/5W	E	W21/5W

RING
Stop (High Level Brake Lamp), Reverse Lamp - Cap W16W, W2.1x9.5d Capless

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER921	10	12V 21CP (Candle Power)		-
ERB955	10 x 1	12V 16W	E	W16W
ER955	10	12V 16W	E	W16W

RING
Side and Tail Lamps
- R5W Cap BA15d

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB209	10 x 1	12V 5W		E	R5W
ER209	10	12V 5W		E	R5W
ERB150	10 x 1	24V 5W		E	R5W
ER150	10	24V 5W		E	R5W
ER247	10	24V 5W	Heavy Duty	E	R5W
ER875	10	28V 7W	Long Life		-

1:1 Actual Size Images

RING
Fog/Tail Lamps
- P21/4W Cap BAZ15d

SBC Index.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERB566	10 x 1	12V 21/4W	E	P21/4W
ER566	10	12V 21/4W	E	P21/4W
ER567	10	24V 21/4W	E	P21/4W

RING
Stop/Tail Lamps
- P21/5W Cap BAY15d

OSP Index (SBC).

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ERB380	10 x 1	12V 21/5W	E	P21/5W
ER380	10	12V 21/5W	E	P21/5W
ERB294	10 x 1	24V 21/5W	E	P21/5W
ER294	10	24V 21/5W	E	P21/5W
ER334	10	24V 24/6W		-

RING Stop/Tail LED Bulbs
- P21/5W Cap BAY15d

OSP Index (SBC). Ice White LED light.
Illuminates quicker than a standard bulb.

Part No.	Qty	Volts/Watts	Colour Temp	ECE No.
ERW380LED	2	12V 4W	6000K	P21/5W

RING
Stop/Tail Lamps
- Cap P27/7W W2.5x16q

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER180	10	12V 27/7W	E	P27/7W

RING
Stop/Tail Lamps
- P21/5W Cap BA15d

SBC.

Part No.	Qty	Volts/Watts	ECE No.
ER381	10	12V 21/5W	-

RING
Panel and Indicator Bulbs
- Cap G11 E10/E13

MES (Miniature Edison Screw).

Part No.	Qty	Volts/Watts	ECE No.
ER987	10	12V 2.2W	-

RING
Side and Tail Lamps
- Cap BA15s

SCC.

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB207S	10 x 1	12V 5W		E	R5W
ER207	10	12V 5W		E	R5W
ERB245S	10 x 1	12V 10W		E	R10W
ER245	10	12V 10W		E	R10W
ERB149	10 x 1	24V 5W		E	R5W
ER149	10	24V 5W		E	R5W
ER248	10	24V 5W	Heavy Duty	E	R5W
ERB246	10 x 1	24V 10W		E	R10W
ER246	10	24V 10W		E	R10W
ER295	10	24V 10W	Heavy Duty	E	R10W
ER874	10	28V 7W	Long Life		-

RING Side and Tail LED Bulbs
- Cap BA15s

SCC. Ice White LED Light.

Part No.	Qty	Volts/Watts	Light Temp	ECE No.
ERW207LED	2	12V 3W	6000K	R5W
ERB1496LED	1	24V 2W	6000K	R5W

1:1 Actual Size Images

RING Side and Tail Lamps - W2.1 x 9.5d

Wedge Base.

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB504	10 x 1	12V 3W		E	W3W
ER504	10	12V 3W		E	W3W
ERB501	10 x 1	12V 5W		E	W5W
ER501	10	12V 5W		E	W5W
ERB501A	10 x 1	12V 5W	Amber	E	WY5W
ER501A	10	12V 5W	Amber	E	WY5W
ERB505	10 x 1	24V 3W		E	W3W
ER505	10	24V 3W		E	W3W
ERB507	10 x 1	24V 5W		E	W5W
ER507	10	24V 5W		E	W5W

RING T10 Wedge LED Resistor Kit

For 501-W5W LED bulbs.
Plug and play resistor kit for vehicles with bulb failure warning system.

Part No.	Qty	Description	Volts
ELED501RES	2	LED Resistor Kit	12V

RING 'Ice White' LED Bulb - W2.1 x 9.5d

Wedge base. Filament style LED with ice white light output.

Part No.	Qty	Volts	Colour Temp	ECE No.
ERB5076FSLED	1	24V	6000K	W5W

RING 'Ice White' LED Bulb - W2.1 x 9.5d

Wedge base. Filament syle LED with ice white light output.

Part No.	Qty	Volts/Watts	Colour Temp	ECE No.
ERB5076LED	1	24V 3W	6000K	W5W

RING 'Cool Blue' LED Bulbs - W2.1 x 9.5d

Cool blue light. Wedge base.

Part No.	Qty	Volts/Watts	Light Temp	ECE No.
ERW50112LED	2	12V 1W	12000K	W5W

RING 'Cool White' LED Bulbs - W2.1 x 9.5d

Cool white light. Wedge base.

Part No.	Qty	Volts/Watts	Light Temp	ECE No.
ERW5014LED	2	12V 1W	4000K	W5W

RING 'Ice White' LED Bulbs - W2.1 x 9.5d

Ice white light. Wedge base.

Part No.	Qty	Volts/Watts	Light Temp	ECE No.
ERW5016LED	2	12V 1W	6000K	W5W

RING 'Ice White' LED Bulbs - W2.1 x 9.5d

Wedge base. Filament style LED with ice white light output.

Part No.	Qty	Volts	Colour Temp	ECE No.
ERW5016FSLED	2	12V	6000K	W5W

RING 'Ice White' LED Bulbs - W2.1 x 9.5d

Wedge base. Latest CANbus technology.
No wiring changes needed - simply plug in and play.

Part No.	Qty	Volts/Watts	Colour Temp	ECE No.
ERW501CBLED	2	12V 3W	6000K	W5W

RING
Side and Tail Lamps
- Cap BA9s

Part No.	Qty	Volts/Watts		E Mark	ECE No.
ERB233	10 x 1	12V 4W		E	T4W
ER233	10	12V 4W		E	T4W
ERB249	10 x 1	24V 4W		E	T4W
ER249	10	24V 4W		E	T4W
ER296	10	24V 4W	Heavy Duty	E	T4W

RING 'Ice White' LED Bulbs
- Cap BA9s

Filament syle LED with ice white light output.

Part No.	Pack of	Volts	Light Temp	ECE No.
ERW2336FSLED	2	12V	6000K	T4W

RING
Miniature Halogen
- Cap BA9s

MCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER435	10	12V 21W	E	H21W
ER535	10	24V 21W	E	H21W

RING
Miniature Halogen
- Cap BA9s

MCC.

Part No.	Qty	Volts/Watts	E Mark	ECE No.
ER434	10	12V 6W	E	H6W

RING
Panel and Indicator Lamps
- Cap BA9s

MCC.

Part No.	Qty	Volts/Watts	ECE No.
ER289	10	24V 2W	-

RING
Miniature Halogen
- Cap BA9s

MCC

Part No.	Qty	Volts/Watts	ECE No.
ER470	10	12V 10W	-

RING
Panel and Indicator Lamps
- Cap BA7s

Two Lug (Peanut Type).

Part No.	Qty	Volts/Watts	ECE No.
ER281	10	12V 2W	-
ER283	10	24V 3W	-

RING
Miniature Halogen
- Cap G4

Part No.	Qty	Volts/Watts	ECE No.
ER570	10	12V 10W	-
ER571	10	24V 20W	-

1:1 Actual Size Images

RING 'Cool White' LED Festoon Bulbs - Cap S8.5d

Part No.	Qty	Volts/Watts	Size	Colour Temp	ECE No.
ERW2394LED	2	12V 1W	11 x 39 mm	4000K	C5W

RING 'Ice White' LED Festoon Bulbs - Cap S8.5d

Part No.	Qty	Volts/Watts	Size	Colour Temp	ECE No.
ERW2396LED	2	12V 1W	11 x 39 mm	6000K	C5W

RING 'Cool Blue' LED Festoon Bulbs - Cap S8.5d

Part No.	Qty	Volts/Watts	Size	Colour Temp	ECE No.
ERW23912LED	2	12V 1W	11 x 39 mm	12000K	C5W

RING 'Ice White' LED Festoon Bulbs - Cap S8.5d

Latest CANbus technology. No wiring changes needed - simply plug in and play.

Part No.	Qty	Volts/Watts	Size	Colour Temp	ECE No.
ERW239CBLED	2	12V 2W	11 x 39 mm	6000K	C5W

RING Festoon - Cap S8.5d

Part No.	Qty	Volts/Watts	Size	E Mark	ECE No.
ERB272	10 x 1	12V 10W	11 x 38 mm		-
ER272	10	12V 10W	11 x 38 mm		-
ERB269	10 x 1	12V 10W	11 x 30 mm		-
ER269	10	12V 10W	11 x 30 mm		-
ERB239	10 x 1	12V 5W	11 x 30 mm	E	C5W
ER239	10	12V 5W	11 x 38 mm	E	C5W
ERB264	10 x 1	12V 10W	11 x 44 mm		-
ER264	10	12V 10W	11 x 44 mm		-
ERB242	10 x 1	24V 5W	11 x 38 mm	E	C5W
ER242	10	24V 5W	11 x 38 mm	E	C5W
ER260	10	24V 5W	11 x 42 mm		-
ER274	10	24V 10W	11 x 41 mm		-

RING Festoon - Cap S8.5d

Part No.	Qty	Volts/Watts	Size	E Mark	ECE No.
ER265	10	12V 10W	15 x 44 mm	E	-
ER273	10	12V 21W	15 x 44 mm	E	C21W

RING Ice White' LED Festoon Bulbs - Cap S8.5d

Filament style LED with ice white light output.

Part No.	Qty	Volts	Size	Colour Temp	ECE No.
ERW2396FSLED	2	12V	11 x 39 mm	6000K	C5W

RING
Printed Circuit Board Base - Cap B8.5D

Part No.	Qty	Volts/Watts	Base Colour	ECE No.
ER509T	10	12V 1.2W	Black	-
ERB508T	10 x 1	24V 1.2W	Grey	-
ER508T	10	24V 1.2W	Grey	-

RING
Printed Circuit Board Base - Cap Kw2x4.6D

Part No.	Qty	Volts/Watts	Base Colour	ECE No.
ER508TCWH	10	24V 1.2W	White	-

RING
LED Blue Panel Bulb

Part No.	Qty	Volts/Milliamps	Size
ER2401LED	1	24V 20mA	36 x 14 mm

RING
Printed Circuit Board Base - Cap EBSR

Part No.	Qty	Volts/Watts	Base Colour	ECE No.
ER1791	10	24V 1.2W (53mA)	Yellow	-
ER1471	10	24V 1.2W (40mA)	Brown	-

RING
Printed Circuit Board Base - Cap EBS N10

Part No.	Qty	Volts/Watts	Base Colour	ECE No.
ER8328	10	24V 2W	Beige	-

RING
Wedge Base Panel Lamps - W2.3W x 4.6d

Wedge Base.

Part No.	Qty	Volts/Watts		ECE No.
ERB286	10 x 1	12V 1.2W		-
ER286	10	12V 1.2W		-
ER286B	10	12V 1.2W	Blue	-
ERB508	10 x 1	24V 1.2W		-
ER508	10	24V 1.2W		-

RING 12V Panel Bulb Kit

12V standard. Supplied in a handy flip-top box.

Part No.	Box of
ERPB121	71 Pieces

21 x 12V Standard Panel Bulbs: 509TMOR, 509TMBK, 509TMBE, 509TMGR, 509TMBL, 509TOR, 509T, 509TGR, 509TBBK, 509TBWH, 509TWGR, 509TWGY, 509TDBK, 509TEBK, 509THGY, 286, 286A, 286B, 286G, 286R, 501A.

RING 12V Special Panel Bulb Kit

12V special. Supplied in a handy flip-top box.

Part No.	Box of
ERPB122	69 Pieces

28 x 12v Special Bulbs: 509TMGY, 509TVI, 509TBL, 509TBE, 86021001, 86021002, 509TLBK, 509TKBK, 509TPBK, 509TWBR, 64124, 64122, 509TCTR, R509TCGY , 509TCGY/1.8, 509TCGYFR, 509TCWH, 509TFBK/12, 509TFBK/14, 509TFGY, 512TR, 512PC, 509TQWH, 509TYBK, 512WB, 509TSBK, 88005996, 509TJBR.

RING 24V Panel Bulb Kit

24V standard. Supplied in a handy flip-top box.

Part No.	Box of
ERPB243	70 Pieces

21 x 24V Bulbs: 508TMRE, 5508TMGR, 508TBR, 508T, 508TBGY, 1471, 1791, 6929, 508TWBR, 508TCWH, 508TCTR, 508A, 508B, 508G, 508R, 508TUWH, 508TVWH, 86021003, 86028166, 8328, 86024918.

RING
12V Counter Stand Bulb Rack Single Boxed Bulbs

Complete with 126 Bulbs.
Dimensions (H x W x D) 480 x 310 x 100 mm.

- **Eye-catching dispenser**
- **Boxed and pre-merchandised with 126 bulbs**
- **All bulbs are 'E' marked where appropriate**
- **All bulbs bar-coded**

Part No.	Qty	Description
ERU126	1 Set	**12V Bulb Counter Stand**

Stand contents:	5 x ER448	10 x ERB380	10 x ERB245S	10 x ERB501	10 x ERB239
5 x ER472	10 x ERB382	10 x ERB207S	10 x ERB501A	10 x ERB286	6 x ER477
10 x ERB581	10 x ERB209	10 x ERB233			

RING
H4 Headlamp 12V Universal Auto Bulb Kit

Supplied in plastic storage box.

- **All bulbs are 'E' marked.**
- **Also contains 10A blade fuses.**

Part No.	Qty	Description
EBU007	1	**1 Kit**

Kit contains: 1 x Halogen Headlamp: ER472 (12V 60/55W).
4 x Side and Tail Lamps: ER207, ER233, ER245, ER501.
2 x Stop, Flasher, Reverse Lamps: ER382, ER581.
1 x Stop/Tail Lamp: ER380. 1 x Fog/Tail Lamp: ER566. 1 x Festoon: ER239.

RING
H1, H4 & H7 Headlamp 12V Universal Auto Bulb Kit

Supplied in plastic storage box.

- **All bulbs are 'E' marked.**
- **Also contains 10A blade fuses..**

Part No.	Qty	Description
EBU027	1	**1 Kit**

Kit contains: 3 x Halogen Headlamps: ER477 (12V 55W), 472 (12V 55W), ER448 (12V 60/55W).
5 x Side & Tail Lamps: ER207 (x2), ER233, ER245, ER434, ER501.
3 x Stop, Flasher, Reverse Lamps: ER382, ER581, ER955.
1 x Stop/Tail Lamp: ER380. 1 x Fog/Tail Lamp: ER566. 1 x Festoon: ER239.

RING
H7 Headlamp 12V Universal Auto Bulb Kit

Supplied in plastic storage box.

- **All bulbs are 'E' marked.**
- **Also contains 10A blade fuses.**

Part No.	Qty	Description
EBU077	1	**1 Kit**

Kit contains: 1 x Halogen Headlamp: ER477 (12V 55W).
4 x Side and Tail Lamps: ER207, ER233, ER245, ER501.
2 x Stop, Flasher, Reverse Lamps: ER382, ER581.
1 x Stop/Tail Lamp: ER380. 1 x Fog/Tail Lamp: ER566. 1 x Festoon: ER239.

RING
H4 Headlamp 24V Auto Bulb Kit

Supplied in plastic storage box.

- **All bulbs are 'E' marked.**
- **Also contains 10A blade fuses.**

Part No.	Qty	Description
EBU034	1	**1 Kit**

Kit contains: 1 x Halogen Headlamp: ER475 (24V 75/70W).
1 x Side and Tail Lamps: ER150.
3 x Stop, Flasher, Reverse Lamps: ER346, ER588, ER241.
3 x Stop/Tail Lamp: ER507, ER249, ER149. 1 x Festoon: ER242.

RING
H7 Headlamp 24V Auto Bulb Kit

Supplied in plastic storage box.

- **All bulbs are 'E' marked.**
- **Also contains 10A blade fuses.**

Part No.	Qty	Description
EBU033	1	**1 Kit**

Kit contains: 1 x Halogen Headlamps: ER474 (24V 70W).
1 x Side and Tail Lamps: ER150.
3 x Stop, Flasher, Reverse Lamps: ER346, ER588, ER241.
3 x Stop/Tail Lamp: ER507, ER249, ER149. 1 x Festoon: ER242.

RING
12V Compact Wall Bulb Dispenser
Single Boxed Bulbs

Complete with 175 Bulbs.
Dimensions (H x W x D): 530 x 550 x 85 mm.

- **Top 16 fast-moving 12V boxed Auto Bulbs**
- **Eye-catching stand**
- **Boxed and pre-merchandised with 175 bulbs**
- **Gravity fed**
- **Wall mounted complete with fitting template**
- **16 columns of bulbs**
- **All bulbs are 'E' marked where appropriate**
- **All bulbs bar-coded**

Part No.	Qty	Description
ERU175	1 Set	**12V Bulb Wall Dispenser**

Contents:	13 x ERB207S	13 x ERB239	13 x ERB245S	13 x ERB286	13 x ERB501
13 x ERB501A	13 x ERB955	10 x ERB380	10 x ERB382	10 x ERB566	10 x ERB580
10 x ERB581	10 x ERB582	10 x ER448	8 x ER477	6 x ER472	

RING
12V Compact Wall Bulb Dispenser
Single Boxed Bulbs

Complete with 194 Bulbs.
Dimensions (H x W x D): 489 x 649 x 87 mm.

- **Top 16 fast-moving 12V boxed Auto Bulb**
- **Eye-catching stand**
- **Boxed and pre-merchandised with 194 bulbs**
- **Gravity fed**
- **Wall mounted complete with fitting template**
- **19 columns of bulbs**
- **All bulbs are 'E' marked where appropriate**
- **All bulbs bar-coded**

Part No.	Qty	Description
ERU194	1 Set	**12V Bulb Wall Dispenser**

Stand contents:	6 x ER472	16 x ER477	11 x ER448	11 x ERB380	11 x ERB382
11 x ERB581	4 x ERB566	4 x ERB580	4 x ERB582	4 x ERB585	4 x ER434
4 x ERB335	4 x ERB343	4 x ER435	5 x ERB272	5 x ERB955	5 x ERB269
5 x ERB264	5 x ERB233	5 x ERB245S	5 x ERB504	5 x ERB501A	14 x ERB501
14 x ERB239	14 x ERB207S	14 x ERB286			

RING
24V Compact Wall Bulb Dispenser
Single Boxed Bulbs

Complete with 180 Bulbs.
Dimensions (H x W x D): 480 x 535 x 90 mm.

- **Top 16 fast-moving 24V boxed Auto Bulbs.**
- **Eye-catching stand.**
- **Boxed and pre-merchandised with 180 bulbs.**
- **Gravity fed.**
- **Wall mounted complete with fitting template.**
- **16 columns of bulbs.**
- **All bulbs are 'E' marked where appropriate.**
- **All bulbs bar-coded.**

Part No.	Qty	Description
ERU280	1 Set	**24V Bulb Wall Dispenser**

Contents:	13 x ERB149.	13 x ERB150.	10 x ERB241.	13 x ERB242.	13 x ERB246.
13 x ERB249.	10 x ERB294.	10 x ERB346.	13 x ERB505.	13 x ERB507.	13 x ERB508.
13 x ERB508T.	10 x ER460.	10 x ER466.	7 x ER474.	6 x ER475.	

RING 'PowerSourcePure' Modified Sine Wave 1000W Inverter

1000W Modified Sine Wave | x1 UK Socket | 2.1A USB

Professional 1000 watt modified sine wave inverter, converts 12 volt battery power into useful 230 volt AC mains power. Tested and certified to the relevant EMC and LVD Directives.

- **Operating mode and fault indicators**
- **Up to 12 hours continuous use**
- **Compact heavy duty extruded casing**
- **USB charging socket for mobile devices**
- **Low power alarm and shut down to prevent inverter draining the battery**
- **Dimensions (H x W x D): 340 x 170 x 81.5 mm**

Part No.	Qty	Description
ERINVMA10	1	Sine Wave Inverter 1000w

RING 'PowerSourcePure' Modified Sine Wave 2000w Inverter

2000W Modified Sine Wave | x2 UK Sockets

Professional 2000 watt modified sine wave inverter, converts 12 volt battery power into useful 230 volt AC mains power. Tested and certified to the relevant EMC and LVD Directives.

- **Operating mode and fault indicators**
- **Up to 12 hours continuous use**
- **Compact heavy duty extruded casing**
- **Low power alarm and shut down to prevent inverter draining the battery**
- **Dimensions (H x W x D): 340 x 170 x 162 mm**

Part No.	Qty	Description
ERINVMA20	1	Sine Wave Inverter 2000w

RING 'PowerSource' 12V Inverters

300W Modified Sine Wave | 500W Modified Sine Wave | x1 UK Socket | 2.1A USB

12V DC input modified sine wave (MSW) inverters. Supplied with battery clips for connection directly to the vehicle battery.

- **Includes high power 2A USB socket suitable for recharging MP3 players, smart phones and tablets.**
- **Manufactured from lightweight durable ABS.**

Part No.	Qty	Description
ERINVU300	1	300W Inverter
ERINVU500	1	500W Inverter

RING 'Powering' 12V Slimline Flexible 120W Inverter

120W Modified Sine Wave | x1 UK Socket | 2.1A USB

Ultra slim design and flexible coiled cable allows for the inverter to be positioned in the most convenient part of any vehicle.

- **Ideal for mobile phones, hand held games consoles, laptops, TVs, etc.**
- **Includes USB port to allow recharging of electronic devices including MP3 players.**

Part No.	Qty	Description
ERINV120	1	120W Inverter

RING Smart Battery Charger 12V DC

Compatible with lead acid, gel, calcium, EFB and AGM batteries. The smart charge cycle charges the battery twice as fast as a standard car battery charger, and protects against overcharging. Slim line design makes it easy to store, while the one-button functionality makes it easy to use. The charger automatically detects the battery condition and applies the most suitable charging cycle.

- **4A smart battery charger**
- **Suitable for 12V vehicles**
- **Recommended for START/STOP vehicles**
- **IP65 rated: weatherproof**

Part No.	Qty	Dimensions	Weight	Voltage	Amps Output
ERSC704	1	128 x 80 x 24 mm	0.506 Kg	12V	4A

RING Smart Charger and Battery Maintainer 12/24V

Compatible with lead acid, gel, calcium, EFB and AGM batteries. Keeps batteries in good condition without risk of overcharging. One button operation and large LCD backlit display for ease of use as well as reverse polarity and short-circuit protection for safety. Connect and be sure with the charger adjusting automatically to long-term maintenance mode when the vehicle's battery is full.

- **For 12V and 24V vehicles**
- **Up to 4A or 8A charge rate**
- **STOP/START compatible**
- **Cold weather charging mode which protects batteries in cold temperatures**
- **One button operation for ease-of-use**
- **Reverse polarity and short-circuit protection**

Part No.	Qty	Dimensions	Weight	Voltage	Amps Output
ERSC808	1	183 x 114 x 64 mm	0.902 Kg	12/24V	8A

RING 'SmartChargePro' 12V Battery Charger

230V AC 50Hz Input. 12V, 2-50A programmable 8 stage battery smart charger with multiple charge rate settings.

- **Multi-chemistry function to set the specific charge required for different battery types.**
- **Power supply function maintains the battery voltage when appliances connected and drawing power.**
- **Includes LCD display.**

Part No.	Qty	Description
ERSCPR50	1	12V Battery Charger

Booster Cables/ Jump Leads - 16 mm²

- Welding cable remains flexible even in extreme cold.
- Exceptional toughness and durability.
- Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- Clip insulation can be removed to provide traditional clip design.

Part No.	Qty	Length	Amp Cont.	Amp Max
BC1	1	12 ft (3.6 m)	100 A	300 A
BC3	1	16 ft (4.8 m)	110 A	300 A
BC4	1	32 ft (9.6 m)	100 A	300 A

Heavy Duty Booster Cables/ Jump Leads - 25 mm²

- Welding cable remains flexible even in extreme cold.
- Exceptional toughness and durability.
- Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- Clip insulation can be removed to provide traditional clip design.

Part No.	Qty	Length	Amp Cont.	Amp Max
BC5	1	16 ft (4.8 m)	170 A	450 A



Heavy Duty Booster Cables/ Jump Leads - 35 mm²

- Welding cable remains flexible even in extreme cold.
- Exceptional toughness and durability.
- Resistant to oil, Heat, abrasion, ozone and most solvents - will not sustain combustion.
- Extra Heavy Duty Clips.
- Clip insulation can be removed to provide traditional clip design.

Part No.	Qty	Length	Amp Cont.	Amp Max
BC9	1	16 ft (4.8 m)	240 A	600 A

Booster Cables/ Jump Leads Clips

Extra heavy duty. Crimped.

Part No.	Qty	Colours	Amp Cont.
BC2	4 (2 x Pairs)	Red & Black	170 A

RING 'Powering' Booster Cables/Jump Leads

For LGV/Commercial Use.

- 100% multi-strand copper conductors.
- Fully insulated heavy duty clips.
- User instructions on packaging.
- Flexible PVC coating.
- Colour coded to British Standards.
- Supplied in nylon storage bag.

Part No.	Qty	Ø x Length	Amperage
BC350	1	35 mm² x 4.5 m	450 A
BC500	1	50 mm² x 5.0 m	600 A

RING 12V Digital Battery Analyser

Provides an accurate way to check the cranking ability and condition of 12V vehicle batteries. Microprocessor control which can analyse and test battery capacity without applying a load, providing faster more accurate results.

- LED display.
- Battery Range: 100-1700 CCA.

Part No.	Qty	Description
ERBA50	1	12V Battery Analyser

RING High Power Micro Jump Starter

A powerful, safe and compact Lithium Cobalt LiCoO² jump starter, ideal for small to medium cars and vans. Able to start 12V vehicles up to 3L. Also provides power to recharge electronic gadgets. Compact design fits easily into your glove box, without compromising on power.

- Powerbank function
- Fast 3hr recharge time - micro USB charging cable included
- Suitable for small to medium cars and vans up to 3L
- Intelligent clamps safely manage power between the jump starter and vehicle
- Reverse polarity, short circuit and anti-spike protection
- Includes integrated LED torch
- Rechargeable batteries included

Part No.	Qty	Dimensions	Voltage	Output
ERPPL300	1	31 x 163 x 90 mm	12V	300A

Start up to 7L 24V Truck Engines

RING 'TradeStart' Professional 12/24V 3000A Metal Power Pack

Battery type: Heavy duty sealed lead acid batteries with up to 4 year service life. Rugged metal casing. Supplied with detachable heavy duty 1.1 m, 35 mm² cables.

- **Suitable for jumping 12V and 24V vehicles**
- **Designed for car and commercial retailers, fleet operators and service engineers**
- **12V DC Socket**
- **Jump starts up to 5.5 litre truck engines**
- **Battery status indicators**
- **Reverse polarity warning buzzer and indicator**

Start up to 5.5L 24V Truck Engines

12/24 Volts

*** Please allow 2-3 days delivery on this product.**

Part No.	Qty	Description
ERPPS3000A *	1	12/24V, 3000 A Power Pack

RING 'TradeStart' Professional 12/24V 4000A Metal Power Pack

Battery type: Spiral AGM with up to 8 year service life. Rugged metal casing with integrated wheels and transport handle. Supplied with detachable heavy duty 1.5 m, 35 mm² cables.

- **Suitable for jumping 12V and 24V vehicles**
- **Designed for car and commercial retailers, fleet operators and service engineers**
- **12V DC Socket**
- **Jump starts up to 7 litre truck engines**
- **Multi-function LED display**
- **Reverse polarity warnings**

12/24 Volts

*** Please allow 2-3 days delivery on this product.**

Part No.	Qty	Description
ERPPS4000A *	1	12/24V, 4000 A Power Pack

RING

RING Lithium Professional Jump Starter

Ideal for petrol vehicles up to 8.0L and diesel vehicles up to 6.0L, such as motorcycles, cars, 4x4s, vans, commercial vehicles and boats.

- **Lithium professional charger with 1500 Peak Amps**
- **75% lighter than an equivalent lead acid jump starter**
- **Multiple safety protections**
- **Tough build with rubber moulding**
- **Rapid recharge - 60 seconds from vehicle alternator**
- **Mains docking station and rechargeable batteries included**

12.8 Volts

Rapid Recharge in 60 Seconds from Vehicle Alternator

Part No.	Qty	Voltage	Wattage	Output
ERPPL700	1	12.8V	8960W	700A

PROCELL
PROFESSIONAL BATTERIES

DURACELL

BEST SELLER

PROCELL Alkaline Batteries

Dependable power for professional devices.

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT308	10	AAA	1.5V	(LR03)

DURACELL Plus Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT108	10 x 4	AAA	1.5V	(LR03)
BAT108A	4	AAA	1.5V	(LR03)

BEST SELLER

PROCELL Alkaline Batteries

Dependable power for professional devices.

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT307	10	AA	1.5V	(LR6)

DURACELL Plus Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT107	20 x 4	AA	1.5V	(LR6)
BAT107A	4	AA	1.5V	(LR6)

PROCELL Alkaline Batteries

Dependable power for professional devices.

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT306	10	C	1.5V	(LR14)

DURACELL Plus Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT106	10 x 2	C	1.5V	(LR14)
BAT106A	2	C	1.5V	(LR14)

PROCELL Alkaline Batteries

Dependable power for professional devices.

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT305	10	D	1.5V	(LR20)

DURACELL Plus Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT105	10 x 2	D	1.5V	(LR20)
BAT105A	2	D	1.5V	(LR20)

BEST SELLER

PROCELL Alkaline Batteries

Dependable power for professional devices.

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT309	10	9V	9V	(PP3)

BEST SELLER

DURACELL Plus Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT109	10 x 1	9V	9V	(PP3)
BAT109A	1	9V	9V	(PP3)

DURACELL 'Ultra' Alkaline Batteries

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT151	10 x 2	AAAA	1.5V	(25A, U2, LR8D425)
BAT151A	2	AAAA	1.5V	(25A, U2, LR8D425)

GP Batteries

GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT30	10 x 4	AAA	1.5V	(HP16, R03S)

GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT3	10 x 4	AA	1.5V	(HP7, R6S)

GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT2	10 x 2	C	1.5V	(HP11, R14S)

GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT1	10 x 2	D	1.5V	(HP2, R20S)

GP BATTERIES 'Greencell' Heavy Duty Batteries - Zinc Chloride

Part No.	Qty	Size	Volts	Alt. Ref.'s
BAT4	10 x 1	9V	9V	(PP3S, 6F22)

GP Batteries

GP BATTERIES 'Super' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT408A	20 x 2	AAA	1.5V	(MN2400, LR03)
BAT408	100 x 2	AAA	1.5V	(MN2400, LR03)

GP Batteries

GP BATTERIES 'Ultra' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT8	10 x 4	AAA	1.5V	(MN2400, LR03)
BAT301	24	AAA	1.5V	(MN2400, LR03)

GP BATTERIES 'Ultra' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT7	10 x 4	AA	1.5V	(MN1500, LR6)
BAT300	24	AA	1.5V	(MN1500, LR6)

GP BATTERIES 'Ultra' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT6	10 x 2	C	1.5V	(MN1400, LR14)

GP BATTERIES 'Ultra' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT5	10 x 2	D	1.5V	(MN1300, LR20)

GP BATTERIES 'Ultra' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT9	10 x 1	9V	9V	(PP3, MN1604, 6LF22, 6LR61)

GP Batteries

GP BATTERIES 'Super' Alkaline Batteries

Part No.	Box of	Size	Size	Alt. Ref.'s
BAT407A	20 x 2	AA	1.5V	(MN1500, LR6)
BAT407	100 x 2	AA	1.5V	(MN1500, LR6)

GP Batteries

GP BATTERIES 'ReCyko Pro' Rechargeable Batteries

High capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT208	4	AAA	800 mAh	1.2V

GP BATTERIES 'ReCyko Pro' Rechargeable Batteries

High capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT207	4	AA	2000 mAh	1.2V

GP BATTERIES 'ReCyko+' Rechargeable Batteries

High capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT206	2	C	3000 mAh	1.2V

GP BATTERIES 'ReCyko+' Rechargeable Batteries

High capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT205	2	D	5700 mAh	1.2V

GP BATTERIES 'ReCyko+' Rechargeable Batteries

High capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT209	1	9V	200 mAh	9V

GP Batteries

GP BATTERIES Battery Charger Unit

Charges 2 or 4 x NiMH D, C, AA, AAA and 1 or 2 x 9V. 5 Hour charging (1300 mAh AA). (Batteries NOT included).

Part No.	Qty	Description
BAT84	1	NiMH Battery Charger Unit/Adaptor

GP Batteries

GP BATTERIES ReCyko USB/Mains Speed Charger with Dock

Charges 4 x AA, or 4 x AAA NiMH batteries.
Provides advanced battery analytics and two charging modes (fast 1.3 hrs / eco 4 hrs).
4 x AA 2600 mAh batteries, USB charging cable and mains adaptor included.

Part No.	Qty	Description
BAT186	1	NiMH Battery Charger with Dock

DURACELL

DURACELL Hi-Speed Charger with 2 x AA & 2 x AAA 'Duralock' Batteries

Medium Capacity NiMH: AA 1300 mAh, AAAA 750 mAh. 2 x AA ready in 45 minutes.

Part No.	Qty	Description
BAT185	1 Set	NiMH Charger + 2 x AA & 2 x AAA

DURACELL 'Duralock' Rechargeable Batteries

Medium capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT118	4	AAA	750 mAh	1.2V

DURACELL 'Duralock' Rechargeable Batteries

Medium capacity NiMH.

Part No.	Pack of	Size	Capacity	Volts
BAT117	4	AA	1300 mAh	1.2V

DURACELL

DURACELL 'Ultra' Lithium Batteries

Part No.	Pack of	Size	Volts	Alt. Ref.'s
BAT131	2	123	3V	(CR123A, DL123, EL123AP)

GP Batteries

GP BATTERIES 'Super' Alkaline Batteries

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT51	10 x 2	AAAA	1.5V	(MN2500, 25A, U2, LR8D425)

GP BATTERIES 'Super' Alkaline Batteries

For pagers

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT80	10 x 2	N	1.5V	(MN9100, LR1)

GP BATTERIES 'Super' Alkaline Batteries

Used by alarm manufacturers Autoblock and Gelhard.

Part No.	Pack of	Size	Volts	Alt. Ref.'s
BAT12	10	27A	12V	(EL812, BRONICA-1)

GP BATTERIES 'Super' Alkaline Batteries

Car alarm/remote: DIAHATSU, FORD, HONDA, MAZDA, MERCEDES, NISSAN, SAAB, TOYOTA, VAUXHALL, VOLVO.

Part No.	Pack of	Size	Volts	Alt. Ref.'s
BAT11	10	23A	12V	(MN21, V23GA, A23)

GP BATTERIES Lithium Batteries

For use in LED Torches & Digital Cameras.

Part No.	Pack of	Size	Volts	Alt. Ref.'s
BAT13	10	CR123A	3V	(123, DL123, EL123AP)

GP BATTERIES Lithium Batteries

For use in Digital Cameras.

Part No.	Pack of	Size	Volts	Alt. Ref.'s
BAT14	10	CR2	3V	(DLCR2, EL1CR2)

GP Batteries

GP BATTERIES Button Cell Batteries - Lithium Coins

Part No.	Pack of	Size	Volts
BAT23	10	CR1220	3V

Car alarm/remote: PEUGEOT, Used by alarm manufacturers: Meta, Moss, Phillips.

Part No.	Pack of	Size	Volts
BAT40	10	CR1616	3V

Car alarm/remote: AUDI, CITROËN, DAEWOO, PEUGEOT, NISSAN, TOYOTA.

Part No.	Pack of	Size	Volts
BAT28	10	CR1620	3V

Car alarm/remote: AUDI, CITROËN, DAEWOO, PEUGEOT, NISSAN, TOYOTA.

Part No.	Pack of	Size	Volts
BAT37	10	CR1632 *	3V

Car alarm/remote: TOYOTA, LEXUS.

* NOT branded GP BATTERIES

Part No.	Pack of	Size	Volts
BAT24	10	CR2016	3V

Car alarm/remote: BMW, CITROËN, FIAT, FORD, HONDA, LAND ROVER, PEUGEOT, RENAULT, ROVER, SAAB, SEAT, VOLVO.

Part No.	Pack of	Size	Volts
BAT25	10	CR2025	3V

Car alarm/remote: CITROËN, MERCEDES, PEUGEOT, VAUXHALL.

Part No.	Pack of	Size	Volts
BAT32	10	CR2032	3V

Car alarm/remote: CITROËN, NISSAN, ROVER.

Part No.	Pack of	Size	Volts
BAT35	10	CR2430	3V

Car alarm/remote:VOLVO, MITSUBISHI.

Part No.	Pack of	Size	Volts
BAT36	10	CR2450	3V

Car alarm/remote: BMW.

GP Batteries

GP BATTERIES Button Cell Batteries - Alkaline Batteries

Part No.	Pack of	Size	Volts
BAT21	10	LR44	1.5V

Car alarm/remote: CITROËN, PEUGEOT. Alt. Ref.'s (V13GA, PX76A, A76, AG13, SR44)

Part No.	Pack of	Size	Volts
BAT19	10	LR54	1.5V

Alt. Ref.'s (LR1130, AG10, GP189)

BEST SELLER

Heavy Duty Lantern Batteries - Zinc Chloride

Part No.	Pack of	Size	Volts	Alt. Ref.'s
BAT10N	6	996	6V	(4R25, 1209)
BAT10A	1	996	6V	(4R25, 1209)

EVEREADY

EVEREADY Lantern Batteries - Zinc Chloride

Part No.	Box of	Size	Volts	Alt. Ref.'s
BAT50	12	996	6V	(4R25, 1209)

GP Batteries

Assorted Pack of GP BATTERIES Alkaline Batteries & Lithium Cells

Part No.	Pack of
AP177	24 Pieces

5 x Lithium Cells: CR1220, CR1616, CR2016, CR2025, CR2032.
3 x Alkaline Batteries: 23A, 27A, LR44.


114

117


118


119

122

123

Threaded Fasteners

124

125


126

114 Set Screws
117 Bolts
118 Coach Bolts
119 Studding
120 Socket Screws
123 Machine Screws
124 Body Screws
124 Thread Repair
125 Threaded Inserts
126 Nuts
129 Washers
133 Sealing Washers
136 Sump Plug Washers
138 O-Rings

127

129

130


131

134

135

137

138



Set Screws High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No.	Pack of	Size x Length
HSS110	200	M4 x 10
HSS111	200	M4 x 25
HSS97	200	M5 x 12
HSS36	200	M5 x 16
HSS98	200	M5 x 20
HSS41	200	M5 x 25
HSS99	200	M5 x 30
HSS37	200	M5 x 35
HSS42	200	M5 x 40
HSS43	100	M5 x 50
HSS100	200	M6 x 12
HSS69	200	M6 x 16
HSS40	200	M6 x 20
HSS44	200	M6 x 25
HSS101	200	M6 x 30
HSS38	200	M6 x 35
HSS45	200	M6 x 40
HSS46	100	M6 x 50
HSS102	50	M6 x 60
HSS103	50	M6 x 75
HSS47	200	M7 x 25
HSS48	100	M7 x 40
HSS104	200	M8 x 16
HSS70	200	M8 x 20
HSS50	200	M8 x 25
HSS105	100	M8 x 30
HSS39	100	M8 x 35
HSS51	100	M8 x 40
HSS112	100	M8 x 45
HSS52	100	M8 x 50
HSS106	50	M8 x 60
HSS113	100	M8 x 70
HSS71	50	M8 x 75
HSS92	25	M8 x 100
HSS107	100	M10 x 20
HSS53	100	M10 x 25
HSS108	100	M10 x 30
HSS72	100	M10 x 35
HSS54	100	M10 x 40
HSS55	50	M10 x 50
HSS109	50	M10 x 60
HSS114	50	M10 x 70
HSS73	50	M10 x 75
HSS115	50	M10 x 80
HSS93	25	M10 x 100
HSS56	50	M12 x 25
HSS116	50	M12 x 35
HSS57	50	M12 x 40
HSS58	50	M12 x 50
HSS74	25	M12 x 75
HSS94	25	M12 x 100
HSS75	25	M14 x 40
HSS76	25	M14 x 50
HSS117	25	M14 x 70
HSS79	25	M14 x 75
HSS95	25	M14 x 100
HSS77	25	M16 x 50
HSS78	25	M16 x 75
HSS96	25	M16 x 100

Assorted Box of Set Screws High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No.	Box of
AB9N	150 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm.
2 x M8: x 25, 40 mm. 2 x M10: x 25, 40 mm.

MAX BOX

'Max Box' Assortment of Set Screws High Tensile - Metric

Zinc plated steel. DIN 933 Grade 8.8.

Part No.	Box of
AB564	290 Pieces

2 x M4: x 10, 20 mm. 3 x M5: x 10, 16, 30 mm. 5 x M6: x 10, 12, 16, 20, 30 mm. 4 x M8: x 16, 20, 30, 40 mm.
2 x M10: x 25, 30 mm. 3 x M12: x 20, 30, 40 mm.

Set Screws High Tensile - Metric Fine

Zinc plated steel. DIN 961 Grade 8.8.

Part No.	Pack of	Size x Length	Pitch
HSS61	200	M5 x 25	0.50 mm
HSS62	200	M6 x 25	0.75 mm
HSS64	200	M8 x 25	1.00 mm
HSS65	200	M8 x 40	1.00 mm
HSS66	100	M10 x 40	1.25 mm
HSS60	50	M12 x 55	1.50 mm

Assorted Box of Set Screws High Tensile - Metric Fine

Zinc plated steel. DIN 961 Grade 8.8.

Part No.	Box of
AB11N	140 Pieces

1 x M5 (x 0.50 mm Pitch): x 25 mm.
1 x M6 (x 0.75 mm Pitch): x 25 mm.
2 x M8 (x 1.00 mm Pitch): x 25, 40 mm.
1 x M10 (x 1.25 mm Pitch): x 40 mm.
1 x M12 (x 1.50 mm Pitch) x 55 mm.



Assorted Set Screws with Nuts

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN934 (Steel Nuts).

Part No.	Pack of	Size
AP64	200 Pieces	M6

3 x Lengths: 25, 40, 50 mm.

Part No.	Pack of	Size
AP65	200 Pieces	M8

3 x Lengths: 25, 40, 50 mm.

Part No.	Pack of	Size
AP67	200 Pieces	M10

3 x Lengths: 25, 40, 50 mm.

Part No.	Pack of	Size
AP68	100 Pieces	M12

3 x Lengths: 25, 40, 50 mm.

Assorted Box of M5 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB163N	550 Pieces

5 x Set Screws: M5 x 16, 20, 25, 40, 50 mm.
1 x Steel Nuts: M5. 1 x Flat Washers: M5.

Assorted Box of M6 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB128N	485 Pieces

5 x Set Screws: M6 x 16, 20, 25, 35, 50 mm.
1 x Steel Nuts: M6. 1 x Flat Washers: M6.

Assorted Box of M8 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB129N	245 Pieces

5 x Set Screws: M8 x 20, 25, 40, 50, 75 mm.
1 x Steel Nuts: M8. 1 x Flat Washers: M8.

Assorted Box of M10 Fasteners

Zinc plated steel. DIN 933 Grade 8.8 (Set Screws High Tensile). DIN 934 (Steel Nuts). DIN 125 (Flat Washers).

Part No.	Box of
AB130N	150 Pieces

4 x Set Screws: M10 x 25, 40, 50, 75 mm.
1 x Steel Nuts: M10. 1 x Flat Washers: M10.



Stainless Steel Set Screws - Metric

Stainless Steel. DIN 933 Grade A2.

Part No.	Pack of	Size x Length
HIS525	100	M5 x 25
HIS625	100	M6 x 25
HIS825	100	M8 x 25
HIS840	50	M8 x 40
HIS1025	50	M10 x 25
HIS1040	50	M10 x 40

Assorted Box of Stainless Steel Set Screws - Metric

Stainless Steel. DIN 933 Grade A2.

Part No.	Box of
AB154	120 Pieces

1 x M5: x 25 mm. 1 x M6: x 25 mm. 1 x M8: x 25 mm.
1 x M8: x 40 mm. 2 x M10: x 25, 40 mm.

Plain (Black) Set Screws High Tensile - Metric

Self colour finish steel. DIN 933/BS 3692 Grade 8.8.

Part No.	Pack of	Size x Length
HSB510	200	M5 x 10
HSB670	50	M6 x 70
HSB880	25	M8 x 80
HSB1220	25	M12 x 20
HSB1265	25	M12 x 65
HSB1280	25	M12 x 80
HSB12120	25	M12 x 120
HSB1640	25	M16 x 40
HSB1660	25	M16 x 60
HSB1680	25	M16 x 80

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

Size	Pitch	Size	Pitch
M3	0.50 mm	M12	1.75 mm
M4	0.70 mm	M14	2.00 mm
M5	0.80 mm	M16	2.00 mm
M6	1.00 mm	M18	2.50 mm
M7	1.00 mm	M20	2.50 mm
M8	1.25 mm	M22	2.50 mm
M10	1.50 mm	M24	3.00 mm



Serrated Flanged Set Screws - Metric

Zinc plated steel. DIN 6921 Grade 8.8.

Part No.	Pack of	Size x Length	Thread Type
HFL616	100	M6 x 16	Full Thread
HFL620	100	M6 x 20	Full Thread
HFL820	100	M8 x 20	Full Thread
HFL825	100	M8 x 25	Full Thread
HFL830	50	M8 x 30	Full Thread
HFL125	50	M10 x 25	Full Thread
HFL130	50	M10 x 30	Full Thread

Serrated Flanged Bolts - Metric

Zinc plated steel. DIN 6921 Grade 8.8.

Part No.	Pack of	Size x Length	Thread Type
HFL625	100	M6 x 25	Part Thread
HFL630	100	M6 x 30	Part Thread
HFL840	50	M8 x 40	Part Thread
HFL140	50	M10 x 40	Part Thread
HFL150	25	M10 x 50	Part Thread

Spanner/Socket Size Guide

Use this guide to help choose the correct size spanner or socket required for standard Set Screw, Nut and Bolt thread sizes. Information for guidance only.

Thread Size	Spanner/Socket
M3	7 mm
3/16 UNF	5/16 AF
M5	8 mm
M6	10 mm
M7	11 mm
1/4 UNF	7/16 AF
5/16 UNF	1/2 AF
M8	13 mm
3/8 UNF	9/16 AF

Size	Pitch
7/16 UNF (Bolt)	5/8 AF
M10	17 mm
7/16 UNF (Nut)	11/16 AF
M12	19 mm
1/2 UNF	3/4 AF
M14	22 mm
5/8 UNF	15/16 AF
M16	24 mm

Set Screws High Tensile - UNF

Zinc plated steel. ANSI B18.2.1.1965 Grade S.

Part No.	Pack of	Size x Length
HSS2	200	3/16" x 1"
HSS3	200	3/16" x 1 1/2"
HSS5	200	1/4" x 1/2"
HSS6	200	1/4" x 3/4"
HSS7	200	1/4" x 1"
HSS8	200	1/4" x 1 1/2"
HSS9	200	1/4" x 2"
HSS10	100	1/4" x 3"
HSS87	200	5/16" x 1/2"
HSS11	200	5/16" x 3/4"
HSS12	200	5/16" x 1"
HSS13	200	5/16" x 1 1/2"
HSS14	100	5/16" x 2"
HSS15	100	5/16" x 3"
HSS16	100	3/8" x 3/4"
HSS17	100	3/8" x 1"
HSS18	100	3/8" x 1 1/2"
HSS19	50	3/8" x 2"
HSS20	50	3/8" x 3"
HSS88	50	7/16" x 1"
HSS80	50	7/16" x 1 1/2"
HSS81	50	7/16" x 2"
HSS89	25	7/16" x 3"
HSS90	50	1/2" x 1"
HSS82	50	1/2" x 1 1/2"
HSS83	50	1/2" x 2"
HSS84	25	1/2" x 3"
HSS91	25	5/8" x 1 1/2"
HSS85	25	5/8" x 2"
HSS86	25	5/8" x 3"

Assorted Box of Set Screws High Tensile - UNF

Zinc plated steel. ANSI B18.2.1.1965 Grade 8.8 Equivalent.

Part No.	Box of
AB5N	150 Pieces

1 x 3/16" UNF: x 1". 1 x 1/4" UNF: x 1".
2 x 5/16" UNF: x 1", x 1 1/2". 2 x 3/8" UNF: x 1", 1 1/2".

Assorted Box of Set Screws High Tensile - UNC

Zinc plated steel. ANSI B18.2.1.1965 Grade 8.8 Equivalent.

Part No.	Box of
AB7N	150 Pieces

2 x 1/4" UNC: x 3/4", x 1". 2 x 5/16" UNC: x 1", x 1 1/2".
2 x 3/8" UNC: x 1", x 1 1/2".

Bolts High Tensile - Metric

Zinc plated steel. DIN 931 Grade 8.8.

Part No.	Pack of	Size x Length
HB036	100	M6 x 40
HB070	50	M6 x 130
HB037	100	M8 x 40
HB071	50	M8 x 45
HB072	50	M8 x 50
HB073	50	M8 x 55
HB074	50	M8 x 65
HB075	25	M8 x 80
HB076	25	M8 x 110
HB077	25	M10 x 40
HB026	100	M10 x 50
HB078	25	M10 x 55
HB079	25	M10 x 60
HB080	25	M10 x 65
HB081	25	M10 x 70
HB082	25	M10 x 75
HB083	25	M10 x 90
HB021	100	M10 x 100
HB084	25	M10 x 130
HB085	25	M10 x 150
HB022	100	M12 x 45
HB027	100	M12 x 50
HB023	100	M12 x 60
HB028	50	M12 x 75
HB086	25	M12 x 80
HB087	25	M12 x 90
HB033	25	M12 x 100
HB088	25	M12 x 110
HB089	25	M12 x 120
HB090	25	M12 x 140
HB091	25	M12 x 150
HB029	50	M14 x 50
HB030	50	M14 x 70
HB092	25	M14 x 75
HB093	25	M14 x 80
HB034	25	M14 x 100
HB094	25	M16 x 40
HB024	50	M16 x 45
HB031	50	M16 x 50
HB025	50	M16 x 60
HB032	25	M16 x 70
HB095	10	M16 x 65
HB096	10	M16 x 75
HB097	10	M16 x 80
HB098	10	M16 x 90
HB035	25	M16 x 100
HB099	10	M16 x 110
HB0100	10	M16 x 120
HB0101	10	M16 x 130
HB0102	10	M16 x 150
HB0103	10	M18 x 100
HB0104	10	M20 x 50
HB0105	10	M20 x 60
HB0106	10	M20 x 70
HB0107	10	M20 x 75
HB0108	10	M20 x 80
HB0109	10	M20 x 90
HB0110	10	M20 x 100
HB0111	10	M20 x 130
HB0112	5	M24 x 70
HB0113	5	M24 x 90
HB0114	5	M24 x 120

Bolts High Tensile - UNF

Zinc plated steel. ANSI B18.2.1.1965 Grade S.

Part No.	Pack of	Size x Length
HB02	100	5/16" x 2 1/4"
HB03	100	5/16" x 2 3/4"
HB04	100	3/8" x 1 1/4"
HB013	100	3/8" x 1 1/2"
HB061	100	3/8" x 2 1/2"
HB062	50	3/8" x 3"
HB063	25	3/8" x 4"
HB05	100	7/16" x 1 1/2"
HB06	100	7/16" x 2"
HB07	50	7/16" x 3"
HB08	50	1/2" x 1 1/2"
HB09	50	1/2" x 2"
HB014	50	1/2" x 2 1/2"
HB010	50	1/2" x 3"
HB015	25	1/2" x 4"
HB064	10	1/2" x 5"
HB011	50	5/8" x 2"
HB016	25	5/8" x 2 1/2"
HB012	25	5/8" x 3"
HB017	25	5/8" x 4"
HB065	10	5/8" x 5"
HB066	25	3/4" x 3"
HB067	25	3/4" x 4"
HB068	10	3/4" x 5"



Coach Bolts with Steel Nuts, Cup Square Head - Metric, Fully Threaded

Zinc plated steel. DIN 603, Grade 4.8. Cup square head.

Part No.	Pack of	Size x Length
HCS7	100 Pairs	M6 x 20
HCS8	100 Pairs	M6 x 25
HCS9	100 Pairs	M6 x 30
HCS1	100 Pairs	M6 x 40
HCS10	50 Pairs	M6 x 50
HCS11	100 Pairs	M6 x 55
HCS2	100 Pairs	M6 x 75
HCS12	50 Pairs	M6 x 80
HCS13	50 Pairs	M6 x 90
HCS14	50 Pairs	M6 x 100
HCS15	25 Pairs	M6 x 110
HCS16	25 Pairs	M6 x 130
HCS17	50 Pairs	M8 x 25
HCS18	50 Pairs	M8 x 30
HCS19	50 Pairs	M8 x 35
HCS3	50 Pairs	M8 x 40
HCS20	50 Pairs	M8 x 50
HCS21	50 Pairs	M8 x 60
HCS4	50 Pairs	M8 x 75
HCS22	50 Pairs	M8 x 100
HCS23	25 Pairs	M8 x 120
HCS24	25 Pairs	M8 x 130
HCS25	25 Pairs	M8 x 150
HCS26	50 Pairs	M10 x 25
HCS27	50 Pairs	M10 x 30
HCS5	50 Pairs	M10 x 40
HCS28	50 Pairs	M10 x 50
HCS29	50 Pairs	M10 x 65
HCS6	50 Pairs	M10 x 75
HCS30	50 Pairs	M10 x 90
HCS31	50 Pairs	M10 x 100
HCS32	25 Pairs	M10 x 110
HCS33	25 Pairs	M10 x 120
HCS34	25 Pairs	M10 x 130
HCS35	25 Pairs	M10 x 150
HCS36	25 Pairs	M10 x 180
HCS37	25 Pairs	M10 x 220
HCS38	25 Pairs	M12 x 30
HCS39	25 Pairs	M12 x 50
HCS40	25 Pairs	M12 x 75
HCS41	25 Pairs	M12 x 100
HCS42	25 Pairs	M12 x 130
HCS43	25 Pairs	M12 x 150
HCS44	10 Pairs	M12 x 180
HCS45	10 Pairs	M12 x 200
HCS46	5 Pairs	M12 x 220

Coach Bolts with Steel Nuts, Cup Square Head - Metric

Zinc plated steel. BS 4933.

Part No.	Pack of	Size x Length
HCB1	100 Pairs	M6 x 40
HCB2	100 Pairs	M6 x 75
HCB3	50 Pairs	M8 x 40
HCB4	50 Pairs	M8 x 75
HCB5	50 Pairs	M10 x 40
HCB6	50 Pairs	M10 x 75



Roofing Bolts & Nuts - Metric

Zinc plated steel. DIN 603.

Part No.	Pack of	Size x Length
HRF520	100 Pairs	M5 x 20
HRF620	100 Pairs	M6 x 20
HRF625	100 Pairs	M6 x 25
HRF640	100 Pairs	M6 x 40
HRF650	100 Pairs	M6 x 50
HRF660	100 Pairs	M6 x 60
HRF680	50 Pairs	M6 x 80
HRF6100	50 Pairs	M6 x 100
HRF830	100 Pairs	M8 x 30
HRF835	100 Pairs	M8 x 35
HRF860	50 Pairs	M8 x 60
HRF880	50 Pairs	M8 x 80

Sleeve Anchors

Part No.	Pack of	Size
HCT10	50	M10 x 50
HCT12	50	M12 x 75

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

Size	Pitch	Size	Pitch
M3	0.50 mm	M12	1.75 mm
M4	0.70 mm	M14	2.00 mm
M5	0.80 mm	M16	2.00 mm
M6	1.00 mm	M18	2.50 mm
M7	1.00 mm	M20	2.50 mm
M8	1.25 mm	M22	2.50 mm
M10	1.50 mm	M24	3.00 mm



Exhaust Manifold Studs

Mild steel.

Part No.	Pack of	Size x Pitch	Length
HMS11	20	M8 x 1.25 mm	37 mm
HMS12	20	M8 x 1.25 mm	42 mm
HMS13	20	M10 x 1.25 mm	37 mm
HMS14	20	M10 x 1.50 mm	38 mm
HMS15	20	M10 x 1.50 mm	52 mm
HMS16	20	M10 x 1.50 mm	55 mm



Exhaust Manifold Nuts - Brass

Part No.	Pack of	Size x Pitch
HBN5	50	M8 x 1.25 mm
HBN6	50	M10 x 1.25 mm



Exhaust Manifold Nuts - Copper Flashed Steel

DIN 980.

Part No.	Pack of	Size x Pitch
HBN8	50	M8 x 1.25 mm
HBN7	50	M10 x 1.50 mm

Exhaust Manifold Nuts - Zinc Plated Steel

Non-serrated. Flanged tri-lock. 9/16" (14 mm) AF head. DIN 980. Grade 8.8.

Part No.	Pack of	Size
HBN10	50	M10 x 1.25 mm



Studding - UNF, 36" (91 cm) Lengths

Zinc plated steel. DIN 975.

Part No.	Pack of	Size
HSR44	5	1/4"
HSR45	5	5/16"
HSR46	5	3/8"
HSR47	5	7/16"



Studding - Metric, 1 m (39") Lengths

Zinc plated mild steel. DIN 975. Grade 4.8.

Part No.	Pack of	Size
HSR26	5	M6
HSR28	5	M8
HSR30	5	M10
HSR32	5	M12
HSR34	4	M14
HSR36	4	M16
HSR38	2	M20
HSR40	2	M24

Assorted Pack of Studding - Metric, 1 m (39") Lengths

Zinc plated mild steel. DIN 975. Grade 4.8.

Part No.	Pack of
AP50	9 Pieces

3 x Sizes: M6, M8, M10

Assorted Pack of Studding - Metric, 30 cm (12") Lengths

Zinc plated mild steel. DIN 975. Grade 4.8.

Part No.	Pack of
AP8	30 Pieces

3 x Sizes: M6, M8, M10.

Looking for more Exhaust Products?

Exhaust clamps and fittings can be found on Page 266

Black Socket Screws, Cap Head - Metric

Black finish steel. DIN 912 Grade 12.9.

Part No.	Pack of	Size x Length	Thread Type	Hex/Socket Size
HCH38	200	M3 x 8	Full Thread	2.5 mm
HCH310	200	M3 x 10	Full Thread	2.5 mm
HCH312	200	M3 x 12	Full Thread	2.5 mm
HCH320	200	M3 x 20	Full Thread	2.5 mm
HCH330	200	M3 x 30	Part Thread	2.5 mm
HCH335	200	M3 x 35	Part Thread	2.5 mm
HCH410	200	M4 x 10	Full Thread	3 mm
HCH412	200	M4 x 12	Full Thread	3 mm
HCH416	200	M4 x 16	Full Thread	3 mm
HCH420	200	M4 x 20	Full Thread	3 mm
HCH425	200	M4 x 25	Full Thread	3 mm
HCH430	200	M4 x 30	Part Thread	3 mm
HCH440	200	M4 x 40	Part Thread	3 mm
HCH450	100	M4 x 50	Part Thread	3 mm
HCH56	200	M5 x 6	Full Thread	4 mm
HCH510	200	M5 x 10	Full Thread	4 mm
HCH512	200	M5 x 12	Full Thread	4 mm
HCH516	200	M5 x 16	Full Thread	4 mm
HCH520	200	M5 x 20	Full Thread	4 mm
HCH525	200	M5 x 25	Full Thread	4 mm
HCH530	200	M5 x 30	Part Thread	4 mm
HCH540	200	M5 x 40	Part Thread	4 mm
HCH550	100	M5 x 50	Part Thread	4 mm
HCH580	50	M5 x 80	Part Thread	4 mm
HCH610	200	M6 x 10	Full Thread	5 mm
HCH612	200	M6 x 12	Full Thread	5 mm
HCH615	200	M6 x 15	Full Thread	5 mm
HCH616	200	M6 x 16	Full Thread	5 mm
HCH620	200	M6 x 20	Full Thread	5 mm
HCH625	200	M6 x 25	Full Thread	5 mm
HCH630	200	M6 x 30	Full Thread	5 mm
HCH635	200	M6 x 35	Part Thread	5 mm
HCH640	200	M6 x 40	Part Thread	5 mm
HCH645	100	M6 x 45	Part Thread	5 mm
HCH650	100	M6 x 50	Part Thread	5 mm
HCH660	100	M6 x 60	Part Thread	5 mm
HCH665	100	M6 x 65	Part Thread	5 mm
HCH670	50	M6 x 70	Part Thread	5 mm
HCH810	200	M8 x 10	Full Thread	6 mm
HCH812	100	M8 x 12	Full Thread	6 mm
HCH816	200	M8 x 16	Full Thread	6 mm
HCH820	100	M8 x 20	Full Thread	6 mm
HCH825	100	M8 x 25	Full Thread	6 mm
HCH830	100	M8 x 30	Full Thread	6 mm
HCH835	100	M8 x 35	Full Thread	6 mm
HCH840	100	M8 x 40	Part Thread	6 mm
HCH845	50	M8 x 45	Part Thread	6 mm
HCH850	50	M8 x 50	Part Thread	6 mm
HCH860	50	M8 x 60	Part Thread	6 mm
HCH865	50	M8 x 65	Part Thread	6 mm
HCH870	50	M8 x 70	Part Thread	6 mm
HCH890	50	M8 x 90	Part Thread	6 mm
HCH1020	50	M10 x 20	Full Thread	8 mm
HCH1025	50	M10 x 25	Full Thread	8 mm
HCH1030	100	M10 x 30	Full Thread	8 mm
HCH1035	50	M10 x 35	Full Thread	8 mm
HCH1040	100	M10 x 40	Full Thread	8 mm
HCH1045	50	M10 x 45	Part Thread	8 mm
HCH1050	25	M10 x 50	Part Thread	8 mm
HCH1055	25	M10 x 55	Part Thread	8 mm
HCH1060	25	M10 x 60	Part Thread	8 mm
HCH1070	25	M10 x 70	Part Thread	8 mm
HCH1075	25	M10 x 75	Part Thread	8 mm
HCH1080	25	M10 x 80	Part Thread	8 mm
HCH1090	10	M10 x 90	Part Thread	8 mm
HCH10100	10	M10 x 100	Part Thread	8 mm
HCH1220	50	M12 x 20	Full Thread	10 mm
HCH1225	50	M12 x 25	Full Thread	10 mm
HCH1230	50	M12 x 30	Full Thread	10 mm
HCH1235	50	M12 x 35	Full Thread	10 mm
HCH1240	50	M12 x 40	Full Thread	10 mm
HCH1245	25	M12 x 45	Full Thread	10 mm
HCH1250	50	M12 x 50	Full Thread	10 mm
HCH1260	25	M12 x 60	Part Thread	10 mm
HCH1275	25	M12 x 75	Part Thread	10 mm
HCH1280	25	M12 x 80	Part Thread	10 mm
HCH1290	10	M12 x 90	Part Thread	10 mm
HCH12130	10	M12 x 130	Part Thread	10 mm
HCH1630	10	M16 x 30	Full Thread	14 mm
HCH1640	10	M16 x 40	Full Thread	14 mm
HCH1650	10	M16 x 50	Full Thread	14 mm
HCH1665	10	M16 x 65	Part Thread	14 mm
HCH1680	10	M16 x 80	Part Thread	14 mm
HCH1690	10	M16 x 90	Part Thread	14 mm
HCH16100	10	M16 x 100	Part Thread	14 mm
HCH16200	10	M16 x 200	Part Thread	14 mm
HCH2050	10	M20 x 50	Full Thread	17 mm
HCH2080	10	M20 x 80	Part Thread	17 mm
HCH2090	5	M20 x 90	Part Thread	17 mm
HCH20100	5	M20 x 100	Part Thread	17 mm
HCH20140	5	M20 x 140	Part Thread	17 mm
HCH20150	10	M20 x 150	Part Thread	17 mm
HCH2490	5	M24 x 90	Part Thread	19 mm
HCH24100	5	M24 x 100	Part Thread	19 mm

Assorted Box of Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No.	Box of
AB92	100 Pieces

2 x M5: x 30, 40 mm. 2 x M6: x 30, 40 mm.
2 x M8: x 30, 40 mm. 2 x M10: x 30, 40 mm.

MAX BOX

'Max Box' Assortment of Socket Screws Cap Head - Metric Black

Black. DIN 912 Grade 12.9.

Part No.	Box of
AB562	270 Pieces

2 x M4: 12, 20 mm. 4 x M5: 16, 20, 30, 40 mm. 5 x M6: 12, 16, 20, 30, 40 mm.
4 x M8: 12, 20, 30, 40 mm. 2 x M10: 30, 40. 1 x M12: 50.

Socket Screws, Cap Head - Metric

Zinc plated steel. DIN 912 Grade 12.9.

Part No.	Pack of	Size x Length	Thread Type	Hex/Socket Size
HCZ308	200	M3 x 8	Full Thread	2.5 mm
HCZ316	100	M3 x 16	Full Thread	2.5 mm
HCZ420	100	M4 x 20	Full Thread	3 mm
HCZ430	100	M4 x 30	Part Thread	3 mm
HCZ510	100	M5 x 10	Full Thread	4 mm
HCZ516	100	M5 x 16	Full Thread	4 mm
HCZ525	100	M5 x 25	Full Thread	4 mm
HCZ530	50	M5 x 30	Part Thread	4 mm
HCZ535	50	M5 x 35	Part Thread	4 mm
HCZ540	50	M5 x 40	Part Thread	4 mm
HCZ620	100	M6 x 20	Full Thread	5 mm
HCZ625	100	M6 x 25	Full Thread	5 mm
HCZ630	100	M6 x 30	Full Thread	5 mm
HCZ635	50	M6 x 35	Part Thread	5 mm
HCZ816	50	M8 x 16	Full Thread	6 mm
HCZ820	50	M8 x 20	Full Thread	6 mm
HCZ830	50	M8 x 30	Full Thread	6 mm
HCZ845	25	M8 x 45	Part Thread	6 mm
HCZ865	50	M8 x 65	Part Thread	6 mm
HCZ1025	25	M10 x 25	Full Thread	8 mm
HCZ1030	25	M10 x 30	Full Thread	8 mm
HCZ1040	25	M10 x 40	Full Thread	8 mm
HCZ10130	25	M10 x 130	Part Thread	8 mm
HCZ1225	25	M12 x 25	Full Thread	10 mm
HCZ12100	10	M12 x 100	Part Thread	10 mm
HCZ12110	10	M12 x 110	Part Thread	10 mm
HCZ1660	10	M16 x 60	Full Thread	14 mm

MAX BOX

'Max Box' Assortment of Socket Screws Cap Head - Metric

Zinc plated steel.
DIN 912 Grade 12.9.

Part No.	Box of
AB563	300 Pieces

2 x M3: x 8, 16 mm. 2 x M4: x 20, 30 mm. 6 x M5: x 10, 16, 25, 30, 35, 40 mm. 4 x M6: x 20, 25, 30, 35 mm. 4 x M8: x 16, 20, 30, 45 mm. 3 x M10: x 25, 30, 40 mm. 1 x M12: x 25 mm.



Looking for Hex Keys?

A full range of Hex T-Handles and Hex Keys start from Page 450

Socket Screws, Cap Head - UNC

Zinc plated steel. Grade 12.9.

Part No.	Pack of	Size x Length	Thread Type
HCZ1	100	1/4 UNC x 1/2"	Full Thread
HCZ2	100	1/4 UNC x 1 1/4"	Full Thread
HCZ3	100	1/4 UNC x 1 1/2"	Part Thread
HCZ4	100	1/4 UNC x 1 3/4"	Part Thread
HCZ5	50	1/4 UNC x 2"	Part Thread
HCZ6	50	5/16 UNC x 1"	Full Thread
HCZ7	50	5/16 UNC x 1 1/4"	Full Thread
HCZ8	50	3/8 UNC x 1"	Full Thread
HCZ9	25	3/8 UNC x 1 1/2"	Full Thread
HCZ10	25	3/8 UNC x 2"	Part Thread
HCZ11	10	1/2 UNC x 2"	Full Thread

Black Socket Screws, Button Head - Metric

Black finish steel. ISO 7380 Grade 10.9.

Part No.	Pack of	Size x Length	Thread Type	Hex/Socket Size
HBU410	200	M4 x 10	Full Thread	3 mm
HBU512	200	M5 x 12	Full Thread	4 mm
HBU516	200	M5 x 16	Full Thread	4 mm
HBU520	200	M5 x 20	Full Thread	4 mm
HBU525	200	M5 x 25	Full Thread	4 mm
HBU610	100	M6 x 10	Full Thread	5 mm
HBU612	100	M6 x 12	Full Thread	5 mm
HBU616	200	M6 x 16	Full Thread	5 mm
HBU625	100	M6 x 25	Full Thread	5 mm
HBU630	100	M6 x 30	Full Thread	5 mm
HBU810	100	M8 x 10	Full Thread	6 mm
HBU816	100	M8 x 16	Full Thread	6 mm
HBU820	100	M8 x 20	Full Thread	6 mm
HBU825	100	M8 x 25	Full Thread	6 mm
HBU830	100	M8 x 30	Full Thread	6 mm
HBU1040	50	M10 x 40	Full Thread	8 mm



Socket Screws, Button Head - Metric

Zinc plated steel. ISO 7380 Grade 10.9.

Part No.	Pack of	Size x Length	Thread Type	Hex/Socket Size
HBZ620	100	M6 x 20	Full Thread	5 mm
HBZ820	100	M8 x 20	Full Thread	6 mm
HBZ830	100	M8 x 30	Full Thread	6 mm
HBZ840	100	M8 x 40	Part Thread	6 mm
HBZ1030	50	M10 x 30	Full Thread	8 mm
HBZ1035	50	M10 x 35	Full Thread	8 mm
HBZ1040	50	M10 x 40	Full Thread	8 mm

Black Socket Screws, Countersunk - Metric

Black finish steel. DIN 7991 Grade 10.9.

Part No.	Pack of	Size x Length	Thread Type	Hex/Socket Size
HKB36	200	M3 x 6	Full Thread	2.5 mm
HKB320	200	M3 x 20	Full Thread	2.5 mm
HKB412	200	M4 x 12	Full Thread	3 mm
HKB416	200	M4 x 16	Full Thread	3 mm
HKB420	200	M4 x 20	Full Thread	3 mm
HKB440	200	M4 x 40	Part Thread	3 mm
HKB510	200	M5 x 10	Full Thread	4 mm
HKB512	200	M5 x 12	Full Thread	4 mm
HKB516	200	M5 x 16	Full Thread	4 mm
HKB520	200	M5 x 20	Full Thread	4 mm
HKB525	200	M5 x 25	Full Thread	4 mm
HKB530	200	M5 x 30	Full Thread	4 mm
HKB612	200	M6 x 12	Full Thread	5 mm
HKB616	200	M6 x 16	Full Thread	5 mm
HKB620	200	M6 x 20	Full Thread	5 mm
HKB625	200	M6 x 25	Full Thread	5 mm
HKB630	100	M6 x 30	Full Thread	5 mm
HKB640	100	M6 x 40	Part Thread	5 mm
HKB820	100	M8 x 20	Full Thread	6 mm
HKB825	100	M8 x 25	Full Thread	6 mm
HKB830	100	M8 x 30	Full Thread	6 mm
HKB840	100	M8 x 40	Full Thread	6 mm
HKB850	100	M8 x 50	Part Thread	6 mm
HKB860	50	M8 x 60	Part Thread	6 mm
HKB1020	50	M10 x 20	Full Thread	8 mm
HKB1025	50	M10 x 25	Full Thread	8 mm
HKB1035	50	M10 x 35	Full Thread	8 mm
HKB1040	50	M10 x 40	Full Thread	8 mm
HKB1050	50	M10 x 50	Part Thread	8 mm
HKB1225	50	M12 x 25	Full Thread	10 mm
HKB1250	50	M12 x 50	Full Thread	10 mm
HKB1650	10	M16 x 50	Full Thread	14 mm
HKB1670	10	M16 x 70	Part Thread	14 mm
HKB1675	10	M16 x 75	Part Thread	14 mm
HKB20100	10	M20 x 100	Part Thread	17 mm

Hex Key/ Socket Size Guide

Use this guide to help choose the correct size hex key or hex bit socket required for standard Socket Cap Screw thread sizes. Information for guidance only.

Thread Size	Hex Size
M3	2.5 mm
M4	3 mm
M5	4 mm
M6	5 mm
M8	6 mm

Thread Size	Hex Size
M10	8 mm
M12	10 mm
M16	14 mm
M20	17 mm
M24	19 mm



Socket Screws, Countersunk - Metric

Zinc plated steel. Grade 10.9.

Part No.	Pack of	Size x Length	Thread Type	Hex/Socket Size
HKZ460	100	M4 x 60	Part Thread	3 mm
HKZ620	100	M6 x 20	Full Thread	5 mm
HKZ640	100	M6 x 40	Part Thread	5 mm
HKZ825	100	M8 x 25	Full Thread	6 mm
HKZ830	100	M8 x 30	Full Thread	6 mm



Machine Screws, Cheese Head, Slotted - Metric

Zinc plated steel. DIN 84 Grade 4.8.

Part No.	Pack of	Size x Length	Thread Type
HBH306	500	M3 x 6	Full Thread
HBH308	500	M3 x 8	Full Thread
HBH310	500	M3 x 10	Full Thread
HBH312	500	M3 x 12	Full Thread
HBH320	500	M3 x 20	Full Thread
HBH325	500	M3 x 25	Full Thread
HBH330	200	M3 x 30	Full Thread
HBH350	100	M3 x 50	Full Thread
HBH406	500	M4 x 6	Full Thread
HBH412	500	M4 x 12	Full Thread
HBH508	500	M5 x 8	Full Thread
HBH510	100	M5 x 10	Full Thread
HBH516	100	M5 x 16	Full Thread
HBH550	100	M5 x 50	Full Thread
HBH610	100	M6 x 10	Full Thread
HBH612	100	M6 x 12	Full Thread
HBH616	100	M6 x 16	Full Thread
HBH620	100	M6 x 20	Full Thread
HBH625	100	M6 x 25	Full Thread

Assorted Box of Machine Screws Cheese Head, Slotted - Metric

Zinc plated steel. DIN 84 Grade 4.8.

Part No.	Box of
AB209N	435 Pieces

8 x M3: x 6, 8, 10, 12, 20, 25, 30, 50 mm.
2 x M4: x 6, 12 mm. 1 x M5: x 8. 2 x M6: 10, 20 mm.



Machine Screws with Nuts, Pan Head, Slotted - Metric

Zinc plated steel. DIN 85 & 934.

Part No.	Pack of	Size x Length	Thread Type
HBA10	100 Pairs	M3 x 8	Full Thread
HBA11	100 Pairs	M3 x 20	Full Thread
HBA12	100 Pairs	M4 x 20	Full Thread
HBA16	100 Pairs	M4 x 25	Full Thread
HBA13	100 Pairs	M4 x 40	Full Thread
HBA14	100 Pairs	M5 x 25	Full Thread
HBA17	100 Pairs	M5 x 40	Full Thread
HBA15	100 Pairs	M5 x 50	Full Thread

Assorted Box of Machine Screws with Nuts & Washers, Pan Head, Slotted - Metric

Zinc plated steel. DIN 85 & DIN 934.

Part No.	Box of
AB68N	840 Pieces

6 x Machine Screws: M3 x 8 mm, M3 x 20 mm, M4 x 20 mm, M4 x 40 mm, M5 x 25 mm, M5 x 50 mm. 3 x Nuts: M3, M4, M5. 3 x Washers: M3, M4, M5.



Assorted Box of Machine Screws with Nuts, Round Head, Slotted - BA

Brass. BS 57.

Part No.	Box of
AB4N	410 Pieces

10 x Machine Screws: 6BA x 1/2", 6BA x 3/4", 6BA x 1", 4BA x 1/2", 4BA x 3/4", 4BA x 1", 2BA x 1/2", 2BA x 3/4", 2BA x 1", 2BA x 1 1/2". 3 x Nuts: 6BA, 4BA, 2BA.

Machine Screws, Slotted Countersunk - Metric

Zinc plated steel. BS 57.

Part No.	Pack of	Size x Length	Thread Type
HBT510	100	M5 x 10	Full Thread
HBT516	100	M5 x 16	Full Thread
HBT525	100	M5 x 25	Full Thread
HBT550	100	M5 x 50	Full Thread
HBT625	100	M6 x 25	Full Thread
HBT650	100	M6 x 50	Full Thread

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

Size	Pitch	Size	Pitch
M3	0.50 mm	M12	1.75 mm
M4	0.70 mm	M14	2.00 mm
M5	0.80 mm	M16	2.00 mm
M6	1.00 mm	M18	2.50 mm
M7	1.00 mm	M20	2.50 mm
M8	1.25 mm	M22	2.50 mm
M10	1.50 mm	M24	3.00 mm



Machine Screws, Pan Head Slotted - Metric

Zinc plated steel.

Part No.	Pack of	Size x Length	Thread Type
HBS36	100	M3 x 6	Full Thread
HBS320	100	M3 x 20	Full Thread
HBS325	100	M3 x 25	Full Thread
HBS340	100	M3 x 40	Full Thread
HBS48	100	M4 x 8	Full Thread
HBS416	100	M4 x 16	Full Thread
HBS425	100	M4 x 25	Full Thread
HBS440	100	M4 x 40	Full Thread
HBS512	100	M5 x 12	Full Thread
HBS516	100	M5 x 16	Full Thread
HBS525	100	M5 x 25	Full Thread
HBS540	100	M5 x 40	Full Thread
HBS550	100	M5 x 50	Full Thread
HBS625	100	M6 x 25	Full Thread
HBS640	50	M6 x 40	Full Thread
HBS650	50	M6 x 50	Full Thread



Machine Screws with Nuts, Round Head, Slotted - BA

Zinc plated steel. BS 57.

Part No.	Pack of	Size x Length	Thread Type
HBA8	100 Pairs	6BA x 3/4"	Full Thread
HBA1	100 Pairs	6BA x 1"	Full Thread
HBA9	100 Pairs	4BA x 3/4"	Full Thread
HBA3	100 Pairs	4BA x 1"	Full Thread
HBA4	100 Pairs	4BA x 2"	Full Thread
HBA5	100 Pairs	2BA x 1"	Full Thread
HBA7	100 Pairs	2BA x 1 1/2"	Full Thread
HBA6	100 Pairs	2BA x 2"	Full Thread

Assorted Box of Machine Screws with Nuts, Round Head, Slotted - BA

Zinc plated steel. BS 57.

Part No.	Box of
AB3	1,025 Pieces

8 x Machine Screws: 6BA x 3/4", 6BA x 1", 4BA x 3/4", 4BA x 1", 4BA x 2", 2BA x 1, 2BA x 1 1/2", 2BA x 2". 3 x Nuts: 6BA, 4BA, 2BA.

Looking for Body Screws?

The Machine Screws range continues overleaf

Machine Screws (Body Screws), Countersunk, Pozi - Metric

Zinc plated steel. DIN 965.

Part No.	Pack of	Size x Length	Thread Type
HBC520	200	M5 x 20	Full Thread
HBC525	200	M5 x 25	Full Thread
HBC550	200	M5 x 50	Full Thread
HBC610	200	M6 x 10	Full Thread
HBC612	200	M6 x 12	Full Thread
HBC620	200	M6 x 20	Full Thread
HBC625	200	M6 x 25	Full Thread
HBC650	200	M6 x 50	Full Thread
HBC820	200	M8 x 20	Full Thread
HBC825	200	M8 x 25	Full Thread

Assorted Box of Machine Screws (Body Screws) Countersunk, Pozi - Metric

Zinc plated steel. DIN 965.

Part No.	Box of
AB135N	250 Pieces

2 x M5: x 20, 25 mm. 3 x M6: x 20, 25, 50 mm.
1 x M8: x 20 mm.

Machine Screws (Body Screws), Pan Head, Pozi - Metric

Zinc plated steel. DIN 7985.

Part No.	Pack of	Size x Length	Thread Type
HBP312	200	M3 x 12	Full Thread
HBP330	200	M3 x 30	Full Thread
HBP412	200	M4 x 12	Full Thread
HBP435	200	M4 x 35	Full Thread
HBP450	200	M4 x 50	Full Thread
HBP516	200	M5 x 16	Full Thread
HBP520	200	M5 x 20	Full Thread
HBP525	200	M5 x 25	Full Thread
HBP540	100	M5 x 40	Full Thread
HBP550	100	M5 x 50	Full Thread
HBP68	200	M6 x 8	Full Thread
HBP610	200	M6 x 10	Full Thread
HBP616	200	M6 x 16	Full Thread
HBP620	200	M6 x 20	Full Thread
HBP625	200	M6 x 25	Full Thread
HBP820	200	M8 x 20	Full Thread
HBP825	200	M8 x 25	Full Thread

Assorted Box of Machine Screws (Body Screws) Pan Head, Pozi - Metric

Zinc plated steel. DIN 7985.

Part No.	Box of
AB134N	290 Pieces

3 x M4: x 12, 35, 50 mm. 4 x M5: x 20, 25, 40, 50 mm.
2 x M6: x 20, 25 mm.

Thread Insert System Kits

Supplied in a robust plastic storage case.

Part No.	Qty	Size	Pitch
HRK105	1 Kit	M5	0.80 mm
HRK106	1 Kit	M6	1.00 mm
HRK108	1 Kit	M8	1.25 mm
HRK110	1 Kit	M10	1.50 mm
HRK112	1 Kit	M12	1.75 mm

Kit contains:
1 x Pre-wind Installation Tool. 1 x HSS-G Tap. 1 x HSS Drill: 5.2 mm
1 x Tang Break-off Tool: No. 8. 20 x Inserts.

Insert Replacement Packs - Metric

Part No.	Pack of	Size	Pitch
HRP105	10	M5	0.80 mm
HRP106	10	M6	1.00 mm
HRP108	10	M8	1.25 mm
HRP110	10	M10	1.50 mm
HRP112	10	M12	1.75 mm

Thread Repair Kit - Spark Plug Inserts

Supplied in a robust plastic storage case.

Part No.	Qty	Size	Pitch
HRK214	1 Kit	M14	1.25 mm

Kit contains:
1 x Pre-wind Installation Tool. 1 x HSS-G Tap: 5 x Inserts M14 x 1.25 mm: 8.4 mm, 12.4 mm, 16.4 mm Reach.

Insert Replacement Packs - Spark Plug M14 x 1.25 mm

Part No.	Pack of	Size x Pitch	Reach
HRP208	10	M14 x 1.25 mm	1/2"
HRP212	10	M14 x 1.25 mm	3/4"

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

Size	Pitch	Size	Pitch
M3	0.50 mm	M12	1.75 mm
M4	0.70 mm	M14	2.00 mm
M5	0.80 mm	M16	2.00 mm
M6	1.00 mm	M18	2.50 mm
M7	1.00 mm	M20	2.50 mm
M8	1.25 mm	M22	2.50 mm
M10	1.50 mm	M24	3.00 mm

ECLIPSE-SPIRALUX Threaded Insert Tool Kit

Complete with nose bush and mandrel conversions and inserts. For quick, manual insertion of permanent load bearing threads in materials from 0.20" to 0.128". Supplied in a plastic storage box.

Part No.	Qty	Description
TL831	1 Kit	Threaded Insert Tool Kit
1 x Insert Tool. 4 x Nose Bush/Mandrels: 4, 5, 6, 8 mm. 10 x Threaded Inserts: 4, 5, 6, 8 mm.		

ECLIPSE-SPIRALUX Nose Bush & Mandrel Kits

Suits Part No. TL831.

Part No.	Qty	Size
TL832	1 Kit	4 mm
TL834	1 Kit	6 mm
TL833	1 Kit	5 mm
TL835	1 Kit	8 mm

Threaded Inserts - Regular

Zinc plated steel.

Part No.	Pack of	Size
NST4	50	M4
NST5	50	M5
NST6	50	M6
NST8	50	M8

Threaded Inserts - Half Hex

Zinc plated steel.

Part No.	Pack of	Size
NST14	50	M4
NST15	50	M5
NST16	50	M6
NST18	50	M8



Assorted Box of Threaded Inserts - Regular

Zinc plated steel.

Part No.	Box of
AB78N	250 Pieces
5 x Sizes: M4, M5, M6, M8, M10.	

Assorted Box of Threaded Inserts - Half Hex

Zinc plated steel.

Part No.	Box of
AB182	225 Pieces
4 x Sizes: M4, M5, M6, M8.	

Threaded Inserts - Splined

Zinc plated steel.

Part No.	Pack of	Size
NST24	50	M4
NST25	50	M5
NST26	50	M6
NST28	50	M8
NST10	50	M10

Threaded Inserts - Cylindrical Head Full Hex

Zinc plated steel. Large flange.

Part No.	Pack of	Size
NST34	50	M4
NST35	50	M5
NST36	50	M6
NST38	50	M8
NST40	50	M10

Assorted Box of Threaded Inserts - Splined

Zinc plated steel.

Part No.	Box of
AB183	225 Pieces
4 x Sizes: M4, M5, M6, M8.	

Assorted Box of Threaded Inserts - Cylindrical Head Full Hex

Zinc plated steel. Large flange.

Part No.	Box of
AB181	250 Pieces
5 x Sizes: M4, M5, M6, M8, M10	

Steel Nuts - Metric

Zinc plated steel. DIN 934.

Part No.	Pack of	Size
HSN19	200	M3
HSN20	200	M4
HSN21	200	M5
HSN22	200	M6
HSN23	200	M7
HSN24	200	M8
HSN25	200	M10
HSN26	100	M12
HSN28	100	M14
HSN27	100	M16
HSN29	25	M20
HSN30	25	M24

Assorted Box of Steel Nuts - Metric

Zinc plated steel. DIN 934.

Part No.	Box of
AB202N	275 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.

Assorted Box of Steel Nuts - Metric (Popular Sizes)

Zinc plated steel. DIN 934.

Part No.	Box of
AB10N	370 Pieces

5 x Sizes: M5, M6, M8, M10, M12.

Steel Nuts - Metric Fine

Zinc plated steel. DIN 934.



Part No.	Pack of	Size x Pitch
HSN31	200	M5 x 0.50 mm
HSN32	200	M6 x 0.75 mm
HSN33	200	M8 x 1.00 mm
HSN35	100	M10 x 1.00 mm
HSN34	200	M10 x 1.25 mm
HSN37	100	M12 x 1.50 mm *
HSN36	100	M12 x 1.25 mm *
HSN38	50	M16 x 1.50 mm *

Assorted Box of Steel Nuts - Metric Fine

Zinc plated steel. DIN 934.

Part No.	Box of
AB12N	350 Pieces

7 x Sizes: M5 x 0.50 mm, M6 x 0.75 mm, M8 x 1.00 mm, M10 x 1.00 mm, M10 x 1.25 mm, M12 x 1.25 mm, M12 x 1.50 mm.



Stainless Steel Nuts - Metric

Stainless Steel. DIN 934 Grade A2.

Part No.	Pack of	Size
HIN105	200	M5
HIN106	200	M6
HIN108	100	M8
HIN110	100	M10

Assorted Box of Stainless Steel Nuts - Metric

Stainless Steel. DIN 934 Grade A2.

Part No.	Box of
AB155	250 Pieces

4 x Sizes: M5, M6, M8, M10.



Steel Nuts - UNF

Zinc plated steel.
ANSI B18.2.2.



Part No.	Pack of	Size
HSN1	200	3/16" UNF
HSN2	200	1/4" UNF
HSN3	200	5/16" UNF
HSN4	200	3/8" UNF
HSN5	100	7/16" UNF
HSN6	100	1/2" UNF
HSN7	100	5/8" UNF
HSN8	50	3/4" UNF

Assorted Box of Steel Nuts - UNF

Zinc plated steel. ANSI B18.2.2.

Part No.	Box of
AB6N	325 Pieces

4 x UNF: 3/16", 1/4", 5/16", 3/8".



Assorted Box of Steel Nuts - UNC

Zinc plated steel. ANSI B18.2.2.

Part No.	Box of
AB8N	350 Pieces

3 x UNC: 1/4", 5/16", 3/8".



BEST SELLER



Nylon Lock Nuts - Metric

Zinc plated steel.
P-Type. DIN 982.

Part No.	Pack of	Size
HNN19	200	M4
HNN20	100	M5
HNN21	100	M6
HNN22	100	M8
HNN23	100	M10
HNN24	100	M12
HNN26	50	M14
HNN25	25	M16
HNN27	25	M20

Assorted Box of Nylon Lock Nuts - Metric

Zinc plated steel.
P-Type. DIN 982.

Part No.	Box of
AB201N	275 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.

Assorted Box of Nylon Lock Nuts - Metric (Popular Sizes)

Zinc plated steel. P-Type. DIN 982.

Part No.	Box of
AB15N	300 Pieces

4 x Sizes: M6, M8, M10, M12.

MAX BOX



'Max Box' Assortment of Steel Nuts & Nylon Lock Nuts

Zinc plated steel.
DIN 934 (Steel Nuts)/DIN 982 (Nylon Lock Nuts, P-Type).

Part No.	Box of
AB510	400 Pieces

5 x Sizes, Steel Nuts: M5, M6, M8, M10, M12. 7 x Sizes, Nylon Lock Nuts: M5, M6, M7, M8, M10, M12, M14.

Nylon Lock Nuts - Metric Fine

Zinc plated steel.
T-Type. DIN 985.

Part No.	Pack of	Size	Pitch
HNN32	50	M8	1.00 mm
HNN33	50	M10	1.00 mm
HNN34	50	M10	1.25 mm
HNN35	50	M12	1.25 mm
HNN36	50	M12	1.50 mm

STAINLESS STEEL

Stainless Steel Nylon Lock Nuts - Metric

Stainless Steel.
T-Type. DIN 985 Grade A2.

Part No.	Pack of	Size
HIL105	100	M5
HIL106	100	M6
HIL108	50	M8
HIL110	50	M10

Assorted Box of Stainless Steel Nylon Lock Nuts - Metric

Stainless Steel. T-Type. DIN 985 Grade A2.

Part No.	Box of
AB156N	225 Pieces

4 x Sizes: M5, M6, M8, M10.

Nylon Lock Nuts - UNF

Zinc plated steel.
BS 4929 Equivalent.

Part No.	Pack of	Size
HNN1	100	1/4"
HNN2	100	5/16"
HNN3	100	3/8"
HNN4	100	7/16"
HNN5	50	1/2"
HNN6	25	5/8"

Assorted Box of Nylon Lock Nuts - UNF

Zinc plated steel.
BS 4929 Equivalent.

Part No.	Box of
AB13N	290 Pieces

5 x UNF: 1/4", 5/16", 3/8", 7/16", 1/2".

Assorted Box of Nylon Lock Nuts - UNC

Zinc plated steel.
BS 4929 Equivalent.



Part No.	Box of
AB14N	275 Pieces

4 x UNC: 1/4", 5/16", 3/8", 1/2".



Thin (Half) Nuts - Metric

Zinc plated steel. DIN 439 Part 2.

Part No.	Pack of	Size
HNU108	200	M8
HNU110	100	M10
HNU112	50	M12
HNU114	50	M14
HNU116	50	M16

Wing Nuts - Metric

Zinc plated steel.

Part No.	Pack of	Size
HWN1	50	M5
HWN2	50	M6
HWN3	25	M8
HWN4	25	M10



Brass Nuts - BA

BS 57.

Part No.	Pack of	Size
HBN40	100	6BA
HBN41	100	4BA
HBN42	100	2BA



Steel Nuts - BA

Zinc plated steel. BS 57.

Part No.	Pack of	Size
HSN40	200	6BA
HSN41	200	4BA
HSN42	200	2BA

Metric Thread Pitch Sizes

Below is a listing of the popular standard pitch sizes for all metric (coarse) threaded products.

Size	Pitch	Size	Pitch
M3	0.50 mm	M12	1.75 mm
M4	0.70 mm	M14	2.00 mm
M5	0.80 mm	M16	2.00 mm
M6	1.00 mm	M18	2.50 mm
M7	1.00 mm	M20	2.50 mm
M8	1.25 mm	M22	2.50 mm
M10	1.50 mm	M24	3.00 mm

Serrated Flange Nuts - Metric

Zinc plated steel. DIN 6923.

Part No.	Pack of	Size
HSN55	200	M5
HSN56	200	M6
HSN58	200	M8
HSN60	100	M10
HSN62	100	M12
HSN64	50	M14
HSN66	50	M16



Assorted Box of Serrated Flange Nuts - Metric

Zinc plated steel. DIN 6923.

Part No.	Box of
AB104N	330 Pieces

5 x Sizes: M5, M6, M8, M10, M12.

Combi Nuts with Captive Washers

Zinc plated steel.

Part No.	Pack of	Size
HSN76	50	M6
HSN78	50	M8

Locknuts For Thermocouples

Brass

Part No.	Pack of	Description
GAS63	20	Thermocouple Locknuts



Exhaust Manifold Nuts - Brass

Part No.	Pack of	Size x Pitch
HBN5	50	M8 x 1.25 mm
HBN6	50	M10 x 1.25 mm



Exhaust Manifold Nuts - Copper Flashed Steel

DIN 980.

Part No.	Pack of	Size x Pitch
HBN8	50	M8 x 1.25 mm
HBN7	50	M10 x 1.50 mm

Exhaust Manifold Nuts - Zinc Plated Steel

Non-serrated. Flanged tri-lock. 9/16" (14 mm) AF head. DIN 980. Grade 8.8.

Part No.	Pack of	Size
HBN10	50	M10 x 1.25 mm



Looking for Exhaust Manifold Studs?

Manifold Studs can be found back on Page 119

Repair Washers - Imperial

Zinc plated steel. 1.37/1.69 mm thickness.

Part No.	Pack of	I.D. x O.D.
HRW13	200	3/16" x 3/4"
HRW1	200	3/16" x 1"
HRW14	200	1/4" x 3/4"
HRW2	200	1/4" x 1"
HRW6	200	1/4" x 1 1/2"
HRW3	200	5/16" x 1"
HRW4	200	5/16" x 1 1/2"
HRW8	100	5/16" x 2"
HRW15	100	3/8" x 1 1/4"
HRW5	200	3/8" x 1 1/2"
HRW7	100	3/8" x 2"

Assorted Box of Repair Washers - Imperial

Zinc plated steel. 1.37/1.69 mm thickness.

Part No.	Box of
AB22N	220 Pieces

6 x Sizes (I.D. x O.D.): 3/16" x 1", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 1 1/2", 3/8" x 1 1/2".

Repair Washers - Metric

Zinc plated steel.

Part No.	Pack of	I.D. x O.D.
HRW520	200	M5 x 20
HRW620	100	M6 x 20
HRW830	200	M8 x 30
HRW1025	100	M10 x 25
HRW1040	100	M10 x 40

Flat Washers 'Form C' - Metric

Zinc plated steel.
BS 4320 Form C.

Part No.	Pack of	I.D. x O.D.
HFW59	1,000	M5 x 12.5
HFW60	500	M6 x 14
HFW61	500	M8 x 21
HFW62	250	M10 x 24
HFW63	250	M12 x 28
HFW64	100	M14 x 30
HFW65	100	M16 x 34
HFW66	100	M20 x 39
HFW67	50	M24 x 50

Flat Washers 'Form A' - Metric

Zinc plated steel.
DIN 125 Type A. Heavy Gauge.

Part No.	Pack of	I.D. x O.D.
HFW10	1,000	M3 x 7
HFW11	1,000	M4 x 9
HFW12	1,000	M5 x 10
HFW13	500	M6 x 12
HFW14	500	M8 x 17
HFW15	250	M10 x 21
HFW16	250	M12 x 24
HFW19	100	M14 x 28
HFW17	100	M16 x 30
HFW18	100	M20 x 37
HFW20	50	M24 x 44

Assorted Box of Flat Washers 'Form C' - Metric

Zinc plated steel. BS 4320 Form C.

Part No.	Box of
AB119N	620 Pieces

6 x Sizes: M6, M8, M10, M12, M14, M16.

Assorted Box of Flat Washers 'Form A' - Metric

Zinc plated steel. DIN 125 Type A. Heavy Gauge.

Part No.	Box of
AB76N	800 Pieces

9 x Sizes: M3, M4, M5, M6, M8, M10, M12, M16, M20.

Flat Washers 'Table 4' - Imperial

Zinc plated steel.
BS 3410 Table 4 (Heavy Gauge).

Part No.	Pack of	I.D. x O.D.
HFW40	1,000	3/16" x 1/2"
HFW41	500	1/4" x 5/8"
HFW42	500	5/16" x 3/4"
HFW43	500	3/8" x 7/8"
HFW44	200	7/16" x 1"
HFW45	200	1/2" x 1 1/8"
HFW46	100	9/16" x 1 1/4"
HFW47	100	5/8" x 1 3/8"
HFW48	100	3/4" x 1 5/8"
HFW49	50	7/8" x 1 7/8"
HFW50	50	1" x 2 1/8"
HFW51	25	1 1/8" x 2 3/8"
HFW52	25	1 1/4" x 2 5/8"
HFW53	25	1 3/8" x 2 7/8"
HFW54	25	1 1/2" x 3 1/8"

Flat Washers 'Table 3' - Imperial

Zinc plated steel.
BS 3410 Table 3 (Heavy Gauge).

Part No.	Pack of	I.D. x O.D.
HFW1	1,000	3/16" x 7/16"
HFW2	500	1/4" x 9/16"
HFW3	500	5/16" x 5/8"
HFW4	500	3/8" x 3/4"
HFW5	250	7/16" x 7/8"
HFW6	250	1/2" x 1"
HFW7	100	5/8" x 1 1/4"
HFW8	100	3/4" x 1 1/2"

Assorted Box of Flat Washers 'Table 4' - Imperial

Zinc plated steel. BS 3410 Table 4 (Heavy Gauge).

Part No.	Box of
AB109N	920 Pieces

6 x Sizes: 3/16" x 1/2", 1/4" x 5/8", 5/16" x 3/4", 3/8" x 7/8", 1/2" x 1 1/8", 5/8" x 1 3/8".

Assorted Box of Flat Washers 'Table 3' - Imperial

Zinc plated steel. BS 3410 Table 3 (Heavy Gauge).

Part No.	Box of
AB20N	800 Pieces

6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".

Stainless Steel Flat Washers 'Form B' - Metric

Stainless Steel. BS 4320 [Table 1] Form B Grade A2.
*DIN 125A (BS 4320 [Table 1] Form A) Grade A2.

Part No.	Pack of	I.D. x O.D.
HIW105	1,000	M5 x 10 *
HIW106	500	M6 x 12
HIW108	500	M8 x 17
HIW110	250	M10 x 21

Assorted Box of Stainless Steel Flat Washers - Metric

Stainless Steel. BS 4320 [Table 1] Form B Grade A2. *DIN 125A (BS 4320 [Table 1] Form A) Grade A2.

Part No.	Box of
AB157	650 Pieces

4 x Sizes: M5*, M6, M8, M10.

Stainless Steel Spring Washers - Metric

Stainless Steel. Square Section.
DIN 7980 Grade A2.

Part No.	Pack of	I.D.
HIP105	500	M5
HIP106	250	M6
HIP108	250	M8
HIP110	100	M10

Assorted Box of Stainless Steel Spring Washers - Metric



Stainless Steel. Square Section.
DIN 7980 Grade A2.

Part No.	Box of
AB158	650 Pieces

4 x Sizes: M5, M6, M8, M10.

Spring Washers - Metric

Zinc plated steel. Rectangular Section.
DIN 127B.

Part No.	Pack of	Size
HSW9	1,000	M4
HSW10	500	M5
HSW11	300	M6
HSW12	300	M8
HSW13	300	M10
HSW14	150	M12
HSW17	100	M14
HSW15	50	M16
HSW18	50	M18
HSW16	50	M20
HSW19	25	M24

Assorted Box of Spring Washers - Metric



Zinc plated steel. Rectangular Section.
DIN 127B.

Part No.	Box of
AB77N	1,015 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M16, M20.

Spring Washers - Imperial

Zinc plated steel. Rectangular Section.
ANSI B18.21.1 Table 2.

Part No.	Pack of	I.D.
HSW1	1,000	3/16"
HSW2	500	1/4"
HSW3	500	5/16"
HSW4	500	3/8"
HSW5	250	7/16"
HSW6	250	1/2"
HSW8	100	3/4"
HSW20	25	7/8"
HSW21	25	1"

Assorted Box of Spring Washers - Imperial



Zinc plated steel. Rectangular Section
ANSI B18.21.1 Table 2.

Part No.	Box of
AB21N	800 Pieces

6 x Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".

Copper Washers

WS 086.

Part No.	Pack of	I.D. x O.D.	Thickness	Equiv.
HCW5	100	3/16" x 7/16"	0.8 mm	(M5 x 11)
HCW6	100	1/4" x 9/16"	0.8 mm	(M6 x 14)
HCW8	100	5/16" x 5/8"	0.8 mm	(M8 x 16)
HCW10	100	3/8" x 3/4"	0.8 mm	(M10 x 19)
HCW11	100	7/16" x 7/8"	1.3 mm	
HCW12	100	1/2" x 1"	1.3 mm	(M12 x 25)

Assorted Box of Copper Washers - Imperial

WS 086.

Part No.	Box of
AB24N	400 Pieces

6 x Sizes: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1" (M5, M6, M8, M10, M12).

Rivet Washers

Zinc plated steel.

Part No.	Pack of	Size	
PRW1	1,000	M3 x 13	(1/8" x 1/2")

Assorted Box of Shim Washers

Zinc plated steel.

Part No.	Box of
AB28N	315 Pieces

8 x 0.010 Thick: 3/16" x 7/16", 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2".
7 x 0.015 Thick: 1/4" x 9/16", 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8", 1/2" x 1", 5/8" x 1 1/4", 3/4" x 1 1/2".

Lock Washers, Serrated Internal - Metric

Zinc plated steel. DIN 6798.

Part No.	Pack of	I.D.
HLW1	1,000	M5
HLW2	500	M6
HLW3	500	M8
HLW4	500	M10
HLW5	250	M11
HLW6	250	M13



Assorted Box of Lock Washers Serrated - Internal

Zinc plated steel. DIN 6798.

Part No.	Box of
AB27N	800 Pieces

6 x Sizes: M5, M6, M8, M10, M11, M13.



Lock Washers, Serrated External - Metric

Zinc plated steel.

Part No.	Pack of	I.D.
HLW20	1,000	M4
HLW21	500	M5
HLW22	500	M6
HLW23	250	M8
HLW24	100	M10
HLW29	50	M12
HLW27	50	M14
HLW28	50	M16



Assorted Box of Lock Washers Serrated - External

Zinc plated steel.

Part No.	Box of
AB208N	440 Pieces

8 x Sizes: M4, M5, M6, M8, M10, M12, M14, M16.

Fibre Washers - Metric

DIN 7603A.

Part No.	Pack of	I.D. x O.D. x Thickness
HFB5	100	M5 x 9 x 1.0
HFB6	100	M6 x 10 x 1.0
HFB8	100	M8 x 12 x 1.0
HFB10	100	M10 x 14 x 1.0
HFB12	100	M12 x 18 x 1.5
HFB14	100	M14 x 20 x 1.5
HFB16	100	M16 x 22 x 1.5
HFB18	100	M18 x 24 x 1.5

Assorted Box of Fibre Washers - Metric

DIN 7603A.

Part No.	Box of
AB143	600 Pieces

8 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M8 x 12 x 1.0, M10 x 14 x 1.0, M12 x 18 x 1.5, M14 x 20 x 1.5, M16 x 22 x 1.5, M18 x 24 x 1.5.

Fibre Washers - Imperial

WS 010.

Part No.	Pack of	I.D. x O.D. x Thickness
HFB31	100	13/64" x 3/8" x 1/16"
HFB32	100	1/4" x 3/8" x 1/16"
HFB33	100	5/16" x 5/8" x 1/16"
HFB34	100	3/8" x 5/8" x 1/16
HFB35	100	29/64" x 11/16" x 1/16
HFB36	100	1/2" x 11/16" x 1/16
HFB37	100	5/8" x 7/8" x 1/16
HFB38	100	49/64" x 1" x 1/16

Assorted Box of Fibre Washers - Imperial

WS 010.

Part No.	Box of
AB25N	600 Pieces

8 x Sizes: 13/64" x 3/8", 1/4" x 3/8", 5/16" x 5/8", 3/8" x 5/8", 29/64" x 11/16", 1/2" x 11/16", 5/8" x 7/8", 49/64" x 1".



Aluminium Washers - Metric

DIN 7603A

Part No.	Pack of	I.D. x O.D. x Thickness
HAW610	100	M6 x 10 x 1.0
HAW811	100	M8 x 11 x 1.0
HAW1013	100	M10 x 13 x 1.0
HAW1014	100	M10 x 14 x 1.0
HAW1216	100	M12 x 16 x 1.5
HAW1218	100	M12 x 18 x 1.5
HAW1418	100	M14 x 18 x 1.5
HAW1420	100	M14 x 20 x 1.5
HAW1620	100	M16 x 20 x 1.5
HAW1721	100	M17 x 21 x 1.5
HAW2227	100	M22 x 27 x 1.0

Assorted Box of Aluminium Washers - Metric

DIN 7603A.

Part No.	Box of
AB149	260 Pieces

11 x Sizes: M6 x 10, M8 x 11, M10 x 13, M10 x 14, M12 x 16, M12 x 18, M14 x 18, M14 x 20, M16 x 20, M17 x 21, M22 x 27.



Copper Compression Washers - Metric

Oval section.

Part No.	Pack of	I.D. x O.D. x Thickness
HCC610	100	6 x 10 x 1.5 mm
HCC812	100	8 x 12 x 1.5 mm
HCC1014	100	10 x 14 x 1.5 mm
HCC1218	50	12 x 18 x 2.0 mm
HSU10	50	14 x 20 x 2.0 mm
HSU11	50	16 x 22 x 2.0 mm
HSU12	50	18 x 24 x 2.0 mm
HCC2026	50	20 x 26 x 2.0 mm
HCC2227	50	22 x 27 x 2.0 mm
HCC2632	50	26 x 32 x 2.5 mm

Copper Sealing Washers - Metric

DIN 7603A.

Part No.	Pack of	I.D. x O.D. x Thickness
HCU509	100	M5 x 9 x 1.0
HCU610	100	M6 x 10 x 1.0
HCU612	100	M6 x 12 x 1.0
HCU609	100	M6.5 x 9.5 x 1.0
HCU811	100	M8 x 11.5 x 1.0
HCU812	100	M8 x 12 x 1.0
HCU814	100	M8 x 14 x 1.0
HCU914	100	M9 x 14 x 1.0
HCU1013	100	M10 x 13.5 x 1.0
HCU1014	100	M10 x 14 x 1.0
HCU1016	100	M10 x 16 x 1.0
HCU10165	100	M10 x 16 x 1.5
HCU1021	100	M10 x 21 x 1.0
HCU1117	50	M11 x 17 x 1.5
HCU1216	100	M12 x 16 x 1.5
HCU1218	100	M12 x 18 x 1.5
HCU1318	50	M13 x 18 x 1.5
HCU14180	50	M14 x 18 x 1.0
HCU1418	100	M14 x 18 x 1.5
HCU1420	100	M14 x 20 x 1.5
HCU1520	50	M15 x 20 x 2.0
HCU1620	100	M16 x 20 x 1.5
HCU1622	100	M16 x 22 x 1.5
HCU1624	50	M16 x 24 x 1.5
HCU1721	50	M17 x 21 x 1.5
HCU1723	50	M17 x 23 x 1.5
HCU1725	50	M17.5 x 25 x 2.0
HCU1822	100	M18 x 22 x 1.5
HCU1824	100	M18 x 24 x 1.5
HCU2026	100	M20 x 26 x 1.5
HCU2024	50	M20 x 24 x 1.5
HCU2125	100	M21 x 25 x 1.0
HCU2227	50	M22 x 27 x 1.5
HCU2430	100	M24 x 30 x 2.0
HCU2634	50	M26 x 34 x 2.0
HCU2834	25	M28 x 34 x 2.0
HCU3038	25	M30 x 38 x 2.0
HCU3240	25	M32 x 40 x 2.0
HCU3545	25	M35 x 45 x 2.0

Assorted Box of Copper Sealing Washers - Metric

DIN 7603A.

Part No.	Box of
AB106	250 Pieces

16 x Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M6 x12 x 1.0, M8 x 12 x 1.0, M8 x 14 x 1.0, M10 x 14 x 1.0, M10 x 16 x 1.0, M12 x 16 x 1.5, M12 x 18 x 1.5, M14 x 18 x 1.5, M14 x 20 x 1.5, M16 x 20 x 1.5, M16 x 22 x 1.5, M18 x 22 x 1.5, M18 x 24 x 1.5, M20 x 26 x 1.5 mm.

Copper Sealing Washers - Imperial/BSP

Part No.	Pack of	I.D. x O.D. x Thickness	Size	
HCU23	100	.265 x .375 x 20g	1/4"	
HCU24	100	.265 x .437 x 20g	1/4"	
HCU25	100	.265 x .500 x 20g	1/4"	
HCU34	100	.323 x .437 x 20g	5/16"	
HCU35	100	.323 x .500 x 20g	5/16"	
HCU46	100	.390 x .590 x 20g	(3/8")	1/8" BSP
HCU48	100	.390 x .590 x 18g	(3/8")	1/8" BSP
HCU57	100	.530 x .720 x 20g		1/4" BSP
HCU58	100	.530 x .750 x 18g		1/4" BSP
HCU68	100	.665 x .875 x 18g	(21/32")	3/8" BSP
HCU80	100	.830 x 1.00 x 18g	(13/16")	1/2" BSP
HCU81	100	.830 x 1.04 x 18g	(13/16")	1/2" BSP
HCU91	100	.910 x 1.13 x 16g	(29/32")	5/8" BSP
HCU93	100	1.05 x 1.32 x 16g		3/4" BSP
HCU95	100	1.20 x 1.50 x 16g		7/8" BSP
HCU96	100	1.32 x 1.62 x 16g	(1 5/16")	1" BSP

Assorted Box of Copper Sealing Washers - Imperial/BSP

Part No.	Box of
AB23	225 Pieces

16 x Sizes: 1/4" (.265 x .375 x 20g), 1/4" (.265 x .437 x 20g), 1/4" (.265 x .500 x 20g), 5/16" (.323 x .437 x 20g), 5/16" (.323 x .500 x 20g), 1/8" BSP (3/8") (.390 x .590 x 20g), 1/8" BSP (3/8") (.390 x .590 x 18g), 1/4" BSP (.530 x .720 x 20g), 1/4" BSP (.530 x .750 x 18g), 3/8" BSP (21/32") (.665 x .875 x 18g), 1/2" BSP (13/16") (.830 x 1.00 x 18g), 1/2" BSP (13/16") (.830 x 1.04 x 18g), 5/8" BSP (29/32") (.910 x 1.13 x 16g), 3/4" BSP (1.05 x 1.32 x 16g), 7/8" BSP (1.20 x 1.50 x 16g), 1" BSP (15/16") (1.32 x 1.62 x 16g).



MAX BOX

'Max Box' Assortment of Copper Sealing Washers - Metric

DIN 7603A.

Part No.	Box of
AB505	1,050 Pieces



16 Sizes: M5 x 9 x 1.0, M6 x 10 x 1.0, M6 x12 x 1.0, M8 x 12 x 1.0, M8 x14 x 1.0, M10 x 14 x 1.0, M10 x16 x 1.0, M12 x 16 x 1.5, M12 x18 x 1.5, M14 x 18 x 1.5, M14 x 20 x 1.5, M16 x 20 x 1.5, M16 x 22 x 1.5, M18 x 22 x 1.5, M18 x 24 x 1.5, M20 x 26 x 1.5 mm.

Bonded Seals (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR). Self centralising.

Part No.	Pack of	Size	Centralising Lip I.D.
HSL10	50	M10	8.05 mm
HSL12	50	M12	9.73 mm
HSL14	50	M14	11.38 mm
HSL16	50	M16	13.41 mm
HSL18	50	M18	14.76 mm
HSL20	50	M20	16.76 mm
HSL22	25	M22	18.74 mm
HSL24	25	M24	20.11 mm

Bonded Seals (Dowty Washers) - BSP

Metal with black nitrile rubber (NBR). Self centralising.

Part No.	Pack of	Size	Centralising Lip I.D.
HSL41	50	1/8" BSP	8.26 mm
HSL42	50	1/4" BSP	11.18 mm
HSL43	50	3/8" BSP	14.76 mm
HSL44	50	1/2" BSP	18.24 mm
HSL45	25	5/8" BSP	20.27 mm
HSL46	25	3/4" BSP	23.83 mm
HSL48	25	1" BSP	29.92 mm

Assorted Box of Bonded Seals (Dowty Washers) - Metric

Metal with black nitrile rubber (NBR). Self centralising.

Part No.	Box of
AB107	90 Pieces

8 x Sizes: M10, M12, M14, M16, M18, M20, M22, M24.



Assorted Box of Bonded Seals (Dowty Washers) - BSP

Metal with black nitrile rubber (NBR). Self centralising.

Part No.	Box of
AB67N	100 Pieces

7 x Sizes: 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP, 5/8" BSP, 3/4" BSP, 1" BSP.

Assorted Box of Copper Sealing Washers (Diesel Injector Washers)

Copper. DIN 7603A.

Part No.	Box of
AB142	250 Pieces

16 x Sizes: M6 x 10 x 1.0 (BOSCH 2916 710 602),
M8 x 11.5 x 1.0 (LUCAS NW5-17W4, BOSCH 2916 710 646),
M10 x 13.5 x 1.0 (BOSCH 2916 710 605),
M10 x 14 x 1.0 (BOSCH 2916 710 649),
M10 x 20 x 1.0 (MAN/PERKINS P:2411126),
M10 x 20 x 2.0 (LUCAS 5339401, PERKINS P:0920113),
M12 x 16 x 1.5 (BOSCH 2916 710 607),
M12 x 18 x 1.5 (BOSCH 2916 710 608),
M14 x 18 x 1.5 (BOSCH 2916 710 609),
M14 x 20 x 1.5 (BOSCH 2916 710 610),
M16 x 20 x 1.5 (BOSCH 2916 710 611),
M17 x 21 x 1.5 (BOSCH 2916 710 611, GM 14025557),
M21 x 25 x 1.0 (LUCAS NW5/59), M22 x 27 x 1.0 (LUCAS NW5/60).



Air Conditioning O-Rings Kit

Highly saturated nitrile O-rings for use with Freon R134a.
Supplied in a hinged plastic case.

Part No.	Description
HAC200	270 Piece Kit

18 x Sizes (I.D. x Thickness):
5.29 x 1.78 (7/32" x 1/16"), (1/4" x 1/16"),
6.07 x 1.78, 6.8 x 1.9, 7.65 x 1.78 (5/16" x 1/16"),
7.8 x 1.9, 8 x 2, 8.8 x 1.9 (20 pcs).
10.82 x 1.78 (7/16" x 1/16"),
10.77 x 2.62 (7/16" x 3/32"), 11 x 2, 12 x 2 (15 pcs).
13.9 x 1.8, 13.95 x 2.62 (9/16" x 3/32"), 14 x 2, 15 x 2, 17 x 2, 17.17 x 1.78 (11/16" x 1/16"),
17.04 x 3.53 mm (11/16" x 1/8") (10 pcs).

Copper Compression Washers - Metric

Oval section.

Part No.	Pack of	I.D. x O.D. x Thickness
HCC610	100	6 x 10 x 1.5 mm
HCC812	100	8 x 12 x 1.5 mm
HCC1014	100	10 x 14 x 1.5 mm
HCC1218	50	12 x 18 x 2.0 mm
HSU10	50	14 x 20 x 2.0 mm
HSU11	50	16 x 22 x 2.0 mm
HSU12	50	18 x 24 x 2.0 mm
HCC2026	50	20 x 26 x 2.0 mm
HCC2227	50	22 x 27 x 2.0 mm
HCC2632	50	26 x 32 x 2.5 mm

Sump Plug Washers

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU45	50	12 x 17 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1022	50	10 x 20 x 2.0 mm

Suits CITROËN Berlingo, C1, C2, C3, C4, C5, C6, Xantia, Xsara. FIAT Scudo. MINI R56, R55, Clubman. PEUGEOT 107, 206, 207, 306, 307, 308, 406, 407, 607, 806, 807, 1007, 4007, Bipper, Expert, Partner. TOYOTA Aygo, Corolla. VOLVO C30, S40 II, V50.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU14	50	14 x 20 x 2.0 mm

Suits VAUXHALL, VW (Except Beetle).

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU10	50	14 x 20 x 2.0 mm

Suits CITROËN (9/93>), PEUGEOT (9/93>).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1217	50	12 x 17 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU26	50	16.3 x 25.4 x 2.0 mm

Suits ROVER Mini, Metro & 100 Series.

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU11	50	16 x 22 x 2.0 mm

Suits CITROËN (<9/93), PEUGEOT (<9/93), RENAULT 5, FIAT (Diesel), ROVER (Diesel).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU27	50	14 x 19 x 2.0 mm

Suits ROVER (Non-HONDA Engines inc. K Series, Except Diesel & Mini A Series).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1826	50	18 x 26 x 1.5 mm

Suits ALFA ROMEO 145, 146, 147, 155, 156, 159, 166, Brera, GT, GTV, Spider. FIAT Brava, Bravo, Coupe, Doblo, Idea, Mera, Multipla. Stilo, Strada. LANCIA Detra, Kappa, Lybra, Musa, Thesis. SUZUKI SX4.

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU12	50	18 x 24 x 2.0 mm

Suits RENAULT (Except RENAULT 5).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1420	50	14 x 20 x 1.5 mm

Suits VAUXHALL Astra, Cavalier, Combo, Corsa, Corsavan, Nova. OPEL/ VAUXHALL Ascona, Astra, Calibra, Carlton, Cavalier, Corsa, Frontera, Kadett, Manta, Nova, Omega, Rekord, Senator, Tigra, Vectra, Zafira. CHRYSLER 300 C, PT Cruiser, Voyager. MERCEDES Klasse A, B, CE, G, V, GL, MSL, SLK, Sprinter, T1, Vaneo, Vito. AUDI 80, 90, 100, 200, A4, A6, A8, Quattro. SEAT Ibiza, Inca. SKODA Fabia, Felica. VW Caddy, Fox, Golf I.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU35	50	19 x 26 x 2.0 mm

Suits VOLVO (Other than 3 Series).

1:1 Actual Size Images

PLEASE NOTE:
Vehicle listings for sump plugs are for guidance only

Looking for Sump Plugs?

Our Sump Plug range starts on Page 259

Nitrile Rubber O-Rings

Part No.	Pack of	I.D. x Thickness
HSU50	50	18 x 2 NBR

Suits VAUXHALL Astra F G H, Combo, Corsa B C D, Vectra B C.

Flanged Rubber O-Rings

Part No.	Pack of	I.D. x O.D. x Thickness
HSU60	50	11 x 21 x 2.5 mm

Suits VAUXHALL Astra G, Omega B, Signum, Vectra BC, Zafira.

Flanged Rubber O-Rings

Part No.	Pack of	I.D. x O.D. x Thickness
HSU51	50	13 x 22 x 3.0 mm

Suits CHRYSLER 300, Caravan, Cirrus, Crossfire, Le Baron, Neo, PT Cruiser, Sebring, Stratus, Voyager.
FORD C-Max, Cougar, Courier, Escort, Fiesta, Focus, C-Max Focus, Fusion, Galaxy, Ka, Maverick, Mondeo, Puma, S-Max, Transit.

Nylon Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU19	50	13 x 20 x 2.0 mm

Suits FORD OHV.

Nylon Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU20	50	14.5 x 22 x 2.0 mm

Suits FORD OHC.

Fibre Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU40	50	12 x 24 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.

Fibre Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU41	50	18 x 29 x 2.0 mm

Suits TOYOTA (Large Engines inc. Supra).

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1217AL	50	12 x 17 x 1.5 mm

Suits BMW Series 1, 2, 3,5, 7, 8, X5, Z4.
MERCEDES 190, SL, CLK, T1, Klasse C, E, G, S. MINI One D.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU25	50	14 x 22 x 2.0 mm

Suits ROVER (All HONDA Engines), HONDA (New Models).

Bonded Seals

Part No.	Pack of	I.D. x O.D.
HSU21	50	16.7 x 24 mm

Suits FORD Mondeo (Zetec Engines). FORD Focus & KA.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1824AL	50	18 x 24 x 1.5 mm

Suits VOLVO, PORSCHE.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU30	50	22 x 27 x 1.5 mm

Suits FIAT (Except Diesel), MERCEDES (Some).



Sump Plug Washers

Part No.	Box of
AB117N	265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.
4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5, 14 x 20 x 2.0 mm.
2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm.
2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm.
1 x Nitrile Rubber O-Ring: 18 x 2 NBR.
1 x Fibre: 12 x 24 x 2.0 mm.
1 x Bonded Seal: 16.7 x 24 mm.

O-Rings - Imperial

Nitrile rubber. BS 1806.

Part No.	Pack of	I.D. x Thickness	ARP/BS
AB101/1	100	2.90 x 1.78 mm	006
AB101/4	100	5.28 x 1.78 mm	009
AB101/5	100	6.07 x 1.78 mm	010
AB101/6	100	7.66 x 1.78 mm	011
AB101/8	100	9.19 x 2.62 mm	110
AB101/9	100	10.78 x 2.62 mm	111
AB101/10	100	12.37 x 2.62 mm	112
AB101/16	100	20.22 x 3.53 mm	211
AB101/17	100	21.82 x 3.53 mm	212
AB101/20	100	26.58 x 3.53 mm	215
AB101/21	100	28.17 x 3.53 mm	216
AB101/22	100	29.75 x 3.53 mm	217
AB101/23	100	31.34 x 3.53 mm	218
AB101/24	100	32.92 x 3.53 mm	219
AB101/25	100	34.52 x 3.53 mm	220
AB101/26	100	36.10 x 3.53 mm	221
AB101/27	100	37.69 x 3.53 mm	222
AB101/28	100	37.47 x 5.33 mm	325
AB101/29	100	40.65 x 5.33 mm	326
AB101/30	100	43.82 x 5.33 mm	327

O-Rings Service Kit - Imperial

Nitrile rubber. BS 1806.

Part No.	Box of
AB101	382 Pieces

30 x Sizes (ARP/BS) I.D. x Thickness: 2.90 x 1.78 (006), 3.68 x 1.78 (007), 4.48 x 1.78 (008), 5.28 x 1.78 (009), 6.07 x 1.78 (010), 7.66 x 1.78 (011), 9.25 x 1.78 (012), 9.19 x 2.62 (110), 10.78 x 2.62 (111), 12.37 x 2.62 (112), 13.95 x 2.62 (113), 15.54 x 2.62 (114), 17.13 x 2.62, (115), 18.72 x 2.62 (116), 18.64 x 3.53 (210), 20.22 x 3.53 (211), 21.82 x 3.53 (212), 23.40 x 3.53 (213), 24.99 x 3.53 (214), 26.58 x 3.53 (215), 28.17 x 3.53 (216), 29.75 x 3.53 (217), 31.34 x 3.53 (218), 32.92 x 3.53 (219), 34.52 x 3.53 (220), 36.10 x 3.53 (221), 37.69 x 3.53 (222), 37.47 x 5.33 (325), 40.65 x 5.33 (326), 43.82 x 5.33 (327).

O-Rings Service Kit - Metric

Nitrile rubber. BS 4518.

Part No.	Box of
AB100	404 Pieces

30 x Sizes (Peg Ref) I.D. x Thickness: 3 x 2 (006), 4 x 2 (007), 5 x 2 (008), 6 x 2 (009), 7 x 2 (010), 8 x 2 (011), 10 x 2 (012), 10 x 2.5 (110), 11 x 2.5 (111), 12 x 2.5 (112), 14 x 2.5 (113), 16 x 2.5 (114), 17 x 2.5 (115), 19 x 2.5 (116), 19 x 3 (210), 20 x 3 (211), 22 x 3 (212), 24 x 3 (213), 25 x 3 (214), 27 x 3 (215), 28 x 3 (216), 30 x 3 (217), 32 x 3 (218), 33 x 3 (219), 35 x 3 (220), 36 x 3 (221), 38 x 3 (222), 38 x 4 (325), 41 x 4 (326), 44 x 4 mm (327).

O-Rings - Metric

Nitrile rubber. BS 4518.

Part No.	Pack of	I.D. x Thickness	Peg No.
AB100/1	100	3 x 2 mm	006
AB100/2	100	4 x 2 mm	007
AB100/3	100	5 x 2 mm	008
AB100/4	100	6 x 2 mm	009
AB100/5	100	7 x 2 mm	010
AB100/6	100	8 x 2 mm	011
AB100/7	100	10 x 2 mm	012
AB100/8	100	10 x 2.5 mm	110
AB100/9	100	11 x 2.5 mm	111
AB100/10	100	12 x 2.5 mm	112
AB100/11	100	14 x 2.5 mm	113
AB100/12	100	16 x 2.5 mm	114
AB100/13	100	17 x 2.5 mm	115
AB100/14	100	19 x 2.5 mm	116
AB100/15	100	19 x 3 mm	210
AB100/16	100	20 x 3 mm	211
AB100/17	100	22 x 3 mm	212
AB100/18	100	24 x 3 mm	213
AB100/19	100	25 x 3 mm	214
AB100/20	100	27 x 3 mm	215
AB100/21	100	28 x 3 mm	216
AB100/22	100	30 x 3 mm	217
AB100/23	100	32 x 3 mm	218
AB100/24	100	33 x 3 mm	219
AB100/25	100	35 x 3 mm	220
AB100/26	100	36 x 3 mm	221
AB100/27	100	38 x 3 mm	222
AB100/28	100	38 x 4 mm	325
AB100/29	100	42 x 4 mm	326
AB100/30	100	45 x 4 mm	327

Assorted Box of O-Rings - Imperial

Nitrile rubber. BS 1806.

Part No.	Box of
AB61	325 Pieces

10 x ARP/BS: 008, 010, 011, 012, 013, 014, 016, 116, 118, 120.

Assorted Box of O-Rings - Metric

Nitrile rubber. BS 4518.

Part No.	Box of
AB81	325 Pieces

4 x I.D. x Thickness: 4.1 x 1.6, 6.1 x 1.6, 10.1 x 1.6, 12.1 x 1.6.
4 x I.D. x Thickness: 7.6 x 2.4, 9.6 x 2.4, 11.6 x 2.4, 12.6 x 2.4
2 x I.D. x Thickness: 19.5 x 3.0, 24.5 x 3.0.

O-Ring Splicing Kit

Nitrile rubber.

Part No.	Description
AB126	14 Piece Kit

5 x Imperial Nitrile Rubber Cord, 1 m Lengths: 1/16", 3/32", 1/8", 3/16", 1/4".
6 x Metric Nitrile Rubber Cord, 1 m Lengths: 1.6, 2, 3, 4, 5, 5.7 mm.
1 x Trimming Knife. 1 x Cutting Block.
1 x S-A-S Super Glue: 5g.

140


142

144

145

146

148

Hardware + Trim Clips

150

152

154

140 Number Plate Screws
142 Self Tapping Screws
145 Self Drilling Screws
145 Sheet Metal Screws
146 Body Sems Screws
148 Speed Nuts
150 Spring Fasteners
150 Spring Clips
151 Rivets
154 Rivet Tools
156 Clips + Pins
160 Steel Stock
162 Trim Buttons
164 Fir-Tree Fixings
165 Push Rivets
168 Drive Rivets
170 Screw-Type Rivets
174 Locking Nuts
175 Grommets
176 Panel Clips
179 Side Moulding Clips
180 Miscellaneous Clips
182 Pipe + Rod Clips
184 Trim Rivets
185 Trim Clips by OEM Ref - Vehicle Marque

156

158

158


160

163

164

172

Number Plate Fasteners - Self-Tappers with Plastic Head - Long

Part No.	Pack of	Colour	Size
NP10	100	White	4.8 x 24 mm
NP11	100	Yellow	4.8 x 24 mm
NP12	100	Black	4.8 x 24 mm
NP21	100	Blue	4.8 x 24 mm
NP40	100	Green	4.8 x 24 mm

Number Plate Fasteners - Plastic Number Plate Bolts & Nuts - Long

Part No.	Pack of	Colour	Size
NP24	100 Pairs	No. Plate White	6 x 22 mm
NP25	100 Pairs	Yellow	6 x 22 mm
NP26	100 Pairs	Black	6 x 22 mm

Number Plate Fasteners - Self-Tappers with Plastic Head - Short

Part No.	Pack of	Colour	Size
NP16	100	White	4.8 x 18 mm
NP17	100	Yellow	4.8 x 18 mm
NP18	100	Black	4.8 x 18 mm
NP20	100	Blue	4.8 x 18 mm
NP39	100	Green	4.8 x 18 mm

Number Plate Fasteners - Plastic Number Plate Bolts & Nuts - Short

Part No.	Pack of	Colour	Size
NP1	100 Pairs	No. Plate White	6 x 18 mm
NP2	100 Pairs	Yellow	6 x 18 mm
NP5	100 Pairs	Black	6 x 18 mm

Assorted Box of Number Plate Fasteners with Plastic Head - Short

Self tapping screws with plastc head, 4.8 x 18 mm.

Part No.	Box of
AB184	260 Pieces

4 x Colours: White Yellow, Black, Blue.

Assorted Box of Number Plate Fasteners

White, Yellow, Black.

Part No.	Box of
AB62	240 Pairs

1 x Self-Tapping Screw, Pan Head - Pozi: 8 x 3/4" (4.9 x 19 mm).
3 x Hinged Caps: White, Yellow, Black.
3 x Plastic Bolts & Nuts: White, Yellow, Black.

1:1 Actual Size Images

Number Plate Fasteners - Self-Tappers with Domes and Cups

No. 8 x 3/4" (4.2 x 19mm) Pan Head - Pozi.

Part No.	Pack of	Colour	Size
NP7	100 Sets	White	4.2 x 19 mm
NP8	100 Sets	Yellow	4.2 x 19 mm
NP9	100 Sets	Black	4.2 x 19 mm
NP22	100 Sets	Blue	4.2 x 19 mm



Number Plate Fasteners - Self-Tappers with Hinged Caps

No. 8 x 3/4" (4.2 x 19mm) Pan Head - Pozi.

Part No.	Pack of	Colour	Size
NP3	100 Pairs	White	4.2 x 19 mm
NP4	100 Pairs	Yellow	4.2 x 19 mm
NP6	100 Pairs	Black	4.2 x 19 mm
NP19	100 Pairs	Blue	4.2 x 19 mm
NP37	100 Pairs	Green	4.2 x 19 mm



Number Plate Fasteners - Domes & Cups

Can be used with Pan Head Pozi Self-Tapping Screw - No. 8.

Part No.	Pack of	Colour
NP13	100 Pairs	White
NP14	100 Pairs	Yellow
NP15	100 Pairs	Black
NP23	100 Pairs	Blue

Security Number Plate Fasteners - Self-Tappers with Hinged Caps

No. 8 x 3/4" (4.2 x 19mm) Pan Head - Slotted One Way/Clutch Head Screws (Tamperproof).

Part No.	Pack of	Colour	Size
NP33	100 Pairs	White	4.2 x 19 mm
NP34	100 Pairs	Yellow	4.2 x 19 mm
NP35	100 Pairs	Black	4.2 x 19 mm
NP36	100 Pairs	Blue	4.2 x 19 mm
NP38	100 Pairs	Green	4.2 x 19 mm

Double-Sided Adhesive Pads - Number Plate Pads

Part No.	Pack of	Size
VC401	20 x 3	80 x 25 mm

Assorted Box of Security Number Plate Fasteners

Slotted One Way/Clutch Head Screws (Tamperproof).

Part No.	Box of
AB222	200 Pieces

1 x Self-Tapping Screw, Pan-Head - One-Way: 8 x 3/4" (4.9 x 19 mm).
4 x Hinged Caps: White, Yellow, Black, Blue.

Self-Tapping Screws Pan Head - Pozi

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Pack of	Gauge x Length	Size x Length
HTP4/4	200	4 x 1/2"	2.9 x 13 mm
HTP4/6	200	4 x 3/4"	2.9 x 19 mm
HTP6/4	200	6 x 1/2"	3.5 x 13 mm
HTP6/5	200	6 x 5/8"	3.5 x 16 mm
HTP6/6	200	6 x 3/4"	3.5 x 19 mm
HTP6/8	200	6 x 1"	3.5 x 25 mm
HTP6/10	200	6 x 1 1/4"	3.5 x 32 mm
HTP8/4	200	8 x 1/2"	4.2 x 13 mm
HTP8/5	200	8 x 5/8"	4.2 x 16 mm
HTP8/6	200	8 x 3/4"	4.2 x 19 mm
HTP8/8	200	8 x 1"	4.2 x 25 mm
HTP8/12	100	8 x 1 1/2"	4.2 x 38 mm
HTP10/4	200	10 x 1/2"	4.8 x 13 mm
HTP10/5	200	10 x 5/8"	4.8 x 16 mm
HTP10/6	200	10 x 3/4"	4.8 x 19 mm
HTP10/8	200	10 x 1"	4.8 x 25 mm
HTP10/10	200	10 x 1 1/4"	4.8 x 32 mm
HTP10/12	200	10 x 1 1/2"	4.8 x 38 mm
HTP12/4	200	12 x 1/2"	5.5 x 13 mm
HTP12/6	200	12 x 3/4"	5.5 x 19 mm
HTP12/8	200	12 x 1"	5.5 x 25 mm
HTP12/12	200	12 x 1 1/2"	5.5 x 38 mm
HTP12/16	100	12 x 2"	5.5 x 51 mm
HTP12/24	100	12 x 3"	5.5 x 76 mm
HTP14/6	100	14 x 3/4"	6.3 x 19 mm
HTP14/8	200	14 x 1"	6.3 x 25 mm
HTP14/12	200	14 x 1 1/2"	6.3 x 38 mm

Assorted Box of Self-Tapping Screws Pan Head - Pozi (Small Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Box of
AB2	700 Pieces

1 x No. 4: x 1/2". 2 x No. 6: x 1/2", 3/4".
3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1".
2 x No. 12: x 3/4", 1".



Assorted Box of Self-Tapping Screws Pan Head - Pozi (Large Sizes)

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Box of
AB94	300 Pieces

4 x No. 10: x 1/2", 3/4", 1", 1 1/2".
3 x No. 12: x 3/4", 1", 1 1/2". 2 x No. 14: x 1", 1 1/2".



Stainless Steel Self-Tapping Screws Pan Head - Pozi

AB Type. Stainless Steel. DIN 7981 Grade A2.

Part No.	Pack of	Gauge x Length	Size x Length
HTA6/4	200	6 x 1/2"	3.5 x 13 mm
HTA6/6	200	6 x 3/4"	3.5 x 19 mm
HTA6/8	200	6 x 1"	3.5 x 25 mm
HTA8/4	200	8 x 1/2"	4.2 x 13 mm
HTA8/6	200	8 x 3/4"	4.2 x 19 mm
HTA8/8	200	8 x 1"	4.2 x 25 mm
HTA10/4	200	10 x 1/2"	4.8 x 13 mm
HTA10/6	200	10 x 3/4"	4.8 x 19 mm
HTA10/8	200	10 x 1"	4.8 x 25 mm

Assorted Box of Stainless Steel Self-Tapping Screws Pan Head - Pozi

AB Type. Stainless Steel. DIN 7981 Grade A2.

Part No.	Box of
AB141	450 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1".
3 x No. 10: x 1/2", 3/4", 1".



Self-Tapping Screws (Floorboards/Decking) Countersunk Head - Pozi

B Type. Zinc plated steel. DIN 7982/F/Z.

Part No.	Pack of	Gauge x Length	Size x Length
HTC14/12	200	14 x 1 1/2"	6.3 x 38 mm
HTC14/14	200	14 x 1 3/4"	6.3 x 44 mm
HTC14/16	200	14 x 2"	6.3 x 51 mm

MAX BOX



'Max Box' Assortment of Self-Tapping Screws Pan Head - Pozi

AB Type. Zinc plated steel. DIN 7981/C/Z.

Part No.	Box of
AB507	1,150 Pieces

1 x No. 4: x 1/2". 3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1". 4 x No. 10: x 1/2", 3/4", 1", 1 1/2".
3 x No. 12: x 3/4", 1", 1 1/2". 2 x No. 14: x 1", 1 1/2".

Self-Tapping Screws Countersunk Head - Pozi

AB Type. Zinc plated steel. DIN 7982/C/Z.

Part No.	Pack of	Gauge x Length	Size x Length
HTC4/4	200	4 x 1/2"	2.9 x 13 mm
HTC4/6	200	4 x 3/4"	2.9 x 19 mm
HTC6/4	200	6 x 1/2"	3.5 x 13 mm
HTC6/5	200	6 x 5/8"	3.5 x 16 mm
HTC6/6	200	6 x 3/4"	3.5 x 19 mm
HTC6/8	200	6 x 1"	3.5 x 25 mm
HTC6/10	200	6 x 1 1/4"	3.5 x 32 mm
HTC6/12	200	6 x 1 1/2"	3.5 x 38 mm
HTC8/4	200	8 x 1/2"	4.2 x 13 mm
HTC8/5	200	8 x 5/8"	4.2 x 16 mm
HTC8/6	200	8 x 3/4"	4.2 x 19 mm
HTC8/8	200	8 x 1"	4.2 x 25 mm
HTC8/12	200	8 x 1 1/2"	4.2 x 38 mm
HTC8/16	200	8 x 2"	4.2 x 51 mm
HTC10/4	200	10 x 1/2"	4.8 x 13 mm
HTC10/5	200	10 x 5/8"	4.8 x 16 mm
HTC10/6	200	10 x 3/4"	4.8 x 19 mm
HTC10/8	200	10 x 1"	4.8 x 25 mm
HTC10/10	200	10 x 1 1/4"	4.8 x 32 mm
HTC10/12	200	10 x 1 1/2"	4.8 x 38 mm
HTC10/16	200	10 x 2"	4.8 x 51 mm
HTC12/6	100	12 x 3/4"	5.5 x 19 mm
HTC12/8	100	12 x 1"	5.5 x 25 mm
HTC12/12	100	12 x 1 1/2"	5.5 x 38 mm
HTC14/12A	200	14 x 1 1/2"	6.3 x 38 mm
HTC14/14A	200	14 x 1 3/4"	6.3 x 44 mm
HTC14/16A	200	14 x 2"	6.3 x 51 mm

Assorted Box of Self-Tapping Screws Countersunk - Pozi

AB Type. Zinc plated steel. DIN 7982/C/Z.

Part No.	Box of
AB63N	550 Pieces

4 x No. 6: x 5/8", 3/4", 1", 1 1/2".
4 x No. 8: x 5/8", 3/4", 1", 1 1/2".
4 x No. 10: x 5/8", 3/4", 1", 1 1/2".

Assorted Pack of Plastic Wall Plugs

Part No.	Pack of
AP49	400 Pieces

3 x Colours: Yellow, Red, Brown.



Multi-purpose Countersunk Screws - Pozi

Zinc plated steel. 3/4 thread

- Suitable for use with a variety of materials including wood.

Part No.	Pack of	Gauge x Length	Size x Length
HTW6/6	200	6 x 3/4"	3.5 x 19 mm
HTW6/8	200	6 x 1"	3.5 x 25 mm
HTW6/10	200	6 x 1 1/4"	3.5 x 32 mm
HTW6/12	200	6 x 1 1/2"	3.5 x 38 mm
HTW8/4	200	8 x 1/2"	4.2 x 13 mm
HTW8/6	200	8 x 3/4"	4.2 x 19 mm
HTW8/10	200	8 x 1 1/4"	4.2 x 32 mm
HTW8/12	200	8 x 1 1/2"	4.2 x 38 mm
HTW8/14	200	8 x 1 3/4"	4.2 x 44 mm
HTW8/16	200	8 x 2"	4.2 x 51 mm
HTW8/20	200	8 x 2 1/2"	4.2 x 63 mm
HTW8/24	200	8 x 3"	4.2 x 76 mm
HTW10/8	200	10 x 1"	4.8 x 25 mm
HTW10/12	200	10 x 1 1/2"	4.8 x 38 mm
HTW10/16	200	10 x 2"	4.8 x 51 mm
HTW10/20	200	10 x 2 1/2"	4.8 x 63 mm
HTW10/24	200	10 x 3"	4.8 x 76 mm
HTW12/8	100	12 x 1"	5.5 x 25 mm
HTW12/12	100	12 x 1 1/2"	5.5 x 38 mm
HTW12/24	100	12 x 3"	5.5 x 76 mm

Assorted Box of Multi-Use Screws Countersunk - Pozi

Zinc plated steel.

Part No.	Box of
AB140	525 Pieces

3 x No. 6: x 3/4", 1", 1 1/2".
4 x No. 8: x 3/4", 1", 1 1/2", 2".
3 x No. 10: x 1 1/2", 2", 2 1/2". 1 x No. 12: x 2".

Looking for Screwdrivers or Bits?

Our full range of Screwdrivers and Bits start from Page 442

Self-Tapping Screws Flanged Head - Pozi Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Pack of	Gauge x Length	Size x Length
HTK6/3	200	6 x 3/8"	3.5 x 10 mm
HTK6/4	200	6 x 1/2"	3.5 x 13 mm
HTK6/5	200	6 x 5/8"	3.5 x 16 mm
HTK6/6	200	6 x 3/4"	3.5 x 19 mm
HTK6/8	200	6 x 1"	3.5 x 25 mm
HTK8/3	200	8 x 3/8"	4.2 x 10 mm
HTK8/4	200	8 x 1/2"	4.2 x 13 mm
HTK8/5	200	8 x 5/8"	4.2 x 16 mm
HTK8/6	200	8 x 3/4"	4.2 x 19 mm
HTK8/8	200	8 x 1"	4.2 x 25 mm
HTK8/10	100	8 x 1 1/4"	4.2 x 32 mm
HTK8/12	200	8 x 1 1/2"	4.2 x 38 mm
HTK10/3	200	10 x 3/8"	4.8 x 10 mm
HTK10/4	200	10 x 1/2"	4.8 x 13 mm
HTK10/5	200	10 x 5/8"	4.8 x 16 mm
HTK10/6	200	10 x 3/4"	4.8 x 19 mm
HTK10/8	200	10 x 1"	4.8 x 25 mm

Assorted Box of Self-Tapping Screws Flanged - Pozi Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Box of
AB71	700 Pieces

2 x No. 6: x 1/2", 3/4". 4 x No. 8: x 1/2", 3/4", 1", 1 1/2".
3 x No. 10: x 1/2", 3/4", 1".

MAX BOX



'Max Box' Assortment of Self-Tapping Screws Flanged Pan Head - Pozi

AB Type. Black zinc plated steel. BS 4174.

Part No.	Box of
AB506	1,250 Pieces

6 x No. 6: x 3/8", 1/2", 5/8", 3/4", 1", 3/8". 5 x No. 8: x 1/2", 5/8", 3/4", 1", 1 1/2". 4 x No. 10: x 1/2", 5/8", 3/4", 1".

Looking for Screwdrivers or Bits?

Our full range of Screwdrivers and Bits start from Page 442

Self-Tapping Screws Flanged Head - TORX® Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Pack of	Gauge x Length	Size x Length
HXT6/5	100	6 x 5/8"	3.5 x 16 mm
HXT7/6	100	7 x 3/4"	3.9 x 19 mm
HXT8/5	100	8 x 5/8"	4.2 x 16 mm
HXT8/6	100	8 x 3/4"	4.2 x 19 mm
HXT8/8	100	8 x 1"	4.2 x 25 mm
HXT10/5	100	10 x 5/8"	4.8 x 16 mm

Assorted Box of Self-Tapping Screws Flanged Pan Head - TORX® Black

AB Type. Black zinc plated steel. BS 4174.

Part No.	Box of
AB168N	450 Pieces

1 x No. 6: x 5/8". 1 x No. 7: x 3/4".
3 x No. 8: x 5/8", 3/4", 1". 1 x No. 10: x 5/8".

Self-Drill Fixings

Part No.	Pack of	Size
HCT8	50	M8

Assorted Pack of Plastic Wall Plugs

Part No.	Pack of
AP49	400 Pieces

3 x Colours: Yellow, Red, Brown.

Self-Drilling Screws - Hex Head

Zinc plated steel. DIN 7504K.

Part No.	Pack of	Gauge x Length	Size x Length
HHD8/4	200	8 x 1/2"	4.2 x 13 mm
HHD8/6	200	8 x 3/4"	4.2 x 19 mm
HHD8/8	200	8 x 1"	4.2 x 25 mm
HHD10/4	200	10 x 1/2"	4.8 x 13 mm
HHD10/6	200	10 x 3/4"	4.8 x 19 mm
HHD10/8	200	10 x 1"	4.8 x 25 mm
HHD12/8	200	12 x 1"	5.5 x 25 mm
HHD12/12	200	12 x 1 1/2"	5.5 x 38 mm
HHD12/16	200	12 x 2"	5.5 x 51 mm
HHD14/8	200	14 x 1"	6.3 x 25 mm
HHD14/12	200	14 x 1 1/2"	6.3 x 38 mm
HHD14/16	200	14 x 2"	6.3 x 51 mm

Assorted Box of Self-Drilling Screws Hex Head

Zinc plated steel. DIN 7504K.

Part No.	Box of
AB138	400 Pieces

3 x No. 8: x 1/2", 3/4", 1". 3 x No. 10: x 1/2", 3/4", 1".
3 x No. 12: x 1", 1 1/2", 2".



Self-Drilling Screws, Pan Head - PHILLIPS

Zinc plated steel. DIN 7504N.

Part No.	Pack of	Gauge x Length	Size x Length
HPD6/4	200	6 x 1/2"	3.5 x 13 mm
HPD6/6	200	6 x 3/4"	3.5 x 19 mm
HPD6/8	200	6 x 1"	3.5 x 25 mm
HPD8/4	200	8 x 1/2"	4.2 x 13 mm
HPD8/6	200	8 x 3/4"	4.2 x 19 mm
HPD8/8	200	8 x 1"	4.2 x 25 mm
HPD10/4	200	10 x 1/2"	4.8 x 13 mm
HPD10/6	200	10 x 3/4"	4.8 x 19 mm
HPD10/8	200	10 x 1"	4.8 x 25 mm
HPD10/12	200	10 x 1 1/2"	4.8 x 38 mm
HPD10/16	200	10 x 2"	4.8 x 51 mm

Assorted Box of Self-Drilling Screws Pan Head - Phillips

Zinc plated steel. DIN 7504N.

Part No.	Box of
AB137	500 Pieces

3 x No. 6: x 1/2", 3/4", 1". 3 x No. 8: x 1/2", 3/4", 1".
5 x No. 10: x 1/2", 3/4", 1", 1 1/2", x 2".



Sheet Metal Screws, Washer Faced

Zinc plated steel. DIN 6928.

Part No.	Pack of	Gauge x Length	Size x Length
AS1	100	8 x 3/4"	4.2 x 19 mm
AS2	100	10 x 3/4"	4.8 x 19 mm
AS3	100	12 x 3/4"	5.5 x 19 mm

Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976.

Part No.	Pack of	Gauge x Length	Size x Length
AS12	100	8 x 1/2"	4.2 x 13 mm
AS22	100	10 x 1/2"	4.8 x 13 mm
AS32	100	12 x 1/2"	5.5 x 13 mm
AS42	100	14 x 1/2"	6.3 x 13 mm

Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976.

Part No.	Pack of	Gauge x Length	Size x Length
AS13	100	8 x 3/4"	4.2 x 19 mm
AS23	100	10 x 3/4"	4.8 x 19 mm
AS33	100	12 x 3/4"	5.5 x 19 mm
AS4	100	14 x 3/4"	6.3 x 19 mm

Assorted Box of Sheet Metal Screws with Captive Washer

Zinc plated steel. DIN 7976 (Screws).

Part No.	Box of
AB132	300 Pieces

2 x 8 (4.2 mm): x 1/2" (13 mm), 3/4" (19 mm).
2 x 10 (4.8 mm): x 1/2" (13 mm), 3/4" (19 mm).
2 x 12 (5.5 mm): x 1/2" (13 mm), 3/4" (19 mm).
2 x 14 (6.3 mm): x 1/2" (13 mm), 3/4" (19 mm).

Black Pan Head PH Screws
Gauge x L: 12 x 3/4" Head Ø: 16 mm

Part No.	Pack of
FIX726	20

Honda 90114SE0000

Black Flanged PH Head Screws
Thread Ø x L: 4.2 x 13 mm Head Ø: 12 mm

Part No.	Pack of
FIX728	20

Universal

Black Bumper Cover PH Screws
Thread Ø x L: 4.8 x 14 mm Washer Ø: 16 mm

Part No.	Pack of
FIX734	20

Honda 90126SR4000

Black Flanged PH Head Screws
Gauge x L: 14 x 3/4" Head Ø: 15 mm

Part No.	Pack of
FIX719	20

Hyundai 9215522000

Black Flanged Head PH Screws
Gauge x L: 14 x 1" Head Ø: 16 mm

Part No.	Pack of
FIX720	20

Hyundai / VW

Black Bolts For Bumper
Head Ø x H: 18 x 24

Part No.	Pack of
FIX725	10

Fiat 46419734

Dacromat Finish TX Bolt Screws
Thread: M6 x 15 mm Head Ø: 14 mm

Part No.	Pack of
FIX733	20

Merc N000000001476

Black TX Body Screws with Captive Washers
Gauge x L: 8 x 5/8" Washer Ø: 14 mm

Part No.	Pack of
FIX161	50

Black TX20 Washer Faced Body Screws
Thread Ø x L: 4.8 x 17 mm Head Ø: 15 mm

Part No.	Pack of
FIX162	50

Black TX Body Screws
Thread Ø x L: 5.2 x 16 mm Head Ø: 15 mm

Part No.	Pack of
FIX714	20

VW N90775001 / N90648702

Black TX Body Screws
Thread Ø x L: 6.0 x 23 mm Head Ø: 15 mm

Part No.	Pack of
FIX715	20

PSA

Black TX Screws
Thread Ø x L: 4.8 x 23 mm Washer Ø: 16 mm

Part No.	Pack of
FIX729	20

Renault 7701049008 / 7703017090

Black TX Bumper Bolts
Thread: M6 x 20 mm Head Ø: 19 mm

Part No.	Pack of
FIX716	20

PSA 742723
VW 6N0807199 / N907750 01

1:1 Actual Size Images

Zinc Plated Hex Bolt Screws with Captive Washer
Thread: M6 x 18 mm Washer Ø: 20 mm

Part No.	Pack of
FIX150	50

Zinc Plated Hex Bolt Screws with Captive Washer
Thread: M6 x 18 mm Washer Ø: 18 mm

Part No.	Pack of
FIX151	50

Zinc Plated Hex Bolt Screws with Captive Washer
Thread: M6 x 10 mm Washer Ø: 18 mm

Part No.	Pack of
FIX152	50



Zinc Plated Hex Bolt
Screws with Captive Washer
Thread: M6 x 12 mm Washer Ø: 18 mm

Part No.	Pack of
FIX732	20

Black Hex Screws with Captive Washer
Thread Ø x L: 5.5 x 17 mm Washer Ø: 15 mm

Part No.	Pack of
FIX721	20

BMW 7119904288

Black Sheet Metal Screws, Washer Faced
Gauge x L: 10 x 3/4" Washer Ø: 15 mm

Part No.	Pack of
FIX155	50

Black Sheet Metal
Screws with Captive Washer
Gauge x L: 14 x 3/4" Washer Ø: 18 mm

Part No.	Pack of
FIX153	50

Black 20 mm Hex Screws
Thread Ø x L: 5.6 x 22 mm Washer Ø: 20 mm

Part No.	Pack of
FIX730	20

Black Sheet Metal
Screws with Captive Washer
Thread Ø x L: 4.8 x 13 mm Washer Ø: 22 mm

Part No.	Pack of
FIX149	50

Black Hex Screws
Thread Ø x L: 4.8 x 17 mm Washer Ø: 26 mm

Part No.	Pack of
FIX724	20

Merc 2019900536

Black Hex Bolt Screws with Washer
Thread: M5 x 15 mm Washer Ø: 12.5 mm

Part No.	Pack of
FIX737	20

Black Hex Bolt Screws with Washer
Thread: M6 x 21 mm Washer Ø: 16.8 mm

Part No.	Pack of
FIX735	20

Black Hex Bolt Screws with Washer
Thread: M6 x 22 mm Washer Ø: 24 mm

Part No.	Pack of
FIX736	20

Black Hex Bolt Screws with Washer
Thread: M8 x 27 mm Washer Ø: 24 mm

Part No.	Pack of
FIX731	20

Black Serrated Head Bolts
Thread: M8 x 14 Head Ø: 16.5

Part No.	Pack of
FIX738	20

U-Nuts

Zinc plated steel. BS EN 10132 : 2000

Screw Ø: No. 4 (2.9 mm)
W x L x R: 8 x 11 x 5 mm

Part No.	Pack of
HUC7	100

Screw Ø: No. 6 (3.5 mm)
W x L x R: 8 x 12 x 6.5 mm

Part No.	Pack of
HUC11	100

BEST SELLER

Screw Ø: No. 6 (3.5 mm)
W x L x R: 11 x 16.5 x 7 mm

Part No.	Pack of
HUC1	100

Screw Ø: No. 8 (4.2 mm)
W x L x R: 11 x 16.5 x 7 mm

Part No.	Pack of
HUC21	100

BEST SELLER

Screw Ø: No. 8 (4.2 mm)
W x L x R: 12.5 x 14 x 7.5 mm

Part No.	Pack of
HUC2	100

BEST SELLER

Screw Ø: No. 8 (4.2 mm)
W x L x R: 11 x 16.5 x 7 mm

Part No.	Pack of
HUC22	100

Phosphate Silver
Screw Ø: No. 8 (4.2 mm)
W x L x R: 16.5 x 11 x 8 mm

Part No.	Pack of
FIX154	50

GM 90270271

Zinc plated steel.
Screw Ø: No. 8 (4.2 mm)
W x L x R: 16 x 11 x 8 mm

Part No.	Pack of
FIX653	20

Merc 0009947345



Screw Ø: No. 8 (4.2 mm)
W x L x R: 11 x 24.5 x 14 mm

Part No.	Pack of
HUC6	100

Zinc plated steel.
Screw Ø: No. 8 (4.2 mm)
W x L x R: 11 x 25 x 16 mm

Part No.	Pack of
FIX652	20

Merc 1239940645

BEST SELLER

Screw Ø: No. 10 (4.8 mm)
W x L x R: 12.5 x 20 x 10 mm

Part No.	Pack of
HUC3	100

BEST SELLER

Screw Ø: No. 12 (5.5 mm)
W x L x R: 15 x 30 x 11.5 mm

Part No.	Pack of
HUC4	100

BEST SELLER

Screw Ø: No. 14 (6.3 mm)
W x L x R: 14 x 21 x 11 mm

Part No.	Pack of
HUC5	100

1:1 Actual Size Images

J-Nuts

Zinc plated steel.

Screw Ø: No. 8 (4.2 mm)
W x L x R: 11.5 x 16.5 x 9 mm

Part No.	Pack of
HJC1	100



Screw Ø: No. 10 (4.8 mm)
W x L x R: 13 x 20 x 10 mm

Part No.	Pack of
HJC2	100



Screw Ø: No. 12 (5.5 mm)
W x L x R: 15 x 25 x 12 mm

Part No.	Pack of
HJC3	100



Screw Ø: No. 14 (6.3 mm)
W x L x R: 14.5 x 25 x 13 mm

Part No.	Pack of
HJC4	100

Assorted Box of U-Nuts & J-Nuts

Zinc plated steel.

Part No.	Box of
AB49N	250 Pieces

5 x U-Nuts: No. 6, 8, 10, 12, 14.
4 x J-Nuts: No. 8, 10, 12, 14.

Assorted Box of U-Nuts

Zinc plated steel.

Part No.	Box of
AB166	200 Pieces

10 x Sizes: No. 4, 6 (x 2), 8 (x 4),10, 12, 14.

Chimney Nuts



Thread Ø: M6
W x L x R: 16 x 24 x 12 mm

Part No.	Pack of
HUC59	10

Thread Ø: M6
W x L x R: 14 x 24 x 15 mm

Part No.	Pack of
HUC55	25

Thread Ø: M6
W x L x R: 16 x 24 x 12 mm

Part No.	Pack of
FIX722	20
VW	

Thread Ø: M5
W x L x R: 15 x 21 x 11 mm

Part No.	Pack of
HUC56	10

Hole Ø: 3
W x L x R: 17 x 12 x 9.5 mm

Part No.	Pack of
FIX409	20
Fiat 1488680	



Thread Ø: M5
W x L x R: 15.5 x 12 x 6 mm

Part No.	Pack of
FIX661	20
Merc A0039944245	



Thread Ø: M6
W x L x R: 21 x 16 x 9 mm

Part No.	Pack of
FIX660	10
Merc A0049941545	

Thread Ø: M6
W x L x R: 16 x 18.5 x 9 mm

Part No.	Pack of
HUC52	25



Thread Ø: M5
W x L x R: 15 x 21 x 10 mm

Part No.	Pack of
HUC50	25



Hole Ø: 4
W x L x R: 18.5 x 28 x 10 mm

Part No.	Pack of
FIX453	20
BMW 0714721877 / 51417025609	



Thread Ø: M6
W x L x R: 16 x 24 x 12 mm

Part No.	Pack of
HUC57	10

BEST SELLER



Thread Ø: M6
W x L x R: 16 x 23.5 x 12 mm

Part No.	Pack of
HUC51	25



Thread Ø: M8
W x L x R: 18.5 x 28 x 14 mm

Part No.	Pack of
HUC58	10

MAX BOX



'Max Box' Assortment of Sheet Metal Screws, U-Nuts & J-Nuts

Zinc plated steel.
DIN 7976 (Screws), BS EN 10132 : 2000 (U-Nuts).

Part No.	Box of
AB504	600 Pieces

3 x Washer Faced Screws: 8 x 3/4" (4.2 x 19 mm), 10 x 3/4" (4.8 x 19 mm), 12 x 3/4" (5.5 x 19 mm).
8 x Captive Washer Screws: 8 x 1/2" (4.2 x 13 mm), 8 x 3/4" (4.2 x 19 mm), 10 x 1/2" (4.8 x 13 mm) ,10 x 3/4" (4.8 x 19 mm), 12 x 1/2" (5.5 x 13 mm), 12 x 3/4" (5.5 x 19 mm), 14 x 1/2" (6.3 x 13 mm), 14 x 3/4" (6.3 x 19 mm).
6 x U-Nuts: No. 8 (4.2 mm) (3 x Sizes), No. 10 (4.8 mm), No. 12 (5.5 mm), No. 14 (6.3 mm). 1 x J-Nuts: No. 14 (6.3 mm).

Assorted Box of Chimney Nuts

Zinc & Black.

Part No.	Box of
AB167N	60 Pieces

1 x Zinc: M5. 2 x Zinc: M6. 1 x Black: M6.

Assorted Box of Sheet Metal Screws & J-Nuts

Zinc plated steel. BS 4174 (Screws).

Part No.	Box of
AB51N	350 Pieces

3 x Washer-Faced Screws: No. 8, 10, 12.
1 x Screws with Captive Washers: No. 14.
4 x J-Nuts: No. 8, 10, 12, 14.

Spring Nuts

Zinc/Alu Finish

Part No.	Pack of
FIX195	10

VW 8D0805121



Zinc/Alu Finish Spring Nuts
W x L x R: 25 x 24 x 11 mm

Part No.	Pack of
FIX200	10

VW 8D0805960



Zinc/Alu Finish Spring Nuts
W x L x R: 19 x 23 x 12 mm

Part No.	Pack of
FIX862	20

VW 8K0805922A

Zinc/Alu Finish
Heat Shield Clip/Nut Washers

Part No.	Pack of
FIX183	50

VW N90796501 Ford 6715468

Zinc/Alu Finish

Part No.	Pack of
FIX184	50

VW 8D0805121 / N90335004 / N90335006
Ford V703505S301 PSA 6715468

Black

Part No.	Pack of
FIX196	10

Black Quarter Turn Studs
Ø x H 18 x 23 mm

Part No.	Pack of
FIX194	10

Black Trim Clips
W x D x H 15.5 x 9 x 25 mm

Part No.	Pack of
FIX630	20

VW 1J6867276

Black Headlight
Adjuster Clips
W x D x H 20 x 16 x 15 mm

Part No.	Pack of
FIX202	20

VW 4A0805163

Flat Clips (Push-on Fixes) - Round

Zinc plated steel.

Part No.	Pack of	I.D.	
HFC1	200	(2.4 mm)	**3/32"**
HFC2	200	(3.2 mm)	**1/8"**
HFC9	200	**5.0 mm**	(3/16")
HFC10	200	**6.0 mm**	(1/4")
HFC11	200	**8.0 mm**	(5/16")
HFC12	200	(10.0 mm)	**3/8"**

Flat Clips (Push-on Fixes) - Rectangular

Zinc plated steel.

Part No.	Pack of	I.D.	
HFC6	200	(2.4 mm)	**3/32"**
HFC7	200	(3.2 mm)	**1/8"**
HFC8	200	(4.0 mm)	**5/32"**

Assorted Box of Flat Clips (Push-on Fixes)

Zinc plated steel.

Part No.	Box of
AB50	**1,000 Pieces**

3 x Round, Imperial: 3/32", 1/8", 3/8".
3 x Round, Metric (Imperial):
5 mm (3/16"), 6 mm (1/4"), 8 mm (5/16").
3 x Rectangular: 3/32", 1/8", 5/32".



1:1 Actual Size Images



Body Trim Rivets

Aluminium/Black Plastic Flange

Part No.	Pack of	Head Ø	Flange Ø	OEM Ref
FIX206	50	4 mm	11.8 mm	Volvo 979878
FIX207	50	6 mm	15.8 mm	Ford 1041415 / W704439S / W709095S33

Trim Clip Rivets

Aluminium

Part No.	Pack of	Ø	OEM Ref
FIX70	50	2.4 mm	Ford 6028434 GM 164361 / 90033713

POP® Avdel®



POP AVDEL 'Bulbex' Rivets - Standard Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR10	200	4.8 x 23 mm	(3/16" x 7/8")	9.5 mm
PR12	200	4.8 x 27 mm	(3/16" x 11/16")	9.7 mm

Rivet Washers

Zinc plated steel.

Part No.	Pack of	Size	
PRW1	1,000	M3 x 13	(1/8" x 1/2")



Speed Fasteners - Cage Nuts

Zinc plated steel.

Part No.	Pack of	Screw Size	Hole Ø	Panel Thickness
HCN61	100	M6 Narrow	9.5 mm	0.71 - 1.63 mm
HCN62	100	M6 Wide	9.5 mm	1.83 - 2.64 mm



STEEL Rivets - Standard Flange

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PRS4	100	4.8 x 12 mm	(3/16" x 15/32")	9.5 mm
PRS5	100	4.8 x 16 mm	(3/16" x 5/8")	9.2 mm



Blind Rivets - Standard Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR112	100	6.4 x 12 mm	(1/4" x 1/2")	12.6 mm
PR114	250	6.4 x 18 mm	(1/4" x 3/4")	12.5 mm

POP® Avdel®



POP AVDEL Blind Rivets - Standard Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR214	100	6.4 x 19.5 mm	(1/4" x 3/4")	12.6 mm



Rivets - Peel Back Type

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR47	100	4.8 x 12 mm	(3/16" x 15/32")	9.2 mm
PR48	100	4.8 x 18 mm	(3/16" x 23/32")	9.5 mm
PR49	100	6.4 x 35 mm	(1/4" x 1 3/8")	12.3 mm
PRL49	1,000	6.4 x 35 mm	(1/4" x 1 3/8")	12.3 mm





Black Rivets - Standard Flange

Black anodised aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PRB11	100	3.2 x 8 mm	(1/8" x 5/16")	5.7 mm
PRB12	100	4.0 x 10 mm	(5/32" x 3/8")	7.7 mm
PRB13	100	4.8 x 14 mm	(3/16" x 1/2")	9.3 mm



Black Rivets - Large Flange

Black anodised aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PRB21	100	3.2 x 10 mm	(1/8" x 3/8")	9.2 mm
PRB22	100	4.0 x 10 mm	(5/32" x 3/8")	11.8 mm
PRB25	100	4.0 x 14 mm	(5/32" x 1/2")	11.8 mm
PRB23	100	4.8 x 14 mm	(3/16" x 1/2")	15.4 mm
PRB24	100	4.8 x 18 mm	(3/16" x 3/4")	15.4 mm

Assorted Box of Black Rivets

Black anodised aluminium.

Part No.	Box of
AB112	200 Pieces

1 x Standard Flange, 3.2 x 8 mm.
1 x Standard Flange, 4.0 x 10.
1 x Standard Flange, 4.8 x 14 mm.
1 x Large Flange, 3.2 x 10 mm.
2 x Large Flange, 4.0: x 10, 14 mm.
2 x Large Flange, 4.8: x 14, 18 mm.





Multi-grip Rivets - Standard Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR101	500	3.2 x 8 mm	(1/8" x 5/16")	6.1 mm
PR102	500	3.2 x 10 mm	(1/8" x 3/8")	6.1 mm
PR103	500	4.0 x 10 mm	(5/32" x 3/8")	7.7 mm
PR104	500	4.0 x 14 mm	(5/32" x 9/16")	7.7 mm
PR105	500	4.8 x 13 mm	(3/16" x 1/2")	9.3 mm
PR106	500	4.8 x 15 mm	(3/16" x 19/32")	9.3 mm
PR109	200	4.8 x 25 mm	(3/16" x 31/32")	9.1 mm





Multi-grip Rivets - Large Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR111	200	4.8 x 10 mm	(3/16" x 3/8")	15.5 mm
PR107	200	4.8 x 18 mm	(3/16" x 23/32")	15.3 mm
PR108	200	4.8 x 25 mm	(3/16" x 31/32")	15.3 mm

1:1 Actual Size Images

POP® Avdel®



POP AVDEL 'Avex' Multi-grip Rivets - Standard Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR1	500	3.2 x 10 mm	(1/8" x 3/8")	6.2 mm
PRL1	10,000	3.2 x 10 mm	(1/8" x 3/8")	6.2 mm
PR2	500	3.2 x 13 mm	(1/8" x 1/2")	6.3 mm
PRL2	8,000	3.2 x 13 mm	(1/8" x 1/2")	6.3 mm
PR3	500	4.0 x 12 mm	(5/32" x 7/16")	7.7 mm
PR4	500	4.0 x 15 mm	(5/32" x 9/16")	7.9 mm
PR5	500	4.8 x 13 mm	(3/16" x 1/2")	9.7 mm
PRL5	4,000	4.8 x 13 mm	(3/16" x 1/2")	9.7 mm
PR6	500	4.8 x 19 mm	(3/16" x 3/4")	9.8 mm
PRL6	4,000	4.8 x 19 mm	(3/16" x 3/4")	9.8 mm
PR9	200	4.8 x 27 mm	(3/16" x 1")	9.3 mm

POP® Avdel®

POP AVDEL 'Avex' Multi-grip Rivets - Large Flange

Aluminium.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PR11	200	4.8 x 13 mm	(3/16" x 1/2")	15.6 mm
PR7	200	4.8 x 19 mm	(3/16" x 3/4")	15.5 mm
PRL7	2,000	4.8 x 19 mm	(3/16" x 3/4")	15.5 mm
PR8	200	4.8 x 27 mm	(3/16" x 1")	15.5 mm
PRL8	2,000	4.8 x 27 mm	(3/16" x 1")	15.5 mm

POP® Avdel®

Assorted Box of POP AVDEL 'Avex' Multi-grip Rivets with Washers

Aluminium.

Part No.	Box of
AB48N	440 Pieces

2 x Standard Flange, 3.2: x 10, 13 mm.
2 x Standard Flange, 4.0: x 12, 15 mm.
2 x Standard Flange, 4.8: x 13, 19 mm.
1 x Large Flange, 4.8: x 19 mm.
1 x Washers, M3 x 13.





Rivets - Sealed Type (Closed End)

Aluminium. DIN 7337.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
PRC50	100	4.8 x 10 mm	(3/16" x 3/8")	9.3 mm
PRC53	100	4.8 x 12 mm	(3/16" x 7/16")	9.3 mm
PRC54	100	4.8 x 14 mm	(3/16" x 9/16")	9.3 mm
PRC56	100	4.8 x 16 mm	(3/16" x 5/8")	9.7 mm
PRC58	100	4.8 x 18 mm	(3/16" x 3/4")	9.3 mm

Assorted Box of Rivets - Sealed Type (Closed End)

Aluminium. DIN 7337.

Part No.	Box of
AB146N	200 Pieces

5 x Sizes: 4.8 x 10, 12, 14, 16, 18 mm.

POP® Avdel®

Monobolts - 2771 Series

Protruding head. Zinc plated carbon steel.

Part No.	Pack of	Ø (A) x Length (B)		Flange Ø (C)
HMB623	100	6.4 x 23 mm	(1/4" x 7/8")	12.9 mm
HMB632	100	6.4 x 32 mm	(1/4" x 1 1/4")	12.9 mm

ECLIPSE-SPIRALUX Lazy Tong Riveter

Complete with nose spanner and 3 interchangeable noses for 3, 4 and 5 mm rivets.
Suitable for aluminium/steel rivets.

Part No.	Qty	Description
TL811	1	Lazy Tong Riveter
TL817	1 Kit	Jaw Repair Kit

ECLIPSE-SPIRALUX Standard Rivet Gun

Complete with nose spanner and 3 interchangeable noses for 3, 4 and 5 mm rivets.
Suitable for aluminium/steel rivets.

Part No.	Qty	Description
TL801	1	Rivet Gun
TL816	1 Kit	Jaw Repair Kit

ECLIPSE-SPIRALUX Replacement Noses For Lazy Tong Riveter and Standard Rivet Gun

Suits Part No.s: TL801 and TL811.

Part No.	Pack of	For Rivet Size	
TL802	5	3 mm	(1/8")
TL803	5	4 mm	(5/32")
TL804	5	5 mm	(3/16")



ECLIPSE-SPIRALUX Compact Lever Arm Riveter

Contains rivet noses for use with 2.4, 3.2, 4.0, 4.8 & 6.4 mm aluminium and steel rivets. Noses are colour coded by size for easy identification changeable by hand - no need for extra tools.

- **Strong 3-piece alloy steel jaw mechanism with hexagonal internal structure for a longer life and easy operating**
- **Reinforced 2 mm thick Carbon Steel heat-treated handle for extra strength and durability**
- **Ergonomically designed handles for comfortable use**
- **Features a convenient rivet stem collector for protection and safety**

Part No.	Qty	Description
TL822	1	Compact Lever Arm Riveter

ECLIPSE-SPIRALUX Compact Lever Arm Riveter - Replacement Nozzles

Suits Part No. TL822.

Part No.	Qty	Size	
TL822-2	1	2.4 mm	(3/32")
TL822-3	1	3.2 mm	(1/8")
TL822-4	1	4.0 mm	(5/32")
TL822-5	1	4.8 mm	(3/16")
TL822-6	1	6.0 mm	(1/4")



ECLIPSE-SPIRALUX Compact Lever Arm Riveter - Replacement Jaws

Suits Part No. TL822.

Part No.	Qty	Description
TL823	1 Kit	Replacement Jaws

ECLIPSE-SPIRALUX Rivet Gun

Complete with 4 interchangeable noses for 2.4, 3.2, 4.0 and 4.8 mm aluminium rivets. NOT suitable for steel rivets.
Automatic ejection of the mandrel. Slip guarded comfort handle.

Part No.	Qty	Description
TL800	1	Rivet Gun

ECLIPSE-SPIRALUX 'Classic' Long Arm Riveter - Nose Kit

Suits classic model ONLY (Part No. TL821).

Part No.	Qty	Repairs
TL825	Set of 4	Long Arm Riveter

For Rivet Sizes: 4, 5 (x 2) and 6 mm (5/32", 3/16", 1/4").

ECLIPSE-SPIRALUX 'Classic' Long Arm Riveter - Replacement Jaws

Suits classic model ONLY (Part No. TL821).

Part No.	Qty	Description
TL826	1 Kit	Replacement Jaws



Heavy Duty Accordion Riveting Pliers

Complete with interchangeable nose piece. For 2.4, 3.2, 4.0 and 4.8 mm rivets.

Part No.	Qty	Description
TL8110	1	Heavy Duty Accordion Riveter





Swivel Head Riveter 360° Action

Contains rivet noses for use with 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") aluminium, steel and stainless steel rivets. Slip guarded comfort handles.

Part No.	Qty	Description
TL890	1	Swivel Head Riveter

Heavy Duty Long Handled Swivel Head Riveter and Nut Sert Riveter Kit

Combination set for standard rivets 2.4, 3.2, 4.0 and 4.8 mm and nut serts 4.0 to 10.0 mm.

Part No.	Qty	Description
TL8100	1 Kit	17 Piece Kit



Metal Staples

Suits Part No. STAP4.

Part No.	Pack of	Size
STAP5	2,000	8 mm

Metal Staple Tacker

Takes 8 mm staples.

Part No.	Qty	Description
STAP4	1	Staple Gun

Circlips - Internal

Carbon spring steel, phosphate finish.
DIN 472.

Part No.	Pack of	Bore Size	Circlip O.D.
HCL111	100	11 mm	11.8 mm
HCL113	100	13 mm	14.1 mm
HCL116	100	16 mm	17.3 mm
HCL119	100	19 mm	20.5 mm
HCL121	100	21 mm	22.5 mm
HCL122	100	22 mm	23.5 mm
HCL125	100	25 mm	26.9 mm
HCL130	100	30 mm	32.1 mm
HCL135	100	35 mm	37.8 mm
HCL138	100	38 mm	40.8 mm
HCL140	50	40 mm	43.5 mm
HCL142	50	42 mm	45.5 mm
HCL147	50	47 mm	50.5 mm

Circlips - External

Carbon spring steel, phosphate finish.
DIN 471.

Part No.	Pack of	Shaft Size	Circlip I.D.
HCL207	500	7 mm	6.5 mm
HCL208	500	8 mm	7.4 mm
HCL210	500	10 mm	9.3 mm
HCL211	100	11 mm	10.2 mm
HCL212	500	12 mm	11.0 mm
HCL213	100	13 mm	11.9 mm
HCL214	200	14 mm	12.9 mm
HCL215	200	15 mm	13.8 mm
HCL216	100	16 mm	14.7 mm
HCL217	200	17 mm	15.7 mm
HCL218	200	18 mm	16.5 mm
HCL219	100	19 mm	17.5 mm
HCL220	200	20 mm	18.5 mm
HCL221	100	21 mm	19.5 mm
HCL222	100	22 mm	20.5 mm
HCL224	100	24 mm	22.2 mm
HCL225	100	25 mm	23.2 mm
HCL230	100	30 mm	27.9 mm
HCL235	100	35 mm	32.2 mm
HCL238	100	38 mm	35.2 mm
HCL240	50	40 mm	36.5 mm
HCL250	25	50 mm	45.8 mm

Assorted Box of Circlips Internal - Metric

DIN 472.

Part No.	Box of
AB173	230 Pieces

13 x Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38, 40, 42, 47 mm.

MAX BOX

'Max Box' Assortment of Circlips Internal & External - Metric

DIN 472 (Internal), DIN 471 (External).

Part No.	Box of
AB561	400 Pieces

3 x Internal: 40, 42, 47 mm. 15 x External: 7, 8, 10, 12, 14, 15, 17, 18, 20, 24, 25, 30, 35, 40, 50 mm.

Assorted Box of Circlips External - Metric

DIN 471.

Part No.	Box of
AB174	350 Pieces

16 x External Sizes: 7, 8, 10, 12, 14, 15, 17, 18, 20, 22, 24, 25, 30, 35, 40, 50 mm.

Assorted Box of Circlips Internal & External - Metric

DIN 472 (Internal), DIN 471 (External).

Part No.	Box of
AB37N	280 Pieces

10 x Internal Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.
10 x External Sizes: 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm.

E-Retainers - Metric

DIN 6799.

Part No.	Pack of	Size
HER1	100	1.70 mm
HER2	100	2.75 mm
HER3	100	3.50 mm
HER4	100	4.50 mm
HER6	100	6.00 mm
HER7	100	7.00 mm
HER13	100	13.00 mm
HER15	100	15.50 mm

Assorted Box of E-Retainers - Metric

DIN 6799.

Part No.	Box of
AB127N	725 Pieces

8 x Sizes (Shaft Ø): 1.7, 2.75, 3.5, 4.5, 6.0, 7.0, 13.0, 15.5 mm.



E-Retainers - Imperial

DIN 6799 (BS 3673/2).

Part No.	Pack of	Size
HER51	100	1/8"
HER52	100	5/32"
HER53	100	3/16"
HER54	100	7/32"
HER55	100	1/4"
HER56	100	5/16"
HER57	100	3/8"
HER58	100	7/16"
HER59	100	1/2"
HER60	100	5/8"

Assorted Box of E-Retainers - Imperial

DIN 6799 (BS 3673/2).

Part No.	Box of
AB55N	800 Pieces

10 x Sizes (Shaft Ø): 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8".



Clevis Pins

BS 1574

Part No.	Pack of	Size		Grip Length
HCP5	50	6.0 x 20.0 mm	(1/4" x 3/4")	20.2 mm (25/32")
HCP1	50	3/16" x 5/8"	(4.8 x 15.9 mm)	15/32" (12.2 mm)
HCP2	50	3/16" x 7/8"	(4.8 x 22.2 mm)	11/16" (18.0 mm)
HCP3	50	1/4" x 1/2"	(6.4 x 12.7 mm)	9/32" (7.4 mm)
HCP4	50	1/4" x 11/16"	(6.4 x 17.5 mm)	17/32" (13.7 mm)
HCP6	50	9/32" x 7/8"	(7.1 x 22.2 mm)	5/8" (16.5 mm)
HCP7	50	5/16" x 1"	(7.9 x 25.4 mm)	25/32" (20.2 mm)
HCP8	50	3/8" x 1 1/4"	(9.5 x 31.8 mm)	29/32" (23.6 mm)

Assorted Box of Clevis Pins

BS 1574.

Part No.	Box of
AB33	200 Pieces

8 x Sizes: 3/16" x 5/8", 3/16" x 7/8", 1/4" x 1/2", 1/4" x 1 1/16", 9/32" x 7/8", 5/16" x 1", 3/8" x 1 1/4", M6 x 20 (1/4" x 7/8").



Linch Pins with O-Ring

Safety Type.

Part No.	Pack of	Pin Size
LP1	10	1/4" x 1 3/4"
LP2	10	5/16" x 1 1/2"
LP4	10	7/16" x 1 3/4"

Linch Pins with O-Ring

Safety Type.

Part No.	Pack of	Size	Suits
LP10	10	10 mm x 70 mm	JCB
LP11	10	9 mm x 52 mm	JCB

R-Clips

Part No.	Pack of	Pin Dia x Overall Length
LP5	50	2.5 x 45 mm
LP6	25	3 x 54 mm
LP7	25	4 x 75 mm
LP8	20	5 x 107 mm
LP9	10	6 x 117 mm



Assorted Box of R-Clips

Part No.	Box of
AB88N	80 Pieces

5 x Sizes (Wire Ø x Length): 2.5 x 45, 3 x 54, 4 x 75, 5 x 107, 6 x 117 mm.

Brake Pad Pin Retainers

Part No.	Pack of	Size	Approx. Length	Wire Ø
BR6	100	Small	19 mm	1.2 mm
BR7	100	Large	23 mm	1.5 mm

Double Type R-Clip Module Assembly

R-clip dimensions (Wire Ø x L): 3.7 x 95 mm.

Part No.	Pack of	Description
HY20	10	R-Clip Module Assembly

Split Pins - Imperial

Zinc plated steel. DIN 94/BS 1574. (* Stainless Steel).

Part No.	Pack of	O.D. x Length	
HSP20	500	1/32" x 3/4" *	(1.0 x 19 mm) *
HSP1	500	1/16" x 1"	(1.6 x 25 mm)
HSP2	500	5/64" x 1"	(2.0 x 25 mm)
HSP3	500	3/32" x 1"	(2.4 x 25 mm)
HSP4	500	3/32" x 1 1/2"	(2.4 x 38 mm)
HSP5	500	7/64" x 1 1/2"	(2.8 x 38 mm)
HSP6	500	1/8" x 1 1/2"	(3.2 x 38 mm)
HSP7	500	9/64" x 1 1/2"	(3.6 x 38 mm)
HSP12	250	5/32" x 1 5/8"	(4.0 x 41 mm)
HSP8	250	5/32" x 2"	(4.0 x 51 mm)
HSP9	250	3/16" x 2"	(4.8 x 51 mm)
HSP10	100	1/4" x 3"	(6.3 x 76 mm)
HSP11	100	5/16" x 3"	(7.9 x 76 mm)

Assorted Box of Split Pins - Imperial (Small Sizes)

Zinc plated steel. DIN 94/BS 1574.

Part No.	Box of
AB32N	800 Pieces

8 x Sizes, O.D. x Length: 1/16" x 1" (1.6 x 25 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.4 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 40 mm), 9/64" x 1 1/2" (3.6 x 40 mm), 5/32" x 1 5/8" (4.0 x 40 mm).

Assorted Box of Split Pins - Imperial (Large Sizes)

Zinc plated steel. DIN 94/BS 1574.

Part No.	Box of
AB73	225 Pieces

5 x Sizes, O.D. x Length: 1/8" x 1 1/2" (3.2 x 38 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).

MAX BOX

'Max Box' Assortment of Split Pins - Imperial

Zinc plated steel. DIN 94/BS 1574.

Part No.	Box of
AB508	850 Pieces

12 x Sizes, O.D. x Length: 1/16" x 1" (1.6 x 5 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.5 x 25 mm), 3/32" x 1 1/2" (2.4 x 38 mm), 7/64" x 1 1/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 38 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 5/32" x 1 5/8" (4.0 x 41 mm), 5/32" x 2" (4.0 x 51 mm), 3/16" x 2" (4.8 x 51 mm), 1/4" x 3" (6.3 x 76 mm), 5/16" x 3" (7.9 x 76 mm).

Split Pins - Metric

Zinc plated steel. DIN 94 / ISO 1234 (BS 7774).

Part No.	Pack of	O.D. x Length	
HSP19	1,000	(1/32" x 3/8")	1.0 x 10 mm
HSP21	500	(5/64" x 9/16")	2.0 x 14 mm
HSP22	500	(5/64" x 3/4")	2.0 x 20 mm
HSP33	500	(3/32" x 1 3/32")	2.5 x 28 mm
HSP62	500	(1/8" x 3/4")	3.2 x 20 mm
HSP63	500	(1/8" x 1 1/4")	3.2 x 32 mm
HSP13	250	(5/32" x 1 3/8")	4.0 x 36 mm

Assorted Box of Split Pins - Imperial & Metric

Zinc plated steel. DIN 94/BS 1574 (Imperial). DIN 94/ISO 1234 (BS 7774) (Metric).

Part No.	Box of
AB206	370 Pieces

4 x Imperial Sizes, O.D. x Length: 1/32" x 3/8" (1.0 x 10 mm), 5/64" x 1" (2.0 x 25 mm), 9/64" x 1 1/2" (3.6 x 38 mm), 3/16" x 2" (4.8 x 51 mm).
6 x Metric Sizes, O.D. x Length: 2.0 x 14 mm (5/64" x 9/16"), 2.0 x 20 mm (5/64" x 3/4"), 2.5 x 28 mm (3/32" x 1 3/32"), 3.2 x 20 mm (1/8" x 3/4"), 3.2 x 32 mm (1/8" x 1 1/4"), 4.0 x 36 mm (5/32" x 1 3/8").

Assorted Box of Compression Springs

Part No.	Box of
AB89	70 Pieces

10 x Sizes (Free Length x O.D.): 21.2 x 8.9 mm, 22.5 x 9.0 mm, 25 x 12.2 mm, 26.5 x 5.4 mm, 31.5 x 10.4 mm, 37 x 7.8 mm, 65.5 x 13 mm, 66 x 10.4 mm, 100 x 18.5 mm, 124 x 16.0 mm.

Assorted Box of Expansion Springs

Part No.	Box of
AB72	70 Pieces

7 x Sizes (Free Length x O.D.): 29.5 x 6.4 mm, 31.5 x 5.0 mm, 33.3 x 6.8 mm, 56.5 x 7.8 mm, 74 x 10.3 mm, 90 x 11.4 mm, 126 x 9.4 mm.

Spring Roll Pins - Metric

DIN 1481.

Part No.	Pack of	Diameter x Length
FIX18	50	8 x 55 mm

Suits FORD (Door Hinge Pin).

Assorted Box of Spring Roll Pins - Metric

Black. DIN 1481.

Part No.	Box of
AB80	300 Pieces

12 x Sizes, O.D. x Length: 2.5 x 24 mm, 2.5 x 36 mm, 3 x 24 mm, 3 x 40 mm, 4 x 24 mm, 4 x 40 mm, 5 x 24 mm, 5 x 40 mm, 6 x 24 mm, 6 x 40 mm, 8 x 24 mm, 8 x 55 mm.

MAX BOX

'Max Box' Assortment of Spring Roll Pins - Metric

Black. DIN 1481.

Part No.	Box of
AB555	340 Pieces

19 x Sizes, O.D. x Length: 3 x 20 mm, 3 x 24 mm, 3 x 30 mm, 4 x 24 mm, 4 x 28 mm, 4 x 40 mm, 4 x 50 mm, 5 x 16 mm, 5 x 20 mm, 5 x 24 mm, 5 x 28 mm, 5 x 32 mm, 5 x 35 mm, 5 x 40 mm, 5 x 45 mm, 6 x 30 mm, 6 x 45 mm, 8 x 32 mm, 8 x 45 mm.

Assorted Box of Spring Roll Pins - Imperial

Black.

Part No.	Box of
AB35	300 Pieces

11 x Sizes, O.D. x Length: 3/32" x 1", 1/8" x 1", 1/8" x 1 1/2", 5/32" x 1", 5/32" x 1 1/2", 3/16" x 1", 3/16" x 1 1/2", 1/4" x 1", 1/4" x 1 1/2", 5/16" x 1", 5/16" x 2".

Assorted Box of Accelerator & Clutch Springs

Part No.	Box of
AB29	40 Pieces

8 x Sizes (Free Length x O.D.): 53 x 12.4 mm, 61.2 x 15.4 mm, 63.4 x 13 mm, 66 x 13.1 mm, 77.4 x 23.15 mm, 82.5 x 12.95 mm, 84.2 x 10.9 mm, 86 x 13.3 mm.

Assorted Pack of Angle Iron

Mild steel.

Part No.	Pack of	Length	
AP35	5 Pieces	1.5 m	(5 ft)

3 x Sizes: (2 x) 20 x 20 x 3 mm, 30 x 30 x 3 mm, (1 x) 40 x 40 x 3 mm.



Assorted Pack of Key Steel - Imperial

Part No.	Pack of	Length	
AP24	20 Pieces	12"	(300 mm)

3/16" x 3/16", 1/4" x 3/16", 1/4" x 1/4", 5/16" x 1/4", 5/16" x 5/16", 3/8" x 1/4", 3/8" x 3/8", 1/2" x 5/16".

Assorted Pack of Flat Bar

Mild steel.

Part No.	Pack of	Length	
AP13	9 Pieces	1.5 m	(5 ft)

8 x Sizes: (2 x) 20 x 3 mm. (1 x) 20 x 5 mm, 25 x 3 mm, 25 x 5 mm, 25 x 6 mm, 40 x 3 mm, 40 x 5 mm, 40 x 6 mm.

Assorted Pack of Key Steel - Metric

Part No.	Pack of	Length	
AP26	20 Pieces	12"	(300 mm)

9 x Sizes: 4 x 4 mm, 5 x 5 mm, 6 x 6 mm, 8 x 7 mm, 8 x 8 mm, 10 x 8 mm, 10 x 10 mm, 12 x 8 mm, 12 x 12 mm.

Assorted Pack of Round Bar

Bright steel, free cutting.

Part No.	Pack of	Length	
AP14	12 Pieces	1.5 m	(5 ft)

6 Sizes, Diameters: (2 x) 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

Assorted Pack of Round Bar

Mild steel.

Part No.	Pack of	Length	
AP15	10 Pieces	1.5 m	(5 ft)

6 x Sizes, Diameters: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".

Assorted Box of Woodruff Keys - Imperial

Part No.	Box of
AB47N	96 Pieces

15 x Sizes: 1/16" x 1/2", 3/32" x 1/2", 1/8" x 1/2", 1/8" x 5/8", 5/32" x 5/8", 5/32" x 3/4", 3/16" x 3/4", 3/16" x 7/8", 3/16" x 11/8", 7/32" x 7/8", 7/32" x 11/8", 1/4" x 1", 1/4" x 1 1/8", 5/16" x 1 1/4", 3/8" x 1 1/4".

Assorted Box of Woodruff Keys & Key Steel - Metric

Part No.	Box of
AB216	24 Pieces

3 x Woodruff Keys: 4 x 6.5 x 16 mm, 4 x 9 x 22 mm, 6 x 9 x 22 mm.
4 x Key Steel, Parallel: 8 x 7 x 25 mm, 8 x 7 x 32 mm, 8 x 7 x 36 mm, 12 x 8 x 50 mm.

1:1 Actual Size Images

Trim Clip Chart

Double sided A1 size guide,
folded down to A4 for easy and convenient use.

If displaying range on a wall two copies will be required.

- **Contains 330 popular trim clips, body screws, number plate screws and rivets**
- **New larger format A1 size chart**
- **Actual size images for quick and easy identification**

Part No.	Qty	Description
YCHART1	1	A1 Double Sided Wall Chart



Black Retaining Clips
W x D x H: 8 x 16.5 x 11 mm

Part No.	Pack of
FIX349	20

PSA 699786 / 9619769080
Renault 7701044547



Black Retainer Clips
W x D x H: 9.5 x 17.5 x 13 mm

Part No.	Pack of
FIX440	20

Fiat 60814822 / 82382670
Renault 7701026892

Grey Fir Tree Buttons
W x D x H: 11 x 5 x 10.5 mm

Part No.	Pack of
FIX613	20

VW 3B0839723

Black Door Seal Clips
W x D x H: 13 x 5 x 11 mm

Part No.	Pack of
FIX61	50

VW 251823717

Black Retaining Clips
W x D x H: 14 x 7 x 13.5 mm

Part No.	Pack of
FIX318	20

Renault 82176228

Yellow Retaining Clips
W x D x H: 14 x 6 x 14 mm

Part No.	Pack of
FIX300	20

Hyundai 8213222100

Green Strip Clips
W x D x H: 14 x 8 x 11.5 mm

Part No.	Pack of
FIX449	20

Honda 906646710030

White Door Weatherstrip Clips
W x D x H: 15 x 9 x 15 mm

Part No.	Pack of
FIX259	50

Honda 90651S4N003
Hyundai 8213227100
Mitsubishi MU481276
Toyota 6786712150

Blue Weatherstrip Clips
W x D x H: 15 x 9 x 15 mm

Part No.	Pack of
FIX865	20

Green Door Clips
W x D x H: 15 x 9.5 x 15 mm

Part No.	Pack of
FIX320	20

Honda 72311S5S003
Toyota 6786712150

White Weatherstrip Clips
W x D x H: 16 x 7 x 13 mm

Part No.	Pack of
FIX463	20

Honda 90664671003

Black Door Seal Clips
W x D x H: 17 x 5.5 x 5 mm

Part No.	Pack of
FIX79	50

VW 1H0823717

Black Self Pierce Trim Buttons
Ø x H: 8 x 12 mm

Part No.	Pack of
FIX34	50



Black Retaining Clips
Ø x H: 9.5 x 8 mm

Part No.	Pack of
FIX303	20

Mazda BP4K58762

Natural Door Clips
Ø x H: 12 x 17 mm

Part No.	Pack of
FIX499	20

Merc A0009871015

Black Trim Buttons
Ø x H: 14 x 11 mm

Part No.	Pack of
FIX380	20

Fiat 7677865

Black Boot Lining Clips
Ø x H: 14 x 12 mm

Part No.	Pack of
FIX302	20

Ford F1CZ16674A
Mazda B455-56-741

Black Trim Buttons
Ø x H: 14 x 17 mm

Part No.	Pack of
FIX1	50

Mazda 155300291

Black Trim Buttons Self Pierce
Ø x H: 12.5 x 20 mm

Part No.	Pack of
FIX33	50

Universal

Black Retaining Clips
Ø x H: 14 x 17 mm

Part No.	Pack of
FIX460	20

Honda 91501-SM4-003

Black Trim Buttons
Ø x H: 14 x 19 mm

Part No.	Pack of
FIX46	50

VW 80186729901C / 801867299041



Black Multi-step Trim Buttons
Ø x H: 17 x 15 mm

Part No.	Pack of
FIX30	50

VW 82386320301C

Grey Trim Buttons
Ø x H: 18 x 17 mm

Part No.	Pack of
FIX36	50

Ford 1018433 / 1018434
Volvo 32720753274 62A

Black Trim Buttons
Ø x H: 18 x 17 mm

Part No.	Pack of
FIX35	50

Ford 1629279 / 6725950
Volvo 32720753274 62B

Gloss Black Retaining Clips
Ø x H: 18 x 18 mm

Part No.	Pack of
FIX314	20

Nissan 155300051

Black Bumper Shield Clips
Ø x H: 19 x 18 mm

Part No.	Pack of
FIX262	50

Chrysler
1595864 / 1605396 / 6030441

Black Boot Lining Clips
Ø x H: 20 x 17 mm

Part No.	Pack of
FIX261	50

Honda 90667SA70030
Nissan 8942798070

Black Self Pierce Trim Buttons
Ø x H: 19 x 26 mm

Part No.	Pack of
FIX58	50

VW 811863905A / 811863905A

Grey Seat Trim Buttons
Ø x H: 20 x 27 mm

Part No.	Pack of
FIX253	50

VW GR197S16319

Black Bonnet Clips
W x D x H: 26 x 16 mm

Part No.	Pack of
FIX301	20

Hyundai 8112637010
Toyota 9046709050

Black Boot Lining Clips
Ø x H: 14 x 17 mm

Part No.	Pack of
FIX267	50

GM 233895 / 2338955
PSA 896457 / 896481

Light Grey Trim Clips
Ø x H: 16 x 13 mm

Part No.	Pack of
FIX672	20

Universal

Black Fir Tree Trim Buttons
Ø x H: 16 x 15 mm

Part No.	Pack of
FIX20	50

Universal

Black Fir Tree Clips
Ø x H: 18 x 17.8 mm

Part No.	Pack of
FIX500	50

Chrysler 3691590
Ford 332364 / 389358 **PSA** 7518C0

Black Fir Tree Clips
Ø x H: 18 x 19 mm

Part No.	Pack of
FIX501	50

PSA 699295 / 6999R2

Light Grey Body Upholstery Clips
Ø x H: 18 x 22 mm

Part No.	Pack of
FIX872	20

Hyundai 8532521000QS
Toyota 9046706020B6

Black Fir Tree Clips
Ø x H: 18 x 23 mm

Part No.	Pack of
FIX502	50

Honda 90667SA0003
Suzuki 618747

Dark Black Trim Clips
Ø x H: 18 x 24.5 mm

Part No.	Pack of
FIX682	20

Universal

Black Fir Tree Clips
Ø x H: 18 x 28 mm

Part No.	Pack of
FIX29	50

Black Trim Buttons - Fir-Tree
Ø x H: 18 x 31 mm

Part No.	Pack of
FIX503	50

BMW 52201964201 / 52201964201
Chrysler 6033082 **Ford** 390018S
GM 10121502 / DZM100080

Natural Fir Tree Clips
Ø x H: 18.5 x 31 mm

Part No.	Pack of
FIX218	50

Land Rover Universal

Light Grey Trim Clips
Ø x H: 18 x 25 mm

Part No.	Pack of
FIX677	20

Universal

Black Fir Tree Clips
Ø x H: 18.5 x 16.5 mm

Part No.	Pack of
FIX687	20
Hyundai 0B10268865	

Black Trim Buttons - Fir-Tree
Ø x H: 18.5 x 23.8 mm

Part No.	Pack of
FIX504	50
Universal	

Light Grey Boot Lining Clips
Ø x H: 19 x 21.5 mm

Part No.	Pack of
FIX703	20
VW N90201601H	

Light Grey Trim Clips
Ø x H: 20 x 26 mm

Part No.	Pack of
FIX668	20
Fiat Universal	



Black Trim Buttons - Fir-Tree
Ø x H: 21 x 23 mm

Part No.	Pack of
FIX505	50
Fiat 1301019808	

Black Gloss Stone Shield Clips
Ø x H: 21.5 x 24 mm

Part No.	Pack of
FIX705	20
GM 22512276	

Black Trim Clips
Ø x H: 22 x 25.5 mm

Part No.	Pack of
FIX669	20
Fiat Universal	

Black Fir Tree Clips
Ø x H: 24 x 18 mm

Part No.	Pack of
FIX21	50
VW N989022 **Chrysler** 6003349 **Ford** 385661	

Light Brown Trim Panel Clips
Ø x H: 25 x 26 mm

Part No.	Pack of
FIX693	20
Universal	

Grey Panel Clips
Ø x H: 26.5 x 32 mm

Part No.	Pack of
FIX244	50
VW 3C0863559 / W706635SSW / W709167SSZUAM **Chrysler** 6501916	

Black Bonnet Insulation Clips
Ø x H: 28 x 18.5 mm

Part No.	Pack of
FIX163	50
GM 1162484 / 90040750	

Black Bumper/
Radiator Push-Type Clips
Ø x H: 35 x 25 mm

Part No.	Pack of
FIX164	50
PSA 7518N8 **Renault** 7703077225 / 7703077225	

Trim Buttons

Part No.	Box of
AB151	**220 Pieces**

1 x Canoe Clip: FIX1. 1 x Self Pierce: FIX34. 1 x Trim Buttons: FIX35 .
2 x Multi-Step: FIX30, FIX33. 3 x Fir-Tree Fixings: FIX20, FIX21, FIX29.

Fir-Tree Fixings

Part No.	Box of
AB253	**180 Pieces**

2 x Trim Buttons: FIX164, FIX163.
4 x Fir-Trees: FIX29, FIX20, FIX21, FIX218.



Drive Rivets

Part No.	Box of
AB152	**220 Pieces**

8 x Sizes: FIX31, FIX39, FIX42, FIX43, FIX44, FIX45, FIX65, FIX66.

Black Trim Panel Push Rivets
W x D x H: 10.5 x 13.5 x 20.5 mm

Part No.	Pack of
FIX414	20

Merc A1249900792

Black Windshield Push Rivets
Ø x S: 11 x 14 mm

Part No.	Pack of
FIX776	20

Mitsubishi MB955901
Toyota 90467-07066
GM 96057847

Black Push Rivets
Ø x S: 12 x 10 mm

Part No.	Pack of
FIX116	50

Merc A1239900092

Black Windshield Push Rivets
W x D x S: 12.5 x 10 x 10 mm

Part No.	Pack of
FIX780	20

VW N90536901

Black Push Rivets
Ø x S: 13 x 8 mm

Part No.	Pack of
FIX760	20

Chrysler 6682401G00
Nissan 6682401G00

Black Push Rivets
Ø x S: 15 x 9 mm

Part No.	Pack of
FIX510	50

GM 96057846
Mitsubishi MB476821
Suzuki 09409073085PK
Toyota 9046707041

Black Push Rivets
Ø x S: 16 x 18 mm

Part No.	Pack of
FIX759	20

Merc A1249900492

Black Windshield Push Rivets
Ø x S: 14.5 x 27 mm

Part No.	Pack of
FIX775	20

Toyota 90467-09096

Black Push Rivets
Ø x S: 15 x 15 mm

Part No.	Pack of
FIX107	50

BMW 51111908077
Merc A0009905492

Black Push Rivets
Ø x S: 15 x 15 mm

Part No.	Pack of
FIX111	50

VW N90359101
BMW 51111908077
Merc A0009905492 / A0009905492 / A1249900492

Black Bumper Push Rivets
Ø x S: 15 x 20 mm

Part No.	Pack of
FIX109	50

BMW 51111964186
GM 1400804

Black Windshield Push Rivets
Ø x S: 16 x 11 mm

Part No.	Pack of
FIX786	20

Subaru 909140012

Black Windshield Push Rivets
Ø x S: 16 x 8 mm

Part No.	Pack of
FIX774	20

Toyota 90467-07146

Black Front Bumper/Boot Push Rivets
Ø x S: 18 x 10 mm

Part No.	Pack of
FIX766	20

Nissan 155309611 / 155310501
Toyota 9046708185

Black Windshield Push Rivets
Ø x S: 18 x 11.5 mm

Part No.	Pack of
FIX781	20

Nissan 8099905N07
Toyota 9046707043 / 9046707043C0 **Volvo** 987789

Black Bumper Push Rivets
Ø x S: 18 x 13 mm

Part No.	Pack of
FIX257	50

Black Push Rivets
Ø x S: 18 x 13 mm

Part No.	Pack of
FIX512	50

Mitsubishi MR200300

Black Push Rivets
Ø x S: 18 x 23 mm

Part No.	Pack of
FIX238	20

Chrysler 6504521

Black Bumper Cover/Grille Push Rivets
Ø x S: 18 x 32 mm

Part No.	Pack of
FIX764	20

Toyota 5216120010

Black Push Rivets
Ø x S: 18 x 28 mm

Part No.	Pack of
FIX511	50

Black Push Rivets
Ø x S: 19 x 16 mm

Part No.	Pack of
FIX112	50

BMW 51118174185

Black Push Rivets
Ø x S: 19 x 14 mm

Part No.	Pack of
FIX513	50

BMW 51118174185
GM 9046710161150 / 94858299
Honda 1560S6A003
Mazda E4T68865A
Mitsubishi MU480150
Suzuki 3568481A10

Black Front/Rear Bumper Push Rivets
Ø x S: 19.5 x 17 mm

Part No.	Pack of
FIX753	20

Honda 91503SZ5003

Black Windshield Push Rivets
Ø x S: 18 x 17.5 mm

Part No.	Pack of
FIX891	20

Ford 4855809
GM 11589289 / 6508863AA

Black Bumper Drive Rivets
Ø x S: 19.5 x 13 mm

Part No.	Pack of
FIX178	20

Honda 91501SZ3003

Black Push Rivets
Ø x S: 19.5 x 13 mm

Part No.	Pack of
FIX514	50

Honda 91501SZ3003

Black Push Rivets
W x D x S: 18 x 18 x 11 mm

Part No.	Pack of
FIX637	20

Toyota 5325920030

Black Push Rivets
Ø x S: 19.5 x 12 mm

Part No.	Pack of
FIX758	20

Honda 91545SE0003
Nissan 0155304233 / 6384801G00
Toyota 677715201OB1
Volvo 3541113

Black Bumper Push Rivets
Ø x S: 19.5 x 13 mm

Part No.	Pack of
FIX231	20

Honda 91503SZ3003 / 91505S9A003

Black Front Fender Push Rivets
Ø x S: 20 x 10 mm

Part No.	Pack of
FIX180	20

Honda 91512SX0003

Black Bumper Push Rivets
Ø x S: 20 x 10 mm

Part No.	Pack of
FIX258	50

PSA 71741883
Suzuki 0940907332000
Toyota 9046707164

Black Push Rivets
Ø x S: 20 x 10 mm

Part No.	Pack of
FIX769	20

Honda 91512SX0003

Black Bonnet Clip
Ø x H: 20 x 20 mm

Part No.	Pack of
FIX273	50

PSA 856553
Renault 1609267280

Black Push Rivets
Ø x S: 20 x 11 mm

Part No.	Pack of
FIX508	50

PSA 7013J0 / 8211MV

Black Front Bumper Push Rivets
Ø x S: 20 x 11 mm

Part No.	Pack of
FIX765	20

Honda 91503S7A003



Black Front Bumper Push Rivets
Ø x S: 20 x 13 mm

Part No.	Pack of
FIX768	20

Nissan 11296AG000 / 91503SZ3003

Black Push Rivets
Ø x S: 20 x 5 mm

Part No.	Pack of
FIX113	50

BMW 51481938725

Black Push Rivets
Ø x S: 20 x 14 mm

Part No.	Pack of
FIX114	50

BMW 51471911992
Merc A2019900292
Mitsubishi M8201411
Volvo 30820141

Black Push Rivets
Ø x S: 20 x 14 mm

Part No.	Pack of
FIX506	50

BMW 51471911992
Merc A2019900292
Mitsubishi M8201411
Volvo 30820141

Black Windshield Push Rivets
Ø x S: 20 x 20.5 mm

Part No.	Pack of
FIX779	20

Merc A1269900192

Black Push Rivets
Ø x S: 20 x 7.5 mm

Part No.	Pack of
FIX403	20

Ford 1738233

Black Engine Under Cover
Push Rivets Ø x S: 20 x 11 mm

Part No.	Pack of
FIX763	20

Toyota 9046707201

Black Windshield Push Rivets
Ø x S: 20 x 12.5 mm

Part No.	Pack of
FIX772	20

Subaru 59114AG000

Black Push Rivets
Ø x S: 20 x 8 mm

Part No.	Pack of
FIX509	50

Black Push Rivets
Ø x S x H: 20 x 8 x 22 mm

Part No.	Pack of
FIX754	20

Nissan 6384801G00
Volvo 3541113

Black Bumper Push Rivets
Ø x S: 20 x 9 mm

Part No.	Pack of
FIX240	50

Mitsubishi MR328954
Nissan 0155309231
Toyota 9004468320

Black Push Rivets
Ø x S: 20 x 9 mm

Part No.	Pack of
FIX507	50

Black Push Rivets
Ø x S: 20 x 21 mm

Part No.	Pack of
FIX751	20

VW 8E0825267 **Chrysler** 6503598
Ford 1039463 / N807389S
GM 21030249 **Land Rover** ANR2224
Renault 7701049271

Black Windshield Push Rivets
Ø x S: 20 x 9 mm

Part No.	Pack of
FIX771	20

Toyota 9046707214

Black Bumper Push Rivets
Ø x S: 20 x 20 mm

Part No.	Pack of
FIX110	50

VW N90359101
GM 1400806 / 90508809

Black/Light Grey Roof Trim
Push Rivets Ø x S: 24 x 30 mm

Part No.	Pack of
FIX756	20

Ford E866241SS2M

Grey Push Rivets
Ø x S: 27 x 19 mm

Part No.	Pack of
FIX651	20

Mercedes-Benz

Black Drive Rivets
W x D x S: 10 x 22 x 9 mm

Part No.	Pack of
FIX65	50

VW 811807447

Black Drive Rivets
W x D x S: 12 x 17.5 x 7 mm

Part No.	Pack of
FIX66	50

VW 171853695A



Black Drive Rivets
Ø x S: 4.8 x 6 mm

Part No.	Pack of
FIX88	50

Black Drive Rivets
Ø x S: 7.6 x 8 mm

Part No.	Pack of
FIX42	50

PSA 697224 / 9608351380
Renault 7703072224
Eurocode 6539ASSH

Black Drive Rivets
Ø x S: 8 x 7 mm

Part No.	Pack of
FIX91	50

Black Drive Rivets
Ø x S: 8.7 x 8 mm

Part No.	Pack of
FIX43	50

GM 167935
Merc A0009900392 / A0009902292
PSA 7903072116
Renault 7703072173

Black Drive Rivets
Ø x S: 9.5 x 12 mm

Part No.	Pack of
FIX44	50

Black Drive Rivets
Ø x S: 10 x 12 mm

Part No.	Pack of
FIX97	50

VW 1L0853934 / N0385012 / N10259301 **BMW** 51161881149
Merc A0009903492
PSA 77030721 / 7903072170
Renault 7703072116

Black Drive Rivets
Ø x S: 10 x 12 mm

Part No.	Pack of
FIX515	50

VW 1L0853934 / N0385012 / N10259301 **BMW** 51161881149
Merc A0009903492
PSA 77030721 / 7903072170
Renault 7703072116



Black Drive Rivets
Ø x S: 10 x 14 mm

Part No.	Pack of
FIX174	50

Renault 7703072144

Black Drive Rivets
Ø x S: 11 x 12 mm

Part No.	Pack of
FIX94	50

Black Drive Rivets
Ø x S: 11.4 x 7 mm

Part No.	Pack of
FIX95	50

GM 167935 **PSA** 7903072116
Renault 7703072173
Volvo 947098

Black Drive Rivets
Ø x S: 12.5 x 12 mm

Part No.	Pack of
FIX98	20

VW N0385501 **Ford** 7200671
PSA 781424

Black Drive Rivets
Ø x S: 13 x 13 mm

Part No.	Pack of
FIX45	50

Land Rover 79086L

Black Underide Guard Drive Rivets Ø x S: 13 x 15 mm

Part No.	Pack of
FIX106	20

GM 90356928
Merc A0009903792

Black Drive Rivets
Ø x S: 16 x 11 mm

Part No.	Pack of
FIX103	50

VW N10219501 / N10219502
Ford 1009164
GM 2317703 / 90116376
Merc A0009905592
Volvo 3923475

Black Drive Rivets
Ø x S: 16 x 10 mm

Part No.	Pack of
FIX104	50

GM 1719245 / 90138810

Black Drive Rivets
Ø x S: 16 x 11 mm

Part No.	Pack of
FIX100	50

VW 16186729901C / N038549101C / **BMW** 1916670
Ford E844052S
GM 1104880 / 90087290
Merc A0009902992
Volvo 35126242 / 94530507

Black Drive Rivets
Ø x S: 16 x 13 mm

Part No.	Pack of
FIX39	50

Black Drive Rivets
Ø x S: 16 x 13 mm

Part No.	Pack of
FIX517	50

VW 16186729901C / N038549101C / N0385494
BMW 1916670
Ford E844052S
GM 1104880 / 90087290
Merc A0009902992
PSA 697324
Volvo 35126242 / 94530507

Black Panel Drive Rivets
Ø x S: 16 x 14 mm

Part No.	Pack of
FIX709	20

Volvo 91334177

Black Drive Rivets
Ø x S: 16 x 14 mm

Part No.	Pack of
FIX175	50

Merc A0009904529
PSA 79030721 / 740760
Volvo 12681763

Black Drive Rivets
Ø x S: 16.5 x 14 mm

Part No.	Pack of
FIX516	50

Merc A0009904529
PSA 79030721 / 12688176 / 740760
Volvo 12681763



Black Drive Rivets
Ø x S: 18 x 17 mm

Part No.	Pack of
FIX99	50

VW 171885767
Merc A0019944145

BAHCO

BAHCO Trim Clip Tool

Blade made of high performance alloy steel. Hardness: 40-46 HRC.

Part No.	Qty	Shaft Length	Overall Length
TL125	1	**175 mm**	245 mm

Black Drive Rivets
Ø x S: 18.7 x 15 mm

Part No.	Pack of
FIX176	20

GM 1104882 / 90450482
Merc A0019901692

Black Bumper Drive Rivets
Ø x S: 20 x 15 mm

Part No.	Pack of
FIX105	50

BMW 51111944537

Black Drive Rivets
Ø x S: 20 x 24 mm

Part No.	Pack of
FIX177	20

VW 8L0807300

KS TOOLS GERMANY



KS TOOLS Plastic Wedge Set

Useful assortment of different wedges and clip removal tools.

- **Useful assortment of different wedges and clip removal tools.**
- **Ideal for removal of paneling, trims and window trims, at the same time, reducing paint work damage: e.g. plastic trims, internal door paneling, plugs, protective caps, actuation knobs etc.**

Part No.	Qty	Description
K911.8120	1 Set	**5 Piece Set**

1 x Standard clip remover. 1 x Trim wedge, narrow model. 1 x Dual clip remover.
1 x Bumper trim wedge, wide model. 1 x Clip remover.

Black Screw-Type Rivets
W x D x S: 15 x 8 x 15 mm

Part No.	Pack of
FIX124	20

BMW 51131885399



Black Fender Fasteners
W x D x S: 22 x 14 x 9 mm

Part No.	Pack of
FIX801	20

Isuzu 89422-11500
Nissan 63844-D0100

Black Screw-Type Rivets
Ø x S: 11 x 18 mm

Part No.	Pack of
FIX119	50

Black Screw-Type Rivets
Ø x S: 12 x 11 mm

Part No.	Pack of
FIX117	50

Merc A0009904092 / A1249900592 / A1249909051

Black Screw Rivets
Ø x S: 12 x 14 mm

Part No.	Pack of
FIX806	20

PSA 6991F0 / 9630090980
Renault 7703072261 / 99950761640

Black Screw-Type Rivets
Ø x S: 15 x 13 mm

Part No.	Pack of
FIX31	50

GM 94198687
Honda 90467SA6003
Mazda N30413356A
Toyota 9046706017

Black Screw-Type Rivets
Ø x S: 15 x 13 mm

Part No.	Pack of
FIX522	50

GM 94198687
Honda 90467SA6003
Hyundai KK37668868
Isuzu 8942981190
Mazda N30413356A
Nissan 1099830880
Toyota 9046706017

Black Bumper Liner Screw-Type Rivets
Ø x S: 15 x 13 mm

Part No.	Pack of
FIX794	20

GM 94530438
Mitsubishi MB344728
Nissan 65810AD20

Black Lining Clips
Ø x S: 15 x 14 mm

Part No.	Pack of
FIX807	20

Honda 90687-SB0-003 / 90687-SB0-013 / 91550-SH3-003

Black Screw-Type Rivets
Ø x S: 15 x 17 mm

Part No.	Pack of
FIX518	50

Ford 1007932 / 96SG16K262 / W703915SSYYB6

Black Screw-Type Rivets
Ø x S: 15 x 19 mm

Part No.	Pack of
FIX120	50

Chrysler 6503163
Ford W706264S300
GM 10053182

Black Screw-Type Rivets
Ø x S: 15.5 x 23 mm

Part No.	Pack of
FIX121	50

Chrysler 6502871
Ford N803946S / 1354124



Black Screw-Type Rivets
Ø x S: 16 x 12 mm

Part No.	Pack of
FIX118	50

Merc A1239900592
Volvo 3120254

Black Screw-Type Rivets
Ø x S: 16 x 14 mm

Part No.	Pack of
FIX126	20

Black Screw-Type Rivets
Ø x S: 16 x 17 mm

Part No.	Pack of
FIX236	20

Chrysler 10139822 / 6508197AA
Ford 1007932 / 1673046 / 96SG16K262
Ford W703915SSYYB6

Black Bumper Screw-Type Rivets
Ø x S: 17 x 11 mm

Part No.	Pack of
FIX234	20

Mitsubishi MB253964
Toyota 90467-07030

Black Bumper Screw-Type Rivets
Ø x S: 18 x 13 mm

Part No.	Pack of
FIX232	20

Ford MB45556143
Hyundai 0G03250037A / 8659028000
Mazda B09251833

White Bumper Clips
Ø x S: 18 x 13 mm

Part No.	Pack of
FIX796	20

Ford MB-455-56143
Mazda B092-51-833
Hyundai 0G032-50037A

Beige Bumper Screw-Type Rivets
Ø x S: 18 x 13 mm

Part No.	Pack of
FIX795	20

Ford MB-455-56143
Mazda B092-51-833
Nissan 01553-0038U
Hyundai 0G032-50037A / 85325-210005

Black Screw-Type Rivets
Ø x S: 18 x 13 mm

Part No.	Pack of
FIX520	50

Hyundai 8659028000
Mazda B09251833

Black Screw-Type Rivets
Ø x S: 18 x 10 mm

Part No.	Pack of
FIX519	50

Honda 90688SB0003

Black Trim Panel Clips
Ø x S: 18 x 18.5 mm

Part No.	Pack of
FIX804	20

Merc A1269900392

Black Push Type Clips
Ø x S: 18 x 22 mm

Part No.	Pack of
FIX359	20

Honda 905055M4003



Black Screw-Type Rivets
Ø x S: 18 x 23 mm

Part No.	Pack of
FIX122	50

Chrysler 10139822 / 6508197AA
Ford 1007932 / 1673046

Light Grey Trim Panel Clips
Ø x S: 18 x 12 mm

Part No.	Pack of
FIX792	20

VW 701867299 / 7018672991YZ

Black Trim Panel Clips
Ø x S: 18 x 12 mm

Part No.	Pack of
FIX793	20

VW 70186729901C

Black Bumper Screw-Type Rivets
Ø x S: 19 x 11 mm

Part No.	Pack of
FIX233	20

Ford MB25556143
Honda 90675SB3003
Hyundai 0G03250037A / 8659028000
Mazda FB0156964
Nissan 6387695596 / B09251833

Black Screw-Type Rivets
Ø x S: 20 x 20 mm

Part No.	Pack of
FIX523	50

Land Rover AWR3994
Mazda NA0156145
Nissan 6384401A00 / 6385401A00 / 6387801E10

Black Screw-Type Rivets
Ø x S: 20 x 8 mm

Part No.	Pack of
FIX181	20

Honda 90675SB003
Nissan 75521611000

Black Screw-Type Rivets
Ø x S: 20 x 8 mm

Part No.	Pack of
FIX123	50

Honda 90675SB003
Nissan 75521611000

Drive Rivets

Part No.	Box of
AB152	220 Pieces

8 x Sizes: FIX31, FIX39, FIX42, FIX43, FIX44, FIX45, FIX65, FIX66.

Screw-Type Rivets

Part No.	Box of
AB172	130 Pieces

8 x Sizes: FIX31, FIX117, FIX118, FIX119, FIX120, FIX121, FIX122, FIX123.

Locking Nuts

Part No.	Box of
AB153	220 Pieces

3 x Round: FIX9, FIX28, FIX38. 1 x Reverse Round: FIX71. 1 x Square: FIX23. 1 x Square Reverse: FIX22. 2 x Large Locking Nuts: FIX73, FIX74.

Black Screw-Type Rivets
Ø x S: 20 x 14 mm

Part No.	Pack of
FIX182	10

BMW 7887508000
Honda 91503SP0003 / 91503SP0003
Land Rover DYQ100230
Mazda FB0156964
Nissan 6387695596
Toyota 94530623

Black Screw-Type Rivets
Ø x S: 20 x 14 mm

Part No.	Pack of
FIX521	50

Black Screw-Type Rivets
Ø x S: 20 x 26 mm

Part No.	Pack of
FIX216	20

Honda 91502SP0003

Black Screw Type Rivets
Ø x S: 23 x 16 mm

Part No.	Pack of
FIX798	20

VW 8541ASCHB

Black Screw Type Rivets
Ø x S: 25 x 14 mm

Part No.	Pack of
FIX797	20

Black Expansion Rivets
Ø x S: 30 x 17 mm

Part No.	Pack of
FIX802	10

Merc A0019900192

Trim Clip Workshop Kit

Contains 1,800 trim clips.
Caters for most vehicle applications.

Part No.	Qty	Description
MKIT1	1 Kit	**Trim Clip Workshop Kit**

1 x Louvred Panel (W x H): 457 x 946 mm (SB35). 36 x Storage Bins (D x W x H): 165 x 100 x 75 mm Blue (SB21BU).
36 x Trim Clips: FIX500 - FIX535 (Packs of 50): 6 x Trim Buttons - Fir-Tree. 6 x Screw Rivets. 9 x Push Rivets.
3 x Drive Rivets. 3 x Locking Nuts. 9 x Panel Clips.

BAHCO

BAHCO Trim Clip Tool

Blade made of high performance alloy steel. Hardness: 40-46 HRC.

Part No.	Qty	Shaft Length	Overall Length
TL125	1	**175 mm**	245 mm

KS TOOLS GERMANY



KS TOOLS Plastic Wedge Set

Useful assortment of different wedges and clip removal tools.

- **Useful assortment of different wedges and clip removal tools.**
- **Ideal for removal of paneling, trims and window trims, at the same time, reducing paint work damage: e.g. plastic trims, internal door paneling, plugs, protective caps, actuation knobs etc.**

Part No.	Qty	Description
K911.8120	1 Set	**5 Piece Set**

1 x Standard clip remover. 1 x Trim wedge, narrow model. 1 x Dual clip remover.
1 x Bumper trim wedge, wide model. 1 x Clip remover.

Actual Size Images

Trim Clip Chart

Double sided A1 size guide,
folded down to A4 for easy and convenient use.

If displaying range on a wall two copies will be required.

- **Contains 330 popular trim clips, body screws, number plate screws and rivets**
- **New larger format A1 size chart**
- **Actual size images for quick and easy identification**

Part No.	Qty	Description
YCHART1	1	A1 Double Sided Wall Chart

Search for Trim Clips by OEM Ref - See Page 185

Natural Locking Nuts
W x H: 9.5 x 8 mm

Part No.	Pack of
FIX23	50

Natural Locking Nuts
W x H: 9.5 x 12 mm

Part No.	Pack of
FIX22	50

Natural Locking Nuts
Ø x H: 9 x 9.5 mm

Part No.	Pack of
FIX524	50

VW 155809966
Fiat 14115980 **PSA** 6992G2

Natural Locking Nuts
W x H: 9 x 12 mm

Part No.	Pack of
FIX72	50

Black Locking Nuts
Ø x H: 12 x 14 mm

Part No.	Pack of
FIX71	50

VW 6N0809966A / 867809966

Black Locking Nuts
W x D x H: 12 x 7 x 12 mm

Part No.	Pack of
FIX134	50

VW 811807577C

Salmon Locking Nuts
W x D x H: 12 x 12 x 9 mm

Part No.	Pack of
FIX740	20

Fiat 142215088

Natural Locking Nuts
W x H: 11 x 12 mm

Part No.	Pack of
FIX142	50

GM 1216957 / 90230960

Black Round Locking Nuts
Ø x H: 13 x 8 mm

Part No.	Pack of
FIX9	50

Natural Locking Nuts
Ø x H: 12.5 x 11 mm

Part No.	Pack of
FIX28	50

Yellow Locking Nuts
W x H: 14 x 8 mm

Part No.	Pack of
FIX190	50

Toyota 9018906018

Natural Round Locking Nuts
Ø x H: 16.5 x 11 mm

Part No.	Pack of
FIX221	50

Toyota 9018906006

Natural Locking Nuts
Ø x H: 16 x 11 mm

Part No.	Pack of
FIX525	50

Natural Round Locking Nuts
Ø x H: 16 x 9 mm

Part No.	Pack of
FIX38	50

White Locking Nuts
Ø x H: 14.3 x 16 mm

Part No.	Pack of
FIX191	20

BMW 51127046911
Honda 906726718110M1 / 91620SR2003
Hyundai 9751922000

Natural Locking Nuts
Ø x H: 16 x 20 mm

Part No.	Pack of
FIX73	50

VW 321813998A
Honda 906726718 11M
Toyota 9018904013

White Push Type Clips
Ø x H: 17.5 x 17.5 mm

Part No.	Pack of
FIX747	20

Mitsubishi MB098145 / MU480033
Toyota 9018906001

Natural Locking Nuts
Ø x H: 22 x 21 mm

Part No.	Pack of
FIX74	50

Ford 1007902 / 1659672

Black Fender Screw Grommets
Ø x H: 16 x 20 mm

Part No.	Pack of
FIX749	20

GM 94854203
Toyota 9018906224

Black Locking Nuts
Ø x H: 20 x 18.5 mm

Part No.	Pack of
FIX192	50

Toyota 9018906013

Black Locking Nuts
Ø x H: 20 x 18.5 mm

Part No.	Pack of
FIX526	50

Toyota 9018906013

Black Locking Nuts
Ø x H: 15 x 14 mm

Part No.	Pack of
FIX135	50

VW N90833801

Black Locking Nuts
Ø x H: 16 x 21 mm

Part No.	Pack of
FIX137	20

VW 357827998

Black Locking Nuts
Ø x H: 15 x 21.5 mm

Part No.	Pack of
FIX136	50

VW N90821401

Grey Locking Nuts
Ø x H: 16 x 25 mm

Part No.	Pack of
FIX138	50

VW 357868143

Black Locking Nuts
Ø x H: 18 x 21 mm

Part No.	Pack of
FIX139	20

VW 357827998A / 357827998A

Black Locking Nuts
Ø x H: 18 x 25 mm

Part No.	Pack of
FIX145	20

GM 1406984 / 90482706



Black Locking Nuts
W x D x H: 16 x 12 x 15 mm

Part No.	Pack of
FIX461	20

Mitsubishi MB083120
Toyota 90189-04008

Black Locking Nuts
Ø x H: 24 x 10.5 mm

Part No.	Pack of
FIX146	50

BMW 51711958025
Merc A2019900050

Black Locking Nuts
Ø x H: 23 x 18 mm

Part No.	Pack of
FIX144	20

GM 1190970 / 90053803

Black Locking Nuts
Ø x H: 16 x 11 mm

Part No.	Pack of
FIX147	50

VW 8E0825265C
BMW 16131176747
GM 180942 / 90413589
Merc A0039900251

Dark Red Locking Nuts
L x W x H: 17 x 14.5 x 12 mm

Part No.	Pack of
FIX26	50

VW 1J0853120

Black Side Moulding Clips
W x D x H: 15 x 10 x 15.5 mm

Part No.	Pack of
FIX746	20

Renault 7703081185

Natural Moulding Clips
W x D x H: 20 x 13 x 17.5 mm

Part No.	Pack of
FIX867	20

PSA 699796
Renault 7703081185

Black Locking Nuts
W x D x H: 11 x 21 x 17 mm

Part No.	Pack of
FIX148	50

BMW 5113810295 / 51138102952
Merc A6389940845

Clear Plug in Clips
W x D x H: 17 x 15 x 11 mm

Part No.	Pack of
FIX481	20

BMW 51418215806

White Grommets
Ø x H: 11 x 14 mm

Part No.	Pack of
FIX305	20

Merc A0019887681

Clear Retaining Clips
W x D x H: 17 x 15 x 15 mm

Part No.	Pack of
FIX482	20

BMW 51458161557

Red Dash Trim Clips
W x D x H: 19 x 17 x 12 mm

Part No.	Pack of
FIX483	20

BMW 51458266814

Natural Friction Bushes
Ø x H: 5 x 12 mm

Part No.	Pack of
FIX6	50

VW 113853615 **Fiat** 4234280
Merc A0009880027
PSA 9629547080

Black Screw Grommets
W x D x H: 10 x 10 x 15 mm

Part No.	Pack of
FIX890	20

BMW 63171367868
Merc A0009881625

Black Headlight Locking Nuts
Ø x H: 12.5 x 10.5 mm

Part No.	Pack of
FIX621	20

Ford N807994S
Nissan N807994S
Toyota 9046712042

White Headlight Clips
Ø x H: 15 x 10 mm

Part No.	Pack of
FIX645	20

Hyundai 92351-37000

White Headlight Clips
W x D x H: 18.5 x 14 x 15 mm

Part No.	Pack of
FIX421	20

VW 191941142

Black Front Logo Clips
Ø x H: 8 x 13 mm

Part No.	Pack of
FIX366	20

Renault 7703081151

Green Moulding Clips
Ø x H: 13 x 12 mm

Part No.	Pack of
FIX87	50

VW 1H0853586

Black Moulding Grommets
Ø x H: 13 x 12.5 mm

Part No.	Pack of
FIX340	20

GM 129943

Beige/Black Grommets
Ø x H: 16 x 17.5 mm

Part No.	Pack of
FIX193	50

VW N10516801

White Lining Clips
Ø x H: 11.5 x 12 mm

Part No.	Pack of
FIX863	20

GM 0149907 / 90414663

White Mirror Panel Clips
Ø x H: 12 x 16 mm

Part No.	Pack of
FIX810	20

Ford 9032112 / 149910

White/Grey Panel Clips
Ø x H: 15 x 14 mm

Part No.	Pack of
FIX816	20

Renault 7701050734 / 7703077430

White Moulding Clips
Ø x H: 15 x 19 mm

Part No.	Pack of
FIX828	20

Renault 7703077183

White Lining Clips
Ø x H: 15 x 20 mm

Part No.	Pack of
FIX880	20

Renault 7703077250

Black Door Panel Clips
Ø x H: 15 x 20.5 mm

Part No.	Pack of
FIX856	20

Renault 7703077434
GM 93160780

Grey Lining Clips
Ø x H: 16 x 16 mm

Part No.	Pack of
FIX835	20

Merc A0009905792

Black/White Trim Panel Clips
Ø x H: 16 x 19 mm

Part No.	Pack of
FIX818	20

Ford 1257376

Blue Panel Clips
Ø x H: 16.5 x 19 mm

Part No.	Pack of
FIX846	20

VW 171867299B
Honda 91560-S9A-A01

Natural Panel Clips
Ø x H: 17 x 18 mm

Part No.	Pack of
FIX527	50

Ford 1008086
GM 2345957 / 2345959 / 90321122 / 90457899
Toyota 6777102030

Yellow Panel Clips
Ø x H: 17 x 20 mm

Part No.	Pack of
FIX831	20

VW 7M0867299K
Ford 1008068 / A310A46-AA

Yellow Panel Clips
Ø x H: 17.5 x 21 mm

Part No.	Pack of
FIX167	20

VW 7M0867299K
Ford 1008086 / A310A46AA

White Lining Clips
Ø x H: 17.5 x 21 mm

Part No.	Pack of
FIX853	20

Merc A0079899978
Toyota 6777102030

White Panel Clips
Ø x H: 18 x 16 mm

Part No.	Pack of
FIX7	50

Natural Panel Clips
Ø x H: 18 x 17 mm

Part No.	Pack of
FIX529	50

VW 2730ASCTS1B
PSA 6991S6
Renault 7703077469
Eurocode 2730ASCTS1B

White Inner Door Panel Clips
Ø x H: 18 x 17.5 mm

Part No.	Pack of
FIX841	20

Ford 6117693 / E865220S
Merc A0069884378
Mitsubishi M283083

Blue Moulding Clips
Ø x H: 18 x 17.5 mm

Part No.	Pack of
FIX838	20

GM 88970345
Toyota 9046710167

White Panel Clips
Ø x H: 18 x 18.5 mm

Part No.	Pack of
FIX845	20

Suzuki 940908310
Toyota 6777189104

1:1 Actual Size Images

Blue Panel Clips
Ø x H: 18 x 20 mm

Part No.	Pack of
FIX48	50

Ford 1070107



Natural Interior Lining Clips
Ø x H: 18 x 20 mm

Part No.	Pack of
FIX272	50

BMW 51418224768

Natural Panel Clips
Ø x H: 18 x 20.5 mm

Part No.	Pack of
FIX531	50

GM 909130115
Toyota 9046710161

Black Panel Clips
Ø x H: 18 x 21 mm

Part No.	Pack of
FIX160	20

VW 703867299

Red Lining Clips
Ø x H: 18 x 22 mm

Part No.	Pack of
FIX824	20

Fiat 46410400 / 500358567



Black Floor Covering Clips
Ø x H: 18.5 x 18 mm

Part No.	Pack of
FIX255	50

PSA 6991S6
Renault 7703077469

White Panel Clip
Ø x H: 18.5 x 18 mm

Part No.	Pack of
FIX252	50

PSA 8E9867299
Renault 6991S6
Eurocode 2730ASCTS1B

Green Lower Panel Clips
Ø x H: 18.5 x 18 mm

Part No.	Pack of
FIX848	20

Merc A0009912771

White Panel Clips
Ø x H: 18.5 x 20 mm

Part No.	Pack of
FIX530	50

Toyota 6777102030

Natural Panel Clips
Ø x H: 18.5 x 21 mm

Part No.	Pack of
FIX165	20

Fiat 500326189
Ford 6176723

Grey Panel Clips
Ø x H: 20 x 19 mm

Part No.	Pack of
FIX37	50

Ford 6117693

White Panel Clips
Ø x H: 20 x 24 mm

Part No.	Pack of
FIX250	50

VW 6X0867300A
PSA 699050

Green Panel Clips
Ø x H: 18 x 18 mm

Part No.	Pack of
FIX217	50

BMW 51411870718

Black Panel Clips
Ø x H: 18 x 18.5 mm

Part No.	Pack of
FIX242	50

VW 893867290
GM 2240587 / 2240593 / 90321121

Black Panel Clips
Ø x H: 18 x 21 mm

Part No.	Pack of
FIX47	50

VW 823867299
Toyota 7504933010

Yellow Trim Panel Clips
Ø x H: 18 x 20 mm

Part No.	Pack of
FIX812	20

BMW 51418172050

White Panel Clips
Ø x H: 18 x 21 mm

Part No.	Pack of
FIX528	50

VW 893867290
BMW 51411885961 / 51411973500
BMW 51418224768
Ford SEEFIX528



Natural Panel Clips
Ø x H: 18 x 21 mm

Part No.	Pack of
FIX80	50

VW 171867299B / 893867290
BMW 51411885961

1:1 Actual Size Images

Dark Blue Panel Clips
Ø x H: 16 x 18 mm

Part No.	Pack of
FIX861	20

Honda 90602-TA0-003

Black Panel Clips
Ø x H: 14 x 21 mm

Part No.	Pack of
FIX263	50

Land Rover MWC9134

Blue Door Trim Clips
Ø x H: 14 x 21 mm

Part No.	Pack of
FIX886	20

Land Rover MWC9134

White Door Trim Panel Clips
Ø x H: 17 x 15.5 mm

Part No.	Pack of
FIX269	50

PSA 699636
Renault 7703077111
Suzuki 09409083085ES



Black Bumper Clips
Ø x H: 23 x 26 mm

Part No.	Pack of
FIX275	50

BMW 07131480419

Black Panel Clips
Ø x H: 23 x 27.5 mm

Part No.	Pack of
FIX168	20

VW 6Q0868243

White/Black Panel Clips
Ø x H: 21.5 x 20 mm

Part No.	Pack of
FIX495	20

Renault 7703077476

Black Panel Clips
Ø x H: 22 x 22 mm

Part No.	Pack of
FIX83	20

VW 3B0838243

Black Panel Clips
Ø x H: 27 x 30 mm

Part No.	Pack of
FIX169	20

VW 8E0868243

Black/White Panel Clips complete with Housing
Ø x H: 18 x 26 mm

Part No.	Pack of
FIX81	20

VW 6N0868243A

Brown/White Panel Clips complete with Housing
Ø x H: 28 x 32 mm

Part No.	Pack of
FIX82	20

VW 1H0868243B

Black Lining Clips
Ø x H: 19 x 22.5 mm

Part No.	Pack of
FIX819	20

Chrysler 6033862
GM 796255 **AMC** 4005099

White Steering Clips
Ø x H: 13 x 18 mm

Part No.	Pack of
FIX330	20

Ford YC15B03180AB

White/Black Planel Clips
W x D x H: 15.5 x 15.3 x 16.7 mm

Part No.	Pack of
FIX821	20

Hyundai 87702H1000

White Bumper Retainer Clips
Ø x H: 16 x 13 mm

Part No.	Pack of
FIX230	20

GM 122920

White Bumper Trim Clips
Ø x H: 19 x 17 mm

Part No.	Pack of
FIX338	20

PSA 856553
Renault 7703077420 / 7703077421

Grey Panel Clips
Ø x H: 19 x 17 mm

Part No.	Pack of
FIX533	50

Fiat 500326896 / 71728806
GM 4409693 / 4412053 / 93160023
Renault 7701470779 / 7703077421

White Panel Clips
Ø x H: 20 x 16 mm

Part No.	Pack of
FIX166	50

PSA 6539ASCHB / 856540
Renault 7701049270

White Panel Clips
Ø x H: 20 x 16 mm

Part No.	Pack of
FIX532	50

Fiat 71737918
PSA 6539ASCHB / 856540
Renault 7701049270

Green Moulding Clip
Ø x H: 18.5 x 17 mm

Part No.	Pack of
FIX266	50

Fiat 9408565488
PSA 856548

Black Moulding Clips
Ø x H: 20 x 17.5 mm

Part No.	Pack of
FIX227	50

Fiat 9408565488
PSA 856548

Orange Moulding Clips
Ø x H: 17 x 24.5 mm

Part No.	Pack of
FIX837	20

Toyota 9090467036

White Moulding Clips
Ø x H: 18 x 17.8 mm

Part No.	Pack of
FIX228	50

Suzuki 9046711063
Toyota 7539533030 / 7693126010

White/Black Moulding Clips
Ø x H: 18 x 22 mm

Part No.	Pack of
FIX49	50

VW 357853575
PSA 6991W4

Black/Clear Base Panel Clips
W x D x H: 15 x 6 x 18 mm

Part No.	Pack of
FIX185	20

VW 1H0837719
Ford 106520 / 1065204
GM 157979

White Side Moulding Clips
W x D x H: 18 x 16 x 21 mm

Part No.	Pack of
FIX400	20

VW 3C0853586

White/Black Surround Panel Clips
Ø x H: 12 x 10.5 mm

Part No.	Pack of
FIX534	50

Fiat 71728806
PSA 856543

White/Black Washer Panel Clips
Ø x H: 18 x 14.5 mm

Part No.	Pack of
FIX535	50

Hyundai 877562 / 877562E000

Light Blue/Black Rocker Panel Clips
Ø x H: 18 x 19 x 21 mm

Part No.	Pack of
FIX850	20

Hyundai 877583L000

Natural Bumper Retainer Clips
W x D x H: 20 x 15 x 17 mm

Part No.	Pack of
FIX237	20

Ford 2T14V35312AB



Yellow/Black Rocker Panel Clips
W x D x H: 20 x 16 x 15 mm

Part No.	Pack of
FIX822	20

Hyundai 877583D000

Natural Door Lock Rod Clips
W x D x H: 23 x 9.5 x 18 mm

Part No.	Pack of
FIX462	20

Toyota 6929312050

Natural Door Linkage Clips
Ø x H: 9 x 11 mm

Part No.	Pack of
FIX140	50

VW 171837199
Merc A0039885078



White/Red Washer Moulding Clips
W x D x S: 18 x 6 x 5 mm

Part No.	Pack of
FIX63	50

VW 113853585C



White Moulding Clips
W x D x S: 18 x 6 x 5 mm

Part No.	Pack of
FIX64	50

VW 113853585C

White Moulding Clips
W x D x H: 31 x 8.5 x 5 mm

Part No.	Pack of
FIX186	20

VW 191853733A / 6U0853733 / 7603ASCH

White Moulding Clips
W x D x H: 32 x 10.5 x 6 mm

Part No.	Pack of
FIX187	20

VW 1H0853733B / 8541ASCH

Yellow Moulding Clips
W x D x H: 35 x 39 x 21 mm

Part No.	Pack of
FIX85	20

VW 1H0853585B

White/Blue Headlight Clips
W x D x H: 25 x 34 x 16 mm

Part No.	Pack of
FIX417	20

VW 8E0825265C **BMW** 16131176747
Merc A0039900251
GM 180942 / 90413589

White Moulding Clips
W x D x H: 41 x 23 x 15 mm

Part No.	Pack of
FIX86	20

VW 1H0853585A



Green Moulding Clips
W x D x H: 19 x 32 x 24 mm

Part No.	Pack of
FIX869	20

BMW 51717066223

White Door Panel Clips
W x D x H: 48 x 33 x 14 mm

Part No.	Pack of
FIX424	20

Merc A0079887178

Green/White/Zinc Plated Battery Terminal Covers - L Shape 2
W x D x H: 54.5 x 16 x 12 mm

Part No.	Pack of
FIX634	10

Merc A2016980660
Eurocode 5328ASCST1B

White Badge Fixing Clips
Ø: 12 mm

Part No.	Pack of
FIX67	50

Ford 1053656300

Black Door Gasket Clips
Ø x H: 6 x 13 mm

Part No.	Pack of
FIX331	20

Ford 1042065 / W7029851042065

Black Seat Belt Clips
Ø x H: 16 x 5 mm

Part No.	Pack of
FIX411	20

Hole Ø 9

Black Screw Nut
Ø x H: 20 x 21 mm

Part No.	Pack of
FIX354	20

GM 1404960

Black Door Lock Knobs
Ø x H: 8.5 x 45.5 mm

Part No.	Pack of
FIX436	10
VW 17S8371879B9	

Black Bonnet Buffers
Ø x H: 18 x 30 mm

Part No.	Pack of
FIX32	20
VW HNA5373BA **Ford** AAU5486A	

Black Seal Clips
W x D x H: 23 x 29 x 15 mm

Part No.	Pack of
FIX325	20
VW 1H586384901C / 867863849A01C	

Hole Ø 20

Black Floor Mat Twist Lock Clips
Clip/Washer Ø x H: 18.3 x 25 mm

Part No.	Pack of
FIX219	20 Pairs
BMW 51471881521 / 82119410191	

Black Thumb Screw Nuts
W x D x H: 25 x 25 x 17 mm

Part No.	Pack of
FIX640	10
BMW 71111179445	

Black Gloss Boot Lid Thumb Screw
W x D x H: 45.5 x 23 x 32 mm

Part No.	Pack of
FIX639	5
BMW 71111179444	

Black Fender Clips
W x D x H: 32 x 31 x 12 mm

Part No.	Pack of
FIX471	20
Nissan 6384835F00 / 63848D400 **Toyota** 5378914010	

Black Fender Bumper Clips
W x D x H: 34.5 x 25 x 18.5 mm

Part No.	Pack of
FIX407	20
Toyota 5387958010	

Black Moulding Clips
W x D x H: 20.5 x 12 x 22 mm

Part No.	Pack of
FIX384	20
Ford FCP-0180	

Hole Ø 15

Black Cover Plugs
Ø x H: 22 x 10.5 mm

Part No.	Pack of
FIX490	20
VW 1H0837111AB41	

Black Bonnet Insulator Clips
Ø x H: 24.5 x 18.5 mm

Part No.	Pack of
FIX434	20
VW 701863841	

Black Plastic Nut Star
Ø x H: 22 x 6 mm

Part No.	Pack of
FIX360	20
PSA 055389000	

Hole Ø 6

Grey Omega Clips
Ø: 8 mm

Part No.	Pack of
FIX52	50

Fiat 14569680
PSA 7903079004
Renault 7703079070

Hole Ø 6

Green Omega Clips
Ø: 11 mm

Part No.	Pack of
FIX53	50

Fiat 1456980

Hole Ø 6

Pink Omega Clips
Ø: 13 mm

Part No.	Pack of
FIX54	50

Hole Ø 6

Blue Omega Clips
Ø: 14 mm

Part No.	Pack of
FIX55	50

Hole Ø 6

White Omega Clips
Ø: 17 mm

Part No.	Pack of
FIX56	50

Hole Ø 6

Yellow Omega Clips
Ø: 24 mm

Part No.	Pack of
FIX57	50

Hole Ø 10

Black Bonnet Rod Clips
W x D x H: 20 x 20 x 29 mm

Part No.	Pack of
FIX458	20

Hyundai 811741G000
Toyota 5345514020

Black Bonnet Rod Clips
Ø x H: 16 x 23 mm

Part No.	Pack of
FIX624	20

Universal



Natural Bonnet Rod Clips
W x D x H: 17 x 17 x 25 mm

Part No.	Pack of
FIX382	20

Toyota 5345514020

Hole Ø 7.6

White Bonnet Rod Clips
Ø x H: 16.5 x 26 mm

Part No.	Pack of
FIX363	20

Universal

Hole Ø 7.6

Black Gloss Bonnet Rod Clips
Ø x H: 16.5 x 26 mm

Part No.	Pack of
FIX369	20

Black Bonnet Rod Clips
W x D x H: 13 x 14.5 x 24 mm

Part No.	Pack of
FIX335	20

Fiat 46789809

Natural Bonnet Rod Clips
W x D x H: 15.5 x 15.5 x 24 mm

Part No.	Pack of
FIX477	20

Toyota 9095901136



Hole Ø 6

Natural Brake Pipe & Petrol Pipe Clips
Pipes Ø: 4 & 8 mm

Part No.	Pack of
FIX69	50

Ford 6482170

Hole Ø 8

White Pipe/Cable Clips
Pipe Ø: 4.8 (x 2) mm

Part No.	Pack of
FIX76	50

Hole Ø 8

White Pipe/Cable Clips
Pipe Ø: 6.4 (x 2) mm

Part No.	Pack of
FIX77	50

Hole Ø 8

White Pipe/Cable Clips
Pipe Ø: 7.9 (x 2) mm

Part No.	Pack of
FIX78	50

White Bonnet Rod Clips
W x D x H: 22 x 14 x 21 mm

Part No.	Pack of
FIX361	20

PSA 9605204680

Black Hole Plugs
Ø x H: 16.7 x 16 mm

Part No.	Pack of
FIX1013	50
Universal	

Black Hole Plugs
Ø x H: 24.8 x 17 mm

Part No.	Pack of
FIX1421	50
Universal	

Black Hole Plugs
Ø x H: 34.8 x 17 mm

Part No.	Pack of
FIX2230	50
Universal	

Assorted Pack of Pipe/Cable Clips

Part No.	Pack of
AP60	35 Pieces
3 x Types: FIX76, FIX77, FIX78.	

Black Cable Fixings
W x L: 18 x 95 mm

Part No.	Pack of
FIX50	50
Ford 389358	

Black. Cable Harness Clips
W x H x D:: 30 x 43 x 20 mm

Part No.	Pack of
FIX60	50

White Panel Fixing Cable Ties
Tie W x L: 4.5 x 200 mm

Part No.	Pack of
FIX859	20



Black Panel Fixing Cable Ties
Width x Length 4.6 x 215 mm

Part No.	Pack of
ECT23	100

Black Panel Fixing Cable Ties
Width x Length: 5.0 x 170 mm

Part No.	Pack of
ECT25	100

Plastic Rivets

Black plastic.

Black Standard Flange Plastic Rivets
Head Ø x Length: 5 x 22 mm

Part No.	Pack of
FIX209	50

Chrysler 6500898

Black Standard Flange Plastic Rivets
Head Ø x Length: 6 x 25 mm

Part No.	Pack of
FIX210	50

Chrysler 25524005 / 6501559 / 6506007AA
Ford N803862S
GM 10184895

Black Large Flange Plastic Rivets
Head Ø x Length: 6 x 25 mm

Part No.	Pack of
FIX211	50

Chrysler 6503860
Ford N8030433 / N803043S / N804675S
GM 10036503 / 14063981 / 6500911

Black Large Flange Plastic Rivets
Head Ø x Length: 7 x 17.5 mm

Part No.	Pack of
FIX212	20

Black Large Flange Plastic Rivets
Head Ø x Length: 6 x 19 mm

Part No.	Pack of
FIX213	50

BMW 51717002953

Aluminium Trim Clip Rivets
Ø: 2.4 mm

Part No.	Pack of
FIX70	50

Ford 6028434 **GM** 164361 / 90033713

Aluminium/Black Plastic Flange Body Trim Rivets
Head Ø: 4 mm

Part No.	Pack of
FIX206	50

Volvo 979878

Aluminium/Black Plastic Cover Body Trim Rivets
Head Ø: 6 mm

Part No.	Pack of
FIX207	50

Ford 1041415 / W704439S / W709095S33

Black Rivet
Plastic Ø x Rivet L: 14 x 30 mm

Part No.	Pack of
FIX712	10

PSA 6973A4

Looking for Regular Rivets?

Full range of Standard Rivets and Tools start from page 151

Trim Clips by OEM Ref

185 Audi • VW • Seat • Škoda
187 BMW
188 Chrysler • Jeep • Dodge
189 PSA (Citroën • Peugeot)
190 Fiat • Alfa Romeo
190 Iveco • Lancia
190 Ford
191 Honda • Acura
192 Hyundai • Kia
193 Isuzu
193 Land Rover
193 Mazda
193 Mercedes-Benz
195 Mitsubishi
195 Nissan • Infiniti • Datsun
196 Renault
196 Subaru
196 Suzuki
197 Toyota • Lexus
198 Vauxhall • Opel • GM
199 Volvo
199 Universal Fixings



OEM Reference by Vehicle Marques

If you know the manufacturer's OEM reference of the trim clip you are looking for then simply look it up here in our listing by vehicle marque.

All sizes are in millimetres (mm) unless stated otherwise.

Manufacturers OEM References provided for information and guidance only. E. & O. E.

Audi • VW Seat • Škoda

113853586
FIX323 Pack of 20
W x D x H: 39 x 22 x 18.5

109746421
FIX358 Pack of 20
Ø x H 13 x 18 mm

109746421
FIX345 Pack of 20
Ø x H: 15 x 18

109746422
FIX350 Pack of 20
Ø x H: 13 x 19

113853585C
FIX63 Pack of 50
W x D x S: 18 x 6 x 5

113853585C
FIX64 Pack of 50
W x D x S: 18 x 6 x 5

113853615
FIX6 Pack of 50
Ø x H: 5 x 12

Audi • VW Seat • Škoda

155809966
FIX524 Pack of 50
Ø x H: 9 x 9.5

16186729901C
FIX100 Pack of 50
Ø x S: 16 x 11

16186729901C
FIX517 Pack of 50
Ø x S: 16 x 13

16186729901C
FIX39 Pack of 50
Ø x S: 16 x 13

171837199
FIX140 Pack of 50
Ø x H: 9 x 11

171853695A
FIX66 Pack of 50
W x D x S: 12 x 17.5 x 7

171867299B
FIX80 Pack of 50
Ø x H: 18 x 21

Audi • VW Seat • Škoda

171867299B
FIX846 Pack of 20
Ø x H: 16.5 x 19

171885767
FIX99 Pack of 50
Ø x S: 18 x 17

17S8371879B9
FIX436 Pack of 10
Ø x H: 8.5 x 45.5

191853577A
FIX452 Pack of 20
W x D x H: 15 x 12 x 19

191853733A
FIX186 Pack of 20
W x D x H: 31 x 8.5 x 5

191941142
FIX421 Pack of 20
W x D x H: 18.5 x 14 x 15

1H0819055B01C
FIX239 Pack of 50
Ø x H: 23 x 19

Audi • VW Seat • Škoda

1H0819055B01C
FIX892 Pack of 20
Ø x H: 23 x 16

1H0819055C01C
FIX798 Pack of 20
Ø x S: 23 x 16

1H0823717
FIX79 Pack of 50
W x D x H: 17 x 5.5 x 5

1H0837111AB41
FIX490 Pack of 20
W x D x H: 22 x 10.5

1H0837719
FIX185 Pack of 20
W x D x H: 15 x 6 x 18

1H0853585
FIX321 Pack of 10
W x D x H: 33 x 38 x 19

1H0853585
FIX84 Pack of 20
W x D x H: 35 x 39 x 15

Audi • VW • Seat • Škoda

1H0853585A
FIX323 Pack of 20
W x D x H: 39 x 22 x 18.5

1H0853585A
FIX86 Pack of 20
W x D x H: 41 x 23 x 15


1H0853585B
FIX85 Pack of 20
W x D x H: 35 x 39 x 21


1H0853586
FIX87 Pack of 50
Ø x H: 13 x 12

1H0853733B
FIX187 Pack of 20
W x D x H: 32 x 10.5 x 6

1H0868243A
FIX82 Pack of 20
Ø x H: 28 x 32

1H0868243B
FIX857 Pack of 20
Ø x H: 28 x 31

1J0853120
FIX26 Pack of 50
L x W x H: 17 x 14.5 x 12

1J6867276
FIX630 Pack of 20
W x D x H: 15.5 x 9 x 25

1L0853934
FIX97 Pack of 50
Ø x S: 10 x 12

1L0853934
FIX515 Pack of 50
Ø x S: 10 x 12

1M0854541A
FIX607 Pack of 20
W x D x H: 16 x 16 x 10

1M0854719A
FIX608 Pack of 20
W x D x H: 13 x 15 x 13.5

251823717
FIX61 Pack of 50
W x D x H: 13 x 5 x 11

2730ASCTS1B
FIX529 Pack of 50
Ø x H: 18 x 17

37853575
FIX888 Pack of 20
Ø x H: 18 x 22

321813998A
FIX73 Pack of 50
Ø x H: 16 x 20

357827998
FIX137 Pack of 20
Ø x H: 16 x 21

357827998A
FIX139 Pack of 20
Ø x H: 18 x 21

35783718701C
FIX435 Pack of 10
Ø x H: 12.5 x 53

357853575
FIX49 Pack of 50
Ø x H: 18 x 22

357867646
FIX413 Pack of 20
W x D x H: 16 x 10.5 x 13

357868143
FIX138 Pack of 50
Ø x H: 16 x 25

3A0853575A
FIX456 Pack of 20
W x D x H: 20 x 20 x 9

3B0838243
FIX83 Pack of 20
Ø x H: 22 x 22

3B0839723
FIX613 Pack of 20
W x D x H: 11 x 5 x 10.5

3B0853576
FIX418 Pack of 20
W x D x H: 25 x 27 x 18

3B0868243
FIX83 Pack of 20
Ø x H: 22 x 22

3C0853586
FIX400 Pack of 20
W x D x H: 18 x 16 x 21

3C0863559
FIX244 Pack of 50
Ø x H: 26.5 x 32

4A0805121A
FIX198 Pack of 20
Ø x H: 25 x 26

4A0805121C
FIX197 Pack of 20
Ø x H: 25 x 27

4A0805960
FIX199 Pack of 10
W x L x R: 25 x 24 x 12

4A0853825
FIX644 Pack of 20
W x D x H: 35 x 22 x 16

4A0853825A
FIX474 Pack of 20
W x D x H: 35 x 22 x 4

4A0853825C
FIX468 Pack of 20
W x D x H: 35 x 27 x 11

4A0853825C
FIX644 Pack of 20
W x D x H: 35 x 22 x 16

4A0853825D
FIX456 Pack of 20
W x D x H: 20 x 20 x 9

4A0853825E
FIX457 Pack of 10
W x D x H: 23.5 x 20 x 15.5


4D0853825C
FIX478 Pack of 10
W x D x H: 38 x 34 x 15

6K0867838
FIX413 Pack of 20
W x D x H: 16 x 10.5 x 13

6N0807199
FIX716 Pack of 20
Ø x H: 19 x 24

6N0809966A
FIX71 Pack of 50
Ø x H: 12 x 14

6N0868243A
FIX81 Pack of 20
Ø x H: 18 x 26

6Q0853147
FIX614 Pack of 20
W x D x H: 16 x 14 x 20.5

6Q0868243
FIX168 Pack of 20
Ø x H: 23 x 27.5

6U0853733
FIX186 Pack of 20
W x D x H: 31 x 8.5 x 5

6X0867301B
FIX650 Pack of 10
W x D x H: 35 x 21 x 20

701867299
FIX792 Pack of 20
Ø x S: 18 x 12

703867299
FIX274 Pack of 50
Ø x H: 18 x 21

701805163
FIX401 Pack of 20
W x D x H: 17 x 14 x 7

701863841
FIX434 Pack of 20
Ø x H: 24.5 x 18.5

70186729901C
FIX793 Pack of 20
Ø x S: 18 x 12

7018672991YZ
FIX792 Pack of 20
Ø x S: 18 x 12


701941141A
FIX422 Pack of 10
W x D x H: 30 x 23 x 19.5

703867299
FIX160 Pack of 20
Ø x H: 18 x 21

7603ASCH
FIX186 Pack of 20
W x D x H: 31 x 8.5 x 5

6U0867276C
FIX742 Pack of 20
W x D x H 11 x 11 x 9 mm

6X0867300A
FIX250 Pack of 50
Ø x H 20 x 24 mm

7L0839069
FIX494 Pack of 20
W x D x H: 28.5 x 10 x 12.5

7M0867299K
FIX831 Pack of 20
Ø x H: 17 x 20

7M0867299K
FIX167 Pack of 20
Ø x H: 17.5 x 21

80186729901C
FIX46 Pack of 50
Ø x H: 14 x 19

801867299041
FIX46 Pack of 50
Ø x H: 14 x 19


811807447
FIX65 Pack of 50
W x D x S: 10 x 22 x 9

811807577C
FIX134 Pack of 50
W x D x H: 12 x 7 x 12

811863905A
FIX58 Pack of 50
Ø x H: 19 x 26

82386320301C
FIX30 Pack of 50
Ø x H: 17 x 15

823867299
FIX47 Pack of 50
Ø x H: 18 x 21

8541ASCH
FIX187 Pack of 20
W x D x H: 32 x 10.5 x 6

8541ASCHB
FIX798 Pack of 20
Ø x S: 23 x 16

867809966
FIX71 Pack of 50
Ø x H: 12 x 14

Audi • VW Seat • Škoda

867863849A01C
FIX325 Pack of 20
W x D x H: 23 x 29 x 15

893867290
FIX80 Pack of 50
Ø x H: 18 x 21

893867290
FIX528 Pack of 50
Ø x H: 18 x 21

893867290
FIX242 Pack of 50
Ø x H: 18 x 18.5

8D0805121
FIX184 Pack of 50
Ø: 31

8D0805121
FIX195 Pack of 10
Ø x H: 18 x 22

8D0805960
FIX200 Pack of 10
W x L x R: 25 x 24 x 11

8D0853909B
FIX475 Pack of 20
W x D x H: 33.5 x 13 x 6.5

8E0825265C
FIX147 Pack of 50
Ø x H: 16 x 11

8E0825267
FIX751 Pack of 20
Ø x S: 20 x 21

8E0868243
FIX169 Pack of 20
Ø x H: 27 x 30

8E9867299
FIX252 Pack of 50
Ø X H: 18.5 x 18

8L0807300
FIX177 Pack of 20
Ø x S: 20 x 24

8N0951257
FIX446 Pack of 10
W x D x H: 30.5 x 24 x 15.5

GR197S16319
FIX253 Pack of 50
Ø x H: 20 x 27

HNA5373BA
FIX32 Pack of 20
Ø x H: 18 x 30

N0385012
FIX173 Pack of 50
Ø x S: 9.8 x 12

N0385012
FIX97 Pack of 50
Ø x S: 10 x 12

Audi • VW Seat • Škoda

N0385012
FIX515 Pack of 50
Ø x S: 10 x 12

N038549101C
FIX100 Pack of 50
Ø x S: 16 x 11

N038549101C
FIX517 Pack of 50
Ø x S: 16 x 13

N038549101C
FIX39 Pack of 50
Ø x S: 16 x 13

N0385494
FIX39 Pack of 50
Ø x S: 16 x 13

N0385494
FIX517 Pack of 50
Ø x S: 16 x 13

N0385501
FIX98 Pack of 20
Ø x S: 12.5 x 12

N10219501
FIX103 Pack of 50
Ø x S: 16 x 11

N10219502
FIX103 Pack of 50
Ø x S: 16 x 11

N10259301
FIX97 Pack of 50
Ø x S: 10 x 12

N10259301
FIX515 Pack of 50
Ø x S: 10 x 12

N10516801
FIX193 Pack of 50
Ø x H: 16 x 17.5

N16186729901C
FIX100 Pack of 50
Ø x S: 16 x 11

N90201601H
FIX703 Pack of 20
Ø x H: 19 x 21.5

N90335004
FIX184 Pack of 50
Ø: 31

N90335006
FIX184 Pack of 50
Ø: 31

N90359101
FIX109 Pack of 50
Ø x S: 15 x 20

N90533301
FIX631 Pack of 20
Ø x H 20 x 9 mm

Audi • VW Seat • Škoda

N90536901
FIX780 Pack of 20
W x D x S: 12.5 x 10 x 10

N90648702
FIX714 Pack of 20
Ø x H: 15 x 21

N90775001
FIX716 Pack of 20
Ø x H: 19 x 24

N90796501
FIX183 Pack of 50
Ø: 31

N90796501
FIX638 Pack of 5
Ø x H: 14 x 21

N90821401
FIX136 Pack of 50
Ø x H: 15 x 21.5

N90833801
FIX135 Pack of 50
Ø x H: 15 x 14

N989022
FIX21 Pack of 50
Ø x H: 24 x 18

W706635SSW
FIX244 Pack of 50
Ø x H: 26.5 x 32

W709167SSZUAM
FIX244 Pack of 50
Ø x H: 26.5 x 32

-
FIX703 Pack of 20
Ø x H: 19 x 21.5

-
FIX411 Pack of 20
Ø x H: 16 x 5

-
FIX30 Pack of 50
Ø x H: 17 x 15

-
FIX722 Pack of 20
W x L x R: 16 x 24 x 12

-
FIX720 Pack of 20
Ø x H: 15.5 x 28

BMW

07131480419
FIX275 Pack of 50
Ø x H: 23 x 26

07147074343
FIX866 Pack of 20
Ø x H: 18 x 32

07147122912
FIX484 Pack of 20
Ø x H: 30 x 33

07147212877
FIX453 Pack of 20
W x L x R: 18.5 x 28 x 10

1916670
FIX100 Pack of 50
Ø x S: 16 x 11

1916670
FIX517 Pack of 50
Ø x S: 16 x 13

1916670
FIX39 Pack of 50
Ø x S: 16 x 13

11121726089
FIX455 Pack of 10
W x D x H: 28 x 32 x 14

11127531561
FIX638 Pack of 5
Ø x H: 14 x 21

16131176747
FIX147 Pack of 50
Ø x H: 16 x 11

17111712788
FIX447 Pack of 10
Ø x H: 16.5 x 18.5

5113810295
FIX148 Pack of 50
W x D x H: 11 x 21 x 17

52201964201
FIX503 Pack of 50
Ø x H: 18 x 31

51111908077
FIX107 Pack of 50
Ø x S: 15 x 15

51111908077
FIX111 Pack of 50
Ø x S: 15 x 15

51111944537
FIX105 Pack of 50
Ø x S: 20 x 15

51111964186
FIX109 Pack of 50
Ø x S: 15 x 20

51118174185
FIX112 Pack of 50
Ø x S: 19 x 16

BMW

51118174185
FIX513 Pack of 50
Ø x S: 19 x 14

51127046911
FIX191 Pack of 20
Ø x H: 14.3 x 16

51131885399
FIX124 Pack of 20
W x D x S: 15 x 8 x 15

51131924953
FIX419 Pack of 10
W x D x H: 20 x 8 x 11.5

51131946258
FIX416 Pack of 20
W x D x H: 20 x 13 x 17

51137003738
FIX616 Pack of 10
W x D x H: 43 x 15 x 12

51137157702
FIX617 Pack of 10
W x D x H: 20 x 40 x 8.5

51137217789
FIX618 Pack of 10
W x D x H: 40.5 x 11 x 8.5

51138102952
FIX148 Pack of 50
W x D x H: 11 x 21 x 17

51138166675
FIX417 Pack of 20
W x D x H: 25 x 34 x 16

51161881149
FIX97 Pack of 50
Ø x S: 10 x 12

51161881149
FIX515 Pack of 50
Ø x S: 10 x 12

51218205295
FIX778 Pack of 20
Ø x S: 20 x 18

51313401691
FIX619 Pack of 10
W x D x H: 40 x 14 x 8

51317064098
FIX618 Pack of 10
W x D x H: 40.5 x 11 x 8.5

51337052945
FIX391 Pack of 20
W x D x H: 25 x 14 x 16

51338218383
FIX632 Pack of 20
W x D x H: 38 x 24 x 16.5

51338254781
FIX497 Pack of 10
W x D x H: 41.5 x 23.5 x 16

BMW

51411870718
FIX217 Pack of 50
Ø x H: 18 x 18

51411885961
FIX80 Pack of 50
Ø x H: 18 x 21

51411885961
FIX528 Pack of 50
Ø x H: 18 x 21

51411973500
FIX528 Pack of 50
Ø x H: 18 x 21

51417025609
FIX453 Pack of 20
W x L x R: 18.5 x 28 x 10

51418172050
FIX812 Pack of 20
Ø x H: 18 x 20

51418215806
FIX481 Pack of 20
W x D x H: 17 x 15 x 11

51418224768
FIX272 Pack of 50
Ø x H: 18 x 20

51418224768
FIX528 Pack of 50
Ø x H: 18 x 21

51458161557
FIX482 Pack of 20
W x D x H: 17 x 15 x 15

51458266814
FIX483 Pack of 20
W x D x H: 19 x 17 x 12

51471840961
FIX439 Pack of 20
W x D x H: 15 x 14 x 22

51471881521
FIX219 Pack of 20
Clip/Washer Ø x H: 18.3 x 25

51471911992
FIX114 Pack of 50
Ø x S: 20 x 14

51471911992
FIX506 Pack of 50
Ø x S: 20 x 14

51478262533
FIX404 Pack of 20
Ø x H: 21 x 30.5

51513448374
FIX619 Pack of 10
W x D x H: 40 x 14 x 8

51711916197
FIX383 Pack of 20
Ø x H: 18.5 x 32

BMW

51711916199
FIX878 Pack of 20
Ø x H: 23 x 26

51711928946
FIX415 Pack of 20
W x D x H: 10 x 12 x 17

51711945568
FIX445 Pack of 10
W x D x H: 56 x 18.5 x 22.5

51711958025
FIX146 Pack of 50
Ø x H: 24 x 10.5

51711958025
FIX416 Pack of 20
W x D x H: 20 x 13 x 17

51717002953
FIX213 Pack of 50
Ø x L: 6 x 19. F Ø: 19.7

51717006757
FIX602 Pack of 20
W x D x H: 36 x 14 x 12.5

51717066229
FIX485 Pack of 20
Ø x H: 20 x 36

52201964201
FIX29 Pack of 50
Ø x H: 18 x 28

52201964201
FIX503 Pack of 50
Ø x H: 18 x 31

63121387026
FIX423 Pack of 10
Ø x H: 19 x 28.5


63171367868
FIX890 Pack of 20
W x D x H: 10 x 10 x 15

71111179444
FIX639 Pack of 5
W x D x H: 45.5 x 23 x 32

71111179445
FIX640 Pack of 10
W x D x H: 25 x 25 x 17

8262533
FIX404 Pack of 20
Ø x H: 21 x 30.5

82119410191
FIX219 Pack of 20
Clip/Washer Ø x H: 18.3 x 25

Sunroof Clip
FIX791 Pack of 10
W x D x H: 17 x 19 x 10

Chrysler • Jeep • Dodge

1595864
FIX262 Pack of 50
Ø x H: 19 x 18

1605396
FIX262 Pack of 50
Ø x H: 19 x 18

10139822
FIX122 Pack of 50
Ø x S: 18 x 23

10139822
FIX236 Pack of 20
Ø x S: 16 x 18

25524005
FIX210 Pack of 50
Ø x L: 6 x 25. F Ø: 12.9

3691590
FIX500 Pack of 50
Ø x H: 18 x 17.8

6003349
FIX21 Pack of 50
Ø x H: 24 x 18

6004212
FIX208 Pack of 50
Ø x L: 5 x 15. F Ø: 8.9

6030441
FIX262 Pack of 50
Ø x H: 19 x 18

6033082
FIX29 Pack of 50
Ø x H: 18 x 28

6500898
FIX209 Pack of 50
Ø x L: 5 x 22. F Ø: 11.9

6501559
FIX210 Pack of 50
Ø x L: 6 x 25. F Ø: 12.9

6501916
FIX244 Pack of 50
Ø x H: 26.5 x 32


6502871
FIX121 Pack of 50
Ø x S: 15.5 x 23

6503163
FIX120 Pack of 50
Ø x S: 15 x 19

6503598
FIX751 Pack of 20
Ø x S: 20 x 21

6503860
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9

6504521
FIX238 Pack of 20
Ø x S: 18 x 23

Chrysler • Jeep • Dodge

6506007AA
FIX210 Pack of 50
Ø x L: 6 x 25. F Ø: 12.9

6508197AA
FIX122 Pack of 50
Ø x S: 18 x 23

6508197AA
FIX236 Pack of 20
Ø x S: 16 x 18

6508863AA
FIX891 Pack of 20
Ø x S: 18 x 17.5

6682401G00
FIX760 Pack of 20
Ø x S: 13 x 8

MR200300
FIX257 Pack of 50
Ø x S: 18 x 13

-
FIX50 Pack of 50
L: 95

PSA (Citroën • Peugeot)

0137.11
FIX448 Pack of 10
Ø x H: 27 x 11.5

0137.68
FIX448 Pack of 10
Ø x H: 27 x 11.5

2128.22
FIX387 Pack of 20
W x D x H: 19 x 13.5 x 20

6973.A4
FIX712 Pack of 10
Ø x H: 20 x 68

6972.24
FIX42 Pack of 50
Ø x S: 7.6 x 8

6973.24
FIX517 Pack of 50
Ø x S: 16 x 13

6973.24
FIX39 Pack of 50
Ø x S: 16 x 13

6990.50
FIX250 Pack of 50
Ø x H 20 x 24 mm

6991.F0
FIX806 Pack of 20
Ø x S: 12 x 14

6991.S6
FIX255 Pack of 50
Ø x H: 18.5 x 18

6991.S6
FIX252 Pack of 50
Ø X H: 18.5 x 18

6991.S6
FIX529 Pack of 50
Ø x H: 18 x 17

6991.W4
FIX888 Pack of 20
Ø x H: 18 x 22

6991.W4
FIX49 Pack of 50
Ø x H: 18 x 22

6992.95
FIX501 Pack of 50
Ø x H: 18 x 19

6992.G2
FIX524 Pack of 50
Ø x H: 9 x 9.5

6995.A3
FIX269 Pack of 50
Ø x H: 17 x 15.5

6996.36
FIX269 Pack of 50
Ø x H: 17 x 15.5

6997.86
FIX349 Pack of 20
W x D x H: 8 x 16.5 x 11

6997.96
FIX867 Pack of 20
W x D x H: 20 x 13 x 17.5

6999.R2
FIX501 Pack of 50
Ø x H: 18 x 19

7030.16
FIX215 Pack of 20
Ø x H: 15.9 x 24

7013.J0
FIX508 Pack of 50
Ø x S: 20 x 11

7427.23
FIX716 Pack of 20
Ø x H: 19 x 24

7518.C0
FIX500 Pack of 50
Ø x H: 18 x 17.8

7518.N8
FIX164 Pack of 50
Ø x H: 35 x 25

7814.24
FIX98 Pack of 20
Ø x S: 12.5 x 12

7840.L6
FIX353 Pack of 20
W x D x H: 18.5 x 24.5 x 17.5

8211.MV
FIX508 Pack of 50
Ø x S: 20 x 11

8565.35
FIX814 Pack of 20
Ø x H: 18 x 18.5

8565.40
FIX166 Pack of 50
Ø x H: 20 x 16

8565.40
FIX532 Pack of 50
Ø x H: 20 x 16

8565.43
FIX534 Pack of 50
Ø x H: 12 x 10.5

8565.48
FIX266 Pack of 50
Ø x H: 18.5 x 17

8565.48
FIX227 Pack of 50
Ø x H 20 x 17.5 mm

8565.53
FIX273 Pack of 50
Ø x H: 20 x 20

8565.53
FIX338 Pack of 20
Ø x H: 19 x 17

8964.57
FIX267 Pack of 50
Ø x H: 14 x 17

8964.81
FIX267 Pack of 50
Ø x H: 14 x 17

6715468
FIX184 Pack of 50
Ø: 31

055389000
FIX360 Pack of 20
Ø x H: 22 x 6


77030721
FIX97 Pack of 50
Ø x S: 10 x 12

1609267280
FIX273 Pack of 50
Ø x H: 20 x 20

7703077111
FIX269 Pack of 50
Ø x H: 17 x 15.5

7903072170
FIX515 Pack of 50
Ø x S: 10 x 12

7903079004
FIX52 Pack of 50
Ø: 8

8E9867299
FIX252 Pack of 50
Ø X H: 18.5 x 18

9608351380
FIX42 Pack of 50
Ø x S: 7.6 x 8

9619769080
FIX349 Pack of 20
W x D x H: 8 x 16.5 x 11

9629547080
FIX6 Pack of 50
Ø x H: 5 x 12

9630090980
FIX806 Pack of 20
Ø x S: 12 x 14

6539ASCHB
FIX166 Pack of 50
Ø x H: 20 x 16

6539ASCHB
FIX532 Pack of 50
Ø x H: 20 x 16

96260084ZG
FIX690 Pack of 20
Ø x H: 20 x 16

-
FIX363 Pack of 20
Ø x H: 16.5 x 26

-
FIX438 Pack of 20
W x D x H: 22 x 15 x 17

Manufacturers OEM References provided for information and guidance only. E. & O. E.

Fiat • Alfa Romeo Iveco • Lancia

1456980
FIX53 Pack of 50
Ø: 11

4234280
FIX6 Pack of 50
Ø x H: 5 x 12

4267172
FIX333 Pack of 20
Ø x H: 20 x 14.5

7560860
FIX333 Pack of 20
Ø x H: 20 x 14.5

7637466
FIX334 Pack of 20
Ø x H: 24 x 16

7677865
FIX380 Pack of 20
Ø x H: 14 x 11

14115980
FIX524 Pack of 50
Ø x H: 9 x 9.5

14188680
FIX409 Pack of 20
W x L x R: 17 x 12 x 9.5

14415790
PR10 Pack of 200
Ø x L: 4.8 x 23

14415890
PR12 Pack of 200
Ø x L: 4.8 x 27

14569680
FIX52 Pack of 50
Ø: 8



46410400
FIX824 Pack of 20
Ø x H: 18 x 22

46461781
FIX446 Pack of 10
W x D x H: 30.5 x 24 x 15.5

46789809
FIX335 Pack of 20
W x D x H: 13 x 14.5 x 24

51701542
FIX696 Pack of 20
Ø x H: 18 x 22

60814822
FIX440 Pack of 20
W x D x H: 9.5 x 17.5 x 13

71717421
FIX417 Pack of 20
W x D x H: 25 x 34 x 16

71728806
FIX534 Pack of 50
Ø x H: 12 x 10.5

Fiat • Alfa Romeo Iveco • Lancia

71737918
FIX532 Pack of 50
Ø x H: 20 x 16

71741883
FIX258 Pack of 50
Ø x S: 20 x 10

82382670
FIX440 Pack of 20
W x D x H: 9.5 x 17.5 x 13

82491303
FIX375 Pack of 20
Ø x H: 18.5 x 22

142215088
FIX740 Pack of 20
W x D x H: 12 x 12 x 9

500326189
FIX165 Pack of 20
Ø x H: 18.5 x 21

500326896
FIX256 Pack of 50
Ø x H: 20 x 17

500326896
FIX533 Pack of 50
Ø x H: 20 x 17



500358567
FIX824 Pack of 20
Ø x H: 18 x 22

1301019808
FIX505 Pack of 50
Ø x H: 21 x 23



9408565488
FIX266 Pack of 50
Ø x H: 18.5 x 17

9408565488
FIX227 Pack of 50
Ø x H 20 x 17.5 mm

4264257
FIX742 Pack of 20
W x D x H 11 x 11 x 9 mm

-
FIX743 Pack of 20
W x D x H: 12 x 12 x 9

Universal
FIX664 Pack of 20
Ø x H: 25 x 26

Universal
FIX668 Pack of 20
Ø x H: 20 x 26

Universal
FIX669 Pack of 20
Ø x H: 22 x 25.5

Universal
FIX699 Pack of 20
Ø x H: 25 x 25

Ford

1007902
FIX74 Pack of 50
Ø x H: 22 x 21

1007932
FIX122 Pack of 50
Ø x S: 18 x 23

1008068
FIX167 Pack of 20
Ø x H: 17.5 x 21

1008068
FIX831 Pack of 20
Ø x H: 17 x 20

1008086
FIX527 Pack of 50
Ø x H: 17 x 18

1008086
FIX167 Pack of 20
Ø x H: 17.5 x 21

1009164
FIX103 Pack of 50
Ø x S: 16 x 11

1018433
FIX36 Pack of 50
Ø x H: 18 x 17

1018434
FIX36 Pack of 50
Ø x H: 18 x 17

1020193
FIX827 Pack of 20
W x D x H: 26.5 x 14 x 18

1039463
FIX751 Pack of 20
Ø x S: 20 x 21

1041415
FIX207 Pack of 50
Head Ø: 6. F Ø: 15.8

1042065
FIX331 Pack of 20
Ø x H: 6 x 13

1053656300
FIX67 Pack of 50
Ø: 12

1065204
FIX185 Pack of 20
W x D x H: 15 x 6 x 18

1070107
FIX48 Pack of 50
Ø x H: 18 x 20

1416795
FIX23 Pack of 50
W x H: 9.5 x 8

1480335
FIX390 Pack of 20
Ø x H: 18 x 15

Ford

1629279
FIX35 Pack of 50
Ø x H: 18 x 17

1659672
FIX74 Pack of 50
Ø x H: 22 x 21

1673046
FIX122 Pack of 50
Ø x S: 18 x 23

1738233
FIX403 Pack of 20
Ø x S: 20 x 7.5

2T14V35312AB
FIX237 Pack of 20
W x D x H: 20 x 15 x 17

332364
FIX500 Pack of 50
Ø x H: 18 x 17.8

385661
FIX21 Pack of 50
Ø x H: 24 x 18

389358
FIX50 Pack of 50
L: 95

389358
FIX500 Pack of 50
Ø x H: 18 x 17.8

390018S
FIX29 Pack of 50
Ø x H: 18 x 28

390018S
FIX503 Pack of 50
Ø x H: 18 x 31

4855809
FIX891 Pack of 20
Ø x S: 18 x 17.5

6028434
FIX70 Pack of 50
Ø: 1/8"

6117693
FIX841 Pack of 20
Ø x H: 18 x 17.5

6117693
FIX37 Pack of 50
Ø x H: 20 x 19

6176723
FIX165 Pack of 20
Ø x H: 18.5 x 21

6448410
FIX245 Pack of 50
Ø x H: 25 x 14

6482170
FIX69 Pack of 50
Pipes Ø: 4 & 8

Ford

6678518
FIX245 Pack of 50
Ø x H: 25 x 14

6715468
FIX183 Pack of 50
Ø: 31

6725950
FIX35 Pack of 50
Ø x H: 18 x 17

7000412
PR12 Pack of 200
Ø x L: 4.8 x 27

7200671
FIX98 Pack of 20
Ø x S: 12.5 x 12

9032112
FIX810 Pack of 20
Ø x H: 12 x 16

96SG16K262
FIX236 Pack of 20
Ø x S: 16 x 18

96SG16K262
FIX518 Pack of 50
Ø x S: 15 x 21


A310A46-AA
FIX831 Pack of 20
Ø x H: 17 x 20

E844052S
FIX100 Pack of 50
Ø x S: 16 x 11

E844052S
FIX517 Pack of 50
Ø x S: 16 x 13

E844052S
FIX39 Pack of 50
Ø x S: 16 x 13

E865220S
FIX841 Pack of 20
Ø x H: 18 x 17.5

E866241SS2M
FIX756 Pack of 20
Ø x S: 24 x 30

F1CZ16674A
FIX302 Pack of 20
Ø x H: 14 x 12

FCP-0180
FIX384 Pack of 20
W x D x H: 20.5 x 12 x 22

MB25556143
FIX233 Pack of 20
Ø x S: 19 x 11

MB-455-56143
FIX796 Pack of 20
Ø x S: 18 x 13

Ford

MB-455-56143
FIX232 Pack of 20
Ø x S: 18 x 13

MB-455-56143
FIX795 Pack of 20
Ø x S: 18 x 13

N8030433
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9

N803043-S
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9

N803862-S
FIX210 Pack of 50
Ø x L: 6 x 25. F Ø: 12.9

N803946-S
FIX121 Pack of 50
Ø x S: 15.5 x 23

N804675-S
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9

N807389-S
FIX751 Pack of 20
Ø x S: 20 x 21

N807994-S
FIX621 Pack of 20
Ø x H: 12.5 x 10.5

V703505-S-301
FIX184 Pack of 50
Ø: 31

W700671
FIX245 Pack of 50
Ø x H: 25 x 14

W700673
FIX690 Pack of 20
Ø x H: 20 x 16

W7029851042065
FIX331 Pack of 20
Ø x H: 6 x 13

W703915SSYYB6
FIX236 Pack of 20
Ø x S: 16 x 18

W703915SSYYB6
FIX518 Pack of 50
Ø x S: 15 x 21

W704258S
FIX827 Pack of 20
W x D x H: 26.5 x 14 x 18

W704439S
FIX207 Pack of 50
Head Ø: 6. F Ø: 15.8

W706264-S300
FIX120 Pack of 50
Ø x S: 15 x 19

Ford

W709095S33
FIX207 Pack of 50
Head Ø: 6. F Ø: 15.8

YC15B03180AB
FIX330 Pack of 20
Ø x H: 13 x 18

-
FIX32 Pack of 20
Ø x H: 18 x 30

-
FIX355 Pack of 20
Ø x H: 10 x 18

-
FIX356 Pack of 20
Ø x H: 10 x 18

-
FIX733 Pack of 20
Thread: M5 x 20

Manufacturers OEM References provided for information and guidance only. E. & O. E.

Honda • Acura

90664-671-0030
FIX449 Pack of 20
W x D x H: 14 x 8 x 11.5

93405-0601608
FIX732 Pack of 20
Thread: M6 x 12

1560S-6A003
FIX513 Pack of 50
Ø x S: 19 x 14

71592-S5D-000
FIX328 Pack of 10
W x D x H: 23.5 x 19.5 x 34.5

71592-S6A-000
FIX328 Pack of 10
W x D x H: 23.5 x 19.5 x 34.5

72311-S5S-003
FIX320 Pack of 20
W x D x H: 15 x 9.5 x 15

75305-S0A-003
FIX476 Pack of 20
W x D x H: 18 x 13 x 13

75306-SDA-A01
FIX633 Pack of 20
W x D x H: 27 x 21 x 18

90107-S10-003
FIX605 Pack of 20
Ø x H: 16 x 16

90114-SE0-000
FIX726 Pack of 20
Ø x H: 16 x 24

90126-SR4-000
FIX734 Pack of 20
Ø x H: 16 x 18.5

90467-SA6-003
FIX31 Pack of 50
Ø x S: 15 x 13

90467-SA6-003
FIX522 Pack of 50
Ø x S: 15 x 13

90505-SM4-003
FIX359 Pack of 20
Ø x S: 18 x 22

90602-S5A-003
FIX851 Pack of 20
Ø x H: 18 x 21

90602-SFA-004
FIX623 Pack of 20
Ø x H: 16 x 18

90602-TA0-003
FIX861 Pack of 20
Ø x H: 16 x 18

90651-S4N-003
FIX259 Pack of 50
W x D x H: 15 x 9 x 15

Honda • Acura

90654-SA4-003
FIX464 Pack of 20
W x D x H: 21 x 8 x 17.5

90657-SB0-003
FIX487 Pack of 20
Ø x S: 10.5 x 9.5

90664-671-003
FIX463 Pack of 20
W x D x H: 16 x 7 x 13

90667-S0D-003ZC
FIX700 Pack of 20
Ø x H: 18 x 22

90667-S0D-003ZH
FIX877 Pack of 20
Ø x H: 18 x 22

90667-SA7-0030
FIX261 Pack of 50
Ø x H: 20 x 17

90667-SA0-003
FIX502 Pack of 50
Ø x H: 18 x 23


90671-S0D-003ZK
FIX701 Pack of 20
Ø x H: 18 x 15.5

906726718110M
FIX191 Pack of 20
Ø x H: 14.3 x 16

90672-SJ4-013
FIX491 Pack of 20
W x D x H: 16 x 16 x 24.5

90675-SB3-003
FIX181 Pack of 20
Ø x S: 20 x 8

90675-SB3-003
FIX123 Pack of 50
Ø x S: 20 x 8

90675-SB3-003
FIX233 Pack of 20
Ø x S: 19 x 11

90687-SA5-0030
FIX345 Pack of 20
Ø x H: 15 x 18

90687-SB0-013
FIX807 Pack of 20
Ø x S: 15 x 14

90688-SB0-003
FIX519 Pack of 50
Ø x S: 18 x 10

90700-SJ4-000
FIX465 Pack of 20
Ø x H: 30.5 x 12


91501-SG0-003
FIX871 Pack of 20
W x D x H: 13 x 11.5 x 16

Honda • Acura

91501-SM4-003
FIX460 Pack of 20
Ø x H: 14 x 17

91501-STK-003
FIX357 Pack of 20
Ø x H: 30 x 16

91501-SWA-003
FIX388 Pack of 20
W x D x H: 28.5 x 28.5 x 16.5

91501-SZ3-003
FIX178 Pack of 20
Ø x S: 19.5 x 13

91501-SZ3-003
FIX514 Pack of 50
Ø x S: 19.5 x 13

91502-SP0-003
FIX216 Pack of 20
Ø x S: 20 x 26

91503-S7A-003
FIX765 Pack of 20
Ø x S: 20 x 11

91503-SP0-003
FIX182 Pack of 10
Ø x S: 20 x 14

91503-SP0-003
FIX521 Pack of 50
Ø x S: 20 x 14

91503-SZ3-003
FIX231 Pack of 20
Ø x S: 19.5 x 13

91503-SZ5-003
FIX753 Pack of 20
Ø x S: 19.5 x 17

91505-S9A-003
FIX231 Pack of 20
Ø x S: 19.5 x 13

91508-SR3-003
FIX785 Pack of 20
Ø x S: 17.5 x 9.5

91510-SR3-003
FIX486 Pack of 20
W x D x H: 25 x 24 x 11.5

91512SX0003
FIX180 Pack of 20
Ø x S: 20 x 10

91512-SX0-003
FIX769 Pack of 20
Ø x S: 20 x 10

91516-SK7-013
FIX800 Pack of 20
Ø x S: 20 x 15

91534-SE0-000
FIX489 Pack of 20
W x D x H: 10 x 10.5 x 13

Honda • Acura

91545-SE0-003
FIX758 Pack of 20
Ø x S: 19.5 x 12

91550-SH3-003
FIX807 Pack of 20
Ø x S: 15 x 14


91560-S84-A01
FIX833 Pack of 20
Ø x H: 16.5 x 19

91560-S9A-A01
FIX846 Pack of 20
Ø x H: 16.5 x 19


91566-SP0-003
FIX843 Pack of 20
Ø x H: 17.5 x 22.5

91578-SV4-003
FIX467 Pack of 20
W x D x H: 25.5 x 19 x 10

91591-SJ6-013
FIX464 Pack of 20
W x D x H: 21 x 8 x 17.5

91606-SE3-030
FIX707 Pack of 20
Ø x H: 17.5 x 18.5

91620-SR2-003
FIX191 Pack of 20
Ø x H: 14.3 x 16

91808-SM4-000
FIX785 Pack of 20
Ø x S: 17.5 x 9.5

-
FIX473 Pack of 20
W x D x H: 26 x 19 x 40

Hyundai • Kia

0B102 68865
FIX687 Pack of 20
Ø x H: 18.5 x 16.5

0G032-50037A
FIX796 Pack of 20
Ø x S: 18 x 13

0G032-50037A
FIX232 Pack of 20
Ø x S: 18 x 13


0G032-50037A
FIX795 Pack of 20
Ø x S: 18 x 13

0G032-50037A
FIX233 Pack of 20
Ø x S: 19 x 11

87756-2E000
FIX535 Pack of 50
Ø x H: 18 x 14.5

81126-37010
FIX301 Pack of 20
W x D x H: 26 x 16

82132-22100
FIX300 Pack of 20
W x D x H: 14 x 6 x 14

82132-27100
FIX259 Pack of 50
W x D x H: 15 x 9 x 15

86590-28000
FIX520 Pack of 50
Ø x S: 18 x 13

86590-28000
FIX232 Pack of 20
Ø x S: 18 x 13

86590-28000
FIX233 Pack of 20
Ø x S: 19 x 11

92155-22000
FIX719 Pack of 20
Ø x H: 15 x 24

92351-37000
FIX645 Pack of 20
Ø x H: 15 x 10

97519-22000
FIX191 Pack of 20
Ø x H: 14.3 x 16

85325-210005
FIX795 Pack of 20
Ø x S: 18 x 13

81174-1G000
FIX458 Pack of 20
W x D x H: 20 x 20 x 29

85325-21000QS
FIX872 Pack of 20
Ø x H: 18 x 22

Hyundai • Kia

87702-H1000
FIX821 Pack of 20
W x D x H: 15.5 x 15.3 x 16.7

87719-3D000
FIX868 Pack of 20
Ø x H: 18 x 31

87756-2G000
FIX603 Pack of 20
W x D x H: 22 x 13 x 13

87758-3D000
FIX822 Pack of 20
W x D x H: 20 x 16 x 15

87758-3L000
FIX850 Pack of 20
Ø x H: 18 x 19 x 21

-
FIX720 Pack of 20
Ø x H: 15.5 x 28

Isuzu

89422-11500
FIX801 Pack of 20
W x D x S: 22 x 14 x 9

89429-81190
FIX522 Pack of 50
Ø x S: 15 x 13

Land Rover

79086L
FIX45 Pack of 50
Ø x S: 13 x 13

ANR2224
FIX751 Pack of 20
Ø x S: 20 x 21

AWR3994
FIX523 Pack of 50
Ø x S: 20 x 20

DYQ100230
FIX182 Pack of 10
Ø x S: 20 x 14

DYQ100230
FIX521 Pack of 50
Ø x S: 20 x 14

MWC9134
FIX263 Pack of 50
Ø x H: 14 x 21

MWC9134
FIX886 Pack of 20
Ø x H: 14 x 21

Universal
FIX218 Pack of 50
Ø x H: 18.5 x 31

Mazda

01553-00-291
FIX1 Pack of 50
Ø x H: 14 x 17

B092-51-833
FIX796 Pack of 20
Ø x S: 18 x 13

B092-51-833
FIX232 Pack of 20
Ø x S: 18 x 13

B092-51-833
FIX795 Pack of 20
Ø x S: 18 x 13

B092-51-833
FIX520 Pack of 50
Ø x S: 18 x 13

B455-56-741
FIX302 Pack of 20
Ø x H: 14 x 12

BP4K-58-762
FIX303 Pack of 20
Ø x H: 9.5 x 8

E4T6-88-65A
FIX513 Pack of 50
Ø x S: 19 x 14

FB01-56-964
FIX233 Pack of 20
Ø x S: 19 x 11

FB01-56-964
FIX182 Pack of 10
Ø x S: 20 x 14



FB01-56-964
FIX521 Pack of 50
Ø x S: 20 x 14

N304-13-356 A
FIX31 Pack of 50
Ø x S: 15 x 13



N304-13-356 A
FIX522 Pack of 50
Ø x S: 15 x 13



NA01-56-145
FIX523 Pack of 50
Ø x S: 20 x 20

UB39-56-741
FIX302 Pack of 20
Ø x H: 14 x 12

-
FIX845 Pack of 20
Ø x H: 18 x 18.5

Mercedes-Benz

A0009947345
FIX653 Pack of 20
W x L x R: 16 x 11 x 8

A0019940645
FIX657 Pack of 10
W x D x H: 16 x 18 x 7

A1239940645
FIX652 Pack of 20
W x L x R: 25 x 11 x 16

A2019900536
FIX724 Pack of 20
Ø x H: 8 x 24

A0009871015
FIX499 Pack of 20
Ø x H: 12 x 17

A0009880027
FIX6 Pack of 50
Ø x H: 5 x 12

A0009881625
FIX890 Pack of 20
W x D x H: 10 x 10 x 15

A0009900392
FIX710 Pack of 20
Ø x S: 10 x 7



A0009900392
FIX43 Pack of 50
Ø x S: 8.7 x 8

A0009902292
FIX710 Pack of 20
Ø x S: 10 x 7



A0009902292
FIX43 Pack of 50
Ø x S: 8.7 x 8

A0009902992
FIX100 Pack of 50
Ø x S: 16 x 11

A0009902992
FIX517 Pack of 50
Ø x S: 16 x 13

A0009902992
FIX39 Pack of 50
Ø x S: 16 x 13

A0009903492
FIX97 Pack of 50
Ø x S: 10 x 12

A0009903492
FIX515 Pack of 50
Ø x S: 10 x 12



A0009903492
FIX710 Pack of 20
Ø x S: 10 x 7

A0009903792
FIX106 Pack of 20
Ø x S: 13 x 15

Manufacturers OEM References provided for information and guidance only. E. & O. E.

Mercedes-Benz

A0009904092
FIX117 Pack of 50
Ø x S: 12 x 11

A0009904529
FIX175 Pack of 50
Ø x S: 16 x 14

A0009904529
FIX516 Pack of 50
Ø x S: 16.5 x 14

A0009905492
FIX107 Pack of 50
Ø x S: 15 x 15

A0009905492
FIX111 Pack of 50
Ø x S: 15 x 15

A0009905592
FIX103 Pack of 50
Ø x S: 16 x 11

A0009905792
FIX835 Pack of 20
Ø x H: 16 x 16

A0009908492
FIX451 Pack of 20
Ø x S: 10 x 11

A0009912771
FIX848 Pack of 20
Ø x H: 18.5 x 18

A0019880325
FIX493 Pack of 20
Ø x H: 20 x 13.5

A0019883181
FIX442 Pack of 10
W x D x H: 18 x 22 x 24

A0019884481
FIX429 Pack of 20
W x D x H: 15.5 x 12 x 16

A0019884681
FIX642 Pack of 20
W x D x H: 25 x 19 x 25

A0019884981
FIX425 Pack of 20
W x D x H: 16 x 16 x 21.5

A0019885081
FIX430 Pack of 20
W x D x H: 22.5 x 22 x 6

A0019885181
FIX426 Pack of 20
W x D x H: 23.5 x 12.5 x 15

A0019886081
FIX432 Pack of 20
W x D x H: 15.5 x 18 x 15.5

A0019886381
FIX431 Pack of 20
W x D x H: 32 x 19 x 25.5

Mercedes-Benz

A0019887681
FIX305 Pack of 20
Ø x H: 11 x 14

A0019888081
FIX428 Pack of 20
W x D x H: 32.5c23 x 23

A0019889642
FIX609 Pack of 10
Ø x H: 19 x 25

A0019900192
FIX802 Pack of 10
Ø x S: 30 x 17

A0019901692
FIX176 Pack of 20
Ø x S: 18.7 x 15

A0019944145
FIX99 Pack of 50
Ø x S: 18 x 17

A0019976535
FIX635 Pack of 20
W x D x H: 16 x 16 x 16

A0019979586
FIX385 Pack of 2
Ø x H: 66 x 60

A0029883781
FIX310 Pack of 20
W x D x H: 11 x 9 x 15

A0029883881
FIX312 Pack of 20
W x D x H: 26 x 17.5 x 6

A0029883981
FIX313 Pack of 20
W x D x H: 11 x 8.5 x 16.5

A0039885078
FIX140 Pack of 50
Ø x H: 9 x 11

A0039900251
FIX147 Pack of 50
Ø x H: 16 x 11

A0039944245
FIX661 Pack of 20
W x L x R: 15.5 x 12 x 6

A0049887678
FIX480 Pack of 20
Ø x H: 8.5 x 16.5

A0049887778
FIX479 Pack of 10
W x D x H: 20 x 11 x 7

A0049941545
FIX660 Pack of 10
W x L x R: 21 x 16 x 9

A0059889778
FIX472 Pack of 20
W x D x H 17 x 18 x 20 mm

Mercedes-Benz

A0069884378
FIX841 Pack of 20
Ø x H: 18 x 17.5

A0069887278
FIX858 Pack of 10
W x D x H: 47.5 x 23 x 16

A0069887378
FIX820 Pack of 20
W x D x H: 19 x 18 x 11.5

A0069887478
FIX374 Pack of 20
W x D x H: 18 x 8 x 6

A0079887178
FIX424 Pack of 20
W x D x H: 48 x 33 x 14

0079887678
FIX478 Pack of 10
W x D x H: 38 x 34 x 15

A0079899978
FIX853 Pack of 20
Ø x H: 17.5 x 21

A0089973981
FIX367 Pack of 10
W x D x H: 28 x 12 x 6

A0099884078
FIX311 Pack of 20
W x D x H: 22 x 14 x 6

A0099884178
FIX365 Pack of 20
W x D x H: 41 x 21 x 16

A0099884178
FIX373 Pack of 20
W x D x H: 25 x 12 x 16

A0099884278
FIX308 Pack of 10
W x D x H: 29 x 20 x 33

A0099884378
FIX309 Pack of 10
W x D x H: 30 x 23 x 17

A108980027
FIX346 Pack of 20
Ø x H: 16 x 18

A1239900092
FIX116 Pack of 50
Ø x S: 12 x 10



A1239900592
FIX118 Pack of 50
Ø x S: 16 x 12

A1248210520
FIX600 Pack of 5
Ø x H: 37.5 x 28.5

A1249880492
FIX427 Pack of 20
W x D x H: 18.5 x 19.5 x 20

Mercedes-Benz

A1249900492
FIX759 Pack of 20
Ø x S: 16 x 18



A1249900592
FIX117 Pack of 50
Ø x S: 12 x 11

A1249900792
FIX414 Pack of 20
W x D x H: 10.5 x 13.5 x 20.5



A1249909051
FIX117 Pack of 50
Ø x S: 12 x 11

1269900192
FIX779 Pack of 20
Ø x S: 20 x 20.5

A1269900392
FIX804 Pack of 20
Ø x S: 18 x 18.5

A2016980160
FIX420 Pack of 10
W x D x H: 56.5 x 15 x 12

A2016980660
FIX634 Pack of 10
W x D x H: 54.5 x 16 x 12

A2016980860
FIX860 Pack of 10
W x D x H: 56 x 15 x 15

A2019900050
FIX146 Pack of 50
Ø x H: 24 x 10.5

A2019900292
FIX114 Pack of 50
Ø x S: 20 x 14



A2019900292
FIX506 Pack of 50
Ø x S: 20 x 14

A2029970186
FIX386 Pack of 2
Ø x H: 69 x 47

A2115040059
FIX601 Pack of 5
W x D x H: 40.5 x 29.5 x 43

A6010782041
FIX377 Pack of 20
W x D x H: 33 x 12 x 18

A6030780141
FIX373 Pack of 20
W x D x H: 25 x 12 x 16

A6389840961
FIX611 Pack of 10
W x D x H: 36 x 20 x 12

A6389940845
FIX148 Pack of 50
W x D x H: 11 x 21 x 17

Mercedes-Benz

N000000001476
FIX733 Pack of 20
Thread: M5 x 20

Universal
FIX98 Pack of 20
Ø x S: 12.5 x 12

Universal
FIX114 Pack of 50
Ø x S: 20 x 14

-
FIX641 Pack of 10
W x D x H: 11 x 10 x 17

-
FIX651 Pack of 20
Ø x S: 27 x 19

Mitsubishi

M283083
FIX841 Pack of 20
Ø x H: 18 x 17.5

M820141
FIX114 Pack of 50
Ø x S: 20 x 14

M820141
FIX506 Pack of 50
Ø x S: 20 x 14

MB083120
FIX461 Pack of 20
W x D x H: 16 x 12 x 15

MB098145
FIX747 Pack of 20
Ø x H: 17.5 x 17.5

MB253964
FIX234 Pack of 20
Ø x S: 17 x 11

MB344728
FIX794 Pack of 20
Ø x S: 15 x 13

MB476821
FIX510 Pack of 50
Ø x S: 15 x 9

MB955901
FIX776 Pack of 20
Ø x S: 11 x 14

MR200300
FIX257 Pack of 50
Ø x S: 18 x 13

MR200300
FIX512 Pack of 50
Ø x S: 18 x 13

MR328954
FIX240 Pack of 50
Ø x S: 20 x 9

MR328954
FIX507 Pack of 50
Ø x S: 20 x 9

MU480033
FIX747 Pack of 20
Ø x H: 17.5 x 17.5

MU480150
FIX513 Pack of 50
Ø x S: 19 x 14

MU481276
FIX259 Pack of 50
W x D x H: 15 x 9 x 15

Nissan • Infiniti Datsun

01553-00051
FIX314 Pack of 20
Ø x H: 18 x 18

01553-00172
FIX345 Pack of 20
Ø x H: 15 x 18

01553-03831
FIX352 Pack of 20
W x D x H: 16 x 10.5 x 22

01553-04233
FIX758 Pack of 20
Ø x S: 19.5 x 12

01553-09321
FIX240 Pack of 50
Ø x S: 20 x 9

01553-09321
FIX507 Pack of 50
Ø x S: 20 x 9

01553-09611
FIX766 Pack of 20
Ø x S: 18 x 10

01553-10501
FIX766 Pack of 20
Ø x S: 18 x 10

10998-30880
FIX522 Pack of 50
Ø x S: 15 x 13

63876-95596
FIX233 Pack of 20
Ø x S: 19 x 11

6387695596
FIX182 Pack of 10
Ø x S: 20 x 14

89427-98070
FIX261 Pack of 50
Ø x H: 20 x 17

755216-11000
FIX181 Pack of 20
Ø x S: 20 x 8

755216-11000
FIX123 Pack of 50
Ø x S: 20 x 8



63878-01E10
FIX523 Pack of 50
Ø x S: 20 x 20



01515-00QAB
FIX179 Pack of 20
Ø x S: 17.5 x 11.5

01553-0038U
FIX795 Pack of 20
Ø x S: 18 x 13

11296-AG000
FIX768 Pack of 20
Ø x S: 20 x 13

Nissan • Infiniti Datsun

62226-AX000
FIX371 Pack of 10
W x D x H: 47 x 21 x 25

62227-AX000
FIX370 Pack of 10
W x D x H: 47 x 21 x 25

62318-01W00
FIX352 Pack of 20
W x D x H: 16 x 10.5 x 22



63844-01A00
FIX523 Pack of 50
Ø x S: 20 x 20

63844-D0100
FIX801 Pack of 20
W x D x S: 22 x 14 x 9

63848-01G00
FIX758 Pack of 20
Ø x S: 19.5 x 12

63848-01G00
FIX754 Pack of 20
Ø x S x H: 20 x 8 x 22

63848-35F00
FIX471 Pack of 20
W x D x H: 32 x 31 x 12



63854-01A00
FIX523 Pack of 50
Ø x S: 20 x 20

65810-AD20
FIX794 Pack of 20
Ø x S: 15 x 13

65846-4Z000
FIX620 Pack of 20
Ø x H: 28 x 10.5

66824-01G00
FIX760 Pack of 20
Ø x S: 13 x 8

8099905N07
FIX781 Pack of 20
Ø x S: 18 x 11.5

8522-0M000
FIX628 Pack of 10
W x D x H: 31 x 30 x 37

91503-SZ3-003
FIX768 Pack of 20
Ø x S: 20 x 13

96706B0700
FIX23 Pack of 50
W x H: 9.5 x 8

N807994-S
FIX621 Pack of 20
Ø x H: 12.5 x 10.5

-
FIX606 Pack of 20
Ø x H: 28 x 6

Manufacturers OEM References provided for information and guidance only. E. & O. E.

Renault

82176228
FIX318 Pack of 20
W x D x H: 14 x 7 x 13.5

703077117
FIX662 Pack of 20
Ø x H: 20 x 16.5

1609267280
FIX273 Pack of 50
Ø x H: 20 x 20

7700784059
FIX883 Pack of 20
W x D x H: 50 x 12.5 x 10.5

7700838242
FIX883 Pack of 20
W x D x H: 50 x 12.5 x 10.5

7700842510
FIX396 Pack of 5
W x D x H: 50 x 24 x 30

7701026892
FIX440 Pack of 20
W x D x H: 9.5 x 17.5 x 13

7701044547
FIX349 Pack of 20
W x D x H: 8 x 16.5 x 11

7701049008
FIX729 Pack of 20
Ø x H: 9.5 x 30

7701049270
FIX166 Pack of 50
Ø x H: 20 x 16

7701049270
FIX532 Pack of 50
Ø x H: 20 x 16

7701049271
FIX751 Pack of 20
Ø x S: 20 x 21

7701050734
FIX816 Pack of 20
Ø x H: 15 x 14

7701057429
FIX397 Pack of 10
W x D x H: 16.5 x 16.5 x 19

7701070813
FIX406 Pack of 20
W x D x H: 14 x 8 x 17

7701470779
FIX533 Pack of 50
Ø x H: 20 x 17

7703017090
FIX729 Pack of 20
Ø x H: 9.5 x 30

7703044129
FIX394 Pack of 10
W x D x H: 25 x 17 x 10

Renault

7703046049
FIX655 Pack of 20
W x L x R: 20 x 16 x 10

7703072116
FIX97 Pack of 50
Ø x S: 10 x 12

7703072116
FIX515 Pack of 50
Ø x S: 10 x 12

7703072144
FIX174 Pack of 50
Ø x S: 10 x 14

7703072172
FIX173 Pack of 50
Ø x S: 9.8 x 12

7703072173
FIX43 Pack of 50
Ø x S: 8.7 x 8

7703072173
FIX95 Pack of 50
Ø x S: 11.4 x 7

7703072224
FIX42 Pack of 50
Ø x S: 7.6 x 8

7703072261
FIX806 Pack of 20
Ø x S: 12 x 14

7703072360
FIX179 Pack of 20
Ø x S: 17.5 x 11.5

7703074022
FIX346 Pack of 20
Ø x H: 16 x 18

7703077117
FIX339 Pack of 20
Ø x H: 19 x 15

7703077183
FIX828 Pack of 20
Ø x H: 15 x 19

7703077225
FIX164 Pack of 50
Ø x H: 35 x 25

7703077250
FIX880 Pack of 20
Ø x H: 15 x 20

7703077256
FIX392 Pack of 20
W x D x H: 19 x 13 x 10

7703077420
FIX338 Pack of 20
Ø x H: 19 x 17

7703077421
FIX256 Pack of 50
Ø x H: 20 x 17

Renault

7703077421
FIX533 Pack of 50
Ø x H: 20 x 17

7703077434
FIX856 Pack of 20
Ø x H: 15 x 20.5

7703077469
FIX529 Pack of 50
Ø x H: 18 x 17

7703077469
FIX255 Pack of 50
Ø x H: 18.5 x 18

7703077476
FIX495 Pack of 20
Ø x H: 21.5 x 20

77030 77477
FIX496 Pack of 10
W x D x H: 28 x 16 x 17

7703079070
FIX52 Pack of 50
Ø: 8

7703079652
FIX433 Pack of 20
W x D x H: 17 x 10 x 14

7703081056
FIX604 Pack of 20
W x D x H: 25 x 9 x 16

7703081151
FIX366 Pack of 20
Ø x H: 8 x 13


7703081180
FIX646 Pack of 10
W x D x H: 20 x 20 x 29

7703081185
FIX746 Pack of 20
W x D x H: 15 x 10 x 15.5

7703081185
FIX867 Pack of 20
W x D x H: 20 x 13 x 17.5

9605204680
FIX361 Pack of 20
W x D x H: 22 x 14 x 21

8200389607
FIX854 Pack of 10
Ø x H: 21 x 23

-
FIX648 Pack of 20
W x D x H: 45 x 15 x 7

Subaru

909140012
FIX786 Pack of 20
Ø x S: 16 x 11

59114AG000
FIX772 Pack of 20
Ø x S: 20 x 12.5

94422-KC030
FIX707 Pack of 20
Ø x H: 17.5 x 18.5

Suzuki

09409-08310
FIX845 Pack of 20
Ø x H: 18 x 18.5

90467-11063
FIX228 Pack of 50
Ø x H: 18 x 17.8

09409-07332-000
FIX258 Pack of 50
Ø x S: 20 x 10

09409-07308-5PK
FIX510 Pack of 50
Ø x S: 15 x 9

76243-77K00
FIX829 Pack of 10
W x D x H: 24 x 23 x 33

Manufacturers OEM References provided for information and guidance only. E. & O. E.

Toyota • Lexus

52161-16010
FIX511 Pack of 50
Ø x S: 18 x 28

52161-20010
FIX764 Pack of 20
Ø x S: 18 x 32

53259-20030
FIX637 Pack of 20
W x D x S: 18 x 18 x 11

53452-90351
FIX491 Pack of 20
W x D x H: 16 x 16 x 24.5

53455-14020
FIX458 Pack of 20
W x D x H: 20 x 20 x 29

53455-14020
FIX382 Pack of 20
W x D x H: 17 x 17 x 25

5378914010
FIX471 Pack of 20
W x D x H: 32 x 31 x 12

53879-58010
FIX407 Pack of 20
W x D x H: 34.5 x 25 x 18.5

67771-02030
FIX527 Pack of 50
Ø x H: 17 x 18

67771-02030
FIX530 Pack of 50
Ø x H: 18.5 x 20

67771-89104
FIX845 Pack of 20
Ø x H: 18 x 18.5

67867-12150
FIX259 Pack of 50
W x D x H: 15 x 9 x 15

67867-12150
FIX320 Pack of 20
W x D x H: 15 x 9.5 x 15

69293-12050
FIX462 Pack of 20
W x D x H: 23 x 9.5 x 18

75049-33010
FIX47 Pack of 50
Ø x H: 18 x 21

75395-33030
FIX228 Pack of 50
Ø x H: 18 x 17.8

76931-26010
FIX228 Pack of 50
Ø x H: 18 x 17.8

90044-68320
FIX240 Pack of 50
Ø x S: 20 x 9

Toyota • Lexus

90044-68320
FIX507 Pack of 50
Ø x S: 20 x 9

90189-04008
FIX461 Pack of 20
W x D x H: 16 x 12 x 15

90189-04013
FIX73 Pack of 50
Ø x H: 16 x 20

90189-05133
FIX368 Pack of 20
Ø x H: 21 x 36

90189-06001
FIX747 Pack of 20
Ø x H: 17.5 x 17.5

90189-06006
FIX221 Pack of 50
Ø x H: 16.5 x 11

90189-06006
FIX525 Pack of 50
Ø x H: 16 x 11

90189-06013
FIX192 Pack of 50
Ø x H: 20 x 18.5

90189-06013
FIX526 Pack of 50
Ø x H: 20 x 18.5

90189-06018
FIX190 Pack of 50
W x H: 14 x 8

90467-06020-B6
FIX872 Pack of 20
Ø x H: 18 x 22

90189-06224
FIX749 Pack of 20
Ø x H: 16 x 20

90467-06017
FIX522 Pack of 50
Ø x S: 15 x 13

90467-06017
FIX31 Pack of 50
Ø x S: 15 x 13

90467-07041
FIX510 Pack of 50
Ø x S: 15 x 9

90467-07043
FIX781 Pack of 20
Ø x S: 18 x 11.5

90467-07050
FIX345 Pack of 20
Ø x H: 15 x 18

90467-07066
FIX776 Pack of 20
Ø x S: 11 x 14

Toyota • Lexus

90467-07146
FIX774 Pack of 20
Ø x S: 16 x 8

90467-07164
FIX258 Pack of 50
Ø x S: 20 x 10

90467-07201
FIX763 Pack of 20
Ø x S: 20 x 11

90467-07214
FIX771 Pack of 20
Ø x S: 20 x 9

90467-08030
FIX629 Pack of 20
W x D x H: 13 x 7 x 14.5

90467-08081
FIX466 Pack of 20
Ø x H: 30 x 15

90467-08185
FIX766 Pack of 20
Ø x S: 18 x 10

90467-09004/5
FIX459 Pack of 20
Ø x H: 30 x 19.5

90467-09050
FIX301 Pack of 20
W x D x H: 26 x 16

90467-09096
FIX775 Pack of 20
Ø x S: 14.5 x 27

90467-10107
FIX622 Pack of 20
Ø x H: 17 x 14

90467-10161
FIX531 Pack of 50
Ø x H: 18 x 20.5

90467-10167
FIX838 Pack of 20
Ø x H: 18 x 17.5

90467-12042
FIX621 Pack of 20
Ø x H: 12.5 x 10.5

90904-67036
FIX837 Pack of 20
Ø x H: 17 x 24.5

90959-01136
FIX477 Pack of 20
W x D x H: 15.5 x 15.5 x 24

521614401OB0
FIX764 Pack of 20
Ø x S: 18 x 32

521614401OB0
FIX511 Pack of 50
Ø x S: 18 x 28

Toyota • Lexus

67771-52010B1
FIX758 Pack of 20
Ø x S: 19.5 x 12

90467-07030
FIX234 Pack of 20
Ø x S: 17 x 11

Vauxhall • Opel • GM

129943
FIX340 Pack of 20
Ø x H: 13 x 12.5

0149907
FIX863 Pack of 20
Ø x H: 11.5 x 12

149910
FIX810 Pack of 20
Ø x H: 12 x 16

157979
FIX185 Pack of 20
W x D x H: 15 x 6 x 18

0164361
FIX70 Pack of 50
Ø: 1/8"

0167935
FIX710 Pack of 20
Ø x S: 10 x 7

0167935
FIX43 Pack of 50
Ø x S: 8.7 x 8

0167935
FIX95 Pack of 50
Ø x S: 11.4 x 7

172017
FIX417 Pack of 20
W x D x H: 25 x 34 x 16

180942
FIX147 Pack of 50
Ø x H: 16 x 11

796255
FIX819 Pack of 20
Ø x H: 19 x 22.5

824767
FIX317 Pack of 20
W x D x H: 15.5 x 11.5 x 15

1104880
FIX100 Pack of 50
Ø x S: 16 x 11

1104880
FIX517 Pack of 50
Ø x S: 16 x 13

1104880
FIX39 Pack of 50
Ø x S: 16 x 13

1104882
FIX176 Pack of 20
Ø x S: 18.7 x 15

1162484
FIX163 Pack of 50
Ø x H: 28 x 18.5

1162488
FIX170 Pack of 50
W x D x H: 21 x 18 x 10

1180216
FIX343 Pack of 20
W x D x H: 18 x 9.5 x 25

1190970
FIX144 Pack of 20
Ø x H: 23 x 18

1216957
FIX142 Pack of 50
W x H: 11 x 12

1218604
FIX315 Pack of 20
W x D x H: 26 x 23 x 19

1222141
FIX496 Pack of 10
W x D x H: 28 x 16 x 17

1400804
FIX109 Pack of 50
Ø x S: 15 x 20

1400806
FIX110 Pack of 50
Ø x S: 20 x 20

1404960
FIX354 Pack of 20
Ø x H: 20 x 21

1406984
FIX145 Pack of 20
Ø x H: 18 x 25

1719242
FIX173 Pack of 50
Ø x S: 9.8 x 12

10036503
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9

10053182
FIX120 Pack of 50
Ø x S: 15 x 19

10121502
FIX29 Pack of 50
Ø x H: 18 x 28

10121502
FIX503 Pack of 50
Ø x H: 18 x 31

10184895
FIX210 Pack of 50
Ø x L: 6 x 25. F Ø: 12.9


11067771
FIX718 Pack of 20
Thread: No. 8 x 1"

11589289
FIX891 Pack of 20
Ø x S: 18 x 17.5

14063981
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9

2038253
FIX718 Pack of 20
Thread: No. 8 x 1"

2207713
FIX703 Pack of 20
Ø x H: 19 x 21.5

2208843
FIX342 Pack of 20
Ø x H: 28 x 16

2240587
FIX242 Pack of 50
Ø x H: 18 x 18.5

2240593
FIX242 Pack of 50
Ø x H: 18 x 18.5

2317703
FIX103 Pack of 50
Ø x S: 16 x 11

2338955
FIX267 Pack of 50
Ø x H: 14 x 17

2345957
FIX527 Pack of 50
Ø x H: 17 x 18

2345959
FIX527 Pack of 50
Ø x H: 17 x 18

21030249
FIX751 Pack of 20
Ø x S: 20 x 21

22512276
FIX705 Pack of 20
Ø x H: 21.5 x 24

24405740
FIX496 Pack of 10
W x D x H: 28 x 16 x 17

4409693
FIX256 Pack of 50
Ø x H: 20 x 17

4409693
FIX533 Pack of 50
Ø x H: 20 x 17

4412053
FIX256 Pack of 50
Ø x H: 20 x 17

4412053
FIX533 Pack of 50
Ø x H: 20 x 17

6500911
FIX211 Pack of 50
Ø x L: 6 x 25. F Ø: 16.9


88970345
FIX838 Pack of 20
Ø x H: 18 x 17.5

90033713
FIX70 Pack of 50
Ø: 1/8"

90040750
FIX163 Pack of 50
Ø x H: 28 x 18.5

90053803
FIX144 Pack of 20
Ø x H: 23 x 18

90058826
FIX173 Pack of 50
Ø x S: 9.8 x 12

90087290
FIX100 Pack of 50
Ø x S: 16 x 11

90087290
FIX517 Pack of 50
Ø x S: 16 x 13

90087290
FIX39 Pack of 50
Ø x S: 16 x 13

90116376
FIX103 Pack of 50
Ø x S: 16 x 11

90138810
FIX104 Pack of 50
Ø x S: 16 x 10

90218614
FIX342 Pack of 20
Ø x H: 28 x 16

90230960
FIX142 Pack of 50
W x H: 11 x 12

90246867
FIX343 Pack of 20
W x D x H: 18 x 9.5 x 25

90270271
FIX154 Pack of 50
W x L x R: 16.5 x 11 x 8

90321121
FIX242 Pack of 50
Ø x H: 18 x 18.5

90321122
FIX527 Pack of 50
Ø x H: 17 x 18


90355604
FIX170 Pack of 50
W x D x H: 21 x 18 x 10

90356928
FIX106 Pack of 20
Ø x S: 13 x 15

90386374
FIX315 Pack of 20
W x D x H: 26 x 23 x 19

Vauxhall • Opel • GM

90413589
FIX147 Pack of 50
Ø x H: 16 x 11

90414663
FIX863 Pack of 20
Ø x H: 12 x 13

90450482
FIX176 Pack of 20
Ø x S: 18.7 x 15

90457899
FIX527 Pack of 50
Ø x H: 17 x 18

90482706
FIX145 Pack of 20
Ø x H: 18 x 25

90508809
FIX110 Pack of 50
Ø x S: 20 x 20

93160023
FIX256 Pack of 50
Ø x H: 20 x 17

93160023
FIX533 Pack of 50
Ø x H: 20 x 17

93160780
FIX856 Pack of 20
Ø x H: 15 x 20.5

94198687
FIX31 Pack of 50
Ø x S: 15 x 13


94198687
FIX522 Pack of 50
Ø x S: 15 x 13

94530438
FIX794 Pack of 20
Ø x S: 15 x 13

94530623
FIX182 Pack of 10
Ø x S: 20 x 14

94530623
FIX521 Pack of 50
Ø x S: 20 x 14

94854203
FIX749 Pack of 20
Ø x H: 16 x 20

94858299
FIX513 Pack of 50
Ø x S: 19 x 14

96057846
FIX510 Pack of 50
Ø x S: 15 x 9

96057847
FIX776 Pack of 20
Ø x S: 11 x 14

Vauxhall • Opel • GM

204655395
FIX208 Pack of 50
Ø x L: 5 x 15. F Ø: 8.9

909130105
FIX513 Pack of 50
Ø x S: 19 x 14

909130115
FIX531 Pack of 50
Ø x H: 18 x 20.5

Volvo

947-098
FIX710 Pack of 20
Ø x S: 10 x 7

947098
FIX95 Pack of 50
Ø x S: 11.4 x 7

979878
FIX206 Pack of 50
Head Ø: 6

987789
FIX781 Pack of 20
Ø x S: 18 x 11.5

3120254
FIX118 Pack of 50
Ø x S: 16 x 12

3541113
FIX758 Pack of 20
Ø x S: 19.5 x 12

3541113
FIX754 Pack of 20
Ø x S x H: 20 x 8 x 22

3923475
FIX103 Pack of 50
Ø x S: 16 x 11

12681763
FIX175 Pack of 50
Ø x S: 16 x 14

12681763
FIX516 Pack of 50
Ø x S: 16.5 x 14


30808521
FIX344 Pack of 20
W x D x H: 13.5 x 19.5 x 24

30820141
FIX114 Pack of 50
Ø x S: 20 x 14

Volvo

30820141
FIX506 Pack of 50
Ø x S: 20 x 14

35126242
FIX100 Pack of 50
Ø x S: 16 x 11

35126242
FIX517 Pack of 50
Ø x S: 16 x 13

35126242
FIX39 Pack of 50
Ø x S: 16 x 13

39964090
FIX762 Pack of 20
Ø x S 15 x 10 mm

9133417-7
FIX709 Pack of 20
Ø x S: 16 x 14

3272075327462A
FIX36 Pack of 50
Ø x H: 18 x 17

3272075327462B
FIX35 Pack of 50
Ø x H: 18 x 17

Universal

Universal
FIX378 Pack of 20
Ø x H: 8 x 11.5 mm

Universal
FIX379 Pack of 20
W x D x H: 8.5 x 8 x 10.5

Universal
FIX675 Pack of 20
Ø x H 15 x 24.5 mm

Universal
FIX688 Pack of 20
Ø x H: 18 x 25

Universal
FIX673 Pack of 20
Ø x H: 18 x 25


Universal
FIX674 Pack of 20
Ø x H: 22 x 24.5


Universal
FIX677 Pack of 20
Ø x H: 18 x 25

Universal
FIX680 Pack of 20
Ø x H: 14.5 x 25

Universal
FIX682 Pack of 20
Ø x H: 18 x 24.5


Universal
FIX684 Pack of 20
Ø x H: 14.5 x 23

Universal
FIX689 Pack of 20
Ø x H: 18 x 23

Universal
FIX20 Pack of 50
Ø x H: 16 x 15

Universal
FIX364 Pack of 20
Ø x H: 22 x 23

Manufacturers OEM References provided for information and guidance only. E. & O. E.

1:1 Actual Size Images

Trim Clip Chart

Double sided A1 size guide,
folded down to A4 for easy and convenient use.

If displaying range on a wall two copies will be required.

- **Contains 330 popular trim clips, body screws, number plate screws and rivets**
- **New larger format A1 size chart**
- **Actual size images for quick and easy identification**

Part No.	Qty	Description
YCHART1	1	A1 Double Sided Wall Chart

202


203

203

204


206

207

Tubing + Air

209

202 Hose Clips
206 O-Clips
207 Hose Connectors
208 Hose + Tubing Tools
210 Tube Couplings
214 Pipe Fittings
216 Hose + Tubing
219 Air Line Hose
220 Air Line Fittings
225 Blow Guns
226 Air Tools
228 Spray Guns
229 Tyre Inflators
232 Tyre Valve Connectors
233 Tyre Pressure Gauges
234 Tyre Air Compressors

210

213


219

220

227

228

231

232

233

235

Contents

JCS 'Hi-Grip' Hose Clips

Mild steel zinc plated. 12.5 mm (*9.5 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of	Size No.	Range	
JCS000	30	12*	9.5 - 12 mm	3/8" - 1/2"
JCSM00	30	16*	11 - 16 mm	1/2" - 5/8"
JCS00	30	20*	13 - 20 mm	1/2" - 3/4"
JCS0	30	22	14 - 22 mm	5/8" - 7/8"
JCS0X	20	25	17 - 25 mm	3/4" - 1"
JCS1A	20	30	22 - 30 mm	7/8" - 1 1/8"
JCS1	20	35	25 - 35 mm	1" - 1 3/8"
JCS1X	20	40	30 - 40 mm	1 1/8" - 1 5/8"
JCS245	20	45	35 - 45 mm	1 3/8" - 1 3/4"
JCS2A	20	50	35 - 50 mm	1 3/8" - 2"
JCS2	20	55	40 - 55 mm	1 5/8" - 2 1/8"
JCS2X	20	60	45 - 60 mm	1 3/4" - 2 3/8"
JCS3	20	70	55 - 70 mm	2 1/8" - 2 3/4"
JCS3X	20	80	60 - 80 mm	2 3/8" - 3 1/8"
JCS4	20	90	70 - 90 mm	2 3/4" - 3 1/2"
JCS4X	20	100	80 - 100 mm	3 1/8" - 4"
JCS5	10	120	90 - 120 mm	3 1/2" - 4 3/4"
JCS6	10	140	110 -140 mm	4 3/8" - 5 1/2"
JCS7	10	160	130 -160 mm	5 1/8" - 6 1/4"

Assorted Pack of JCS 'Hi-Grip' Hose Clips - Large Sizes

Mild steel zinc plated. 12.5 mm band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of
JCS24	24 Pieces

8 x Sizes: 60, 70, 80, 90, 100, 120, 140, 160.

Assorted Pack of JCS 'Hi-Grip' Hose Clips - Small Sizes

Mild steel zinc plated. 12.5 mm (9.5 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of
JCS50	50 Pieces

8 x Sizes: 12*, 16*, 20*, 22, 25, 30, 35, 40, 50.



Looking for Hose Clip Tools?

Our complete range of Hose + Tubing Tools start from Page 208

JCS 'Hi-Grip' Hose Clips - Boxed

Mild steel zinc plated.
12.5 mm (*9.5 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Box of	Size No.	Range	Range
JCX000	10	12*	9.5 - 12 mm	3/8" - 1/2"
JCXM00	10	16*	11 - 16 mm	1/2" - 5/8"
JCX00	10	20*	13 - 20 mm	1/2" - 3/4"
JCX0	10	22	14 - 22 mm	5/8" - 7/8"
JCX0X	10	25	17 - 25 mm	3/4" - 1"
JCX1A	10	30	20 - 30 mm	7/8" - 1 1/8"
JCX1	10	35	25 - 35 mm	1" - 1 3/8"
JCX1X	10	40	30 - 40 mm	1 1/8" - 1 5/8"
JCX245	10	45	35 - 45 mm	1 3/8" - 1 3/4"
JCX2A	10	50	35 - 50 mm	1 3/8" - 2"
JCX2	10	55	40 - 55 mm	1 5/8" - 2 1/8"
JCX2X	10	60	45 - 60 mm	1 3/4" - 2 3/8"
JCX3	10	70	55 - 70 mm	2 1/8" - 2 3/4"

JCS 'Hi-Grip' Hose Clips Dispenser with 100 Clips

Mild steel zinc plated.
12.5 mm (*9.5 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Description
JCS100	100 Piece Set

10 x Sizes: 12*, 16*, 20*, 22, 25, 30, 35, 40, 45, 50.
1 x Flexible hose clip driver: 7 mm Hex.

JCS 'Hi-Grip' Hose Clips Dispenser with 160 Clips

Mild steel zinc plated.
12.5 mm (*9.5 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Description
JCS160	160 Piece Set

16 x Sizes: 12*, 16*, 20*, 22, 25, 30, 35, 40, 45, 50, 55, 60, 70, 80, 90, 100.
1 x Flexible hose clip driver: 7 mm Hex.

JCS 'Hi-Grip' 304 Stainless Steel (A2) Hose Clips

Made entirely from 18/8 marine quality stainless steel with Lloyds Register Approval.
12.5 mm (*9.5 mm) band width. Kite marked to BS 5315 : 1991.

- **Ideal for salt water and other highly corrosive environments**

Part No.	Pack of	Size No.	Range	
JSS000	10	12*	9.5 - 12 mm	3/8" - 1/2"
JSSM00	10	16*	11 - 16 mm	1/2" - 5/8"
JSS00	10	20*	13 - 20 mm	1/2" - 3/4"
JSS0	10	22	14 - 22 mm	5/8" - 7/8"
JSS0X	10	25	17 - 25 mm	3/4" - 1"
JSS1A	10	30	22 - 30 mm	7/8" - 1 1/8"
JSS1	10	35	25 - 35 mm	1" - 1 3/8"
JSS1X	10	40	30 - 40 mm	1 1/8" - 1 5/8"
JSS245	10	45	35 - 45 mm	1 3/8" - 1 3/4"
JSS2A	10	50	35 - 50 mm	1 3/8" - 2"
JSS2	10	55	40 - 55 mm	1 5/8" - 2 1/8"
JSS2X	10	60	45 - 60 mm	1 3/4" - 2 3/8"
JSS3	10	70	55 - 70 mm	2 1/8" - 2 3/4"
JSS3X	5	80	60 - 80 mm	2 3/8" - 3 1/8"
JSS4	5	90	70 - 90 mm	2 3/4" - 3 1/2"
JSS4X	5	100	80 - 100 mm	3 1/8" - 4"
JSS5	5	120	90 - 120 mm	3 1/2" - 4 3/4"
JSS6	5	140	110 - 140 mm	4 3/8" - 5 1/2"
JSS7	5	160	130 - 160 mm	5 1/8" - 6 1/4"

Mini Hose Clips

Part No.	Pack of	Ø Range
HCA8	50	7 - 9 mm
HCA9	50	8 - 10 mm
HCA10	50	9 - 11 mm
HCA11	50	10 - 12 mm
HCA12	50	11 - 13 mm
HCA13	50	12 - 14 mm
HCA14	50	13 - 15 mm
HCA15	50	14 - 16 mm
HCA16	50	15 - 17 mm
HCA17	50	16 - 18 mm

Assorted Box of Mini Hose Clips



Part No.	Box of
AB102	100 Pieces

10 x Sizes (Ø Range): 7 - 9, 8 - 10, 9 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18 mm.

JCS Rubber Lined P-Clips

Hole Dia 6 mm. Mild steel, zinc plated.
EPDM rubber lined to prevent chafing caused by vibration.

Part No.	Pack of	Size
EAC105	50	5 mm
EAC106	50	6 mm
EAC108	50	8 mm
EAC110	50	10 mm
EAC113	50	13 mm
EAC116	50	16 mm
EAC121	50	21 mm
EAC125	50	25 mm
EAC129	50	29 mm
EAC135	50	35 mm
EAC138	50	38 mm
EAC144	25	44 mm
EAC148	25	48 mm
EAC152	25	52 mm
EAC160	25	60 mm

Assorted Pack of JCS Rubber Lined P-Clips

Hole Dia 6 mm. Mild steel, zinc plated.
EPDM rubber lined to prevent chafing caused by vibration.

Part No.	Pack of	
EAC100	60 Pieces	
5 x Sizes: 6, 21, 29, 35 mm.		10 x Sizes: 8, 10, 13, 16 mm.

CV Boot Metal Clamps

Stainless steel.

Part No.	Pack of	Size	Range
HCV1	20	Small	19 - 40 mm
HCV2	20	Large	50 - 110 mm

CV Boot Clamp Pliers

Part No.	Qty	Description
TL928	1	CV Boot Clamp Pliers

JUBILEE Hose Clips

Mild steel zinc plated. 13 mm (*9 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of	Size No.	Range	
JUB000N	25	000* (12)	9.5 - 12 mm	3/8" - 1/2"
JUBM00N	25	M00* (16)	11 - 16 mm	1/2" - 5/8"
JUB00N	25	00* (20)	13 - 20 mm	1/2" - 3/4"
JUB0N	25	0 (22)	16 - 22 mm	5/8" - 7/8"
JUB0XN	25	0X (25)	18 - 25 mm	3/4" - 1"
JUB1AN	25	1A (30)	22 - 30 mm	7/8" - 1 1/8"
JUB1N	25	1 (35)	25 - 35 mm	1" - 1 3/8"
JUB1XN	25	1X (40)	30 - 40 mm	1 1/8" - 1 5/8"
JUB1MN	25	1M	32 - 45 mm	1 1/4" - 1 3/4"
JUB2AN	25	2A (50)	35 - 50 mm	1 3/8" - 2"
JUB2N	25	2 (55)	40 - 55 mm	1 5/8" - 2 1/8"
JUB2XN	25	2X (60)	45 - 60 mm	1 3/4" - 2 3/8"
JUB3N	25	3 (70)	55 - 70 mm	2 1/8" - 2 3/4"
JUB3XN	10	3X (80)	60 - 80 mm	2 3/8" - 3 1/8"
JUB4N	10	4 (90)	70 - 90 mm	2 3/4" - 3 1/2"
JUB4XN	10	4X (100)	80 - 100 mm	3 1/4" - 4"
JUB5	10	5 (120)	90 - 120 mm	3 3/4" - 4 3/4"
JUB6N	5	6 (140)	110 - 140 mm	4 1/4" - 5 1/2"
JUB7N	5	7	135 - 165 mm	5 1/4" - 6 1/2"

Assorted Pack of JUBILEE Hose Clips - Small Sizes

Mild steel zinc plated. 13 mm (*9 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of	Description
JUB50	50 Pieces	Small Sizes

10 x Sizes: 000*, M00*, 00*, 0, 0X, 1A, 1, 1X, 2A, 2.

Assorted Pack of JUBILEE Hose Clips - Large Sizes

Mild steel zinc plated. 13 mm band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of	Description
JUB25	25 Pieces	Large Sizes

5 x Sizes: 2X, 3, 3X, 4, 4X.



Looking for Hose Clip Tools?

Our complete range of Hose + Tubing Tools start from Page 208

JUBILEE Hose Clips In Branded Boxes

Mild steel zinc plated.
Kite marked to BS 5315 : 1991.

Part No.	Box of	Size No.	Range	
JUX000	10	000* (12)	9.5 - 12 mm	3/8" - 1/2"
JUXM00	10	M00* (16)	11 - 16 mm	1/2" - 5/8"
JUX00	10	00* (20)	13 - 20 mm	1/2" - 3/4"
JUX0	10	0 (22)	16 - 22 mm	5/8" - 7/8"
JUX0X	10	0X (25)	18 - 25 mm	3/4" - 1"
JUX1A	10	1A (30)	22 - 30 mm	7/8" - 1 1/8"
JUX1	10	1 (35)	25 - 35 mm	1" - 1 3/8"
JUX1X	10	1X (40)	30 - 40 mm	1 1/8" - 1 5/8"
JUX1M	10	1M	32 - 45 mm	1 1/4" - 1 3/4"
JUX2A	10	2A (50)	35 - 50 mm	1 3/8" - 2"
JUX2	10	2 (55)	40 - 55 mm	1 5/8" - 2 1/8"
JUX2X	10	2X (60)	45 - 60 mm	1 3/4" - 2 3/8"
JUX3	10	3 (70)	55 - 70 mm	2 1/8" - 2 3/4"

JUBILEE Hose Clips In Branded Boxes In A Handypack Dispenser

Mild steel zinc plated.
13 mm (*9 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Qty	Description
JUX100	1 Set	100 Piece Set

10 x Sizes: 000*, M00*, 00*, 0, 0X, 1A, 1, 1X, 1M, 2A.

JUBILEE Hose Clips Dispenser with 100 Clips and 3 x Hose Clip Drivers

Mild steel zinc plated. 13 mm (*9 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Qty	Description
JUB100	1 Set	101 Piece Set

10 x Sizes: 000*, M00*, 00*, 0, 0X, 1A, 1, 1X, 2A, 2. 3 x Flexible hose clip driver: 7 mm Hex.

JUBILEE 'Superclamps' Heavy Duty Bolt Clamps

Zinc plated mild steel. Screws to DIN933.

Part No.	Pack of	Min - Max Ø	Band Width x Thickness	Hex Head
JUBS19	10	17 - 19 mm	18 x 0.6 mm	8 mm
JUBS22	10	20 - 22 mm	18 x 0.6 mm	8 mm
JUBS25	10	23 - 25 mm	18 x 0.6 mm	8 mm
JUBS28	10	26 - 28 mm	18 x 0.6 mm	8 mm
JUBS31	10	29 - 31 mm	18 x 0.6 mm	8 mm
JUBS35	10	32 - 35 mm	18 x 0.6 mm	10 mm
JUBS39	10	36 - 39 mm	18 x 0.6 mm	10 mm
JUBS43	10	40 - 43 mm	18 x 0.6 mm	10 mm
JUBS47	10	44 - 47 mm	20 x 1.0 mm	10 mm
JUBS51	10	48 - 51 mm	20 x 1.0 mm	10 mm
JUBS55	10	52 - 55 mm	20 x 1.0 mm	10 mm
JUBS59	10	56 - 59 mm	20 x 1.0 mm	10 mm
JUBS63	10	60 - 63 mm	20 x 1.0 mm	10 mm
JUBS67	10	64 - 67 mm	20 x 1.0 mm	13 mm
JUBS73	10	68 - 73 mm	25 x 1.5 mm	13 mm
JUBS79	5	74 - 79 mm	25 x 1.5 mm	13 mm
JUBS85	5	80 - 85 mm	25 x 1.5 mm	13 mm
JUBS91	5	86 - 91 mm	25 x 1.5 mm	13 mm
JUBS97	5	92 - 97 mm	25 x 1.5 mm	13 mm
JUBS103	5	98 - 103 mm	25 x 1.5 mm	13 mm
JUBS112	5	104 - 112 mm	25 x 1.5 mm	13 mm
JUBS121	5	113 - 121 mm	25 x 1.5 mm	13 mm
JUBS130	5	122 - 130 mm	25 x 1.5 mm	13 mm
JUBS139	5	131 - 139 mm	25 x 1.5 mm	13 mm
JUBS148	5	140 - 148 mm	25 x 1.8 mm	13 mm
JUBS161	5	149 - 161 mm	25 x 1.8 mm	13 mm
JUBS174	5	162 - 174 mm	25 x 1.8 mm	13 mm
JUBS187	5	175 - 187 mm	25 x 1.8 mm	13 mm

TERRY 'Powergrip' Hose Clips

Aluzinc steel band & housing, screw zinc plated steel.
12 mm (*9 mm) band width.
Kite marked to BS 5315 : 1991.

Part No.	Pack of	Size No.	Range	
HC000	20	12*	9.5 - 12 mm	3/8" - 1/2"
HCM00	20	16*	11 - 16 mm	1/2" - 5/8"
HC00	20	20	13 - 20 mm	1/2" - 3/4"
HC0	20	22	16 - 22 mm	5/8" - 7/8"
HC0X	20	25	18 - 25 mm	3/4" - 1"
HC1A	20	30	22 - 30 mm	7/8" - 1 1/8"
HC1	20	35	25 - 35 mm	1" - 1 3/8"
HC1X	20	40	30 - 40 mm	1 1/8" - 1 5/8"
HC2A	20	50	35 - 50 mm	1 1/4" - 1 7/8"
HC2	20	55	40 - 55 mm	1 1/2" - 2 1/8"
HC2X	20	60	45 - 60 mm	1 3/4" - 2 3/8"
HC3	20	70	55 - 70 mm	2" - 2 3/4"
HC3X	20	80	60 - 80 mm	2 3/8" - 3 1/8"
HC4	20	90	70 - 90 mm	2 3/4" - 3 1/2"
HC4X	20	100	85 - 100 mm	3 1/4" - 4"

TERRY 'Powergrip' Assorted Pack of Hose Clips

Aluzinc steel band & housing,
screw zinc plated steel.
12 mm band width. BS 5315.

Part No.	Pack of
AP28	50 Pieces

Sizes HC000 to HC2A

JUBILEE 'Multiband' Mild Steel Banding

Zinc plated. 11 mm band width
(steel screws/housings not included).

Part No.	Qty	Length
JUM10	1	10 m Coil
JUM30	1	30 m Coil

JUBILEE 'Multiband' Mild Steel Screws/Housings

Zinc plated.
Suits 11 mm 'Multiband'.

Part No.	Pack of	Head Type
JUS1	25	Slotted Head
JUS2	25	Hex Head

TERRY 'Powergrip' Hose Clips Dispenser with 100 Clips and Hose Clip Driver

Aluzinc steel band & housing,
screw zinc plated steel.
12 mm band width. BS 5315.

Part No.	Qty	Description
HCD100	1 Set	102 Piece Set

10 x Sizes: 000*, M00, 00, 0, 0X, 1A, 1, 1X, 2A, 2. 1 x Flexible hose clip driver: 7 mm Hex.

NORMA

NORMACLAMP® 'TORRO®' Narrow Band Hose Clips

9 mm band width. Zinc chromate passivated mild steel screw.BS EN 10088-2 Ferritic stainless steel/ AISI 430. DIN 3017 (Band and Housing).

Part No.	Pack of	Range
HN0816	20	10 - 16 mm
HN1220	20	12 - 20 mm
HN1625	20	16 - 27 mm
HN2032	20	20 - 32 mm
HN2840	20	28 - 40 mm
HN3250	20	32 - 50 mm
HN4060	20	40 - 60 mm
HN5070	20	50 - 70 mm
HN6080	20	60 - 80 mm
HN7090	20	70 - 90 mm
HN80100	20	80 - 100 mm

Assorted Pack of NORMACLAMP® 'TORRO®' Narrow Band Hose Clips

9 mm band width. Zinc chromate passivated mild steel screw.BS EN 10088-2 Ferritic stainless steel/ AISI 430. DIN 3017 (Band and Housing)).

Part No.	Pack of
AP56	50 Pieces

20 x Size Range: 10 - 16 mm. 10 x Size Range: 12 - 20 mm.
5 x Size Range: 16 - 27 mm, 20 - 32 mm, 28 - 40 mm, 32 - 50 mm.

O-Clips - 2-Ear Clamps

Zinc plated steel. DIN 1.0338 / SAE 1008/1010.

Part No.	Pack of	I.D.	Range
OC1	25	3/8"	8 - 11 mm
OC1A	50	3/8"	8 - 11 mm
OC2	25	7/16"	9 - 11 mm
OC2A	50	7/16"	9 - 11 mm
OC3	25	1/2"	11 - 13 mm
OC3A	50	1/2"	11 - 13 mm
OC4	25	9/16"	13 - 15 mm
OC4A	50	9/16"	13 - 15 mm
OC5	25	5/8"	15 - 18 mm
OC5A	50	5/8"	15 - 18 mm
OC6	25	3/4"	17 - 20 mm
OC6A	50	3/4"	17 - 20 mm
OC7	25	7/8"	20 - 23 mm
OC7A	50	7/8"	20 - 23 mm

Assorted Box of O-Clips - 2-Ear Clamps

Zinc plated steel. DIN 1.0338 / SAE 1008/1010.

Part No.	Box of
AB38	140 Pieces

6 x Sizes (Ø Range): 3/8" (8 - 11 mm), 7/16" (9 - 11 mm), 1/2" (11 - 13 mm), 9/16" (13 - 15 mm), 5/8" (15 - 18 mm), 3/4" (17 - 20 mm).

OETIKER®

OETIKER Pipe Clips

Zinc plated band.
Suitable for small bore petrol pipe, non-reinforced PVC pipe and rubber hose.

Part No.	Pack of	Range
PC1	20	7 - 11 mm
PC3	20	9 - 14 mm
PC2	20	10 - 18 mm

OETIKER®

STAINLESS STEEL

OETIKER '167' O-Clips - Single Ear Clamps

Stainless steel. DIN 1.4301 / UNS S30400.

- 360° stepless® design - No steps or gaps in the inner circumference.
- Smooth edged steel prevents damage to hose.

Part No.	Pack of	Range	Width x Thickness
OC11	25	7.0 - 8.7 mm	5 x 0.5 mm
OC12	25	8.3 - 10.0 mm	5 x 0.5 mm
OC13	25	9.6 - 11.3 mm	7 x 0.6 mm
OC14	25	11.3 - 13.8 mm	7 x 0.6 mm
OC15	25	13.2 - 15.7 mm	7 x 0.6 mm
OC16	25	15.3 - 18.5 mm	7 x 0.6 mm
OC17	25	17.8 - 21.0 mm	7 x 0.6 mm
OC18	25	19.4 - 22.6 mm	7 x 0.6 mm

Assorted Box of OETIKER '167' O-Clips - Single Ear Clamps

Stainless steel. DIN 1.4301 / UNS S30400.



Part No.	Box of
AB144	160 Pieces

8 x Size Ranges: 7.0 - 8.5 mm, 8.5 - 10.0 mm, 9.8 - 11.8 mm, 11.8 - 3.8 mm, 13.2 - 15.8 mm, 15.6 - 17.8 mm, 17.1 - 20.0 mm, 20.2 - 22.8 mm.

Looking for O-Clip Tools?

Our complete range of Hose + Tubing Tools are overleaf on Page 208



Nylon Hose Connectors - Straights

Nylon. Blue. Working temperature 0°C - 100°C.

Part No.	Pack of	For Hose I.D.
PJ105	10	5 mm
PJ106	10	6 mm
PJ108	10	8 mm
PJ110	10	10 mm
PJ112	10	12 mm
PJ116	10	16 mm
PJ119	10	19 mm

Assorted Pack of Nylon Hose Connectors - Straights

Nylon. Blue. Working temperature 0°C - 100°C.

Part No.	Pack of
AP71	35 Pieces

7 x Sizes (Hose I.D.): 5, 6, 8,10, 12, 16, 19 mm.

Nylon Hose Connectors - Elbows

Nylon. Blue. Working temperature 0°C - 100°C.

Part No.	Pack of	For Hose I.D.
PJ306	5	6 mm
PJ308	5	8 mm
PJ310	5	10 mm
PJ312	5	12 mm
PJ316	5	16 mm
PJ319	5	19 mm

Assorted Pack of Nylon Hose Connectors - Elbows

Nylon. Blue. Working temperature 0°C - 100°C.

Part No.	Pack of
AP72	25 Pieces

5 x Sizes (Hose I.D.): 6, 10, 12, 16, 19 mm.

Nylon Hose Connectors - Reducers

Nylon. Blue. Working temperature 0°C - 100°C.

Part No.	Qty	For Hose I.D.
PJ212	5	12 - 10 mm
PJ216	5	16 - 12 mm
PJ219	5	19 - 16 mm

Hose Connectors - Equal Tees

Nylon. Blue.
Working temperature 0°C - 100°C.

Part No.	Pack of	For Hose I.D.
PJ406	5	6 mm
PJ408	5	8 mm
PJ410	5	10 mm
PJ412	5	12 mm
PJ416	5	16 mm
PJ419	5	19 mm



Pipe Joiners

Part No.	Pack of	For Hose I.D.
PJ1	10	3/16"
PJ2	10	1/4"
PJ3	10	5/16"
PJ4	10	3/8"
PJ5	10	1/2"
PJ6	10	5/8"

Assorted Pack of Nylon Hose Connectors - Tees

Nylon. Blue. Working temperature 0°C - 100°C.

Part No.	Pack of
AP73	25 Pieces

5 x Sizes (Hose I.D.): 6, 10, 12, 16, 19 mm.

Assorted Box of Pipe Repair Kit

Part No.	Box of
AB74	72 Pieces

6 x O-Clips: 7/16", 1/2", 9/16", 5/8", 3/4", 7/8".
6 x Pipe Joiners (Hose I.D.): 3/16", 1/4", 5/16", 3/8", 1/2", 5/8".

Brass Straight Hose Connector

Part No.	Qty	Bore Hose	
TC1050	2	3/4"	(19 mm)
TC1051	2	1"	(25 mm)

JCS 'Hi-Grip' Flexible Hose Clip Driver

Flexible shaft.

Part No.	Qty	Hex Size	Shaft Length
TL923	1	7 mm Hex	170 mm

KS TOOLS 'ERGOTORQUE®' Extra Long Flexible Hose Clip Driver

Ergonomic non-slip 2 component handle.

Part No.	Qty	Size	Length
K911.1177	1	7 mm Hex	500 mm



KS TOOLS 'ERGOTORQUE®' Extra Long Flexible Screwdriver Set

Ergonomic non-slip 2 component handle. 500 mm long.

Part No.	Qty	Description
K911.1180	1 Set	16 Piece Set

1 x Hose clip driver, flexible: 7 mm Hex x 500 mm. 1 x Screwdriver, flexible: For 1/4" sockets x 500 mm.
3 x Sockets 1/4": 5, 6, 8 mm. 1 x Screwdriver, flexible: For 1/4" bits x 500 mm. 10 x Bits 1/4", 25 mm:
6 x TORX®: T10, T15, T20, T25, T27, T30. 2 x PHILLIPS®: PH 1, PH 2. 2 x Slotted: 5.5, 6.5 mm.

OETIKER O-Clip Hand Installation Pincers with Side Jaw

High quality design compound action pincer with side jaw.
Length: 225 mm. Opening Gap: 16.5mm. Jaw Width: 8 mm

Part No.	Qty	Description
TL9240	1	O-Clip Hand Installation Pliers

O-Clip Crimping Tool

Front closing type.

Part No.	Qty	Description
TL9241	1	O-Clip Crimping Tool

NWS 'Clic' & 'Clic R' Type Hose Clip Pliers

Tool steel, drop-forged and oil-hardened. Spring opening jaws.

Part No.	Qty	Length	
TL258	1	175 mm	(7")

CV Boot Clamp Pliers

Part No.	Qty	Description
TL928	1	CV Boot Clamp Pliers

KS TOOLS Spring Pipe Clips Hose Clamp Pliers

Bowden cable 650 mm with ratchet locking mechanism.

- **For difficult to reach clamps, e.g. cooling system hoses.**
- **Ratchet locking mechanism to hold the clamps open.**

Part No.	Qty	Description
K115.1041	1	Spring Pipe Clip Pliers

Tube Cutter - Heavy Duty

For nylon tubing.

Part No.	Qty	Capacity Ø	
TL905	1	3 - 25 mm	(1/8" - 1")

Mini Pipe/ Tube Cutter

For copper and brass pipe/tubing.

- **For use in confined spaces.**

Part No.	Qty	Capacity Ø	
TL907	1	3 - 16 mm	(1/8" - 5/8")

TENGTOOLS



TENG TOOLS Mini Pipe/Tube Cutter

For copper and brass pipe.

Part No.	Qty	Capacity Ø	
TTF22	1	3 - 22 mm	(1/8" - 7/8")

TENGTOOLS

TENG TOOLS Pipe/Tube Cutter

For copper and brass pipe/tubing.
Heavy duty with spare blade & retractable reamer.

Part No.	Qty	Capacity Ø	
TTF30	1	3 - 32 mm	(1/8" - 1 1/4")



Hose Clamp

For shutting off petrol, water and brake fluid.
Maximum hose diameter: 3/4" (19 mm).

Part No.	Qty	Description
TL909	1	Hose Clamp

Radiator Hose Clamp Pliers

Eliminates the need to drain complete cooling system when servicing any part of the system. Also useful for clamping vacuum lines.

Part No.	Qty	Description
TNH160	1	Hose Clamp Pliers

Tube Cutter

For nylon tubing.

Part No.	Qty	Capacity Ø	
TL906	1	Up to 12 mm	(1/2")

Speedfit

JG 'Speedfit' Push-Fit Tube Coupling Locking/Release Tools

Suits most types of plastic push-fit tube couplings.
Supplied on a holding ring.

Part No.	Qty	Description
TC99	1 Set	5 Piece Set

5 x Sizes: 3/16", 1/4", 5/16", 3/8", 1/2"

Quick-Fit Tube Couplings Locking/Release Spanners

Suits most types of plastic push-fit tube couplings.

Part No.	Qty	Description
TCX99	1 Set	5 Piece Set

5 x Sizes: 3/16" (5 mm), 1/4" (6 mm), 5/16" (8 mm), 3/8" (10 mm, 1/2" (13 mm).

KS TOOLS GERMANY

KS TOOLS Fuel Pipe Pliers Set

For opening the compression coupling on fuel pipes. Blue and green pliers for the fuel pipe, where the compression coupling is connected (removing the coupling at the front side). Red pliers with two noses 6. 5 x 6 mm for fuel pipes e.g. GM/ VAUXHALL (removing the coupling at the side).

Part No.	Qty	Description
K115.1090	1 Set	3 Piece Set

Applications incl.: CHRYSLER, CHEVROLET, CITROËN, FIAT, FORD, PEUGEOT, PONTIAC, RENAULT, VAUXHALL, VW, etc.

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Straights, Metric

Plastic. Black.

Part No.	Pack of	Size
TC26	10	4 mm
TC27	10	5 mm
TC28	10	6 mm
TC29	10	8 mm
TC30	5	10 mm
TC31	5	12 mm
TC56	5	15 mm

Assorted Box of JG 'Speedfit' Push-Fit Tube Couplings - Straights, Metric

Plastic. Black.

Part No.	Box of
AB97N	22 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Equal Tees, Metric

Plastic. Black.

Part No.	Pack of	Size
TC50	10	4 mm
TC51	10	5 mm
TC52	10	6 mm
TC53	10	8 mm
TC54	5	10 mm
TC55	5	12 mm

Assorted Box of JG 'Speedfit' Push-Fit Tube Couplings - Elbows & Tees, Metric

Plastic. Black.

Part No.	Box of
AB99	17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Straights, Imperial

Plastic. Grey.

Part No.	Pack of	Size
TC20	10	5/32"
TC21	10	3/16"
TC22	10	1/4"
TC23	10	5/16"
TC24	5	3/8"
TC25	5	1/2"

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Equal Tees, Imperial

Plastic. Grey.

Part No.	Pack of	Size
TC44	10	5/32"
TC45	10	3/16"
TC46	10	1/4"
TC47	10	5/16"
TC48	5	3/8"
TC49	5	1/2"

KS TOOLS GERMANY

KS TOOLS Fuel Pipe Pliers Set

For opening the compression coupling on fuel pipes. Blue and green pliers for the fuel pipe, where the compression coupling is connected (removing the coupling at the front side). Red pliers with two noses 6. 5 x 6 mm for fuel pipes e.g. GM/ VAUXHALL (removing the coupling at the side).

Part No.	Qty	Description
K115.1090	1 Set	3 Piece Set

Applications incl.: CHRYSLER, CHEVROLET, CITROËN, FIAT, FORD, PEUGEOT, PONTIAC, RENAULT, VAUXHALL, VW, etc.

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Elbows, Metric

Plastic. Black.

Part No.	Pack of	Size
TC40	10	6 mm
TC41	10	8 mm
TC42	5	10 mm
TC43	5	12 mm

Assorted Box of JG 'Speedfit' Push-Fit Tube Couplings - Elbows & Tees, Metric

Plastic. Black.

Part No.	Box of
AB99	17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.

Speedfit

JG 'SuperThread' Fitting - Straight Adaptors

Brass. Unique integral seal ensures the thread can be used with BSP, BSPT, NPT, PF and PT fittings.

- **No sealant need be applied.**
- **No danger of tape entering the system.**
- **Superior flow characteristics.**

Part No.	Pack of	Tube O.D.	SuperThread
TC300	10	4 mm	x 1/8" BSP
TC301	10	4 mm	x 1/4" BSP
TC302	10	5 mm	x 1/8" BSP
TC303	10	5 mm	x 1/4" BSP
TC304	10	6 mm	x 1/8" BSP
TC305	10	6 mm	x 1/4" BSP
TC306	10	8 mm	x 1/8" BSP
TC307	10	8 mm	x 1/4" BSP
TC308	10	8 mm	x 3/8" BSP
TC309	10	10 mm	x 1/4" BSP
TC310	10	10 mm	x 3/8" BSP
TC311	10	10 mm	x 1/2" BSP
TC312	10	12 mm	x 3/8" BSP
TC313	10	12 mm	x 1/2" BSP

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Reducing Straights, Metric

Plastic. Black.

Part No.	Pack of	Reducing Size
TC90	5	6 - 4 mm
TC91	5	8 - 6 mm
TC92	5	10 - 8 mm
TC93	5	12 - 10 mm

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Reducing Adaptors, Metric

Plastic. Black.

Part No.	Pack of	Reducing Size
TC66	10	6 - 4 mm
TC68	10	8 - 6 mm
TC70	10	10 - 8 mm
TC72	10	12 - 10 mm

Speedfit

JG 'Speedfit' Push-Fit Tube Couplings - Plugs

Plastic. Red.

Part No.	Pack of	Stem O.D.
TC74	10	4 mm
TC76	10	6 mm
TC78	10	8 mm
TC80	10	10 mm
TC82	10	12 mm

Speedfit

JG 'Speedfit' Push-Fit Tube Coupling Locking/Release Tools

Suits most types of plastic push-fit tube couplings. Supplied on a holding ring.

Part No.	Qty	Description
TC99	1 Set	5 Piece Set

5 x Sizes: 3/16", 1/4", 5/16", 3/8", 1/2"

Quick-Fit Tube Couplings - Straights, Metric

Plastic. Black.

Part No.	Pack of	Size
TCX26	10	4 mm
TCX27	10	5 mm
TCX28	10	6 mm
TCX29	10	8 mm
TCX30	5	10 mm
TCX31	5	12 mm
TCX56	5	15 mm

Assorted Box of Quick-Fit Couplings - Straights, Metric

Plastic, Black.

Part No.	Box of
AB187	24 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Quick-Fit Tube Couplings - Straights, Imperial

Plastic. Grey.

Part No.	Pack of	Size
TCX20	10	5/32"
TCX21	10	3/16"
TCX22	10	1/4"
TCX23	10	5/16"
TCX24	5	3/8"
TCX25	5	1/2"

Quick-Fit Tube Couplings - Two Way Dividers, Metric

Plastic. Black.

Part No.	Pack of	Size
TCX114	5	4 mm
TCX116	5	6 mm
TCX118	5	8 mm
TCX120	5	10 mm
TCX122	5	12 mm

Quick-Fit Tube Couplings - Equal Tees, Metric

Plastic. Black.

Part No.	Pack of	Size
TCX50	10	4 mm
TCX51	10	5 mm
TCX52	10	6 mm
TCX53	10	8 mm
TCX54	5	10 mm
TCX55	5	12 mm

Quick-Fit Tube Couplings - Elbows, Metric

Plastic. Black.

Part No.	Pack of	Size
TCX104	10	4 mm
TCX105	10	5 mm
TCX40	10	6 mm
TCX41	10	8 mm
TCX42	5	10 mm
TCX43	5	12 mm

Assorted Box of Quick-Fit Couplings - Elbows + Tees, Metric

Plastic, Black.

Part No.	Box of
AB188	17 Pieces

4 x Tees: 6, 8, 10, 12 mm. 4 x Elbows: 6, 8, 10, 12 mm.

Quick-Fit Tube Couplings Locking/Release Spanners

Suits most types of plastic push-fit tube couplings.

Part No.	Qty	Description
TCX99	1 Set	5 Piece Set

5 x Sizes: 3/16" (5 mm), 1/4" (6 mm), 5/16" (8 mm), 3/8" (10 mm, 1/2" (13 mm).

NORGREN

NORGREN 'Fleetfit' Brass Push-In Fittings with Tube Supports

Meets DOT FMVSS 106, SAE J1131, DIN 74324 and TÜV requirements.

Part No.	Pack of	Size
TC206	5	6 mm
TC208	5	8 mm
TC209	3	9 mm
TC210	3	10 mm
TC211	3	11 mm
TC212	3	12 mm

Brass Push-Fit Tube Couplings - Equal Tee, Metric

Part No.	Pack of	Size
TC124	3	4 mm
TC125	3	5 mm
TC126	3	6 mm
TC128	3	8 mm
TC130	1	10 mm
TC132	1	12 mm

Brass Push-Fit Tube Couplings - Straight, Metric

Part No.	Pack of	Size
TC104	5	4 mm
TC105	5	5 mm
TC106	5	6 mm
TC108	5	8 mm
TC110	3	10 mm
TC112	3	12 mm

Assorted Box of Brass Push-Fit Couplings - Straights, Metric

Part No.	Box of
AB189	18 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Brass Tube Couplings - Imperial

Complete with stepped olives. NOT suitable for diesel.

Part No.	Pack of	Size
TC1	10 Sets	1/8"
TC2	10 Sets	5/32"
TC3	10 Sets	3/16"
TC4	10 Sets	1/4"
TC5	10 Sets	5/16"
TC6	10 Sets	3/8"
TC7	10 Sets	1/2"
TC8	10 Sets	5/8"

Brass Tube Couplings - Metric

Complete with stepped olives. NOT suitable for diesel.

Part No.	Pack of	Size
TC9	10 Sets	4 mm
TC10	10 Sets	5 mm
TC11	10 Sets	6 mm
TC12	10 Sets	8 mm
TC15	10 Sets	9 mm
TC13	10 Sets	10 mm
TC16	10 Sets	11 mm
TC14	10 Sets	12 mm
TC17	10 Sets	13 mm
TC19	10 Sets	14 mm

Assorted Box of Tube Couplings Brass - Metric

Part No.	Box of
AB95N	27 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Assorted Box of Olives Stepped - Metric

Part No.	Box of
AB111N	185 Pieces

6 x Sizes: 4, 5, 6, 8, 10, 12 mm.

Assorted Box of Olives Stepped & Barrel - Imperial

Part No.	Box of
AB64N	450 Pieces

7 x Stepped: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2".
7 x Barrel: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2".

Malleable Iron Pipe Fitting - Female Equal Elbow 90° (90)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPP Thread Size
TC544	5	1/4"
TC545	5	3/8"
TC546	5	1/2"
TC540	2	3/4"
TC541	2	1"
TC542	1	1 1/4"
TC547	1	1 1/2"
TC543	1	2"

Malleable Iron Pipe Fitting - Female Equal Tee 90° (130)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPP Thread Size
TC564	2	3/8"
TC565	2	1/2"
TC560	2	3/4"
TC561	2	1"
TC563	1	1 1/2"
TC562	1	2"

Malleable Iron Pipe Fitting - Reducing Hex Bush (241)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPT : BSPP Thread Size	Type
TC525	5	3/8" : 1/4"	M : F
TC526	5	1/2" : 3/8"	M : F
TC522	5	3/4" : 1/2"	M : F
TC524	2	1" : 3/4"	M : F
TC520	2	1 1/2" : 1"	M : F
TC523	1	2" : 1"	M : F
TC521	1	2" : 1 1/2"	M : F

Malleable Iron Pipe Fitting - Square Hollow Plug (290)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPT Thread Size
TC556	5	1/8"
TC558	5	1/4"
TC557	5	3/8"
TC550	5	1/2"
TC551	5	3/4"
TC552	5	1"
TC553	2	1 1/4"
TC554	2	1 1/2"
TC555	1	2"

Malleable Iron Pipe Fitting - Equal Hex Nipple (280)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPT Thread Size
TC514	5	1/4"
TC515	5	3/8"
TC516	5	1/2"
TC510	5	3/4"
TC511	2	1"
TC517	2	1 1/4"
TC512	1	1 1/2"
TC513	1	2"

Malleable Iron Pipe Fitting - Reducing Hex Nipple (245)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPT Thread Size
TC577	5	3/8" : 1/4"
TC580	5	1/2" : 1/4"
TC578	5	1/2" : 3/8"
TC581	2	1/2" : 1"
TC582	2	1/2" : 1 1/4"
TC584	2	1/2" : 1 1/2"
TC579	2	3/4" : 3/8"
TC572	2	3/4" : 1/2"
TC585	2	3/4" : 1 1/2"
TC574	2	1" : 3/4"
TC583	1	1" : 1 1/4"
TC575	1	1 1/4" : 3/4"
TC570	1	1 1/2" : 1"
TC576	1	1 1/2" : 1 1/4"
TC586	1	2" : 3/4"
TC573	1	2" : 1"
TC587	1	2" : 1 1/4"
TC571	1	2" : 1 1/2"

Malleable Iron Pipe Fitting - Barrel Nipple

BS EN 10241. Class B. Black finish.

Part No.	Qty	BSPT Thread Size	Length
TC604	5	1/4"	40 mm
TC605	5	3/8"	40 mm
TC606	5	1/2"	50 mm
TC600	5	3/4"	55 mm
TC601	2	1"	60 mm
TC607	2	1 1/4"	70 mm
TC602	1	1 1/2"	70 mm
TC603	1	2"	100 mm

Malleable Iron Pipe Fitting - Female Socket (270)

BS EN 10242. Class B. Black finish

Part No.	Qty	BSPP Thread Size
TC504	5	1/8"
TC503	5	1/4"
TC505	5	3/8"
TC506	5	1/2"
TC500	5	3/4"
TC501	2	1"
TC507	1	1 1/4"
TC508	1	1 1/2"
TC502	1	2"

Brass Claw Fittings - Male

Fully compatible with standard quick connect water couplings.

Part No.	Qty	Size
TC1028	2	3/8" BSP
TC1029	2	1/2" BSP
TC1030	2	3/4" BSP
TC1031	2	1" BSP

Brass Claw Fittings - Female

Fully compatible with standard quick connect water couplings.

Part No.	Qty	Size
TC1024	2	3/8" BSP
TC1025	2	1/2" BSP
TC1026	2	3/4" BSP
TC1027	2	1" BSP

Brass Claw Fittings - Rubber Moulded Gasket

Fully compatible with standard quick connect water couplings.

Part No.	Qty	Description
TC1040	10	Moulded Gasket

Compressor Air Hose Assembly

20 bar/300 PSI high quality rubber hose.
Complete with brass claw fitting safety couplings.

Part No.	Qty	Size	Length
AL500	1 Coil	3/4"	15 m

Brass Claw Fittings - Tap Cap & Tail

Fully compatible with standard quick connect water couplings.

Part No.	Qty	Thread Size	Bore Hose
TC1001	2	1/2" BSP	1/2"
TC1002	2	3/4" BSP	1/2"
TC1003	2	3/4" BSP	3/4"
TC1004	2	1" BSP	1/2"
TC1005	2	1" BSP	3/4"
TC1006	2	1" BSP	1"
TC1007	2	1 1/4" BSP	1"
TC1008	2	1 1/4" BSP	1 1/4"

Brass Quick Connector - Hose Tail

Fully compatible with standard quick connect water couplings.

Part No.	Qty	Bore Hose	
TC1020	2	3/8"	(10 mm)
TC1021	2	1/2"	(13 mm)
TC1022	2	3/4"	(19 mm)
TC1023	2	1"	(25 mm)

Brass Quick Connector - Hex Male

Part No.	Qty	Thread Size	Bore Hose	
TC1012	2	3/4" BSP	3/4"	(19 mm)
TC1010	1	3/4" BSP	1"	(25 mm)
TC1011	1	1" BSP	1"	(25 mm)

Brass Straight Hose Connector

Part No.	Qty	Bore Hose	
TC1050	2	3/4"	(19 mm)
TC1051	2	1"	(25 mm)



Whip Check Cables

Steel cable and plated springs.

Part No.	Qty	Cable Diameter	Suits Hose Diameter	Length
AL90	1	1/8"	1/2" to 1 1/4" (Small)	540 mm
AL91	1	1/4"	1 1/2" to 3" (Large)	970 mm

Silicone Hose

Blue silicone VMQ with 3 ply polyester net.
Temperature Range: -60˚C to +180˚C.
Suitable for cooling and heating systems. 4.5 mm thick.
Working pressure: 8.33 Bar. Burst pressure: 25 Bar.

Part No.	Length	O.D. x I.D.	
TUS6	1 m	15.5 x 6.5 mm	(9/16" x 1/4")
TUS9	1 m	18.5 x 9.5 mm	(11/16" x 3/8")
TUS13	1 m	22 x 13 mm	(7/8" x 1/2")
TUS16	1 m	25 x 16 mm	(1" x 5/8")
TUS19	1 m	28 x 19 mm	(1 7/64" x 3/4")
TUS22	1 m	31 x 22 mm	(1 1/4" x 7/8")
TUS25	1 m	34 x 25 mm	(1 5/16" x 1")
TUS28	1 m	37 x 28 mm	(1 7/16" x 1 1/8")
TUS32	1 m	41 x 32 mm	(1 10/16" x 1 1/4")
TUS35	1 m	44 x 35 mm	(1 12/16" x 1 3/8")
TUS38	1 m	47 x 38 mm	(1 14/16" x 1 1/2")
TUS41	1 m	49 x 40 mm	(1 15/16" x 1 5/8")
TUS45	1 m	54 x 45 mm	(2 1/8" x 1 3/4")
TUS48	1 m	57 x 48 mm	(2 1/4" x 1 7/8")
TUS51	1 m	62 x 51 mm	(2 7/16" x 2")
TUS57	1 m	68 x 57 mm	(2 11/16" x 2 1/4")
TUS60	1 m	71 x 60 mm	(2 25/32" x 2 3/8")

Silicone Hose - 90˚ Elbows with 150 mm Legs

Blue silicone VMQ with 3 ply polyester net.Temperature Range: -60˚C to +180˚C.
Suitable for cooling and heating systems. 4.5 mm thick.
Working pressure: 8.33 Bar. Burst pressure: 25 Bar.

Part No.	Qty	O.D. x I.D.	
TUS906	1	15.5 x 6.5 mm	(9/16" x 1/4")
TUS909	1	18.5 x 9.5 mm	(11/16" x 3/8")
TUS9013	1	22 x 13 mm	(7/8" x 1/2")
TUS9016	1	25 x 16 mm	(1" x 5/8")
TUS9019	1	28 x 19 mm	(1 7/64" x 3/4")
TUS9022	1	31 x 22 mm	(1 1/4" x 7/8")
TUS9025	1	34 x 25 mm	(1 5/16" x 1")
TUS9028	1	37 x 28 mm	(1 7/16" x 1 1/8")
TUS9032	1	41 x 32 mm	(1 10/16" x 1 1/4")
TUS9035	1	44 x 35 mm	(1 12/16" x 1 3/8")
TUS9038	1	47 x 38 mm	(1 14/16" x 1 1/2")
TUS9041	1	49 x 40 mm	(1 15/16" x 1 5/8")
TUS9045	1	54 x 45 mm	(2 1/8" x 1 3/4")
TUS9048	1	57 x 48 mm	(2 1/4" x 1 7/8")
TUS9051	1	62 x 51 mm	(2 7/16" x 2")
TUS9057	1	68 x 57 mm	(2 11/16" x 2 1/4")
TUS9060	1	71 x 60 mm	(2 25/32" x 2 3/8")

Fuel Injection Hose

15 Bar working pressure. Environmental temp: -20˚ to +150˚C. SAE J30 R9.
Compatible with E10 fuel.
For unleaded, leaded and diesel fuels.
- **Suitable for higher temperatures found in fuel injection systems**

Part No.	Length	O.D. x I.D.
TUB81	5 m Coil	12.6 x 5.6 mm
TUB82	5 m Coil	14.6 x 7.6 mm
TUB83	5 m Coil	16.5 x 9.5 mm

BEST SELLER

Fuel Hose

20 bar working pressure. Environmental temp: -20˚ to +80˚C.
BS AU 108/2/L4/C4/R SAE 30 R6. Compatible with E10 fuel.
For unleaded and leaded fuels found in normal carburettor systems and diesel.
- **Also for power steering low pressure side return**

Part No.	Length	O.D. x I.D.	
TUB45	5 m Coil	12 x 5 mm	(3/16")
TUB46	5 m Coil	13 x 6 mm	(1/4")
TUB47	5 m Coil	15 x 8 mm	(5/16")
TUB48	5 m Coil	17 x 10 mm	(3/8")

BEST SELLER

Fuel Hose - Textile Overbraided

Environmental temp: -20 to +70˚C. Compatible with E10 fuel.
Suitable for leaded, unleaded and diesel fuels.
- **Commonly used on diesel injection, fuel leak off or coolant applications**

Part No.	Length	O.D. x I.D.	Working Pressure
TUB69	5 m Coil	7.0 x 3.2 mm	12.5 bar
TUB70	5 m Coil	7.5 x 3.5 mm	12.5 bar
TUB71	5 m Coil	10.0 x 5.0 mm	10 bar
TUB72	5 m Coil	11.0 x 6.0 mm	10 bar
TUB73	5 m Coil	13.0 x 8.0 mm	8 bar
TUB74	5 m Coil	15.0 x 10.0 mm	5 bar
TUB75	5 m Coil	18.0 x 12.0 mm	5 bar

Heater Hose

Resistant to hot water, anti-freeze and coolant 6 bar working pressure. SAE J 20 R3.
Working temperature: -40˚C to +120˚C. NOT suitable for oil.

Part No.	Length	O.D. x I.D.	
HH4	20 m Coil	17.0 x 10.0 mm	(3/8")
HH1	20 m Coil	19.5 x 12.7 mm	(1/2")
HH2	20 m Coil	23.0 x 15.9 mm	(5/8")
HH3	20 m Coil	26.5 x 19.1 mm	(3/4")

Diesel Leak Off Bungs

Part No.	Pack of	Description
TUB99	10	Diesel Leak Off Bungs

Air Brake Hose

15 bar working pressure.
SAE J 1402.

Part No.	Length	O.D. x I.D.	
BR10	4 m Coil	19 x 10 mm	3/8"

Advance/Retard Tubing - Black Nylon

BS 5409:2

Part No.	Length	O.D. x I.D.
TUB21	30 m Coil	1/8" x 0.075"

Advance/Retard Tubing - Soft Flexible Chloroprene Rubber

Can be used for windscreen washer. NOT suitable for diesel.

Part No.	Length	O.D. x I.D.
TUB42	10 m Coil	9 x 3 mm
TUB44	10 m Coil	10 x 4 mm

Nylon Tubing Flexible - Black Metric

DIN 73378 & DIN 74324 and BS 5409 Pt. 1.
Oil, petrol and diesel safe. Suitable for air.

Part No.	Length	O.D. x I.D.
TUB104	30 m Coil	4.0 x 2.5 mm
TUB105	30 m Coil	5.0 x 3.3 mm
TUB106	30 m Coil	6.0 x 4.0 mm
TUB109	30 m Coil	8.0 x 6.0 mm
TUB110	30 m Coil	10.0 x 7.5 mm
TUB111	30 m Coil	10.0 x 7.0 mm
TUB112	30 m Coil	12.0 x 9.0 mm
TUB103	30 m Coil	3/16" x .117"

BEST SELLER

Nylon Tubing Flexible - Natural Metric

DIN 73378 & DIN 74324 and BS 5409 Pt. 1.
Oil, petrol and diesel safe. Suitable for air.

Part No.	Length	O.D. x I.D.
TUB50	30 m Coil	4.0 x 2.50 mm
TUB51	30 m Coil	6.0 x 4.00 mm
TUB52	30 m Coil	8.0 x 6.00 mm
TUB53	30 m Coil	10.0 x 7.50 mm
TUB56	30 m Coil	12.0 x 9.00 mm
TUB54	30 m Coil	12.0 x 10.00 mm

PVC Tubing - Clear Plain Windscreen Washer Type

Part No.	Length	O.D. x I.D.	
TUB11	30 m Coil	6 x 3 mm	(1/8")
TUB12	30 m Coil	8 x 5 mm	(3/16")
TUB13	30 m Coil	9 x 6 mm	(1/4")
TUB14	30 m Coil	11 x 8 mm	(5/16")

PVC Tubing - Clear Re-inforced (Braided) Terylene

250 PSI. NOT suitable for Diesel.

Part No.	Length	O.D. x I.D.	
TUB2	30 m Coil	11 x 6 mm	(1/4")
TUB3	30 m Coil	13 x 8 mm	(5/16")
TUB4	30 m Coil	15 x 10 mm	(3/8")
TUB5	30 m Coil	18 x 12 mm	(1/2")

Windscreen Washer Accessories

Nylon. Suits 3/16" pipe.

Part No.	Qty	Description
TA103	5	T-Pieces

Part No.	Qty	Description
TA102	5	Elbows

Part No.	Qty	Description
TA101	5	Straights

Part No.	Qty	Description
TA104	5	Small In-Line Valves

Part No.	Qty	Description
TA105	5	Large In-Line Valves

Assorted Pack of Windscreen Washer Accessories

Nylon. Suits 3/16" pipe.

Part No.	Pack of
AP61	25 Pieces
5 x Large In-Line Valves. 5 x Small In-Line Valves. 5 x Straights. 5 x Elbows. 5 x T-Pieces.	

Cassette Hose Reel

15 m non-kink hose with fitted tap connector and spray nozzle.
Supplied on an easy wind storage cassette.

Part No.	Qty	Description
TUB60	1	Cassette Hose Reel

Pressure Washer Hose

EN853. Complete with Male/Female BSP fittings at each end.
Maximum Temperature: 100°C.

Part No.	Length	Diameter	Hose Type	Max Work Pressure
HY14	10 m	1/4" BSP	Single Wire	225 Bar
HY38	10 m	3/8" BSP	Single Wire	180 Bar
HY38D	10 m	3/8" BSP	Double Wire	330 Bar

Looking for Copper Tubing?

Our complete range of brake pipe and fittings is on Page 255

Looking for Whip Hoses

Our range of air tool whip hoses can be found on Page 226

Air Line Hose

Black styrene-butadiene rubber (SBR).
Working pressure: 20 bar.

Part No.	Length	O.D. x I.D.	
AL11	15 m Coil	12 x 6 mm	1/4"
AL13	15 m Coil	15 x 8 mm	5/16"
AL17	15 m Coil	17 x 10 mm	3/8"
AL22	15 m Coil	21 x 13 mm	1/2"

Air Line Hose - Black Rubber with Yellow Stripe

20 bar working pressure.

Part No.	Length	O.D. x I.D.	
ALY8	15 m Coil	15 x 8 mm	(5/16")
ALY10	15 m Coil	17 x 10 mm	(3/8")
ALY12	15 m Coil	21 x 13 mm	(1/2")

JAMEC ***PEM***

JAMEC PEM Retractable Pro Series Air Hose Reel

Unique Helix Ultra-Coil hose layering system with 1 m leader hose and brass fittings.
Dimensions: 360 x 330 x 220 mm. Max. Working Pressure: 300 PSI.

- **Adjustable hose stopper**
- **High impact tough and durable polypropylene construction**
- **Fully enclosed weather resistant and UV stabilised outer case protects the hose and inner drum assembly against dirt and other contaminants**
- **Auto lock and rewind mechanism provides positive hose latching every full revolution of the hose drum**
- **Heavy duty mounting bracket with fixed in-line or optional 180° swivel mount is suitable for wall or overhead mounting**
- **Convenient carry handle located on the top panel for removing and refitting the hose reel from the mounting bracket**

Part No.	Qty	Hose I.D. x Length	Hose O.D.
JPR1	1	9.2 mm (1/4") x 8 m	15.2 mm

High Visibility Safety PVC Air Hose

Manufactured in highly visible PVC for health and safety, CE certificated.
Complete with 1/4" BSP female brass fittings.

- **Coated to resist oil and abrasions - Silicone FREE.**
- **Reinforced hose to resist crushing or twisting, will not kink.**
- **Maximum working pressure: 250 lbf/in² (17 bar).**

Part No.	Length	Colour	O.D. x I.D.
AL76	10 m Coil	Green	14 x 10 mm (3/8")



Air Line Coil

Nylon with protective springs at each end.
1/4" BSP swivel nuts.
3/8" O.D. x .265" I.D. 25 ft (7.6m) working length.

Part No.	Qty	Description
AL10	1	Air Line Coil

Air Line Assemblies with 1/4" BSP Swivel Nuts

Black rubber tubing with yellow stripe.
Working pressure: 20 bar.

Part No.	Length	Diameter	
ALY28	10 m Coil	15 x 8 mm	(5/16")

Air Line Assemblies with 1/4" BSP Swivel Nuts

Black styrene butadiene rubber (SBR).
Working pressure: 20 bar.

Part No.	Length	O.D. x I.D.	
AL63	10 m Coil	12 x 6 mm	1/4"
AL65	10 m Coil	15 x 8 mm	5/16"

JAMEC PEM



JAMEC PEM Retractable Pro Series Extreme Air Hose Reel

Unique Helix Ultra-Coil hose layering system with 2 m leader hose and brass fittings.
Dimensions: 440 x 210 x 400 mm. Max. Working Pressure: 300 PSI.

- **Adjustable hose stop**
- **Solid brass internal spindle**
- **High impact tough & durable polypropylene construction with a UV stabilised case**
- **180° swivel wall mount bracket**

Part No.	Qty	Hose I.D. x Length	Hose O.D.
JPR2	1	11 mm (3/8") x 15 m	17.0 mm
JPR3	1	9.2 mm (1/4") x 20 m	15.2 mm

PCL

PCL Multi Purpose PVC Air Hose Reel

Ideal for use with a multitude of applications where a wall or ceiling mounted reel is needed.

- **Easy to use adjustable hose stopper**
- **Auto retract**
- **Built-in cleaning brush**
- **Copper tail outlet thread with dust cap**
- **Steel wall mounting 180° swivel bracket**
- **Supplied with fitted leader hose**
- **Large diameter inlet: Rp 1/4" Outlet: R 1/4"**
- **Maximum working pressure: 250 lbf/in² (17 bar)**

Part No.	Qty	Hose I.D. x Length
ALR1	1	10 mm (3/8") x 15 m

BEST SELLER

PCL 'Airflow' Female Couplings

For portable air tools, garage and industrial air line systems and test panels.

Part No.	Pack of	Size	Fitting
AL101	5	1/4" BSP	Female

BEST SELLER

PCL 'Airflow' Male Couplings

For portable air tools, garage and industrial air line systems and test panels.

Part No.	Pack of	Size	Fitting
AL124	2	1/4" BSP	Male



PCL 'Airflow' Twin Coupling

For portable air tools, garage and industrial air line systems and test panels.

Part No.	Qty	Description
AL23	1	'Airflow' Twin Coupling

BEST SELLER

PCL Screwed Female Adaptors

Part No.	Pack of	Size	Fitting
AL12	5	1/4" BSP	Female

BEST SELLER

PCL Screwed Male Adaptors

Part No.	Pack of	Size	Fitting
AL3	5	1/4" BSP	Male

BEST SELLER

PCL Integral Adaptor/Tailpieces

Part No.	Pack of	Hose Bore	
AL4	5	6.35 mm	(1/4")
AL5	5	7.90 mm	(5/16")
AL38	5	9.50 mm	(3/8")

BEST SELLER

PCL 'Vertex' Female Couplings

Slim profile and integral sleeve for trailing hoses.
For portable air tools, garage and industrial air line systems.

Part No.	Pack of	Size	Fitting
AL31	5	1/4" BSP	Female

BEST SELLER

PCL 'Vertex' Male Couplings

Slim profile and integral sleeve for trailing hoses.
For portable air tools, garage and industrial air line systems.

Part No.	Pack of	Size	Fitting
AL32	2	1/4" BSP	Male



PCL 'Vertex' Twin Coupling

Slim profile and integral sleeve for trailing Hoses.
For portable air tools, garage and industrial air line systems.

Part No.	Qty	Description
AL41	1	'Vertex' Twin Coupling

PCL 'Vertex' Coupling and Adaptors Kits

Slim profile and integral sleeve for trailing hoses.
For portable air tools, garage and industrial air line systems.

Part No.	Qty	Hose Bore	
AL316	3 Piece Kit	6.35 mm	(1/4")
AL318	3 Piece Kit	7.9 mm	(5/16")
AL319	3 Piece Kit	9.5 mm	(3/8")

1 x 'Vertex' Coupling: 1/4" BSP Female. 1 x Male Screwed Adaptor: 1/4" BSP Male.
1 x Integral Adaptor/Tailpiece: 6.35 mm (1/4") Hose Bore.

JAMEC PEM

JAMEC PEM 2-Stage Female Coupling

TWO stage connection.

- Interchanges with UK equivalent
- Steel construction
- Max. airflow 43 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP31	5	Female	1/4"

JAMEC PEM

JAMEC PEM 2-Stage Male Coupling

TWO stage connection.

- Interchanges with UK equivalent
- Steel construction
- Max. airflow 43 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP32	2	Male	1/4"

PCL

PCL 'Safeflow' Female Couplings

Two stage self-venting release.
Conforms to ISO 4414:1998 and EN 983:1.

- Safe and simple to use.
- Enhances workshop safety - Prevents hose whip.
- Compatible with standard PCL 'Airflow' and 'Vertex' adaptors.

Part No.	Qty	Size	Fitting
AL161	1	1/4" BSP	Female

PCL

PCL 'Safeflow' Male Couplings

Two stage self-venting release.
Conforms to ISO 4414:1998 and EN 983:1.

- Safe and simple to use.
- Enhances workshop safety - Prevents hose whip.
- Compatible with standard PCL 'Airflow' and 'Vertex' adaptors.

Part No.	Qty	Size	Fitting
AL162	1	1/4" BSP	Male

JAMEC PEM

JAMEC PEM 1-Stage Female Coupling

One stage connection.

- Steel construction
- Interchanges with UK equivalent
- Max. airflow 43 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP101	5	Female	1/4"

JAMEC PEM

JAMEC PEM 1-Stage Male Coupling

One stage connection.

- Steel construction
- Interchanges with UK equivalent
- Max. airflow 43 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP124	2	Male	1/4"

JAMEC PEM

JAMEC PEM Screwed Male Adaptor

Steel construction.
Adaptors fit both the one stage and two stage couplings.

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP3	5	Male	1/4"

JAMEC PEM

JAMEC PEM Screwed Female Adaptor

Steel construction.
Adaptors fit both the one stage and two stage couplings.

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP12	5	Female	1/4"

JAMEC PEM

JAMEC PEM Integral Adaptor/Tailpiece

Steel construction.
Adaptors fit both the one stage and two stage couplings.

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP38	5	Hose Tail	3/8" (10 mm)

PCL

PCL 'XF' High Flow Female Couplings

For most applications.

Part No.	Qty	Thread Size	Fitting
AL201	1	1/4" BSP	Female
AL203	1	3/8" BSP	Female

PCL

PCL 'XF' High Flow Male Couplings

For most applications.

Part No.	Qty	Thread Size	Fitting
AL202	1	1/4" BSP	Male
AL204	1	3/8" BSP	Male

PCL

PCL 'XF' High Flow Male Screwed Adaptors

For most applications.

Part No.	Pack of	Thread Size	Fitting
AL222	5	1/4" BSP	Male
AL232	5	3/8" BSP	Male

PCL

PCL 'XF' High Flow Female Screwed Adaptors

For most applications.

Part No.	Pack of	Thread Size	Fitting
AL221	5	1/4" BSP	Female
AL231	5	3/8" BSP	Female

PCL

PCL 'XF' High Flow Integral Adaptor/Tailpieces

For most applications.

Part No.	Pack of	Hose Bore	
AL206	5	6 mm	(1/4")
AL208	5	8 mm	(5/16")
AL210	5	10 mm	(3/8")
AL213	5	13 mm	(1/2")

JAMEC PEM

JAMEC PEM Euro Style High Flow Female Coupling

Anti release flange. Use in large air consumption applications.

- Interchanges with CEJN equivalent
- Steel construction
- Max. airflow 62 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar
- Use with euro adaptors

Part No.	Qty	Tail/Thread Type	Tail/Thread Size
JP201	1	Female	1/4"

JAMEC PEM

JAMEC PEM Euro Style High Flow Male Coupling

Anti release flange. Use in large air consumption applications.

- Interchanges with CEJN equivalent
- Steel construction
- Max. airflow 62 cfm @ 100 psi
- Max. working pressure 200 psi / 14 bar
- Use with euro adaptors

Part No.	Qty	Tail/Thread Type	Tail/Thread Size
JP202	1	Male	1/4"

JAMEC PEM

JAMEC PEM Euro Style High Flow Female Adaptor

Anti release flange. Steel construction. Use in large air consumption application.

- Airflow 115 cfm, 3275 L/mm @ 100 psi, 690 kPa
- Max. working pressure 152 psi, 1050 kPa
- Use with euro couplings and interchanges with CEJN equivalent

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP221	5	Female	1/4"

JAMEC PEM

JAMEC PEM Euro Style High Flow Male Adaptor

Anti release flange. Steel construction. Use in large air consumption application.

- Airflow 115 cfm, 3275 L/mm @ 100 psi, 690 kPa
- Max. working pressure 152 psi, 1050 kPa
- Use with euro couplings and interchanges with CEJN equivalent

Part No.	Pack of	Tail/Thread Type	Tail/Thread Size
JP222	5	Male	1/4"

PCL



PCL '60 Series' Female Couplings

For general industrial applications.

Part No.	Qty	Thread Size	Fitting
AL261	1	1/4" BSP	Female
AL263	1	3/8" BSP	Female

PCL

PCL '60 Series' Male Couplings

For general industrial applications.

Part No.	Qty	Thread Size	Fitting
AL262	1	1/4" BSP	Male
AL264	1	3/8" BSP	Male

PCL

PCL '60 Series' Screwed Adaptors

For general industrial applications.

Part No.	Pack of	Thread Size	Fitting
AL265	3	1/4" BSP	Male
AL266	3	3/8" BSP	Male

PCL

PCL '60 Series' Integral Adaptor/Tailpieces

For general industrial applications.

Part No.	Pack of	Hose Bore	
AL267	3	9.50 mm	(3/8")
AL268	3	12.70 mm	(1/2")

JAMEC PEM

JAMEC PEM Stop-Flo Valves

Safety valve can be easily fitted directly to the outlet of a compressor or the fixed outlet of airline system preventing potential whip hose damage from any accidental disconnection

Part No.	Qty	Valve Size	Hose Size Required
JP80	1	3/8"	10.0 mm (3/8") Hose
JP81	1	1/2"	12.5 mm (1/2") Hose

PCL

PCL '100 Series' Female Couplings

For general industrial applications.

Part No.	Qty	Size	Fitting
AL46	1	3/8" BSP	Female
AL18	1	1/2" BSP	Female

PCL

PCL '100 Series' Male Couplings

For general industrial applications.

Part No.	Qty	Size	Fitting
AL47	1	3/8" BSP	Male
AL34	1	1/2" BSP	Male

PCL



PCL '100 Series' Male Screwed Adaptors

For general industrial applications.

Part No.	Pack of	Size	Fitting
AL48	3	3/8" BSP	Male
AL19	3	1/2" BSP	Male

PCL



PCL '100 Series' Integral Adaptor/Tailpieces

For general industrial applications.

Part No.	Pack of	Hose Bore	
AL49	3	9.50 mm	(3/8")
AL20	3	12.70 mm	(1/2")

PCL

PCL '100 Series' Coupling and Adaptors Kit

For general industrial applications.

Part No.	Qty	Hose Bore	
AL180	3 Piece Kit	12.7 mm	(1/2")

1 x '100 Series' Coupling: 1/2" BSP Male. 1 x Male Screwed Adaptor: 1/2" BSP Male.
1 x Integral Adaptor/Tailpiece: 12.7 mm (1/2") Hose Bore.

PCL

PCL Double-Ended Hose Connectors

Part No.	Pack of	Bore Hose	
AL56	5	6.35 mm	(1/4")
AL57	5	7.90 mm	(5/16")
AL58	5	9.50 mm	(3/8")
AL59	5	12.70 mm	(1/2")

PCL



PCL Male Screwed Tailpieces - 1/4" BSPT

Part No.	Pack of	Bore Hose	
AL2	5	6.35 mm	(1/4")
AL37	5	7.90 mm	(5/16")
AL33	5	9.50 mm	(3/8")
AL53	5	12.70 mm	(1/2")

PCL

PCL Male Screwed Tailpieces - 3/8" BSPT

Part No.	Pack of	Bore Hose	
AL54	5	9.50 mm	(3/8")
AL55	5	12.70 mm	(1/2")

PCL

PCL Male Screwed Tailpieces - 1/2" BSPT

Part No.	Pack of	Bore Hose	
AL39	3	12.70 mm	(1/2")

PCL

PCL Air Line Fittings - Double Union

Part No.	Pack of	Size
AL8	5	1/4" BSP

PCL

PCL Air Line Fittings - Parallel Socket

Part No.	Pack of	Size
AL50	5	1/4" BSP

PCL

PCL Air Line Fittings - Reducing Bush

Part No.	Pack of	Type	Size
AL51	5	M : F	1/2" BSPT : 1/4" BSPP

PCL

PCL Air Line Fittings - Reducing Union

Part No.	Pack of	Type	Size
AL52	5	M : M	1/2" BSPT : 1/4" BSPT

PCL

PCL Air Line Fittings - Tailpieces & Nuts

Part No.	Pack of	Tail Piece	Nut Size
AL67	5 Pairs	6.35 (1/4") Bore Hose	1/4" BSP

KS TOOLS GERMANY

KS TOOLS 1/4" Compressed Air Side Oiler

For air tool lubrication.Assembly directly in the air feed line.

Part No.	Qty	Description
K515.3360	1	Air Side Oiler

KS TOOLS GERMANY

KS TOOLS 1/4" Compressed Air Water Trap

For separating condensation.
Sintered metal cartridge, trap drain valve.
Assembly directly in the air feed line.

Part No.	Qty	Description
K515.3370	1	Air Water Trap

KS TOOLS GERMANY

KS TOOLS 1/4" Z-Swivel Air Line Connector

Allows 360° rotation making movement of airline easier.

Part No.	Qty	Description
K515.3396	1	Z-Swivel Connector

PCL

PCL 1/4" Blow Gun

Moulded resin body
with ergonomic handle.
Maximum working pressure: 18 bar.

Part No.	Qty	Description
AL35	1	Blow Gun

KS TOOLS GERMANY

KS TOOLS Air Operated Blow Pistol with Air Flow Control

Durable plastic housing. Air flow can be finely regulated. Includes universal nozzle. 1/4" connection. Includes 1/4" air inlet connector. Length: 100 mm.

Part No.	Qty	Description
K515.1901	1	Blow Pistol

KS TOOLS GERMANY

KS TOOLS Telescopic Air Operated Blow Pistol

Durable plastic housing. Includes universal nozzle. 1/4"air inlet connector. Telescopic blow pistol can be adjusted in length (65 - 280 mm) & angle (360˚).

Part No.	Qty	Description
K515.1907	1	Telescopic Blow Pistol

PCL

PCL Palm Blow Gun

Supplied with conical and safety nozzles.
Maufactured from high quality die-cast alloy.
Air flow: 247 l/min (8.9 cfm).

Part No.	Qty	Connection
AL78	1	1/4" BSP Female

JAMEC PEM

JAMEC PEM Blowgun

100 mm with angle nozzle.

- Brass inlet 1/4"
- Durable ABS plastic
- Variable air flow

Part No.	Qty	Inlet Thread
JP35	1	1/4" Female

JAMEC PEM

JAMEC PEM Blowgun - Rubber Tip

100 mm with angle nozzle and rubber tip.

- Brass inlet 1/4"
- Durable ABS plastic
- Variable air flow
- Anti-Scratch rubber tip

Part No.	Qty	Inlet Thread
JP37	1	1/4" Female

JAMEC PEM

JAMEC PEM Blowgun - Flexible 600mm Nozzle

600 mm flexible nozzle.

- Brass inlet 1/4"
- Durable ABS plastic
- Variable air flow
- 600 mm flexible nozzle

Part No.	Qty	Inlet Thread
JP36	1	1/4" Female

Looking for Whip Hoses?

Our range of air tool whip hoses are overleaf

FUCHS

FUCHS 'Silkair VG22' Air Line Oil

General purpose.
Lubricates pneumatic tools and equipment.
Readily separates from water.

Part No.	Qty	Size
VC191	1	1 Litre Bottle

PCL

PCL Air Tool Whip Hose

0.6 m (2 ft) length.
Adaptor and BSP male tailpiece ends.
Fully conforms to safety standard requirements
ISO 4414:1998 and EN983:1996. Prevents Hose whip. Allows safe disconnection.

Part No.	Qty	Hose I.D.	Hose O.D.	Adaptor x Male Thread
AL60	1	7 mm (1/4")	14 mm	Standard x R 1/4
AL72	1	10 mm (3/8")	17 mm	Standard x R 3/8
AL73	1	13 mm (1/2")	21 mm	100 Series x R 1/2

JAMEC PEM

JAMEC PEM Air Tool Whip Hose

0.6 m (2 ft) length. Adaptor and BSP male tailpiece ends.

Part No.	Qty	Hose I.D.	Hose O.D.	Adaptor x Male Thread
JP60	1	10 mm (1/4")	15.5 mm	Standard x R 1/4
JP72	1	10 mm (3/8")	15.5 mm	Standard x R 3/8

Looking for Abraisive Discs?

Our range of 'mini' abrasives can be found on Page 404

PCL

PCL 3/8" Drive 'Mini' Pneumatic Ratchet - 27.5 Nm

Palm Ratchet allows the operator to reach small areas.
Compact and lightweight design allows maximum operator control and performance. Rear exhaust to keep airflow away from work area. High power motor for consistent performance. Maximum Torque 27.5 Nm, Weight 0.4 kg. 3/8"

Part No.	Qty	Description
ALT7	1	3/8" Mini Ratchet

PCL

PCL 1/4" Drive 'Mini' Pneumatic Ratchet - 27.5 Nm

Palm Ratchet allows the operator to reach small areas.
Compact and lightweight design allows maximum operator control and performance. Rear exhaust to keep airflow away from work area. High power motor for consistent performance. Maximum Torque 27.5 Nm, Weight 0.3 kg. 1/4"

Part No.	Qty	Description
ALT6	1	1/4" Mini Ratchet

PCL

PCL 'Mini' Pneumatic Die Grinder

Allows the operator to reach into very small areas.
Safety lever prevents any possible accidents. Rear exhaust to keep airflow away from the hand. High power motor designed for all tight grinding situations.
6 mm collet (3 piece design). Free speed 25,000 RPM, Weight 0.34 kg.

Part No.	Qty	Description
ALT8	1	Mini Die Grinder

PCL

PCL 'Mini' Pneumatic Orbital Sander

Complete with small 50 mm (2") sanding pad allows the operator to reach small areas. Random orbit allows maximum operator control and finish. Rear exhaust to keep airflow away from the hand. High power motor designed for efficient sanding.

Part No.	Qty	Description
ALT9	1	Mini Orbital Sander

PCL 1/2" Drive Pneumatic Impact Wrench - 540 Nm

General purpose impact wrench with forward and reverse mode.
Pin clutch hammer mechanism with 4 forward operation impact settings, non-slip comfort grip.
Air Consumption: 300 l/min,
Maximum Torque: 540 Nm at 90 PSI,
Sound: 96.6 db (A), Vibration: 1.39 m/s²Weight: 2.0 kg.

½"

Part No.	Qty	Description
ALT1	1	1/2" Impact Wrench

PCL 3/8" Drive Pneumatic Ratchet

Forward and reverse knob on the ratchet head.
Ball type retainer with easy forward/reverse shift.
Maximum Torque 60 Nm at 90 PSI, Air Consumption 115 l/min,
Sound 90.0 db (A), Vibration 5.2m/s²Weight 1.2 kg.

⅜"

Part No.	Qty	Description
ALT2	1	3/8" Ratchet

PCL 10 mm (3/8") Pneumatic Reversible Drill

Ideal for drilling, reaming and honing.
Side mounted forward/reverse shift,
fitted with 10 mm (3/8") keyless chuck.
Free speed 1,800 RPM, Air Consumption 130 l/min, Sound 87 db (A),
Vibration 1.5 m/s² Weight 1.1 kg.

Part No.	Qty	Description
ALT3	1	10 mm Reversible Drill

PCL Pneumatic Die Grinder

Ideal for tyre buffing, polishing and grinding.
Medium motor with high velocity and low vibration,
safety throttle lever with 6 mm collet (3 piece design).
Free speed 22,000 RPM, Air Consumption 115 l/min, Sound 93 db (A),
Vibration 5.4 m/s² Weight 0.6 kg.

Part No.	Qty	Description
ALT4	1	Die Grinder

PCL Pneumatic Orbital Sander

Two handed operation.
Insulated handle and motor housing. Includes 150 mm backing pad for
150 mm diameter self-adhesive abrasives. Free speed 1,800 RPM,
Air Consumption 130 l/min, Sound 87 db (A), Vibration 1.5 m/s² Weight 1.1 kg.

Part No.	Qty	Description
ALT5	1	Orbital Sander

Air Operated Grease Gun

Complete with extension pipe
and 4-jaw hydraulic connector.
Takes 400g cartridge or bulk feed.

Part No.	Qty	Description
TL920	1	Grease Gun

FASTMOVER
Spray Gun - Conventional

Gravity feed compliant.
Can be used with 3M disposable pot system use adaptor number 2 (3M code 16032).
Working pressure: 50 PSI. Maximum pressure: 80 PSI. Air consumption:
Between 7-12 CFM (depending on setup).

- **Designed and built for tough work.**
- **Suitable for solvent based paints only.**

Part No.	Qty	Pot Capacity	Set up
ALG1	1	600 cc	1.7 mm

FASTMOVER
Spray Gun - HVLP

Gravity feed compliant.
Can be used with 3M disposable pot system use adaptor number 2 (3M code 16032).
Working pressure: 43-50 PSI.
Air consumption:
Between 7-10 CFM (depending on setup).

- **Suitable for topcoat work.**
- **Ergonomically designed.**
- **Designed to produce superior finish - Gives a fast flow and wide spray pattern.**
- **HVLP (High Volume Low Pressure) - makes it efficient and compliant.**

Part No.	Qty	Pot Capacity	Set up
ALG3	1	600 cc	1.3 mm

FASTMOVER
Spray Gun - Mini HVLP

Gravity feed compliant. Stainless steel components, suitable for use with water and solvent based paints.
Can be used with 3M disposable pot system use adaptor number 21 (3M code 16105).
Thread size: M14. Weight: 320g. Working pressure: 43 PSI.

- **Extra small and lightweight.**
- **Ideal for SMART touch-up paint repairs and perfect for alloy wheel painting.**
- **A wide spray pattern with excellent atomisation.**

Part No.	Qty	Pot Capacity	Set up
ALG2	1	125 ml	0.8 mm

FASTMOVER
Undercoating Gun

Under body coating gun.
Screws onto a standard tin of underbody coating material and creates a venturi action that sucks up the material and pushes it through the gun nozzle.
Complete with plastic extension probe.
Operates at 90 PSI (6 bar).

- **Ideal a workshop for applying underbody material to vehicles, also a great tool for DIY and classic car restorers.**

Part No.	Qty	Inlet Thread
ALG4	1	1/4" BSP

FASTMOVER
Paint Drying Air Gun

Venturi hand held water based paint drying gun.
Working pressure: 4-7 PSI (3-5 bar).
Max Pressure: 100 psi (7 bar).
Air cosnsumption: 12.3 CFM.

- **Increases airflow from compressor by 15% which speeds up drying times.**
- **Air is filtered to a high degree eliminating risks of imperfections in the paintwork.**

Part No.	Qty	Inlet Thread
ALG5	1	1/4" BSP

Air Regulator/Gauge

Length: 32 mm. Weight: 100g.
Glass lens unaffected by the solvents.
Working pressure range: 7-114 PSI (0.5-7.8 bar).

- **Extra small and lightweight.**

Part No.	Qty	Inlet Thread
ALG10	1	1/4" BSP

PCL

PCL Direct Drive Compressor Unit

Solid, stable and completely portable direct drive compressor.

- **Fitted with genuine single stage 2 HP motor**
- **Air receiver: 24 l. Air Flow: 206 l/min / 7.3 cfm**
- **Noise: 82 Dba**
- **Fitted with genuine PCL 'Airflow' couplings on the outlet**
- **Supplied with full CE certification, test certificates & operating manual**

Part No.	Qty	Size	Weight
AL89	1	59 x 28 x 62 cm	26 kg

LASER Air Gun Vacuum/Blower Kit

Supplied in a storage box. Complete with nozzles, dust bag, brush and mini hose.
Standard 1/4" BSP air inlet. Air pressure: 90 PSI.

- **Ideal for sucking up or blowing away debris from shattered windscreens, carbon deposits, etc.**

Part No.	Qty	Description
TL7410	1 Set	6 Piece Set

JAMEC PEM

JAMEC PEM Digital Wall Mounted Tyre Inflator - Die Cast Case and Metal Buttons

Robust die cast aluminium housed digital auto inflator - simple to use with plug and play design.

- **Accuracy exceeds EC Standards**
- **Multi-scale gauge**
- **Tough die cast aluminium body**
- **OPS (Over Pressure Setting) function for seating tyres on rims**
- **Mechanical anti-vandal buttons**
- **Comprehensive diagnostics and error reporting**
- **Inflates accurately with hoses up to 50 m long**
- **Comes with instruction manual and calibration certificate**

Part No.	Qty	Type	Style	Hose Length
JP501	1	Single Clip-On	Straight	7.6 m

JAMEC PEM

JAMEC PEM Digital Wall Mounted Tyre Inflator with Over Pressure - Plastic Case

Simple to use with plug and play design, pre-set the required pressure, place the chuck on the tyre valve and the built-in auto start Inflates/deflates the tyre to the specified pressure.

- **Accuracy exceeds EC Standards**
- **Multi-scale gauge**
- **Backlit display**
- **OPS (Over Pressure Setting) function used for seating tyres on rims**
- **Two programmable pre-set buttons**
- **Comprehensive diagnostics and error reporting**
- **Inflates accurately with hoses up to 50 m long**
- **Comes with instruction manual and calibration certificate**

Part No.	Qty	Type	Style	Hose Length
JP502	1	Single Clip-On	Straight	10 m

Looking for Tyre Air Compressors?

Our expanded range of air compressors start from Page 234

JAMEC PEM

JAMEC PEM TDR3000 Digital Tyre Inflator

Tough aluminium housing with large LCD display. Accurate multi-scale gauge with auto ON/OFF.

- Rubber grip
- Tough die cast aluminium body
- Accuracy exceeds EC Standards
- Multi-scale gauge
- Backlit display
- Wire sheathed hose eliminates kinking
- Impact absorbing bumpers
- Supplied with instruction manual and calibration certificate

Part No.	Qty	Type	Style	Hose Length
JP314	1	Twin Hold-On	Angle	0.5 m
JP342	1	Twin Clip-On	Angle	2.7 m
JP344	1	Single Clip-On	Straight	1.8 m

JAMEC PEM

JAMEC PEM Classic Tyre Inflator

This classic Tyre Inflator has a slimlinedesign and is easy to hold. Designed to meet EC standards and constructed in die cast aluminium for lightweight ease of use.

- Dual scale standard calibration: 0-138 psi and 0-9.6 bar
- Supply pressure max: 200 psi
- Wire sheathed hose eliminates kinking
- Ergonomically designed trigger with two click action
- Supplied with a certificate of calibration and instruction manual
- Complies with EN12645: 2014

Part No.	Qty	Type	Style	Hose Length
JP14	1	Twin Hold-On	Angle	0.5 m
JP42	1	Twin Clip-On	Angle	2.7 m
JP44	1	Single Clip-On	Straight	2.7 m

JAMEC PEM

JAMEC PEM TDR4000 Digital Tyre Inflator

Lightweight, durable design and one touch operation, perfect for industrial workshops, mechanics and garages.

- Auto on, upon sensing air pressure
- IP44 rating – tough, durable and splash resistant
- Large, titled easy to read LCD display with backlight
- Auto off after 90 seconds
- Multi-scale gauge (psi, kPa, bar, kgF)
- Impact absorbing bumper
- Tough, lightweight diecast aluminium internal body with compsite outter casing
- Wire sheathed hose to eliminate kinking
- Supplied with certificate of calibration
- 80 hours continuous use
- 2 x AAA batteries included

Part No.	Qty	Type	Style	Hose Length
JP414	1	Single Clip-On	Straight	0.5 m

JAMEC PEM

JAMEC PEM Digital Hand Held Preset Tyre Inflator

A truly portable automatic inflator/deflator. Powered by a rechargeable Lithium-Ion battery, lasting up to an impressive 15 hours (continuous use).

- Accuracy exceeds EC Standards
- Multi-scale gauge
- Backlit display
- Wire sheathed hose eliminates kinking
- Includes AC adaptor for charging
- Includes Nitto equivalent adaptor
- Tough poly carbonate / ABS body
- OPS function used for seating tyres on rims
- Two programmable pre-set buttons
- Comes with instruction manual and calibration certificate

Part No.	Qty	Type	Style	Hose Length
JP100	1	Single Clip-On	Straight	2.7 m

Looking for Wall Mounted Tyre Inflators

Our new range of wall mounted tyre inflators are on Page 229

PCL 'ACCURA MK4' Digital Tyre Inflator

Extremely robust aluminium body with protective rubber bumper.

- Small 'stubby' body is the lightest metal bodied digital inflator on the market
- Higher pressure range for multiple applications: 4 - 250 PSI
- Permanently backlit in use, auto off after 10 seconds no use
- IP54 rated for protection against splashing water for use indoors and outdoors

Part No.	Qty	Type	Hose Length
AL84	1	Twin Hold-On	0.53 m (21")
AL85	1	Single Clip-On	0.53 m (21")
AL86	1	Twin Clip-On	1.8 m (6 ft)
AL87	1	Single Clip-On	1.8 m (6 ft)

PCL 'Mk4' Air Line Gauge

Maximum pressure: 9.9 bar (138 PSI).

Part No.	Qty	Type	Hose Length	
AL14	1	Twin Hold-On	0.53 m (21")	
AL42	1	Twin Clip-On	2.7 m (9')	Tyre Shop
AL81	1	Single Clip-On	0.53 m (21")	
AL82	1	Single Clip-On	2.7 m (9 ft)	Tyre Shop

PCL 'ACCURA 1' Handheld Digital Tyre Inflator

Approved to German standard PTB 8.08/06.04 and to BS EN 12645 : 2014.

- Light weight
- Shock resistant
- Easy to read digital display
- Maximum inflation pressure of 12 bar, resolution 0.01 bar, inflation flow 910 l/min at 13 bar
- Supply & operating temperature: -20˚C to 60˚C

Part No.	Qty	Type	Hose Length
AL83	1	Single Clip-On	1.8m (6ft)

PCL Handheld Digital Tyre Inflator

- Large, clear, easy to read display with backlight
- Reliable accuaracy (+/- 1psi up to 60 psi, then 2 psi up to 150 psi) with individual testing and certification
- Suitable for all applications including tyreshop environments
- Pressure Range: 5 - 170 psi / 0.34 - 12 bar / 34 - 1200 kPa. Maximum Supply Pressure:218 psi / 15 bar / 150 kPa. Inflation flow: 910 l/min

Part No.	Qty	Type	Hose Length
AL88	1	Single Clip-On	1.8 m (6 ft)

PCL 'Mk4' Air Line Gauge - Spare Hose

Complete with tailpiece.

Part No.	Qty	Length
AL14H	1	0.53 m (21")

PCL 'Tyre Shop' Air Line Gauge - Spare Hose

Complete with tailpiece.

Part No.	Qty	Length
AL42H	1	2.7 m (9')

PCL

PCL Alloy Tyre Inflator

A general purpose tyre inflator with an all alloy body with rubber protected gauge. Dual calibrated: 10-210 lbf/in² and 0.7-15 bar. Simple and easy to use. Ideal for general low volume tyre inflation.

Part No.	Qty	Type	Hose
AL40	1	Single Clip-On	0.85 m

PCL

PCL Dial Type Air Line Gauge Tyre Inflator

Maximum pressure: 170 PSI.

Part No.	Qty	Type	Hose Length
AL43	1	Single Clip-On	1.8 m (6')

JAMEC PEM

JAMEC PEM TDR5000 Dial Gauge Tyre Inflator

Lightweight, durable design ideal for industrial workshops, mechanics and garages.

- IP44 rating – tough, durable and splash resistant
- Large 80 mm dial gauge
- Multi-scale gauge (psi, bar)
- Impact absorbing bumper
- Tough, lightweight diecast aluminium internal body with compositeouter casing
- Wire sheathed hose to eliminate kinking
- Supplied with certificate of calibration

Part No.	Qty	Type	Hose Length
JP43	1	Single Clip On	0.5 m

PCL

PCL Tyre Valve Connectors - Twin Hold-on Open End

Part No.	Qty	Description
AL15	1	Twin Hold-on Open End

PCL



PCL Tyre Valve Connectors - Twin Hold-on Closed End

Part No.	Qty	Description
AL16	1	Twin Hold-on Closed End

PCL

PCL Tyre Valve Connectors - Twin Clip-on Open End

Part No.	Qty	Description
AL25	1	Twin Clip-on Open End

PCL

PCL Tyre Valve Connectors - Twin Clip-on Closed End

Part No.	Qty	Description
AL70	1	Twin Clip-on Closed End

PCL

PCL Tyre Valve Connectors - Single Clip-on Open End

For 6.35 mm bore hose.

Part No.	Qty	Description
AL61	1	Single Clip-on Open End

JAMEC PEM

JAMEC PEM Tyre Valve Connectors - Single Clip-On

Non sealing.

Part No.	Qty	Description
JP61	1	Single Clip-On

JAMEC PEM

JAMEC PEM Valve Connectors - Twin Hold-On - Open End

Non sealing. Rubber grip.

Part No.	Qty	Description
JP15	1	Twin Hold-on Open End

JAMEC PEM



JAMEC PEM Valve Connectors - Twin Hold-On - Closed End

Sealing. Rubber grip.

Part No.	Qty	Description
JP16	1	Twin Hold-on Closed End

JAMEC PEM

JAMEC PEM Valve Connectors - Twin Clip-On - Open End

Rubber grip.

Part No.	Qty	Description
JP25	1	Twin Clip-on Open End

JAMEC PEM

JAMEC PEM Valve Connectors - Twin Clip-On - Closed End

Rubber grip.

Part No.	Qty	Description
JP70	1	Twin Clip-on Closed End

PCL

PCL Tyre Pressure Gauges - Universal Type

Calibrated scale: 10 -160 lbf/in² & 0.8 -11.0 bar.

Part No.	Qty	Description
AL28	1	Universal Type

PCL



PCL Tyre Pressure Gauges - Pocket Type In-Line Head

Calibrated scale: 6 - 50 lbf/in² & 0.5 - 3.4 bar in 0.1 bar units.

Part No.	Qty	Description
AL45	1	Pocket Type In-Line Head

PCL



PCL Tyre Valve Tool

Part No.	Qty	Description
AL27	1	Tyre Valve Tool

PCL

PCL Digital Tyre Pressure & Tread Depth Gauge

- Self-calibrating with a 90 second auto power off function
- Calibration: 0 - 100 psi & 0 - 0.8"

Part No.	Qty	Description
AL95	1	Digital Tyre Pressure/Tread Depth Gauge

RING

RING Digital Tyre Pressure & Tread Depth Gauge

Complete with soft storage case.
Supplied with 1 x CR2032 battery.

- Built in tread depth gauge.
- 360° swivel head provides easier access to tyre valve.
- Extra large digital display.
- Measures up to 99 PSI in PSI, bar, KPA & kg /cm².

Part No.	Qty	Description
AL79	1	Digital Tyre Pressure/ Tread Depth Gauge

RING

RING Digital Tyre Pressure Gauge

Complete with soft storage case.
Supplied with 1 x CR2032 battery.

- 360° swivel head provides easier access to tyre valve.
- Extra large digital display.
- Measures up to 99 PSI in PSI, bar, KPA & kg /cm².

Part No.	Qty	Description
AL71	1	Digital Tyre Gauge

PCL

PCL Tyre Tread Depth Gauges

1.6 mm markings.
Complies with EC directive 89/459/EEC.

- DVSA approved (previously VOSA)

Part No.	Pack of	Description
AL29	5	Tread Depth Gauges

RING 12V Digital Automatic Tyre Air Compressor

Fitted with 12V in-vehicle charging plug.
Complete with handy storage case.

- **Inflates a tyre in 3 minutes (Approx. based on a 13" tyre)**
- **Pre-set pressure mode with automatic cut off**
- **Tyre deflation valve**
- **Red SOS light**
- **High intensity LED light**

Part No.	Qty	Description
ERAC630	1	12V Digital Automatic Air Compressor

PCL

NEW

PCL Foot Pump

Complete with air bed, cycle valve & football adapters.

- **Preset dial gauge**
- **Single steel barrel**

Part No.	Qty	Description
AL80	1	Foot Pump

RING 12V '4 x 4' Tyre Air Compressor

Suitable for 4 x 4 and standard tyres.
Fitted with quick release 12V battery clips.
Complete with 3 piece adaptor kit, 7m flexible air hose with tyre valve locking system.

- **Inflates a tyre in under 4 minutes (Approx. based on inflating a tyre to 35 PSI).**
- **Pressure gauge in PSI, bar, & kg /cm².**
- **Carry handle.**
- **Anti-vibration rubber mounted feet.**
- **On/Off switch.**
- **Fitted with fused cigarette lighter plug.**
- **Flow rate 36 litres per min.**

Part No.	Qty	Description
ERAC700	1	12V '4 x 4' Air Compressor

RING 12V Heavy Duty Tyre Air Compressor Kit

Up to 3 x faster than a standard compressor.
Fitted with fused 12V power plug to protect vehicle electronics.
Complete with flexible hose with quick release inflator/deflator and large gradient pressure gauge, industrial style brass nozzle and 7 m coiled air line hose.
Supplied in a durable storage bag with carry handle.

- **Inflates a tyre in less than 90 seconds (Approx. based on inflating a tyre to 35 PSI)**
- **Thermal overload protection**
- **Waterproof On/Off switch**
- **Anti-vibration rubber mounted feet**
- **Pressure gauge in PSI, bar, KPA & kg /cm²**
- **Flow rate 55 litres per min**
- **2 year guarantee**

Part No.	Qty	Description
ERAC900	1	12V Heavy Duty Air Compressor Kit

RING 'Tyre Repair' Emergency Puncture Repair Sealant

Single use product.
Will NOT repair tyres that have come off the rim, are ripped, have punctures larger than 5 mm or have damaged walls.

- **For tyres up to and including 16"**
- **Provides a temporary repair designed to get you home, no need for any tools or wheel changes**

Part No.	Qty	Size
RTS1	1	400ml Aerosol

RING Handheld Rechargeable Tyre Air Compressor

Max pressure reading: 120 PSI. Cordless, robust design and small size. Includes 2 piece adaptor kit for other inflatables and built in 14.5 cm air line. Complete with handy bike bracket and storage bag. Perfect in an emergency.

- **Ideal for cars, motorbikes, bikes, scooters and other inflatables**
- **Can top up a car tyre in <3 mins or a inflate a bicycle tyre from flat in <2 mins**
- **4 programmable pressure settings with digital autostop for ease of use**
- **Rechargeable with Powerbank function via the USB outlet**
- **Compact design for easy storage - Fits in most bicycle water bottle holders**
- **Easy to read digital display**
- **LED light - Torch facility**

Part No.	Qty	Description
ERTC2000	1	Handheld Tyre Air Compressor

RING 12V Heavy Duty 4 x 4 Digital Air Compressor

Fitted with 12V in-vehicle charging plug.
Supplied with storage case and 3 piece adaptor set for small inflatables and bikes

- **Ideal for 4 x 4's, SUVs and vans**
- **Inflates 4 x 4 tyre in 5 minutes and a car tyre in 2.5 minutes**
- **Simple set up – Rotate dial to set pressure**
- **Quick set auto stop - Stops inflating once preset pressure is reached**
- **Built-in LED light for safer night time use**

Part No.	Qty	Description
ERAC820	1	12V Digital Heavy Duty Air Compressor

RING 12V Cordless 4-in-1 Digital Tyre Air Compressor

Supplied with storage case, 10 piece adaptor set for bikes, air beds and other inflatables, 4 x spare valve caps, 1 x spare fuse and 1 x pair gloves.

- **Inflates a tyre or a single air bed in 2 minutes**
- **Quick setting digital gauge automatically stops at set pressure**
- **Measures in PSI, BAR and kPA**
- **Handy on board power bank - USB output 2.4A**
- **Additional 230V AC power cable included for recharging**
- **Fitted with a 3.5m power cable and fused 12V DC power plug for use if rechargeable battery is fully discharged**

Part No.	Qty	Description
ERTC6000	1	12V Digital Cordless Air Compressor

S·A·S Assorted Pack - Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No.	Qty
SASL	Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

Part No.	Qty
SASC	Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Valeting Aerosols 500ml

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASV	Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Paint Aerosols 500ml

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASP	Set of 6

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.

238

239

242


247

248

250

Auto, Commercial + Plant


252

256


258

238 Wheels + Tyres
252 Brakes
258 Engine
266 Exhaust
268 Windscreen
270 M.o.T.
271 Commercial
272 Ratchet Straps
273 Lifing Slings
274 Trailer
278 Work Lamps
280 Rotating Beacons
282 Hydraulic
285 Plant
286 Concrete Remover

261

264

266

268

272

274

282

286



REMA TIP TOP
Tube Patches - Red Edge, Round

Doublescalloped edge ensure perfect bonding and 100 % vulcanisation.

- **Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.**
- **They leave no edges on the repair area.**

Part No.	Box of	Size No.	Ø	Suits
TY111	30	No. 1	35 mm	Bicycles, Motorbikes, Cars
TY112	30	No. 2	45 mm	Motorbikes, Cars
TY113	30	No. 3	54 mm	Cars, Trucks, Agricultural
TY114	30	No. 4	75 mm	Cars, Trucks, Agricultural
TY115	10	No. 5	94 mm	Trucks, Agricultural
TY116	10	No. 6	116 mm	Trucks, Agricultural

REMA TIP TOP
Tube Patches - Red Edge, Oval

Part No.	Box of	Size No.	Size (L x W)	Suits
TY117	10	No. 7B	150 x 75 mm	Trucks, Agricultural

REMA TIP TOP
Tube Patches - Air/Water Valve

Rubber base valves. Doublescalloped edge ensure perfect bonding and 100 % vulcanisation.

- **Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.**
- **They leave no edges on the repair area.**

Part No.	Qty	Size No.	Ø
TY118	10	TR 218A	80 mm

REMA TIP TOP
Tube Patches - Euro Black Edge, Round

Doublescalloped edge ensure perfect bonding and 100 % vulcanisation.

- **Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.**
- **They leave no edges on the repair area.**

Part No.	Qty	Size No.	Ø	Suits
TY101	50	Euro No. 1	35 mm	Bicycles, Motorbikes, Cars
TY102	50	Euro No. 2	45 mm	Motorbikes, Cars
TY103	50	Euro No. 3	54 mm	Cars, Truck, Agricultural
TY104	25	Euro No. 4	75 mm	Cars, Truck, Agricultural
TY105	20	Euro No. 5	94 mm	Trucks, Agricultural
TY106	20	Euro No. 6	116 mm	Trucks, Agricultural

REMA TIP TOP
Tube Patches - Universal

For the repair of small injuries to tube or tubeless radial and cross-ply tyres.

Part No.	Qty	Size No.	Size	Suits
TY364	50	UP 4.5	37 x 37 mm	Cars, Trucks
TY366	50	UP 6	43 x 43 mm	Cars, Trucks
TY368	50	UP 8	55 x 55 mm	Cars, Trucks



REMA TIP TOP
Tube Patches - Cross-Ply Repair Patch, Series PN

Repair patches for durable repairs to cross-ply tyres of all sizes, especially for tread, shoulder and sidewall injuries.

- **Suitable for both self-vulcanising and hotvulcanising processes due to the fully integrated bonding layer. Use in conjunction with the appropriate REMA TIP TOP accelerator solutions**

Part No.	Qty	Size No.	Ø / Ply	Suits
TY143	10	PN 03	100 mm / 2 Ply	Cars, Trucks
TY144	10	PN 04	120 mm / 2 Ply	Cars, Trucks
TY145	10	PN 05	160 mm / 4 Ply	Trucks
TY146	10	PN 06	235 mm / 6 Ply	Trucks

REMA TIP TOP
Tube Patches - RAD Repair, Series 100

Repair patches for durable repairs to all radial tyre sizes and for all applications.

- **Suitable for hot- or self-vulcanisation due to the unique bonding layer in conjunction with the appropriate REMA TIP TOP accelerator cements or solutions.**

Part No.	Qty	Size No.	Size (L x W) / Ply	Suits
TY370	20	110 TL	75 x 55 mm / 1 Ply	Cars
TY371	10	116 TL	104 x 67 mm / 1 Ply	Cars, Trucks, Fork Lift
TY372	10	120 TL	125 x 80 mm / 2 Ply	Trucks
TY373	10	125 TL	125 x 115 mm / 3 Ply	Trucks
TY374	10	135 TL	180 x 130 mm / 4 Ply	Trucks, Fork Lift, EM
TY375	10	140 TL	100 x 195 mm / 3 Ply	Trucks, Fork Lift, EM
TY376	10	142 TL	130 x 260 mm / 4 Ply	Trucks, Fork Lift
TY377	10	144 TL	130 x 335 mm / 4 Ply	Trucks, EM

REMA TIP TOP Combi Plug Patches - 'Minicombi'

Combined patch/plug tyre repair for punctures to the tread of both radial and cross-ply tyres.

- **Repair units vulcanise in the tyre.**
- **The tyre inside and the puncture channel are repaired in one operation.**
- **The ingression of moisture, dirt, stones or all materials that lead to premature deterioration of the casing and belts is prevented.**

Part No.	Qty	Kit No.	For Tread Damage
TY137	Box of 50	A3	Up To 3.5 mm
Box contents: 50 x Repair units with metal pilot. 1 x Instruction manual.			
TY136	Pack of 20	A6	Up To 6 mm
Pack contents: 20 x Repair units with metal pilot			
TY136B	Box of 40	A6	Up To 6 mm
Box contents: 20 x Repair units with metal pilot. 1 x Instruction manual			
TY138	Box of 20	B8	Up To 8 mm
Box contents: 20 x Repair units with metal pilot. 1 x Instruction manual.			
TY139	Box of 20	B10	Up To 10 mm
Box contents: 20 x Repair units. 3 x Pull wires. 1 x Instruction manual.			

REMA TIP TOP 'Cement SVS-VULC' Vulcanising Fluid

For use with tube patches.

Part No.	Qty	Size
TY132	1	25g Tube
TY133	1	50g Tube
TY100	1	175g Can c/w Brush

REMA TIP TOP 'SC-BL' Special Blue Cement

For use with Radial Repair Patches and Combi Plug-Patches.

Part No.	Qty	Size	
TY131	1	30g Tube	(35ml)
TY130	1	200g Can & Brush	

Patch Stitcher

Wooden handle. Wheel diameter: 35 mm.

Part No.	Qty	Description
TY161	1	4 mm Patch Stitcher

REMA TIP TOP Motorcycle Tyre Repair & Inflate Kit - 'Rep & Air' Tubeless

The complete break-down service for getting you moving again.
After the repair, the tyre is inflated from the cartridges within seconds.
Without an air pump and loss of time.Supplied in a sturdy storage box.

- **For sealing of punctures without demounting the tyre from the rim**
- **Includes cartridges for fast and easy inflation of the tyre after the repair**
- **Suitable only for temporary repair of mounted tyres**

Safety Warning! The tyre should be checked/repaired permanently after 400 km maximum (at a maximum speed of 60 km/h) by a tyre expert or workshop.

Part No.	Qty	Description
TY191	1 Kit	REP & AIR Tubeless Kit

Kit contents: 3 x Super Sealastic repair plugs. 1 x Special Cement BL: 4 g tube. 1 x Inserting tool. 1 x Clasp knife. 1 x Chalk. 3 x Cartridges: 16 g each. 1 x Cartridge adapter. 1 x Cartridge freeze protector. 1 x Instruction manual.

REMA TIP TOP Tyre Repair Workshop Kit

Supplied in a sturdy storage box.

Part No.	Qty	Kit No.	Suits
TY190	1 Kit	TT 30	Truck, Tractor

Kit contents:12 x Patches Size 1. 6 x Patches Size 3. 2 x Patches Size 4. 1 x Patch Size 5. 3 x Patches Size 7. 2 x Patches Size 7B. 2 x Cross-Ply repair patch: PN 03. 1 x Tube of SVS solution: 50 g. 2 x Rasps. 1 x Rasp handle. 1 x Stitcher. 1 x Instruction manual.

MARKAL 'B Paintstik' Markers

Marks on rough, smooth, rusty or dirty surfaces

Part No.	Box of	Colour
VC432	12	Yellow
VC433	12	White

Universal Yellow Markers

For use on metal, glass rubber, etc. Can be used on wet surfaces.

Part No.	Pack of	Type
VC430	12	Pencils

Universal Yellow Markers

For use on metal, glass rubber, etc. Can be used on wet surfaces.

Part No.	Pack of	Type
VC431	12	Blocks

REMA TIP TOP 'Sealastic' Tyre Repair Kit

Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm). Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the carbide mill cutter, pointed is used.

Part No.	Qty	Description
TY192	1 Kit	Tyre Repair Kit

Box contents: 10 x Repair units. 2 x Special Cement BL: 40 g cans. 1 x Insertion tool for EM. 1 x Rasp Ø 6.5 mm. 1 x Instruction manual.

REMA TIP TOP ATV/Quad Bike Repair Kit

Supplied in robust storage case.

Part No.	Qty	Description
TY197	1 Kit	ATV Repair Kit

Kit contents: 50 x Repair Strings. 1 x Hand rasp. 1 x Inserting tool. 1 x Special Cement BL: 225g tin.

REMA TIP TOP 'Sealfix' String - Long Type

For temporary repairs of tread punctures.

Part No.	Qty	Colour	Length
TY193	25	Brown	200 mm



REMA TIP TOP 'Sealfix' String - Long Type

For temporary repairs of tread punctures.

Part No.	Qty	Colour
TY194	25	Black

Insert Tool T-Handle

Chrome plated replaceable needle. Supplied with spare needle.

Part No.	Qty	Size
TY164	1	3" Blade Length

REMA TIP TOP 'Sealastic' Plugs - Refill Pack

Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm). Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the carbide mill cutter, pointed is used.

Part No.	Qty	Size No.	Type	Suits
TY195	20	TT 611	Truck Plugs	Trucks

REMA TIP TOP 'Sealastic' Plugs - Refill Pack

Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm). Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the carbide mill cutter, pointed is used.

Part No.	Qty	Size No.	Type	Suits
TY196	20	TT 612	EM Plugs	Earth Movers

REMA TIP TOP 'Sealastic' Insert Tool

Part No.	Qty	Blade Length
TY165	1	230 mm

REMA TIP TOP 'Remacure' Insert Tool - ATV

Part No.	Qty	Description
TY167	1	ATV Insert Tool

REMA TIP TOP 'Remacure' Spiral Awl

Part No.	Qty	Blade Ø x Length
TY168	1	6 mm x 4"

REMA TIP TOP 'Sealastic' Hand Rasp

Part No.	Qty	Blade Ø x Length
TY166	1	6.5 x 190 mm

BEST SELLER

Bead Sealer

Can be used on cross-ply and radial tyres. Brush in can lid.

Part No.	Qty	Size
TY310	1	946 ml Can

REMA TIP TOP

BEST SELLER

REMA TIP TOP 'MONT 2000' Bead Lubricant (Tyre Soap)

White. For all standard mounting application.

- **Designed for car and truck tyre mounting**

Part No.	Qty	Size
TY300	1	5 kg Tub

REMA TIP TOP

REMA TIP TOP Tyre And Tube Mounting Compound

Can be used as a "flexible pump ring" for all tyre mounting operations.

- **Stiff paste with stable viscosity to seal thegap between tyre bead and rim edge**

Part No.	Qty	Size
TY302	1	10 kg Bucket

REMA TIP TOP

REMA TIP TOP Bead Paste 'Black Tyre Paste'

Used for mounting and demounting all types and sizes of tyres.

- **Black in colour - Leaves no visible residue on tyre after mounting**

Part No.	Qty	Size
TY301	1	5 kg Tub

REMA TIP TOP

REMA TIP TOP Talcum Powder

For use with mounting tube tyres.

- **Fine-grained**
- **Asbestos free**

Part No.	Qty	Size
TY332	1	500g

REMA TIP TOP

REMA TIP TOP Tyre Sealant

Seals major air loss around the beads and O-rings, conditions the inner liner and maintains the air pressure after punctures, all of which help to control costly downtime.

- **Seals punctures up to 3/16", prevents wheel and rim rusting and eases the detection of sealed holes to maintainance engineers.**
- **Offers proven protection from airloss for fleet tyres used in, Trucking, Construction, Logging, Mining, Farming, Sanitation, Lawn/Turf Care, Public Works and recreational vehicles.**

Part No.	Qty	Size
TY303	1	20 Litre Drum
CAN17	1	Drum Pump

Mounting Paste Brushes

For application of bead lubricants.

Part No.	Qty	Application
TY163	1	For Cars

Mounting Paste Brushes

For application of bead lubricants.

Part No.	Qty	Application
TY162	1	For Trucks

REMA TIP TOP

REMA TIP TOP Liquid Buffer

Removes contaminates, silicones, talc's and other mould release agents from tubes and the tyre inner liner prior to mechanical buffing.

Part No.	Qty	Size
TY331	1	1 Litre Can
TY330	1	500g Aerosol



Buffing Stone

Golf ball type.

Part No.	Qty	Shaft Ø
TY160	1	6 mm

RING

RING 'Tyre Repair' Emergency Puncture Repair Sealant

Single use product.

Will NOT repair tyres that have come off the rim, are ripped, have punctures larger than 5 mm or have damaged walls.

- **For tyres up to and including 16"**
- **Provides a temporary repair designed to get you home, no need for any tools or wheel changes**

Part No.	Qty	Size
RTS1	1	400ml Aerosol

Tyre Fill Cartridge

Tyre Fill is ideal for repairs to conveyors, tyres, bumpers and other heavy duty rubbers.

- **A flexible, rapid curing two part repair system.**
- **The product is dispensed using the true mix cartridge system to guarantee proper mixing and ease of use.**

Part No.	Qty	Description
TY340	1	50ml Cartridge
VIP37	12	Applicator Nozzles
TL887	1	50ml Syringe Applicator Gun

Carbide Mill Cutter

For the precise injury preparation on radial and cross-ply tyres.

- **Special profile adapted to steel cord preparation.**
- **Long service life.**

Part No.	Qty	Ø x Length	Blade Length
TY151	1	3.0 x 60 mm	25 mm

Carbide Mill Cutter

For the precise injury preparation on radial and cross-ply tyres.

Part No.	Qty	Ø x Length	Blade Length
TY150	1	6.0 x 90 mm	40 mm

Carbide Mill Cutter

For the precise injury preparation on radial and cross-ply tyres.

Part No.	Qty	Ø x Length	Blade Length
TY153	1	8.0 x 100 mm	50 mm

Carbide Mill Cutter

For the precise injury preparation on radial and cross-ply tyres.

Part No.	Qty	Ø x Length	Blade Length
TY152	1	10.0 x 100 mm	50 mm

Tyre Valves - Snap-in Car/Van

Part No.	Qty	Rim Hole x Length	TR No.	Max Pressure
TY123	25	11.3 x 43 mm	413	4.5 bar

Tyre Valves - Snap-in Car/Van

Part No.	Qty	Rim Hole x Length	TR No.	Max Pressure
TY122	10	11.3 x 33 mm	412	4.5 bar

Tyre Valves - Snap-in Car/Van

Part No.	Pack of	Fits Hole x Length	TR No.	Max Pressure
TY126	25	11.3 x 49 mm	414	4.5 bar
TY126B	100	11.3 x 49 mm	414	4.5 bar

Tyre Valves - Snap-in Car/Van

Part No.	Pack of	Fits Hole x Length	TR No.	Max Pressure
TY127	25	11.3 x 61.5 mm	418	4.5 bar
TY127B	100	11.3 x 61.5 mm	418	4.5 bar

Tyre Valves - Snap-in 90° Scooter/Motorcycle

Tubeless valves.

Part No.	Qty	Rim Hole
TY259	10	11.5 mm

Tyre Valves - Snap-in HP Van/Transit

Part No.	Qty	Rim Hole
TY257	10	11.5 mm

Tyre Valves - Snap-in Air/Water Tractor

Tubeless valves.

Part No.	Qty	Rim Hole x Length
TY256	10	16 x 53 mm

Tyre Valve Cores - Earth Movers

Part No.	Qty	Type
TY267	10	Short

Tyre Valve Cores

Short.

Part No.	Pack of	Description
TY121	100	Tyre Valve Cores



Tyre Valves - Clamp-in Cars

Metal valve.

Part No.	Qty	Rim Hole
TY263	10	11.3 mm



Tyre Valves - Clamp-in Motorcycle

Installation torque: 7-10 Nm.

Part No.	Qty	Rim Hole x Length
TY266	10	8.3 x 33 mm

Tyre Valve Extensions - 90° Motorcycle

Metal.

Part No.	Qty	Type
TY264	5	90° Bend

Tyre Valves - Clamp-in Truck/Bus

Metal valve. Installation torque: 4-6 Nm.

Part No.	Qty	Rim Hole
TY251	10	16 mm

Tyre Valves - Clamp-in 45° Safety Hump/ EVA Truck/Bus

Metal valve. Installation torque: 13-15 Nm.

Part No.	Qty	Rim Hole
TY254	10	9.7 mm

Tyre Valves - Clamp-in Truck

Metal valve. Installation torque: 13-15 Nm.

Part No.	Qty	Rim Hole
TY253	10	9.7 mm

Tyre Valves - Clamp-in 90° Truck/Bus

Metal valve. Installation torque: 4-6 Nm.

Part No.	Qty	Rim Hole
TY252	10	16 mm

Tyre Valves - Clamp-in Air/Water Tractor

Metal valve.

Part No.	Qty	Rim Hole x Length
TY258	10	16 x 50 mm



Tyre Valves - Clamp-in 153° Truck/Bus

Nickel-plated metal valve.
For alloy rims. Installation torque: 9-14 Nm.

Part No.	Qty	Rim Hole
TY255	5	9.7 mm

Tyre Valve Extensions - PVC Truck

Plastic.

Part No.	Qty	Size
TY245	10	115 mm
TY246	10	150 mm
TY247	10	170 mm

Tyre Valve Extensions - Rigid Type

Part No.	Pack of	Length
TY220	5	52 mm
TY221	5	76 mm
TY222	5	100 mm
TY223	5	112 mm
TY224	5	126 mm
TY225	5	160 mm

Tyre Valve Extensions - Flexible

Part No.	Pack of	Length
TY240	5	105 mm
TY241	5	180 mm
TY242	5	210 mm

Tyre Valve Caps

Part No.	Pack of		Type
TY120	100		Plastic - Black
TY125	100		Plastic - Green
TY260	25		Hex Nickel High Pressure
TY262	25		Chromium Metal - Long

ALLIGATOR Double Seal Valve Caps

Part No.	Pack of	Description
TY261	5	Double Seal Valve Caps

Valve Extension Holders

Single.

Part No.	Pack of	Description
TY250	5	Valve Holders

Valve Mounting Tool

Hold-on type.

Part No.	Qty	Description
TY291	1	Valve Mounting Tool

Valve Mounting Tool

Plastic handle for Alloy Wheels.

Part No.	Qty	Description
TY292	1	Valve Mounting Tool

Valve Core Screwdrivers

Part No.	Pack of	Description
TY290	5	Valve Core Screwdrivers

Tyre Lever - HALTE

For use with tubeless truck tyres.

Part No.	Qty	Length
TY178	1	800 mm

Tyre And Mouting Lever - TTL1

Part No.	Qty	Length
TY180	1	34"

Tyre And Mouting Lever - TTL55

Part No.	Qty	Length
TY179	1	15.25"



Inner Liner Scraper Tool

- Especially suitable for profiled inner liners.

Part No.	Qty	Description
TY169	1	Tyre Scraper

Bead Breaker - Commercial

Overall length Closed: 38" Open: 62".

Part No.	Qty	Description
TY175	1	Commercial Bead Knocker

Hand Bead Breaker - BBO Long

Chisel type bead breaker with plastic grip handle.

Part No.	Qty	Type
TY176	1	BBO Long

Hand Bead Breaker - BBO Short

Chisel type bead breaker with plastic grip handle.

Part No.	Qty	Type
TY177	1	BBO Short

Bead Breaker - EVA/EVH Tyres

Developed specifically to displace the tyre bead on EVA, EVH, Actros and other commercial vehicle wheels which have an internal rib. It can also be used to displace the tyres on all commercial wheels to which it may be correctly fitted by trained tyre fitters.

- Can be used with an air wrench or hand spanner to give over five tons of force. Even the toughest tyre can be displaced quickly and easily.

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Suits
TY172*	1	EVA/EVH Tyres

Combi Tyre Bead Breaking Kit

Breaker weight: 15.5 kg. Pump weight: 10.4 kg.
Breaking force: 11 tonne.
Max operating pressure: 700 bar.

- **For wheels up to 29"**

*** Please allow 5-7 days delivery on this product.**

Part No.	Qty	Suits
TY173*	1 Kit	**Bead Breaking Kit**

Kit contains:
1 x Combi Bead Breaker. 1 x Air Hydraulic Pump with Steel Reservoir, 5 QT. 1 x 8ft Hydraulic Hose wiith coupler.

'Bead Bazooka™' Bead Setter

Gaither's revolutionary 'Bead Bazooka™' combines the unique rapid air release technology and easiest-to-handle tank for seating tubeless tyre beads. Simply fill the tank, aim the redesigned Double Barrel, and FIRE!!

- **The instantaneous blast of air from the 9 litre tank will work on motorbikes, cars, trucks, ATV and small AG tyres**
- **Most powerful automatic release system available in any bead-seating device**
- **Light weight (9.5kg) reduces stress on technician**
- **Push-button trigger allows technician to keep both hands on the tank for more control, making safer than manual release tanks**
- **Fully TÜV, CE & ASME certified.**

*** Please allow 5-7 days delivery on this product.**

Part No.	Qty	Size
TY1200*	1	**9 Litre Tank**

REMA TIP TOP Truck Tyre Filler

Tank capacity: 18 Litres. 10 bar.

- **Light in weight.**
- **Can be used to inflate truck tyres in both a horizontal or vertical position.**

*** Please allow 5-7 days delivery on this product.**

Part No.	Qty	Description
TY1201*	1	**Truck Tyre Filler**

REMA TIP TOP Regrooving Blades - Angle Blades

Wide blades.
For use with 'Rubber Cut 400/414' and tyre cutters.

- **Blades have one extended side for easier and safer location of the blade into the blade holder.**

Part No.	Pack of	Type	Cut Width	Cut Depth
TY402	20	**W Fix 2**	5 - 6 mm	Max 8 mm
TY403	20	**W Fix 3**	6 - 8 mm	Max 10 mm
TY404	20	**W Fix 4**	9 - 10 mm	Max 14 mm
TY405	20	**W Fix 5**	10 - 14 mm	Max 16 mm

REMA TIP TOP Regrooving Blades - Round Blades

Wide blades. For use with 'Rubber Cut 400/414' and tyre cutters.

- **Blades have one extended side for easier and safer location of the blade into the blade holder.**

Part No.	Pack of	Size No.	Cut Width	Cut Depth
TY412	20	**R Fix 2**	5 - 6 mm	Max 8 mm
TY413	20	**R Fix 3**	6 - 8 mm	Max 10 mm
TY414	20	**R Fix 4**	9 - 10 mm	Max 14 mm
TY415	20	**R Fix 5**	10 - 14 mm	Max 16 mm

REMA TIP TOP 'Rubber Cut 414' Regroover

Allows fast and accurate regrooving of the tread.
8-step temperature switch for different cutting speeds.
Blades NOT included.

- **Ergonomic hande design makes working easier**
- **Insulated cutting head.**
- **Greater freedom of movement and easy guiding thanks to separation of handle and transformer.**
- **Cutting width with FIX regrooving blades 3 - 28 mm.**
- **Prepared for wall mounting.**
- **Lockable carrying handle.**
- **Automatic overheating cutout according to DIN 30600.**
- **GS-tested, meets recognized safety standards.**

Part No.	Qty	Voltage
TY601	1	**110 V**
TY602	1	**240 V**

Checkpoint

CHECKPOINT® Indicators - Yellow

Offer a visual indication of wheel nut loosening.

Part No.	Qty	Size
TY417	10	17 mm
TY417C	100	17 mm
TY418	10	18 mm
TY418C	100	18 mm
TY419	10	19 mm
TY419C	100	19 mm
TY421	10	21 mm
TY421C	100	21 mm
TY422	10	22 mm
TY422C	100	22 mm
TY423	10	23 mm
TY424	10	24 mm
TY424C	100	24 mm
TY425	10	25 mm
TY426	10	26 mm
TY426C	100	26 mm
TY427	10	27 mm
TY427C	100	27 mm
TY428	10	28 mm
TY429	10	29 mm
TY429C	100	29 mm
TY430	10	30 mm
TY430C	100	30 mm
TY431	10	31 mm
TY432	10	32 mm
TY432C	100	32 mm
TY433	10	33 mm
TY433C	100	33 mm
TY434	10	34 mm
TY436	10	36 mm
TY438	10	38 mm
TY441	10	41 mm

Checkpoint

CHECKPOINT® 'Dustite LR®' Indicators - Yellow

Offer a visual indication of wheel nut loosening.

- **Combines a loose wheel nut Indicator, with a standard dust cap for use on wheels without trims.**
- **Offers the additional benefits that come with a wheel nut cap for protecting the nut from weathering, corrosion and general road damage.**

Part No.	Qty	Size
TY524	10	24 mm
TY527	10	27 mm
TY530	10	30 mm
TY532	10	32 mm
TY533	10	33 mm

Checkpoint

CHECKPOINT® Indicators - Red

Offer a visual indication of wheel nut loosening.

Part No.	Qty	Size
TY417R	10	17 mm
TY419R	10	19 mm
TY421R	10	21 mm
TY424R	10	24 mm
TY426R	10	26 mm
TY427R	10	27 mm
TY428R	10	28 mm
TY429R	10	29 mm
TY430R	10	30 mm
TY432R	10	32 mm
TY433R	10	33 mm
TY438R	10	38 mm
TY441R	10	41 mm

Checkpoint

CHECKPOINT® 'Dustite LR®' Indicators - Red

Offer a visual indication of wheel nut loosening.

- **Combines a loose wheel nut Indicator, with a standard dust cap for use on wheels without trims.**
- **Offers the additional benefits that come with a wheel nut cap for protecting the nut from weathering, corrosion and general road damage.**

Part No.	Qty	Size
TY530R	10	30 mm
TY532R	10	32 mm
TY533R	10	33 mm

DYNOMEC

TL1000C

DYNOMEC Locking Wheel Nut Remover Kit

Simple-to-use kit is capable of removing virtually all locknuts on the market to date, with no damage to the wheel due to the protective steel shroud. Supplied in robust storage case.

- **The tool does not rely on strength to work effectively, making it an ideal solution for anybody looking to remove locknuts without the key.**

Part No.	Qty	Description
TL1000	1 Kit	11 Piece Set
TL1000C	1	Replacement Blade C

Kit contents: 1 x Impact driver, 1 x L.N.R. body, 1 x Blade A, 1 x Blade B, 1 x Blade C, 1 x Centre punch, 1 x Hand protection ring, 1 x Instruction manual.



OE Quality Adhesive Wheel Weights - Steel

Supplied on a dispenser spool.

Part No.	Roll of	Description
TW500	1,200	5g Adhesive Weights

Wheel Balancing Weight Pliers

For mounting , removing and relocating wheel balance weights on the rim.
For expanding and compressing of clips, heavy duty jaw for cutting wheel weights.

Part No.	Qty	Length
TL254	1	240 mm (9 1/2")

KS TOOLS
Wheel Balancing Weight Pliers

Special tool steel, drop-forged, oil hardened.
For fixing, moving and loosening wheel balancing weights.
Heavy duty jaw for cutting wheel weights.

Part No.	Qty	Length
K150.2024	1	240 mm (9 1/2")

Wheel Weight Adhesive Removing Tool

Part No.	Qty	Description
TY170	1	Adhesive Removing Tool

OE Quality Adhesive Wheel Weights - Steel

General use.

Part No.	Qty	Weight
TW560	Pack of 25	60g Strips
TW600	Box of 100	60g Strips

Strip Weights: 5g (x4), 10g (x 4).

OE Quality Wheel Weights - Zinc

For standard steel wheels.

Part No.	Pack of	Weight
TW105	100	5g
TW110	100	10g
TW115	100	15g
TW120	100	20g
TW125	100	25g
TW130	100	30g
TW135	50	35g
TW140	50	40g

OE Quality Wheel Weights - Zinc. Plastic Coated for Alloy Wheels

Plastic Coated to OE standards.
Designed to fit most European cars with rim horns 4.5/6.5mm thick.

Part No.	Qty	Weight
TW405	100	5g
TW410	100	10g
TW415	100	15g
TW420	100	20g
TW425	100	25g
TW430	100	30g
TW435	50	35g
TW440	50	40g

Tyre Bath

- For identifying the location of punctures or bead leaks in car tyres or inner tubes

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Description
TY1101*	1	Tyre Bath

Static Safety Cage - 4x4/Light Van

Mesh type. Fabricated from RHS steel structure the Static Safety Cage provides protection for the operator whilst inflating larger tyres in the event of the tyre exploding due to over inflation.

- A necessity in the workshop to comply with Health & Safety Executive legislation

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Description	Dimensions
TY1100*	1	Static Safety Cage	36" x 36" x 24"

Wheel Chock - Commercial

Dimensions (L x H x W): 210 x 230 x 160 mm.

Part No.	Qty	Description
TY174	1	Wheel Chock

COMPAC Hydraulic Trolley Jack

- Low entry height
- Lift and turn lowering system prevents unintentional lowering
- Additional foot pedal pumping feature provides fast saddle raising to the load
- Pressure relief valve prevents overloading
- Safety lowering control valve for safe lowering even under load

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Llifting Capacity	Lifting Height	Chassis Length
TY1020*	1	2 Tonnes	500 mm	720 mm

COMPAC Axle Stands - Low Entry Screw Type

Weight: 11.8 kg each.
Fully welded structure in high quality steel.
Solid pillars. Solid spindles.

- Fitted with base plates to ensure even distribution of the load
- Designed specifically for Low-Entry applications

Part No.	Qty	Capacity (Per Pair)	Max Height	Min Height
TY1011	Set of 2	24 Tonnes	500 mm	340 mm

OMEGA Axle Stands - Low Entry

Dimensions: (L x W x H):
208 x 108 x 284 mm.

- Fitted with base plates to ensure even distribution of the load

Part No.	Qty	Capacity (Per Pair)	Max Height	Min Height
TY1014	Set of 2	2.8 Tonnes	450 mm	305 mm

selson

SELSON Air Jack Bellows - 2 Bag Type

Complete with extensions.
Working pressure: 100 psi.

- **Fast and friendly**
- **Designed for stability**
- **Overload safety valve**
- **Only one airline required**

Part No.	Qty	Lifting Capacity	Lifting Height	Min Height
TY1000	1	**2.5 Tonnes**	340 mm	130 mm

OMEGALIFT

OMEGA Extra Low Bottle Jack - Hydraulic

Weight: 9.4 kg.

Part No.	Qty	Capacity	Max Height	Min Height
TY1005	1	**20 Tonnes**	285 mm	165 mm

OMEGALIFT

OMEGA Bottle Jack - Air/Hydraulic

Weight: 39 lbs.

Part No.	Qty	Capacity	Max Height	Min Height
TY1002	1	**20 Tonnes**	18 1/4"	9 1/2"

OMEGALIFT

OMEGA Bottle Jack - Hydraulic

Weight: 12.5 kg. Fabricated from hard-cast steel with heat-treated critical stress areas.

- **Hydraulic system is protected from internal damage by a patented by-pass mechanism**
- **Machined and polished cylinders with die-cut threads provide non-abrasive leak-free, durable performance**

Part No.	Qty	Capacity	Max Height	Min Height
TY1006	1	**20 Tonnes**	475 mm	242 mm

WINNTEC

WINNTEC Low Bottle Jack - Air/Hydraulic

Weight: 10 kg.

Part No.	Qty	Capacity	Max Height	Min Height
TY1003	1	**20 Tonnes**	261 mm	146 mm

MEGA

MEGA Bottle Jack - Air/Hydraulic

Supplied with hose and trigger.
Operating pressure: 7 bar/100 psi.
Weight: 15.5 kg.

- **Can also be operated manually as an alternative to the normal air/hydraulic using the pump and supplied pump handle**
- **Heavy duty saddle**
- **Integrated carrying handle**

Part No.	Qty	Lifting Capacity	Max Height	Min Height
TY1001	1	**20 Ton**	447 mm	234 mm

MEGA

MEGA Bottle Jack - Hydraulic

Weight: 14.5 kg. High quality lifting jacks manufactured to meet rigid safety and quality standards. Suppied with pump handle.

- **Heavy duty saddle**
- **Integrated carrying handle**

Part No.	Qty	Capacity	Max Height	Min Height
TY1004	1	**30 Ton**	467 mm	242 mm

BAILCAST

BAILCAST 'Maxiboot' Universal CV Boot Kit

Complete with 2 x stainless steel clamps, 60g sachet of MoS2 CV grease and instructions.
Shaft Ø: 28-40 mm. Join Ø: 76-120 mm.

- **For large CV joints and drive shafts.**

Part No.	Qty	Description
CVB88	1 Kit	CV Boot Kit

BAILCAST

BAILCAST 'Uniboot' Stretchy Drive Shaft Boot Kit

Complete with 2 x stainless steel clamps, 60g sachet of MoS2 CV grease and instructions.
Shaft Ø: 19-28 mm. Join Ø: 56-110 mm.

Part No.	Qty	Description
CVB96	1 Kit	Drive Shaft Boot Kit
CVB96B	12 Kits	Drive Shaft Boot Kits

CV Boot Clamp Pliers

Part No.	Qty	Description
TL928	1	CV Boot Clamp Pliers

CV Boot Metal Clamps

Stainless steel.

Part No.	Pack of	Size	Range
HCV1	20	Small	19 - 40 mm
HCV2	20	Large	50 - 110 mm

BAILCAST

BAILCAST CV Boot Fitting Cone

Fits CV joints of up to 95 mm. Stretch the CV Boots over the fitting cone using the Rubber Care lubricant. No dismantling of the CV joint is required!

Part No.	Qty	Description
TL992	1	Fitting Cone

BAILCAST

BAILCAST 'Duragun' Pneumatic Fitting Tool

Time-saving tool made for stretching CV boots over CV joints without dismantling the joint. Standard air line fitting.

Part No.	Qty	Description
TL994	1	Pneumatic Fitting Tool

S·A·S

S·A·S Rubber Care

Maintains rubber seals on doors, bonnets, tailgates, etc. Can be used on tyres, rubber mats and rubber trim strips.

- **Suitable for use with CV Boot Fitting Cone (Part No. TL992).**
- **Reduces the effect of spray and salt water**
- **Reduces the effects of diluted acids and alkalines**
- **Prevents rubber parts ageing and cracking and eliminates squealing noises from dry rubber**
- **Silicone FREE**

Part No.	Pack of	Size
SAS57	6	500ml Aerosols

Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Pack of	Small Hole Ø	Large Hole Ø	Height
DC1	10	**10.5 mm**	25 mm	23 mm

Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Pack of	Small Hole Ø	Large Hole Ø	Height
DC4	10	**15 mm**	30 mm	25 mm

Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Pack of	Small Hole Ø	Large Hole Ø	Height
DC2	10	**12 mm**	28 mm	26.5 mm

Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Pack of	Small Hole Ø	Large Hole Ø	Height
DC5	10	**18.5 mm**	28.6 mm	15.5 mm

Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Pack of	Small Hole Ø	Large Hole Ø	Height
DC3	10	**13 mm**	35.5 mm	30 mm

Dust Cover for Ball Joints

Black rubber. Complete with rubber O-rings.

Part No.	Pack of	Small Hole Ø	Large Hole Ø	Height
DC6	10	**18 mm**	40.5 mm	37 mm

Assorted Box of Dust Covers for Vehicle Ball Joints

Black rubber.
Complete with rubber O-rings.

Part No.	Box of
AB220	**10 Kits**
2 x Each Kit: DC1, DC2, DC3, DC4, DC5.	

1:1 Actual Size Images

Brake Nuts Male - Metric

3.8

Length: 19.5 mm. Internal Ø: 3.8 mm

Part No.	Pack of	Ø x Pitch
BN161	25	M8 x 1.25 mm

Suits: Citroën

3/16"

Length: 20.8 mm. Internal Ø4.8 mm

Part No.	Pack of	Ø x Pitch
BN162	25	M9 x 1.25 mm

Suits: Citroën

3/16"



BEST SELLER

Length: 16.5 mm

Part No.	Pack of	Ø x Pitch
BN11	50	M10 x 1.00 mm

3/16"

Length: 16.7 mm

Part No.	Pack of	Ø x Pitch
BN167	10	M10 x 1.00 mm

Suits: Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Dacia, Fiat, Ford, Honda, Hyundai, Kia, Mitsubishi, Mercedes, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Suzuki, Toyota, Volvo, VW

3/16"

Length: 16.7 mm

Part No.	Pack of	Ø x Pitch
BN169	25	M10 x 1.00 mm

Suits: Chevrolet, Daihatsu, Daewoo, Hyundai, Kia, Nissan, Opel, Skoda, Toyota, Vauxhall, VW

3/16"

Length: 18 mm

Part No.	Pack of	Ø x Pitch
BN175	50	M10 x 1.00 mm

3/16"



Length: 21.5 mm

Part No.	Pack of	Ø x Pitch
BN21	50	M10 x 1.00 mm

3/16"



BEST SELLER

Length 22.8 mm

Part No.	Pack of	Ø x Pitch
BN12	50	M10 x 1.00 mm

3/16"



Length 23 mm

Part No.	Pack of	Ø x Pitch
BN170	25	M10 x 1.00 mm

Suits: Honda, Kia, Suzuki, Toyota, Volvo, VW

3/16"

Length 24 mm

Part No.	Pack of	Ø x Pitch
BN176	50	M10 x 1.00 mm

Suits: Kia, Nissan, Suzuki, Toyota

3/16"

Length 25 mm

Part No.	Pack of	Ø x Pitch
BN168	25	M10 x 1.00 mm

Suits: Hyundai

3/16"



Length 18 mm

Part No.	Pack of	Ø x Pitch
BN13	50	M10 x 1.00 mm

3/16"

Length 13.5 mm

Part No.	Pack of	Ø x Pitch
BN14	50	M10 x 1.25 mm

3/16"



Length 19 mm

Part No.	Pack of	Ø x Pitch
BN15	50	M10 x 1.25 mm

3/16"



Length 19.6 mm

Part No.	Pack of	Ø x Pitch
BN16	50	M10 x 1.25 mm

M6



Length 18 mm

Part No.	Pack of	Ø x Pitch
BN183	25	M12 x 1.00 mm

Suits: Audi, Ford, Peugoet, Saab, Seat, Volvo, VW

3/16"



Length 20 mm

Part No.	Pack of	Ø x Pitch
BN17	50	M12 x 1.00 mm

3/16"

Length 24 mm

Part No.	Pack of	Ø x Pitch
BN184	25	M12 x 1.00 mm

Suits: Alfa Romeo, Citroën, Fiat, Mazda, Peugeot

3/16"



Length 19.5 mm

Part No.	Pack of	Ø x Pitch
BN190	25	M12 x 1.25 mm

Suits: Iveco

1/4"



Length 18 mm

Part No.	Pack of	Ø x Pitch
BN185	25	M12 x 1.00 mm

1/4"



Length 19.4 mm

Part No.	Pack of	Ø x Pitch
BN189	25	M12 x 1.25 mm

Suits: Eastern European, Fiat 238

Length 16.5 mm

Part No.	Pack of	Ø x Pitch
BN193	25	M14 x 1.00 mm

Suits: Audi, BMW, MAN, Mercedes, VW For double flaring

Length 16.5 mm

Part No.	Pack of	Ø x Pitch
BN192	25	M14 x 1.00 mm

Suits: Audi, BMW, MAN, Mercedes, VW For single flaring



Length 25 mm

Part No.	Pack of	Ø x Pitch
BN195	50	M14 x 1.5 mm

Suits: Audi, BMW, MAN, Mercedes, VW For double flaring



Length 25.5 mm

Part No.	Pack of	Ø x Pitch
BN194	25	M14 x 1.5 mm

Suits: Audi, BMW, MAN, Mercedes, VW For single flaring



Length 26.5 mm

Part No.	Pack of	Ø x Pitch
BN197	25	M16 x 1.5 mm

Suits: Audi, BMW, MAN, Mercedes, VW

Brake Nuts Male - Imperial

Length 14.4 mm

Part No.	Pack of	Ø x Pitch
BN105	50	3/8" x 24 UNF

Suits: Volvo and US cars



Length 16 mm

Part No.	Pack of	Ø x TPI
BN2	50	3/8" UNF x 24 TPI



BEST SELLER

Length 20.5 mm

Part No.	Pack of	Ø x Length
BN1	50	3/8" UNF x 24 TPI



Length 21 mm

Part No.	Pack of	Ø x Pitch
BN103	50	3/8" x 24 UNF

Suits: Renault, Saab, Vauxhall, Volvo

Length 23.5 mm

Part No.	Pack of	Ø x TPI
BN3	50	3/8" BSF x 20 TPI

Length 23.4 mm

Part No.	Pack of	Ø x Pitch
BN104	50	3/8" x 20 UNF

Suits: Rover

Length 21 mm

Part No.	Pack of	Ø x Pitch
BN111	50	7/16" x 24 UNF

Suits: British and US cars with 1/4" tubes



Length 22.7 mm

Part No.	Pack of	Ø x Pitch
BN108	50	7/16" x 24 UNF

Suits: Peugeot



Length 18 mm

Part No.	Pack of	Ø x Pitch
BN113	50	1/2" x 20 UNF

Suits: Peugeot



Length 21.5 mm

Part No.	Pack of	Ø x Pitch
BN115	50	7/16" x 20 UNF

Suits: Renault, Rover, Talbot



Length 15.5 mm

Part No.	Pack of	Ø x Pitch
BN110	50	7/16" x 24 UNF

Suits: British and US cars with 1/4" tubes



Length 17 mm

Part No.	Pack of	Ø x Pitch
BN114	25	1/2" x 20 UNF



Length 23 mm

Part No.	Pack of	Ø x Pitch
BN117	25	7/16" x 20 UNF

Suits: Peugeot



Length 22.7 mm

Part No.	Pack of	Ø x Pitch
BN109	50	7/16" x 24 UNF

Suits: Peugeot with 1/4" Tubes

Length 15.8 mm

Part No.	Pack of	Ø x Pitch
BN112	50	1/2" x 20 UNF

Suits: Peugeot

Length 16.5 mm

Part No.	Pack of	Ø x Pitch
BN118	25	5/8" x 18 UNF

Brake Nuts Female - Metric

Length 15 mm

Part No.	Pack of	Ø x Pitch
BN171	25	M10 x 1.00 mm

Suits: Opel, Volvo

Length 15.5 mm

Part No.	Pack of	Ø x Pitch
BN46	50	M10 x 1.00 mm

Length 23 mm

Part No.	Pack of	Ø x Pitch
BN172	25	M10 x 1.00 mm

Suits: Alfa Romeo, Citroen, Fiat, Mazda, Mercedes, Nissan, Opel, Seat

Length 21.5 mm

Part No.	Pack of	Ø x Pitch
BN186	25	M12 x 1.00 mm

Suits: Citroën, Ford, Peugeot, Seat, VW

Length 29 mm

Part No.	Pack of	Ø x Pitch
BN196	25	M14 x 1.5 mm

Length 25.5 mm

Part No.	Pack of	Ø x Pitch
BN198	25	M16 x 1.5 mm

Brake Nuts Female - Imperial

Length 16 mm

Part No.	Pack of	Ø x Pitch
BN106	50	3/8" x 24 UNF

Suits: Volvo

Length 16 mm

Part No.	Pack of	Ø x TPI
BN42	50	3/8" UNF x 24 TPI

Length 17.5 mm

Part No.	Pack of	Ø x TPI
BN41	50	3/8" UNF x 24 TPI



Length 24 mm

Part No.	Pack of	Ø x Pitch
BN116	25	7/16" x 20 UNF

Suits: Bedford with 1/4" Tubes

Assorted Box of Brake Nuts

For 3/16" pipe.

Part No.	Box of
AB45N	150 Pieces

2 x Brake Nuts, Short Males: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
2 x Brake Nuts, Long Males: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
1 x Brake Nuts, Fully Threaded Males: 10 x 1.00 mm.
1 x Part Threaded Males: 12 x 1.00 mm.
1 x Long Females: 3/8" UNF x 24 TPI.
1 x Short Females: 10 x 1.00 mm.
1 x Female Connector: M10 x 1.00mm.

3 Way Connectors - Metric

Length x Width: 35 x 35 mm. Internal Ø: 3.1 mm

Part No.	Pack of	Ø x Pitch
BN67	3	M10 x 1.00 mm

Length x Width 29.8 x 29.8 mm

Part No.	Pack of	Ø x Pitch
BN181	2	M10 x 1.00 x 3.00 mm



Length x Width 41 x 36 mm

Part No.	Pack of	Ø x Pitch
BN191	2	M12 x 1.00 x 3.00 mm

4 Way Connectors - Metric



Length x Width 41 x 41 mm

Part No.	Pack of	Ø x Pitch
BN182	2	M10 x 1.00 x 4.00 mm

3 Way Connectors - Imperial



Length x Width: 35 x 35 mm. Internal Ø: 3.1 mm

Part No.	Pack of	Ø x TPI
BN63	3	3/8" UNF x 24 TPI

Male Connector - Metric

Length: 26.5 mm. Internal Ø: 3.2 mm

Part No.	Pack of	Ø x Pitch
BN62	25	M10 x 1.00 mm

Male Connector - Imperial

Length: 28 mm. Internal Ø: 3.2 mm

Part No.	Pack of	Ø x Pitch
BN107	50	3/8" x 24 UNF

Assorted Box of Brake Tubing Connectors & Brake Bleed Screws - UNF & Metric

For 3/16" pipe.

Part No.	Box of
AB85N	63 Pieces

1 x Male Connector: 10 x 1.00 mm.
2 x Female Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
2 x 3-way Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
5 x Brake Bleed Screws: 1/4" UNF x 28 TPI, 3/8" UNF x 24 TPI, M7 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.

Female Connectors - Imperial

Length: 32 mm

Part No.	Pack of	Ø x TPI
BN65	25	3/8" UNF x 24 TPI

Connectors Female - Metric

Length: 24 mm. Internal Ø: 3.5 mm

Part No.	Pack of	Ø x Pitch
BN174	25	M10 x 1.00 mm

Length: 24 mm: Internal Ø: 3.5 mm

Part No.	Pack of	Ø x Pitch
BN66	25	M10 x 1.00 mm



Length: 29 mm. Internal Ø: 3.5 mm

Part No.	Pack of	Ø x Pitch
BN173	10	M10 x 1.00 mm



Length: 29 mm

Part No.	Pack of	Ø x Pitch
BN187	10	M12 x 1.00 mm



Length: 32 mm

Part No.	Pack of	Ø x Pitch
BN188	10	M12 x 1.00 mm

Brake Pipe - Seamless Cupro-Nickel

90/10 Cupro-Nickel (CuNi). 22 Gauge.
Conforms to BS EN 12449 CW352H.

- **Seamless tubes offering better resistance to corrosion and splitting.**
- **Coils are eddy current tested to ensure freedom from defects.**

Part No.	Length	O.D.	Max. Work Pressure
BP3	25 ft Coil	3/16"	215 bar (3120 PSI)
BP4	25 ft Coil	1/4"	155 bar (2250 PSI)
BP5	25 ft Coil	5/16"	120 bar (1740 PSI)
BP6	25 ft Coil	3/8"	100 bar (1450 PSI)

Copper Tubing

22 Gauge. BS EN 12449 C106 soft coil.
Maximum working pressure: 200 bar (3,000 PSI)

Part No.	Length	O.D.	Max. Work Pressure
CP11	25 ft Coil	3/16"	200 bar (3000 PSI)

Brake Tubing - Copper

20 Gauge. BS EN 12449 C106 soft coil.
Maximum working pressure: 210 bar (3050 PSI)

Part No.	Length	O.D.	Max. Work Pressure
BP11	25 ft Coil	3/16"	210 bar (3050 PSI)

Bleed Screws Male - Metric

Length 29 mm

Part No.	Pack of	Ø x Pitch
BN85	25	M6 x 1.00 mm

Suits: Audi, BMW, Fiat, Mercedes, Opel, Saab, Seat, VW

Length 38 mm

Part No.	Pack of	Ø x Pitch
BN86	25	M6 x 1.00 mm

Suits: Audi, Seat, Skoda, Subaru, VW

Length 26.2 mm

Part No.	Pack of	Ø x Pitch
BN81	25	M7 x 1.00 mm

Suits: Citroën, Fiat, Ford, Mercedes, Nissan, Opel, Peugeot, Renault, Smart, Suzuki, Volvo

Length 28.6 mm

Part No.	Pack of	Ø x Pitch
BN150	25	M7 x 1.00 mm

Brake System: Aisin, Akebono, AP Lockheed, ATE, Bendix, Bosch, NBK, TRW

Suits: Alfa Romeo, Austin, Citroën, Fiat, Ford, Lancia, Mazda, MG, Mitsubishi, Nissan, Peugeot, Renault, Rover, Seat, Skoda, Suzuki, Talbot, Toyota, Volvo

Length 30.5 mm

Part No.	Pack of	Ø x Pitch
BN151	25	M7 x 1.00 mm

Brake System: Advics, Aisin, Akebono, AP Lockheed, ATE, Bendix, Bosch, Kelsey Hayes, Nabco, NBK, Nissan, Sumitomo, Toyota, TRW, VAG

Suits: Alfa Romeo, Audi, BMW, Citroën, Dacia, Daihatsu, Fiat, Ford, Honda, Infiniti, Jaguar, Lancia, Land Rover, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab, Seat, Skoda, Subaru, Suzuki, Talbot, Toyota, Vauxhall, Volvo, VW

Length 33 mm

Part No.	Pack of	Ø x Pitch
BN153	25	M7 x 1.00 mm

Brake System: Aisin, Akebono, AP Lockheed, ATE, Bosch, Brembo, Sumitomo, Tokico, TRW, Ukendt, ZF

Suits: BMW, Citroën, Daihatsu, Fiat, Hyundai, Infiniti, Isuzu, Lancia, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Renault, Saab, Subaru, Suzuki, Toyota, Vauxhall

Length 38.3 mm

Part No.	Pack of	Ø x Pitch
BN152	25	M7 x 1.00 mm

Brake System: Akebono, ATE, Citroën, Sumitomo, TRW, VAG, ZF

Suits: Alfa Romeo, Audi, BMW, Citroën, Dacia, Daihatsu, Ford, Mazda, Opel, Peugeot, Renault, Saab, Seat, Skoda, Subaru, Talbot, Toyota, Vauxhall, Volvo, VW

Length 28 mm

Part No.	Pack of	Ø x Pitch
BN156	25	M8 x 1.00 mm

Brake System: Akebono, ATE, Mando, Sumitomo, Tokico

Suits: Hyundai, Kia, Mazda, Mitsubishi, Suzuki

Length 32 mm

Part No.	Pack of	Ø x Pitch
BN154	25	M8 x 1.00 mm

Brake System: Akebono, Sumitomo

Suits: Ford, Kia, Mazda



Length 33.5 mm

Part No.	Pack of	Ø x Pitch
BN155	25	M8 x 1.00 mm

Brake System: Akebono, ATE, Delco Moraine, Kelsey Hayes, Sumitomo, TRW

Suits: Kia, Mazda, Mercedes, Opel, Saab, Suzuki, Toyota,



Length 24.5 mm

Part No.	Pack of	Ø x Pitch
BN82	25	M8 x 1.25 mm

Suits: Alfa Romeo, Autobianchi, Citroën, Daewoo, Fiat, Ford, Honda, Jaguar,Kia, Lada, Lancia, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Polmo, Renault, Rover, Saab, Seat, Talbot, Toyota, Vanden-Plas, Vauxhall, Wartburg, Zastava

Length 32.5 mm

Part No.	Pack of	Ø x Pitch
BN159	25	M8 x 1.25 mm

Brake System: Akebono, ATE, Bendix, Bosch, Brembo, Dunlop, Opel, Sumitomo, TRW

Suits: Abarth, Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Dacia, Daewoo, Fiat, Ford, Honda, Land Rover, Mazda, Mercedes, Mini, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Toyota, Vauxhall, Volvo

Length 34.7 mm

Part No.	Pack of	Ø x Pitch
BN160	25	M8 x 1.25 mm

Brake System: Citroën

Suits: Citroën

Length 35.5 mm

Part No.	Pack of	Ø x Pitch
BN158	25	M8 x 1.25 mm

Brake System: Akebono, ATE, Bendix, Brembo, DAC, Dunlop, Opel, TRW

Suits: Chevrolet, Chrysler, Citroën, Daewoo, Ford, Honda, Mercedes, Mini, Opel, Renault, Saab, Skoda, Suzuki, Vauxhall, Volvo

Length 41.5 mm

Part No.	Pack of	Ø x Pitch
BN157	25	M8 x 1.25 mm

Brake System: ATE, TRW

Suits: Citroën, Fiat, Lancia, Mercedes, Opel, Peugeot, Porsche, Seat, Skoda, Smart, Vauxhall, Volvo, VW

Length 30 mm

Part No.	Pack of	Ø x Pitch
BN84	25	M10 x 1.00 mm

Suits: Alfa Romeo, Audi, Austin, BMW, Chevrolet, Chrysler, Citroën, Daewoo, Daihatsu, Dodge, Fiat, Ford, Honda, Hyundai, Iveco, Jaguar, Kia, Land Rover, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Ssangyong, Subaru, Suzuki, Toyota, Vauxhall, Volvo, VW

Length 32 mm

Part No.	Pack of	Ø x Pitch
BN163	25	M10 x 1.00 mm

Brake System: Akebono, Mando, Sumitomo, TRW

Suits: Chevrolet, Hyundai, Kia, Opel, Vauxhall

Length 36 mm

Part No.	Pack of	Ø x Pitch
BN165	25	M10 x 1.00 mm

Brake System: Advics, Akebono, ATE, Bosch, Daewoo, Kelsey Hayes, Mando, Nissan, Opel, Sumitomo, TRW, VAG

Suits: Alfa Romeo, Audi, BMW, Chevrolet, Chrysler, Citroën, Daewoo, Dodge, Fiat, Ford, Honda, Hyundai, Jeep, Kia, Lancia, Land Rover, Mazda, Mercedes, MG, Mini, Mitsubishi, Nissan, Opel, Peugeot, Rover, Seat, Skoda, Ssangyong, Subaru, Suzuki, Toyota, Volvo, VW

Bleed Screws Male - Imperial



Length 34 mm

Part No.	Pack of	Ø x Pitch
BN164	25	M10 x 1.00 mm

Brake System: Advics, Aisin, Akebono, AP Lockheed, ATE, Bendix, Brembo, DAC, Mando, Nissan, Sumitomo, Tokico, TRW
Suits: Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Daewoo, Daihatsu, Ford, Honda, Hyundai, Infiniti, Isuzu, Jeep, Lancia, Land Rover, Mazda, Mercedes, Mini, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Subaru, Suzuki, Toyota, Vauxhall, VW



Length 42 mm

Part No.	Pack of	Ø x Pitch
BN166	25	M10 x 1.00 mm

Brake System: ATE, TRW
Suits: Mercedes



Length 33 mm

Part No.	Pack of	Ø x Pitch
BN178	25	M10 x 1.25 mm

Brake System: Akebono, Nissin, Sumitomo, TRW
Suits: Honda, MG, Rover, Suzuki

Length 28 mm

Part No.	Pack of	Ø x Pitch
BN177	25	M10 x 1.25 mm

Brake System: Akebono, Nissan, Sumitomo
Suits: Honda, MG, Rover



Length 29.5 mm

Part No.	Pack of	Ø x Pitch
BN179	25	M10 x 1.5 mm

Brake System: Bosch, Sumitomo, Wagner
Suits: Cadillac, Chrysler, Ford, Opel, Vauxhall



Length 25.5 mm

Part No.	Pack of	Ø x Pitch
BN102	25	5/16" x 24 UNF

Brake System: Akebono, Mando, Sumitomo
Suits: Hyundai, Kia

Length 28 mm

Part No.	Pack of	Ø x Pitch
BN71	25	1/4" UNF x 28 TPI

Suits: Iveco, Rover, Volvo



Length 32.5 mm

Part No.	Pack of	Ø x Pitch
BN72	25	3/8" UNF x 24 TPI

Suits: British Vehicles

Assorted Box of Brake Tubing Connectors & Brake Bleed Screws - UNF & Metric

For 3/16" pipe.

Part No.	Box of
AB85N	63 Pieces

1 x Male Connector: 10 x 1.00 mm.
2 x Female Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
2 x 3-way Connectors: 3/8" UNF x 24 TPI, 10 x 1.00 mm.
5 x Brake Bleed Screws: 1/4" UNF x 28 TPI, 3/8" UNF x 24 TPI, M7 x 1.00 mm, M8 x 1.25 mm, M10 x 1.00 mm.



Looking for Brake Pipe Tools?

Our full range can be found from Page 474

Brake Pad Pin Retainers

Part No.	Pack of	Size	Wire Ø
BR6	100	Small	1.2 mm
BR7	100	Large	1.5 mm



Brake Hardware - Pins

Part No.	Pack of	Suits	Length x End Width
BR51	100	Ford	42 x 6 mm
BR52	100	Rover	42 x 8 mm
BR53	100	GM	36 x 6 mm

Brake Hardware - Washers

Part No.	Pack of	Type	Hole Width
BR61	100	Lockheed	8 mm
BR62	100	Girling	6 mm

Brake Hardware - Springs

Part No.	Pack of	Suits	Dimensions (Ø x H)
BR71	100	Ford	14.5 x 16.5 mm
BR72	100	GM	14.0 x 20.0 mm
BR73	100	Lockheed	18.5 x 20.0 mm
BR74	100	BL	14.5 x 22.5 mm

Assorted Box of Brake Shoe Hold-Down Kit

Part No.	Box of
AB145N	200 Pieces

3 x Pins, Suits: FORD, GM, ROVER. 2 x Washers: LOCKHEED, GIRLING.
4 x Springs, Suits: FORD, VAUXHALL/GM, Lockheed, BL.



Gasket Paper - 1 m²

Part No.	Pack of	Thickness	
GT14	2	0.4 mm	(1/64")
GT18	2	0.8 mm	(1/32")

Gasket Paper - 30 x 25 cm (12" x 10")

Part No.	Pack of	Thickness	
GT5	50	0.4 mm	(1/64")
GT6	50	0.8 mm	(1/32")

Assorted Pack of Gasket Paper - 30 x 25 cm (12" x 10")

Part No.	Pack of
AP11	30 Pieces

20 x Sheets: 0.4 mm Thick. 10 x Sheets: 0.8 mm Thick.

Assorted Box of Accelerator & Clutch Springs

Part No.	Box of
AB29	40 Pieces

8 x Sizes (Free Length x O.D.): 53 x 12.4 mm, 61.2 x 15.4 mm, 63.4 x 13 mm, 66 x 13.1 mm, 77.4 x 23.15 mm, 82.5 x 12.95 mm, 84.2 x 10.9 mm, 86 x 13.3 mm.

Diesel Fuel Filters

Large in-line type. Hose fitting: 6 or 8 mm Ø.
European manufactured high quality finish.

Part No.	Pack of	Description
DCL64	10	Diesel Fuel Filters

In-Line Fuel Filters - Large

Hose fitting: 6 or 8 mm Ø.

Part No.	Pack of	Description
DCL63	10	Large Fuel Filters

In-Line Fuel Filters - Small

Hose fitting: 6 or 8 mm Ø.

Part No.	Pack of	Description
DCL62	10	Small Fuel Filters

CHEMICO Grinding Paste

Silicone carbide and lithium based grease.
Double-ended tin of Coarse and Fine paste.

- **A handy supply of a Coarse paste to cut and a Fine paste to finish.**
- **It has inherent shear stability, corrosion protection and good sealing properties.**

Part No.	Pack of	Size
GLU13	4	110g Tin

Valve Grinding Sticks

Double ended suction cup.

Part No.	Pack of	Description
TL882A	2	Valve Grinding Sticks



Assorted Box of Core Plugs Cup Type - Metric

Zinc plated mild steel.

Part No.	Box of
AB120	**60 Pieces**

10 x Sizes: 18, 22, 24, 26, 28, 30, 32, 34, 36, 48 mm.

Assorted Box of Core Plugs Cup Type - Imperial

Zinc plated mild steel.

Part No.	Box of
AB30N	**38 Pieces**

8 x Sizes: 7/8", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 1 7/8" (48 mm), 1 5/16", 2".

KS TOOLS GERMANY

KS TOOLS Oil Pan Repair Kit

Supplied in robust plastic storage case.

Part No.	Qty	Description
K150.1450	1 Set	**64 Piece Set**

4 x Special taps: M13 x 1.5, M15 x 1.5, M17 x 1.5, M20 x 1.5 mm.
4 x Oil drain plugs, hex drive: M13 x 1.5 x 8 mm (x 5), M15 x 1.5 x 19 mm (x 5), M17 x 1.5 x 8 mm (x 5), M20 x 1.5 x 10 mm (x 5).
4 x Aluminium seals: M13 (x 10), M15 (x 10), M17 x (x 10), M20 (x 10).

Plastic Sump Plug - BMW Type

Replaces BMW OEM 11137605018.

Part No.	Qty	Description
HSUP4	1	**BMW Type**

Plastic Sump Plug - FORD Connect Type

Replaces Ford OEM 1830727.

Part No.	Qty	Description
HSUP3	1	**FORD Connect Type**

Plastic Sump Plug - FORD Large Type

Replaces Ford OEM 1871598 and Peugeot/Citroën OEM 9801444780.

Part No.	Qty	Description
HSUP2	1	**FORD Large Type**

Plastic Sump Plug - VW Type

Replaces VW OEM 06L103801.

Part No.	Qty	Description
HSUP1	1	**VW Type**

Sump Plugs, Kits + Washers

CITROËN/PEUGEOT/FORD Type - M10 x 1.25 x 13 mm

Part No.	Pack of	Description
HSU95	5	Sump Plugs
HSU195	2 Pc Kit	Sump Plug Kit c/w Washer
HSU1022	50	Flat Copper Washers 10 x 20 x 2.0 mm



BMW/MERCEDES Type - M12 x 1.50 x 21 mm

Part No.	Pack of	Description
HSU101	2	Sump Plugs
HSU1215	50	Aluminium Washers 12 x 15 x 1.5 mm



NISSAN/TOYOTA Type - M12 x 1.25 x 13 mm

Part No.	Pack of	Description
HSU93	5	Sump Plugs
HSU193	5 Pc Kit	Sump Plug Kit c/w Washers
HSU1217	50	Flat Copper Washers 12 x 17 x 1.5 mm
HSU1217AL	50	Aluminium Washers 12 x 17 x 1.5 mm
HSU45	50	Copper Compression Washers 12 x 17 x 2.0 mm
HSU40	50	Fibre Washers 12 x 24 x 2.0 mm

BMW Type - M12 x 1.50 x 18 mm

Part No.	Pack of	Description
HSU81	5	Sump Plugs
HSU181	3 Pc Kit	Sump Plug Kit c/w Washers
HSU1215	50	Aluminium Washers 12 x 15 x 1.5 mm
HSU1217	50	Flat Copper Washers 12 x 17 x 1.5 mm



ALFA ROMEO/FIAT Type - M12 x 1.25 x 18 mm

Part No.	Pack of	Description
HSU104	2	Sump Plugs
HSU1217	50	Flat Copper Washers 12 x 17 x 1.5 mm



VAUXHALL Type - M12 x 1.75 x 25 mm

Part No.	Pack of	Description
HSU96	5	Sump Plugs
HSU196	2 Pc Kit	Sump Plug Kit c/w Washer
HSU60	50	Flanged Rubber O-Rings 11 x 21 x 2.5 mm

1:1 Actual Size Images

MINI Type
- M12 x 1.75 x 28.5 mm

Part No.	Pack of	Thread Size
HSU88	5	Sump Plugs c/w Washer
HSU60	50	Flanged Rubber O-Rings 11 x 21 x 2.5 mm

AUDI/VW Type
- M14 x 1.50 x 17.5 mm

Part No.	Pack of	Thread Size
HSU92	5	Sump Plugs c/w Captive Washer

HONDA/LAND ROVER/ROVER Type
- M14 x 1.25 x 21 mm

Part No.	Pack of	Description
HSU105	2	Sump Plugs
HSU25	50	Aluminium Washers 14 x 22 x 2.0 mm



VAUXHALL Type
- M14 x 1.50 x 10 mm

Part No.	Pack of	Description
HSU90	5	Sump Plugs
HSU190	2 Pc Kit	Sump Plug Kit c/w O-Ring
HSU50	50	Nitrile Rubber O-Rings 18 x 2 NBR

CITROËN/PEUGEOT Type
- M14 x 1.25 x 13 mm

Part No.	Pack of	Description
HSU84	5	Sump Plugs
HSU10	50	Copper Compression Washers 14 x 20 x 2.0 mm



Early FORD Type
- M14 x 1.50 x 16 mm

Part No.	Pack of	Description
HSU82	10	Sump Plugs
HSU182	3 Pc Kit	Sump Plug Kit c/w Seal & Washer
HSU21	50	Bonded Seals 16.7 x 24 mm
HSU20	50	Nylon Washers 14.5 x 22 x 2.0 mm

1:1 Actual Size Images

Sump Plugs, Kits + Washers



OPEL/VAUXHALL Type - M14 x 1.50 x 13 mm

Part No.	Pack of	Description
HSU83	10	Sump Plugs
HSU183	2 Pc Kit	Sump Plug Kit c/w Washer
HSU1420	50	Flat Copper Washers 14 x 20 x 1.5 mm



Early VAUXHALL Type - M14 x 1.50 x 12 mm

Part No.	Pack of	Description
HSU98	5	Sump Plugs
HSU198	2 Pc Kit	Sump Plug Kit c/w Washer
HSU1420	50	Flat Copper Washers 14 x 20 x 1.5 mm

AUDI/VW Type - M14 x 1.50 x 17.5 mm

Part No.	Pack of	Description
HSU91	5	Sump Plugs
HSU191	2 Pc Kit	Sump Plug Kit c/w Washer
HSU1420	50	Flat Copper Washers 14 x 20 x 1.5 mm

CHRYSLER/FORD Type - M14 x 1.50 x 21 mm

Part No.	Pack of	Description
HSU87	5	Sump Plugs
HSU187	2 Pc Kit	Sump Plug Kit c/w Washer
HSU51	50	Flanged Rubber O-Rings 13 x 22 x 3.0 mm

MERCEDES/CHRYSLER Type - M14 x 1.50 x 24 mm

Part No.	Pack of	Description
HSU94	5	Sump Plugs
HSU194	2 Pc Kit	Sump Plug Kit c/w Washer
HSU1420	50	Flat Copper Washers 14 x 20 x 1.5 mm



CITROËN/PEUGEOT/RENAULT Type - M16 x 1.50 x 14 mm

Part No.	Pack of	Description
HSU85	5	Sump Plugs
HSU185	3 Pc Kit	Sump Plug Kit c/w Washers
HSU11	50	Copper Compression Washers 16 x 22 x 2.0 mm
HSU21	50	Bonded Seals 16.7 x 24 mm

1:1 Actual Size Images

ALFA/FIAT/LANCIA Type - M18 x 1.50 x 27 mm

Part No.	Pack of	Description
HSU97	5	Sump Plugs
HSU197	2 Pc Kit	Sump Plug Kit c/w Washer
HSU1826	50	Flat Copper Washers 18 x 26 x 1.5 mm



PORSCHE Type - M18 x 1.50 x 16 mm

Part No.	Pack of	Description
HSU106	2	Sump Plugs
HSU1824AL	50	Aluminium Washers 18 x 24 x 1.5 mm



RENAULT Type - M18 x 1.50 x 15 mm

Part No.	Pack of	Description
HSU86	5	Sump Plugs
HSU186	2 Pc Kit	Sump Plug Kit c/w Washer
HSU12	50	Copper Compression Washers 18 x 24 x 2.0 mm



VOLVO Type - M18 x 1.50 x 28 mm

Part No.	Pack of	Description
HSU107	2	Sump Plugs
HSU1824AL	50	Aluminium Washers 18 x 24 x 1.5 mm



GM Type - M18 x 1.50 x 31.5 mm

Part No.	Pack of	Description
HSU102	2	Sump Plugs
HSU21	50	Bonded Seals 16.7 x 24 mm

FIAT Type - M22 x 1.50 x 15 mm

Part No.	Pack of	Description
HSU89	5	Sump Plugs

1:1 Actual Size Images

Sump Plug Washers

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU45	50	12 x 17 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1022	50	10 x 20 x 2.0 mm

Suits CITROËN Berlingo, C1, C2, C3, C4, C5, C6, Xantia, Xsara. FIAT Scudo. MINI R56, R55, Clubman. PEUGEOT 107, 206, 207, 306, 307, 308, 406, 407, 607, 806, 807, 1007, 4007, Bipper, Expert, Partner. TOYOTA Aygo, Corolla. VOLVO C30, S40 II, V50.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU14	50	14 x 20 x 2.0 mm

Suits VAUXHALL, VW (Except Beetle).

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU10	50	14 x 20 x 2.0 mm

Suits CITROËN (9/93>), PEUGEOT (9/93>).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1217	50	12 x 17 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU26	50	16.3 x 25.4 x 2.0 mm

Suits ROVER Mini, Metro & 100 Series.

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU11	50	16 x 22 x 2.0 mm

Suits CITROËN (<9/93), PEUGEOT (<9/93), RENAULT 5, FIAT (Diesel), ROVER (Diesel).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU27	50	14 x 19 x 2.0 mm

Suits ROVER (Non-HONDA Engines inc. K Series, Except Diesel & Mini A Series).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1826	50	18 x 26 x 1.5 mm

Suits ALFA ROMEO 145, 146, 147, 155, 156, 159, 166, Brera, GT, GTV, Spider. FIAT Brava, Bravo, Coupe, Doblo, Idea, Mera, Multipla. Stilo, Strada. LANCIA Detra, Kappa, Lybra, Musa, Thesis. SUZUKI SX4.

Copper Compression Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU12	50	18 x 24 x 2.0 mm

Suits RENAULT (Except RENAULT 5).

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1420	50	14 x 20 x 1.5 mm

Suits VAUXHALL Astra, Cavalier, Combo, Corsa, Corsavan, Nova. OPEL/ VAUXHALL Ascona, Astra, Calibra, Carlton, Cavalier, Corsa, Frontera, Kadett, Manta, Nova, Omega, Rekord, Senator, Tigra, Vectra, Zafira. CHRYSLER 300 C, PT Cruiser, Voyager. MERCEDES Klasse A, B, CE, G, V, GL, MSL, SLK, Sprinter, T1, Vaneo, Vito. AUDI 80, 90, 100, 200, A4, A6, A8, Quattro. SEAT Ibiza, Inca. SKODA Fabia, Felica. VW Caddy, Fox, Golf I.

Flat Copper Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU35	50	19 x 26 x 2.0 mm

Suits VOLVO (Other than 3 Series).

1:1 Actual Size Images

PLEASE NOTE:
Vehicle listings for sump plugs/washers are for guidance only

Nitrile Rubber O-Rings

Part No.	Pack of	I.D. x Thickness
HSU50	50	18 x 2 NBR

Suits VAUXHALL Astra F G H, Combo, Corsa B C D, Vectra B C.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1215	50	12 x 15 x 1.5 mm

Suits BMW Series 1, 3, 5, 6, 7, X3, X5, X6, Z1, Z3, Z4.

Fibre Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU40	50	12 x 24 x 2.0 mm

Suits TOYOTA Auris, Avensis, Camry, Carina, Celica, Corolla, Corona, Hiace, Hilux, Land Cruiser, Prius, Rav 4, Starlet, Supra, Yaris.

Flanged Rubber O-Rings

Part No.	Pack of	I.D. x O.D. x Thickness
HSU60	50	11 x 21 x 2.5 mm

Suits VAUXHALL Astra G, Omega B, Signum, Vectra BC, Zafira.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1217AL	50	12 x 17 x 1.5 mm

Suits BMW Series 1, 2, 3,5, 7, 8, X5, Z4.
MERCEDES 190, SL, CLK, T1, Klasse C, E, G, S. MINI One D.

Fibre Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU41	50	18 x 29 x 2.0 mm

Suits TOYOTA (Large Engines inc. Supra).

Flanged Rubber O-Rings

Part No.	Pack of	I.D. x O.D. x Thickness
HSU51	50	13 x 22 x 3.0 mm

Suits CHRYSLER 300, Caravan, Cirrus, Crossfire, Le Baron, Neo, PT Cruiser, Sebring, Stratus, Voyager.
FORD C-Max, Cougar, Courier, Escort, Fiesta, Focus, C-Max Focus, Fusion, Galaxy, Ka, Maverick, Mondeo, Puma, S-Max, Transit.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU25	50	14 x 22 x 2.0 mm

Suits ROVER (All HONDA Engines), HONDA (New Models).

Bonded Seals

Part No.	Pack of	I.D. x O.D.
HSU21	50	16.7 x 24 mm

Suits FORD Mondeo (Zetec Engines). FORD Focus & KA.

Nylon Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU19	50	13 x 20 x 2.0 mm

Suits FORD OHV.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU1824AL	50	18 x 24 x 1.5 mm

Suits VOLVO, PORSCHE.

Nylon Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU20	50	14.5 x 22 x 2.0 mm

Suits FORD OHC.

Aluminium Washers

Part No.	Pack of	I.D. x O.D. x Thickness
HSU30	50	22 x 27 x 1.5 mm

Suits FIAT (Except Diesel), MERCEDES (Some).



Sump Plug Washers

Part No.	Box of
AB117N	265 Pieces

4 x Copper Compression: 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm.
4 x Flat Copper: 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5, 14 x 20 x 2.0 mm.
2 x Aluminium: 14 x 22 x 2.0, 18 x 24 x 1.5 mm.
2 x Flanged Rubber O-ring: 11 x 21 2.5, 13 x 22 x 3.0 mm.
1 x Nitrile Rubber O-Ring: 18 x 2 NBR.
1 x Fibre: 12 x 24 x 2.0 mm.
1 x Bonded Seal: 16.7 x 24 mm.

Heavy Duty Exhaust Clamps

Zinc plated steel.
U-type with M10 nuts/thread.

Part No.	Pack of	Size	
EXHD42	10	42 mm	(1 5/8")
EXHD45	10	45 mm	(1 3/4")
EXHD48	10	48 mm	(1 7/8")
EXHD50	10	50 mm	(2")
EXHD52	10	52 mm	(2 1/16")
EXHD54	10	54 mm	(2 1/8")
EXHD58	10	58 mm	(2 1/4")
EXHD60	10	60 mm	(2 3/8")
EXHD65	10	65 mm	(2 1/2")
EXHD67	10	67 mm	(2 5/8")
EXHD70	10	70 mm	(2 3/4")

Exhaust Clamps

Zinc plated steel.
U-type with M8 nuts/thread.

Part No.	Pack of	Size	
EX118	20	29 mm	(1 1/8")
EX114	20	32 mm	(1 1/4")
EX138	20	35 mm	(1 3/8")
EX112	20	38 mm	(1 1/2")
EX116	20	42 mm	(1 11/16")
EX134	20	45 mm	(1 3/4")
EX178	20	48 mm	(1 7/8")
EX2	20	51 mm	(2")
EX216	20	52 mm	(2 1/16")
EX218	20	54 mm	(2 1/8")
EX214	20	58 mm	(2 1/4")
EX238	20	60 mm	(2 3/8")
EX212	20	65 mm	(2 1/2")
EX258	20	67 mm	(2 5/8")
EX234	20	70 mm	(2 3/4")
EX3	20	76 mm	(3")
EX318	10	79 mm	(3 1/8")
EX314	10	83 mm	(3 1/4")
EX312	10	89 mm	(3 1/2")
EX358	10	92 mm	(3 5/8")
EX334	10	95 mm	(3 3/4")
EX4	10	102 mm	(4")
EX436	10	106 mm	(4 3/16")
EX414	10	108 mm	(4 1/4")
EX456	10	110 mm	(4 5/16")
EX412	10	115 mm	(4 1/2")
EX434	10	120 mm	(4 3/4")
EX5	10	127 mm	(5")
EX518	10	130 mm	(5 1/8")

Assorted Pack of Exhaust Clamps

Zinc plated steel. U-type with M8 nuts/thread.

Part No.	Pack of
AP59	15 Pieces

Sizes: 1 3/8" - 2"

Assorted Pack of Exhaust Clamps

Zinc plated steel. U-type with M8 nuts/thread.

Part No.	Pack of
AP37	24 Pieces

Sizes: 1 1/2" - 2 1/2"



Perforated Strip

Suits exhaust.

Part No.	Pack of	Description
PS2	10	24" Lengths

Perforated Strip

Suits radio fixing.

Part No.	Pack of	Description
PS1	10	12" Lengths

Exhaust Manifold Nuts - Brass

Part No.	Pack of	Size x Pitch
HBN5	50	M8 x 1.25 mm
HBN6	50	M10 x 1.25 mm



Exhaust Manifold Nuts - Copper Flashed Steel

DIN 980.

Part No.	Pack of	Size x Pitch
HBN8	50	M8 x 1.25 mm
HBN7	50	M10 x 1.50 mm

Exhaust Manifold Nuts - Zinc Plated Steel

Non-serrated. Flanged tri-lock. 9/16" (14 mm) AF head. DIN 980. Grade 8.8.

Part No.	Pack of	Size
HBN10	50	M10 x 1.25 mm

Exhaust Mounting Rings

Universal application.

Part No.	Pack of	Size	I.D.
EM3	10	Medium	35 mm
EM4	10	Large	45 mm

1:1 Actual Size Images

Exhaust Manifold Studs

Mild steel.

Part No.	Pack of	Size x Pitch	Length
HMS11	20	M8 x 1.25 mm	37 mm
HMS12	20	M8 x 1.25 mm	42 mm
HMS13	20	M10 x 1.25 mm	37 mm
HMS14	20	M10 x 1.50 mm	38 mm
HMS15	20	M10 x 1.50 mm	52 mm
HMS16	20	M10 x 1.50 mm	55 mm

Assorted Box of Exhaust Manifold Studs & Nuts - Metric

Part No.	Box of
AB116	72 Pieces

2 x Nuts, Copper Flashed Steel (Size x Pitch): M8 x 1.25 mm,M10 x 1.50 mm.
2 x Nuts, Brass (Size x Pitch): M8 x 1.25 mm, M10 x 1.25 mm.
5 x Studs (Size x Pitch x Length): M8 x 1.25 mm x 37 mm, M10 x 1.25 x 37 mm, M10 x 1.50 mm x 38 mm, M10 x 1.50 mm x 52 mm, M10 x 1.50 mm x 55 mm.

Exhaust Mountings

MINI bobbin (cotton reel).

Part No.	Pack of	Thread
EM1	10	5/16" UNF

IGUANA Universal Jointless Aero Wiper Blades

Each kit is complete with seven, quick and easy to fit connectors to suit the majority of vehicle applications (see below).

- **Rubber blade edge is manufactured from a unique natural and synthetic rubber mix, designed to offer quality wiping performance with enhanced durability and life span**
- **Aero design provides improved performance by reducing wind lift and noise at high speeds**
- **Manufactured with two tensioned steel strips which apply the whole length of the blade to the windscreen with even, consistent pressure**

Part No.	Qty	Length	
WIPG13	1 Kit	**13"**	(335 mm)
WIPG14	1 Kit	**14"**	(360 mm)
WIPG15	1 Kit	**15"**	(385 mm)
WIPG16	1 Kit	**16"**	(410 mm)
WIPG17	1 Kit	**17"**	(435 mm)
WIPG18	1 Kit	**18"**	(460 mm)
WIPG19	1 Kit	**19"**	(485 mm)
WIPG20	1 Kit	**20"**	(510 mm)
WIPG21	1 Kit	**21"**	(535 mm)
WIPG22	1 Kit	**22"**	(560 mm)
WIPG23	1 Kit	**23"**	(585 mm)
WIPG24	1 Kit	**24"**	(610 mm)
WIPG25	1 Kit	**25"**	(625 mm)
WIPG26	1 Kit	**26"**	(660 mm)
WIPG28	1 Kit	**28"**	(710 mm)
WIPG30	1 Kit	**30"**	(760 mm)
WIPG32	1 Kit	**32"**	(815 mm)

Each jointless IGUANA Universal Jointless Aero Blade incorporates a centralised rubber spoiler which allows fitment to fit right-hand drive and left-hand drive vehicles as well as vehicles with 'clapping' blades. Each blade comes complete with seven different connectors to cover the majority of vehicle applications:

Connector Suits:
Alfa Romeo, Audi, BMW, Cadillac, Chevrolet, Citroen, Fiat, Jaguar, Kia, Mercedes, Nissan, Opel, Peugeot, Renault, Saab, Seat, Vauxhall, Volkswagen, Volvo.

Connector Suits:
Alfa Romeo, Audi, BMW, Citroen, Fiat, Ford, Mazda, Mercedes, Nissan, Opel, Peugeot, Porsche, Renault, Skoda, Vauxhall, Volkswagen, Volvo.

Connector Suits:
Renault, Citroen, Fiat, Saab, Audi A6, Seat Altea.

Connector Suits:
Audi, Citroen, Fiat, Ford, Hyundai, Kia, Lancia, Peugeot, Renault, Seat, Skoda, Volkswagen, Volvo.

Connector Suits:
Audi, Volkswagen.

Main Blade Adaptor
For use with selected Connectors

Single Connector with extra adaptor
Suits: **Audi, Mercedes.**

Universal Fit Single Connector
For all vehicles with 9 x 4 mm and 9 x 3 mm Hook Wiper Arms.

Windscreen Washer Accessories
Nylon. Suits 3/16" pipe.

Part No.	Qty	Description
TA103	5	T-Pieces

Part No.	Qty	Description
TA102	5	Elbows

BEST SELLER

Part No.	Qty	Description
TA101	5	Straights

Part No.	Qty	Description
TA104	5	Small In-Line Valves

Part No.	Qty	Description
TA105	5	Large In-Line Valves

Assorted Pack of Windscreen Washer Accessories
Nylon. Suits 3/16" pipe.

Part No.	Pack of
AP61	25 Pieces

5 x Large In-Line Valves. 5 x Small In-Line Valves. 5 x Straights. 5 x Elbows. 5 x T-Pieces.



Wiper Blade Refills
Universal, can be cut to length.

Part No.	Qty	Width	Length
WIP4	10 Pairs	8 mm (Wide)	20" (508 mm)
WIP5	5 Pairs	8 mm (Wide)	28" (711 mm)

PVC Tubing - Clear Plain Windscreen Washer Type

Part No.	Length	O.D. x I.D.	
TUB12	30 m Coil	8 x 5 mm	(3/16")

Windscreen Washer Pumps
Universal application.
Suits 3/16" pipe.

Part No.	Qty	Volts
EC12	1	12v
EC24	1	24v

SAS

BEST SELLER

S·A·S Concentrated Screen Wash
Designed with powerful detergents and an anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.
- **Lowest working temperature: -7.6°C.**

Part No.	Pack of	Size
SAS1060/2	2	5 Litre Containers

Parking Permit/Licence Holders
Assorted colours (may vary).

Part No.	Qty	Type
DC62	10	Self Seal

Looking for more Screen Wash?
Our full range can be found on Page 289

VTG6A MoT Plate Holder - Heavyweight

Black powder coated steel with clear plastic window.

Part No.	Qty	Dimensions
TT43	1	201 x 184 mm

VTG6A MoT Plate Holder - Lightweight

Rustproof glass filled nylon with clear plastic window.

Part No.	Qty	Dimensions
TT44	1	187 x 180 mm

Poly Coated Wire

1.5 mm Ø steel wire with polyester sleeve (overall Ø: 2.5 mm).

Part No.	Qty	Description
AC250	1 Coil	2.5 mm x 100 m Wire

Ferrules for Poly Coated Wire

Suits Part No. AC250.

Part No.	Pack of	Description
AC251	100	2.5 mm Ferrules

Diesel Stop/Bonnet Cables with T-handle and Bowden Cable Inner

Part No.	Pack of	Length	
AC6	2	2.44 m	(8 ft)
AC8	1	3.96 m	(13 ft)

Bowden Cable

Part No.	Length	Ø
AC4	30 m Coil	1.50 mm

Diesel Stop Cables with Piano Wire Inner

Universal fitting. Piano wire 2 mm Ø

Part No.	Pack of	Length	
AC3	2	2.89 m	(9 ft 6")
AC13	1	3.96 m	(13 ft)

Locking Wire

Heavy galvanised steel. 0.5 kg coil.

Part No.	Qty	Wire Ø		Approx. Length
AC7	1 Coil	1.25 mm	(18 SWG)	52 m
AC11	1 Coil	2.00 mm	(14 SWG)	21 m

MOT Corrosion Assessment Hammer

VOSA Approved.

Part No.	Qty	Description
TL730	1	MOT Corrosion Hammer

Anitluce Fasteners - Standard Round Shank Weld or Rivet

Part No.	Pack of	Shank Dia x Length
TT20	10	1/2" x 1/2"



Anitluce Fasteners - Threaded with Nut

Part No.	Pack of	Thread Size x Length
TT22	10	1/2" x 3"

Anitluce Fasteners - Threaded without Nut

Part No.	Pack of	Thread Size x Length
TT21	10	12 mm x 33 mm

Solderless Nipples

Part No.	Pack of	Size
AC101	50	1/4" x 3/8"
AC103	50	11/32 x 1/2"
AC104	50	9/32 x 1/2"

Assorted Pack of Solderless Nipples

Part No.	Pack of
AP9	25 Pieces

Various sizes and types.



Tow Pin Assemblies

Part No.	Qty	Pin Ø	Pin Working Length	Pin Total Length
TT120	1	20 mm	160 mm	195 mm
TT122	1	22 mm	155 mm	205 mm
TT124	1	25 mm	155 mm	205 mm

Roller Shutter Hooks & Chains

Part No.	Pack of	Spring Hook	Chain Length
TT27	10	3" (75 mm)	8" (200 mm)
TT35	10	4" (100 mm)	12" (305 mm)

Rope Hooks - Bolt-on

Cast iron.

Part No.	Pack of	Description
TT31	10	Bolt-on Rope Hooks

Wire Rope Grips

Zinc plated.

Part No.	Pack of	Size
TT33	10	6 mm
TT38	10	8 mm



Double Type R-Clip Module Assembly

R-clip dimensions (Wire Ø x L): 3.7 x 95 mm.

Part No.	Pack of	Description
HY20	10	R-Clip Module Assembly

Ratchet Strap with Claws

Polyester strap with metal claws.

Part No.	Qty	Capacity	Length
AC15	3 Piece Set	4 Tonnes	4 m

Car Transporter Ratchet Strap

Strap thickness: 50 mm. Polyester strap with metal claws.

Part No.	Qty	Capacity	Width x Length
AC14	2 Piece Set	5 Tonnes	50 mm x 10 m

Polypropylene Rope

10 mm (3/8") Ø.

Part No.	Qty	Length	
AC10	1	220 m	(720 ft)

Polythene Woven Tarp

Part No.	Qty	Dimensions	
BAG18	1	5.49 x 3.66 m	(18 x 12 ft)

WARRIOR 1T Ratchet Strap with Claw Hooks

Certified to EN-12195-2. 1 year guarantee from first day of use.

Part No.	Qty	Width x Length	Lashing Capacity	Breaking Strength
AC5150	2 Piece Set	25 mm x 5.0 m	1,000 kg	1,250 kg

WARRIOR 4T Ratchet Strap with Claw Hooks

Certified to EN-12195-2. 1 year guarantee from first day of use.

Part No.	Qty	Width x Length	Lashing Capacity	Breaking Strength
AC5480	2 Piece Set	50 mm x 8.0 m	4,000 kg	6,000 kg

WARRIOR
Duplex Flat Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

Part No.	Qty	Colour	Width x Length	Working Load Limit
AC3120	1	Purple	30 mm x 2.0 m	1 Tonne
AC3130	1	Purple	30 mm x 3.0 m	1 Tonne

WARRIOR
Endless Round Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

Part No.	Qty	Colour	Width x Length	Working Load Limit
AC4110	1	Purple	45 mm x 1.0 m	1,000 kg
AC4115	1	Purple	45 mm x 1.5 m	1,000 kg
AC4120	1	Purple	45 mm x 2.0 m	1,000 kg

WARRIOR
Duplex Flat Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

Part No.	Qty	Colour	Width x Length	Working Load Limit
AC3220	1	Green	60 mm x 2.0 m	2 Tonne
AC3240	1	Green	60 mm x 4.0 m	2 Tonne

WARRIOR
Endless Round Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

Part No.	Qty	Colour	Width x Length	Working Load Limit
AC4205	1	Green	50 mm x 0.5 m	2,000 kg
AC4210	1	Green	50 mm x 1.0 m	2,000 kg
AC4220	1	Green	50 mm x 2.0 m	2,000 kg

WARRIOR
Duplex Flat Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

Part No.	Qty	Colour	Width x Length	Working Load Limit
AC3320	1	Yellow	90 mm x 2.0 m	3,000 kg
AC3330	1	Yellow	90 mm x 3.0 m	3 Tonne
AC3340	1	Yellow	90 mm x 4.0 m	3 Tonne

WARRIOR
Endless Round Lifting Sling

BS EN 1492-1:2000 (7:1 Safety Factor). 1 year guarantee from first day of use.

Part No.	Qty	Colour	Width x Length	Working Load Limit
AC4520	1	Red	80 mm x 2.0 m	5,000 kg

7-Pin Trailer Sockets & Plugs

12N (Normal) system. 12V. Metal body.

Part No.	Pack of	Description
ERP13	5	Sockets
ERP14	5	Plugs

RING 7-Pin Trailer Sockets & Plugs

12N (Normal) system. 12V. Plastic body.

Part No.	Pack of	Description
ERP41	5	Sockets
ERP42A	1	Plugs
ERP42	5	Plugs

RING 7-Pin Trailer Socket

12N (Normal) system. 12V. Plastic body.

Part No.	Pack of	Description
ERP116	1	Socket

RING Trailer Board Extension Lead

12N (Normal) system. 12V.

Part No.	Qty	Length
ERP117	1	6 m



RING Breakaway Cable

For fitment to all trailers with a braking system.
Sprung shackle for easy attachment to car, locking sprung shackle for quick and easy, permanent fitment to the handbrake of the trailer. No tools required.

Part No.	Pack of	Description
AC131	1	Breakaway Cable



RING Trailer Boards

12N (Normal) system. 12V. Fitted with 7-Pin trailing plug.

Part No.	Qty	Width	Length
ERCT830P	1	3 ft	4 m Cable
ERCT816P	1	4 ft	6 m Cable
ERCT900P	1	4 ft 6" (incl. Fog Light)	4 m Cable

Magnetic LED Trailer Lights - Stop/Tail/Indicator

IP67. Supplied with 7.5 M cable, 2.5 M between lamps.

- **Includes Reflector**

Part No.	Qty	Voltage	Lights	ECE Reg
EBT9553	1 Set	12V	Stop/Tail/Ind	3/4/6/7

Magnetic Trailer Lights - Stop/Tail/Indicator

IP67. Supplied with 7.5 M cable, 2.5 M between lamps.

Part No.	Qty	Voltage	Lights	ECE Reg
EBT9550	1 Set	12V	Stop/Tail/Ind	4/6/7



European Marker Board - Type 261

Aluminium. Conforms to ECE 70.

Part No.	Qty	ECE No.	Dimensions
MB261	1	ECE1	1130 x 130 mm



European Marker Board - Type 264

Aluminium. Conforms to ECE 70.

Part No.	Qty	ECE No.	Dimensions
MB264	1	ECE5	1130 x 195 mm



European Marker Boards - Type 262

Aluminium. Conforms to ECE 70.

Part No.	Qty	ECE No.	Dimensions
MB262	1 Pair	ECE2/3	565 x 130 mm

European Marker Boards - Type 265

Aluminium. Conforms to ECE 70.

Part No.	Qty	ECE No.	Dimensions
MB265	1 Pair	ECE6/7	565 x 195 mm



European Marker Boards - Type 263

Aluminium. Conforms to ECE 70.

Part No.	Qty	ECE No.	Dimensions
MB263	Set of 4	ECE4	282 x 130 mm



European Marker Boards - Type 266

Aluminium. Conforms to ECE 70.

Part No.	Qty	ECE No.	Dimensions
MB266	Set of 4	ECE8	282 x 192 mm

Round Reflectors

EN 12899-3:2007.
Conforms to ECE E20. Screw-on type.

Part No.	Qty	Colour	Diameter
REF3S	2	Red	63 mm
REF3	10	Red	63 mm
REF2S	2	Amber	63 mm
REF2	10	Amber	63 mm
REF4S	2	White	63 mm
REF4	10	White	63 mm



Self-Adhesive Rectangular Reflectors

Conforms to ECE E20.

Part No.	Pack of	Colour	Dimensions
REF7A	10	Red	103 x 50 mm
REF5A	10	Amber	103 x 50 mm
REF9A	10	White	103 x 50 mm

Reflective Triangle

EN 12899-3:2007.
Conforms to ECE E20. Screw-on type.

Part No.	Qty	Colour	Height
REF1S	2	Red	137 mm
REF1	10	Red	137 mm

Looking for LED Tail Lamps?

A complete range of LED Tail Lamps feature overleaf



RING Trailer Boards

12N (Normal) system. 12V. Fitted with 7-Pin trailing plug.

Part No.	Qty	Width	Length
ERCT830P	1	3 ft	4 m Cable
ERCT816P	1	4 ft	6 m Cable
ERCT900P	1	4 ft 6" (incl. Fog Light)	4 m Cable

Magnetic LED Trailer Lights - Stop/Tail/Indicator

IP67. Supplied with 7.5 M cable, 2.5 M between lamps.

- **Includes Reflector**

Part No.	Qty	Voltage	Lights	ECE Reg
EBT9553	1 Set	12V	Stop/Tail/Ind	3/4/6/7

Magnetic Trailer Lights - Stop/Tail/Indicator

IP67. Supplied with 7.5 M cable, 2.5 M between lamps.

Part No.	Qty	Voltage	Lights	ECE Reg
EBT9550	1 Set	12V	Stop/Tail/Ind	4/6/7

5" LED Tail Lamp - Fog/Reverse

IP67. Base material: ABS housing. Lens material: Polycarbonate. Bolt mounting.

Part No.	Qty	Voltage	Lights	ECE Reg
EBT7009	1	12-24V	Fog/Rev	23/38

5" LED Tail Lamp - Stop/Tail/Indicator

IP67. Base material: ABS housing. Lens material: Polycarbonate. Bolt mounting.

Part No.	Qty	Voltage	Lights	ECE Reg
EBT7008	1	10-30V	Stop/Tail/Ind	3/6/7

5.5" LED Cheeseburger Multifunction Tail Lamp - Stop/Tail/Indicator

IP67. Base material: ABS. Lens material: Polycarbonate. Bolt mounting.

Part No.	Qty	Voltage	Lights	ECE Reg
EBT9008	1	6-30V	Stop/Tail/Ind	3/6/7

Looking for LED Work Lamps?

A complete range of LED Work Lamps feature on Page 278

4.5" LED Multifunction Tail Lamp - Stop/Tail/Indicator

IP67. Base material. ABS. Lens material: Acrylic.
Bolt mounting.

- **Includes Reflector**

Part No.	Qty	Voltage	Lights	ECE Reg
EBT7058	1	12V	Stop/Tail/Ind	3/6/7



6" LED Multifunctional Tail Lamp - Stop/Tail/Indicator

IP67. Base material: ABS. Lens material: Acrylic. Bolt mounting.

- **Includes Reflector**

Part No.	Qty	Voltage	Lights	ECE Reg
EBT7060	Set of 2	10-30V	Stop/Tail/Ind	3/6/7

7.5" LED Multifunctional Tail Lamp - Stop/Tail/Indicator

IP67. Base material: ABS. Lens material: Acrylic. Bolt mounting.

- **Includes Reflector**

Part No.	Qty	Voltage	Lights	ECE Reg
EBT7069	1	12-24V	Stop/Tail/Ind	3/6/7

LED Multifunctional Tail Lamp - Stop/Tail/Indicator/Reverse

IP67. Base material: ABS housing. Lens material: Polycarbonate. Bolt mounting.

- **Includes Reflector**

Part No.	Qty	Voltage	Lights	ECE Reg
EBT7099	1	12-24V	Stop/Tail/Ind/Rev	3/6/7/23

BEST SELLER

COB LED Side Marker Lamp

IP65. EMC approved.
Base material: ABS housing.
Lens material: Polycarbonate. Bracket base fixing.

Part No.	Qty	Voltage	Colour	ECE Reg
EBT6095W	1	12-24V	White	3/7
EBT6095R	1	12-24V	Red	3/7
EBT6095A	1	12-24V	Amber	3/91



SMD LED Number Plate Lamp

IP67. Base material: ABS housing.
Lens material: Polycarbonate. Surface mount fixing.

- **Includes Reflector**

Part No.	Qty	Voltage	Description	ECE Reg
EBT7085	1	10-30V	Number Plate Lamp	4

LED Rubber Marker Lamp

IP67. Base material: EPDM.
Lens material: PMMA. Surface mount fixing.

Part No.	Qty	Voltage	Description	ECE Reg
EBT9711	1	12-24V	Rubber Marker Lamp	Red 7/Clear 7

LED Amber Warning Light - 3 x COB LED 8W

ECE Reg 10/65. IP67. Base material: ABS.
Lens material: Polycarbonate. Bolt-on fixing.

- **10 x Flash patterns**

Part No.	Qty	Voltage	Width x Length
EBT6087	1	12-24V	33 x 89 mm

LED Adjustable Work Lamp - 6" Rectangular

IP67. EMC approved. Housing: Aluminium.
Lens: Acrylic. Stainless steel mounting bracket

- **8 x High Performance LEDs**
- **24 Watt/1680 Lumens**
- **Can be used as standard or side mount with swivel function**

Part No.	Qty	Voltage	Description	ECE Reg
EBW6	1	12-28V	6" Adjustable	-

LED Magnetic Work Lamp - 4" Round

IP67. EMC approved. Housing: Aluminium. Lens: Acrylic.
Supplied with 9.5M cable with switched in-vehicle adaptor.

- **6 x High Performance LEDs**
- **18 Watt/1350 Lumens**
- **Magnetic Base**
- **Shock Resistant**

Part No.	Qty	Voltage	Description	ECE Reg
EBW1	1	12-28V	4" Round	10



LED High Power Work Lamp - 4" Square

IP67. EMC approved. Housing: Aluminium.
Lens: Acrylic. Stainless steel mounting bracket

- **16 x High Performance LEDs**
- **48 Watt/3200 Lumens**

Part No.	Qty	Voltage	Description	ECE Reg
EBW5	1	12-28V	4" Square	10

LED Work Lamp - 6" Oval

IP67. EMC approved. Housing: Aluminium.
Lens: Polycarbonate.
Stainless steel mounting bracket.

- **6 x High Performance LEDs**
- **18 Watt/1350 Lumens**

Part No.	Qty	Voltage	Description	ECE Reg
EBW3	1	12-28V	6" Oval	10

LED Work Lamp - 4" Square

IP67. EMC approved.
Housing: Aluminium. Lens: Acrylic.
Stainless steel mounting bracket

- **5 x High Performance LEDs**
- **15 Watt/1050 Lumens**

Part No.	Qty	Voltage	Description	ECE Reg
EBW2	1	12-28V	4" Square	10

LED Work Lamp - 5" Rectangular

IP67. EMC approved. Housing: Aluminium.
Lens: Polycarbonate. Stainless steel mounting bracket.

- **6 x High Performance LEDs**
- **18 Watt/1350 Lumens**

Part No.	Qty	Voltage	Description	ECE Reg
EBW4	1	12-28V	5" Rectangular	10

RING



RING 15W LED Square Work Lamp - 105 mm

IP67. Certification: ECE R10. Cable length 300 mm.
Housing: Thermoplastic. Lens: Polycarbonate.

- **750 Lumens**
- **5 x 3W LEDs**
- **Lightweight**

Part No.	Qty	Voltage	Description	ECE Reg
ERCV9608	1	10-30V	105 mm Square	R10

RING



RING 15W LED Square Work Lamp with Switch

IP67. Certification: ECE R10.
Cable length 300 mm.
Housing: Aluminium. Lens: Polycarbonate.

- **5 x 3W LEDs**
- **Integrated switch**
- **Colour temperature: 5600K**

Part No.	Qty	Voltage	Description	ECE Reg
ERCV9607	1	10-30V	107 mm Square	R10



LED Interior Swivel Lamp - 6 x LED 6W

Lamp material: Aluminium. Lens material: Acrylic.
Supplied with stainless steel fixings and 400 mm cable.

- **On/Off switch**
- **Lens swivels 180°**

Part No.	Qty	Voltage	Depth x Length	Lumens
EBL330	1	12-24V	51 x 327 mm	600

LED Interior Lamp - 18 x SMD LED 3W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings

- **On/Off switch**

Part No.	Qty	Voltage	Width x Length	Lumens
EBL270	1	12-24V	28 x 266 mm	380

LED Interior Lamp - 45 x SMD LED 6W

Lamp material: Aluminium. Lens material: Acrylic. Supplied with stainless steel fixings

- **On/Off switch**

Part No.	Qty	Voltage	Width x Length	Lumens
EBL570	1	12-24V	28 x 570 mm	900

RING 'TruckMaster' Baton LED Strip Light

Dimensions (H x W): 33 x 19 mm.

Part No.	Qty	DC Voltage	Width	Lumens
ERCV5012	1	12/24V	300 mm	400
ERCV5013	1	12/24V	600 mm	800

Metal-Halide Bulbs

Giant Edison screw cap (40 mm).
Dia x Length: 46 x 225 mm.
Provides 10,000 hours of "Day Light" (10 Years).

Part No.	Qty	Watts	Output	Cap
EMH250	1	250W	4200K	GES/E40
EMH400	1	400W	4200K	GES/E40

Metal-Halide Bulbs

Giant Edison screw cap (40 mm).
Dia x Length: 76 x 335 mm.
Provides 10,000 hours of "Day Light" (10 Years).
Suits VT-1 type tower lights.

Part No.	Qty	Watts	Output	Cap
EMH1000	1	1000W	4200K	GES/E40



LAP ELECTRICAL Halogen Rotating Beacon - DIN Pole Mount

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC104	1	Amber	12/24V	R65
ERCV9420	1	DIN Pole		

LAP ELECTRICAL Halogen Rotating Beacon - 3 Point

IP56. Robust design.
Reverse polarity protection.
-30°C to + 50°C extreme temperature reliability.
Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC103	1	Amber	12/24V	R65

LAP ELECTRICAL Halogen Rotating Beacon - Flexi DIN Pole Mount

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC105	1	Amber	12/24V	R65
ERCV9420	1	DIN Pole		



LAP ELECTRICAL Halogen Rotating Beacon - Magnetic Base

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

- **70 mph rated magnet**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC102	1	Amber	12/24V	R65

LAP ELECTRICAL Halogen Rotating Beacon - Single Point

IP56. Robust design. Reverse polarity protection. -30°C to + 50°C extreme temperature reliability. Takes H1 halogen bulb (NOT included).

Part No.	Qty	Colour	Voltage	ECE Reg
EBC101	1	Amber	12/24V	R65

Halogen Rotating Beacon - 3 Point

EMC approved (ECE R10). Reverse polarity protection. -15°C to +40°C extreme temperature reliability. Maintenance free worm drive mechanism. Supplied with 12V and 24V H1 halogen bulbs.

- **Ideal for Refuse Trucks, Agriculture Plant & Contracting**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC203	1	Amber	12/24V	R65

RING

LED

RING 'Truck Master' LED Amber Mini Bar - Magnetic Mount

60 MPH speed rating. Reg 65 compliant. IP67 rated. 20 x programmable patterns. 2.4 m cable. In-vehicle power adaptor with flash and on/off switch included. Dimensions (H x W x D): 41 x 251 x 170 mm. 3 years warranty.

Part No.	Qty	DC Voltage	Watts
ERCV9822	1	9-30V	40W

RING

LED

NEW

RING LED Amber Mini Lightbar Single Bolt Mount

Reg 65 compliant. IP67 rated.
40 x 1 W LED. 5 m cable. 3 years warranty.

Part No.	Qty	DC Voltage	Watts
ERCV9761	1	10-30V	20W

LED

LED Rotating Beacon - Magnetic Base

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **40mph rated magnet**
- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC302	1	Amber	12/24V	R65

LED

LED Rotating Beacon - Flexi DIN Pole Mount

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC305	1	Amber	12/24V	R65
ERCV9420	1	DIN Pole		

LED

LED Rotating Beacon - Single Point

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC301	1	Amber	12/24V	R65

LED

LED Rotating Beacon - 3 Point

IP65. EMC approved (ECE R10).
Fully encapsulated electronics. 40 x LEDs.
ABS base and polycarbonate lens.

- **3 x Flash patterns - Simulated rotating, double flash and quad flash.**

Part No.	Qty	Colour	Voltage	ECE Reg
EBC303	1	Amber	12/24V	R65
EBC303G	1	Green	12/24V	R65



Hydraulic Steel Flat Face Coupling - Carrier (Female)

Meets the requirements of ISO 16028.
Manufactured from high strength carbon steel with nitrile seal.

Part No.	Qty	BSPP Thread	Bar	Body Size
HY301	1	1/4"	315	1/4" BSP
HY303	1	3/8"	250	3/8" BSP
HY305	1	1/2"	250	3/8" BSP
HY307	1	3/4"	250	1/2" BSP
HY309	1	1"	250	3/4" BSP

Hydraulic Steel Flat Face Plug - Probe (Male)

Meets the requirements of ISO 16028.
Manufactured from high strength carbon steel.

Part No.	Qty	BSPP Thread	Bar	Body Size
HY300	1	1/4"	315	1/4" BSP
HY302	1	3/8"	250	3/8" BSP
HY304	1	1/2"	250	3/8" BSP
HY306	1	3/4"	250	1/2" BSP
HY308	1	1"	250	3/4" BSP

Hydraulic Quick Release Coupling - Carrier (Female)

Meets the requirements of ISO-7241-A.
Manufactured from high strength carbon steel.

- **Rugged construction**
- **Ideal for construction equipment, manufacturing machinery and in-plant systems**

Part No.	Qty	BSPP Thread	Max Work Pressure	Size
HY402	1	1/4"	350 Bar	04SF
HY406	1	3/8"	315 Bar	06SF
HY400	1	1/2"	250 Bar	08SF
HY404	1	3/4"	250 Bar	12SF
HY408	1	1"	230 Bar	16SF

Hydraulic Quick Release Coupling - Probe (Male)

Meets the requirements of ISO-7241-A.
Manufactured from high strength carbon steel.

- **Rugged construction**
- **Ideal for construction equipment, manufacturing machinery and in-plant systems**

Part No.	Qty	BSPP Thread	Max Work Pressure	Size
HY403	1	1/4"	350 Bar	04SF
HY407	1	3/8"	315 Bar	06SF
HY401	1	1/2"	250 Bar	08SF
HY405	1	3/4"	250 Bar	12SF
HY409	1	1"	230 Bar	16SF

Hydraulic BSPP Swivel Adaptor - Female : Female

Part No.	Qty	Type	BSPP Thread
HY156	2	F : F	1/4" : 1/4"
HY155	2	F : F	1/4" : 3/8"
HY154	2	F : F	3/8" : 3/8"
HY153	2	F : F	3/8" : 1/2"
HY152	2	F : F	1/2" : 1/2"
HY151	1	F : F	3/4" : 3/4"
HY150	1	F : F	1" : 1"

Hydraulic BSPP Swivel Adaptor - Male : Female

Part No.	Qty	Type	BSPP Thread
HY135	2	M : F	1/4" : 3/8"
HY138	2	M : F	3/8" : 1/4"
HY136	2	M : F	3/8" : 3/8"
HY131	2	M : F	3/8" : 1/2"
HY137	2	M : F	5/8" : 5/8"
HY133	2	M : F	1/2" : 3/8"
HY134	2	M : F	1/2" : 1/2"
HY130	1	M : F	1/2" : 3/4"
HY132	1	M : F	3/4" : 1/2"

Looking for Breaker Hose Sets?

Our full range can be found on Page 284

Hydraulic BSPP/BSPT Adaptor - Male : Male

Part No.	Qty	Type	BSPP : BSPT Thread
HY102	5	M : M	1/4" : 1/4"
HY100	5	M : M	3/8" : 1/4"
HY101	5	M : M	3/8" : 1/2"
HY103	2	M : M	1/2" : 1/2"

Hydraulic BSPP Adaptor - Male : Male

Part No.	Qty	Type	BSPP Thread
HY115	5	M : M	1/4" : 1/4"
HY114	5	M : M	1/4" : 3/8"
HY121	5	M : M	3/8" : 3/8"
HY117	5	M : M	3/8" : 1/2"
HY118	5	M : M	1/2" : 1/2"
HY112	2	M : M	1/2" : 5/8"
HY120	2	M : M	1/2" : 3/4"
HY116	2	M : M	5/8" : 5/8"
HY119	2	M : M	3/4" : 3/4"
HY111	1	M : M	1" : 1/2"
HY110	1	M : M	1" : 3/4"
HY113	1	M : M	1" : 1"

Hydraulic BSPP Bulkhead Fitting

Part No.	Qty	BSPP Thread
HY161	1	3/8"
HY160	1	1/2"

Hydraulic BSPP Blanking Plug

Part No.	Qty	BSPP Thread
HY173	5	1/4"
HY172	5	3/8"
HY171	2	5/8"
HY170	1	1"

Hydraulic BSPP Equal Elbows - F : F

Part No.	Qty	Type	BSPP Thread
HY202	2	F : F	3/8"
HY204	1	F : F	1/2"

Hydraulic BSPP Equal Elbows - M : F

Part No.	Qty	Type	BSPP Thread
HY201	2	M : F	3/8"
HY203	1	M : F	1/2"

Hydraulic BSPP Equal Elbows - M : M

Part No.	Qty	Type	BSPP Thread
HY200	1	M : M	3/8"

Hydraulic BSPP Equal Tee - Female

Part No.	Qty	BSPP Thread
HY190	1	3/8"
HY191	1	1/2"

Hydraulic BSPP Blanking Cap

Part No.	Qty	BSPP Thread
HY180	5	1/4"
HY181	5	3/8"
HY182	5	1/2"
HY183	2	5/8"
HY184	1	1"

1/2" BSP Hydraulic Breaker Hose Sets - 6 m

EN 857 2SC - SAE 100 R16S. Working Pressure: 275 bar/4000 PSI.

Part No.	Qty	Fittings
HY10	1	Male & Female Couplings
HY13	1	1/2" BSP Male Ends

1/2" BSP Hydraulic Breaker Hose Tails - 18"

EN 857 2SC - SAE 100 R16S. Working Pressure: 275 bar/4000 PSI.

Part No.	Set of	Fittings
HY11	2	Male/Female Couplings
HY12	2	1/2" BSP Male Ends

Compressor Air Hose Assembly

20 bar/300 PSI high quality rubber hose.
Complete with brass claw fitting safety couplings.

Part No.	Qty	Size	Length
AL500	1 Coil	3/4"	15 m



Whip Check Cables

Steel cable and plated springs.

Part No.	Qty	Cable Diameter	Suits Hose Diameter	Length
AL90	1	1/8"	1/2" to 1 1/4" (Small)	540 mm
AL91	1	1/4"	1 1/2" to 3" (Large)	970 mm

FUCHS 'Renolin' ZAF 46 HV High Quality Hydraulic & Lubricating Oil

High viscosity index, zinc and ash free hydraulic oil.

- **Ideal for powering hydraulic systems working in refrigerated plant, mobile equipment, or where the system demands a fluid capable of working over a wide temperature range.**

Part No.	Qty	Size
VC117	1	20 Litres

FUCHS 'Agrifarm' Universal 2-stroke Oil

Specifications: API, TC, JASO, FB.
Suitable for use in all 2-stroke engines. May be used either as a tank mix or in oil injection systems. Dyed red for ease of identification.

- **Ideal for agricultural and horticultural machinery, chain saws, hedge cutters, strimmers, portable generators, etc.**

Part No.	Qty	Size
VC116	1	20 Litres

FUCHS 'Titan Truck Plus' 15W-40 Oil

Specifications: ACEA E7, API CI-4/SL, GLOBAL DHD-1, CAT ECF-1-a/ECF-2.
A super long term all season engine oil of the SHPD category for diesel and gasoline engines with and without turbo charging in passenger cars, trucks, buses and industrial equipment

- **Excellent wear protection even under high continuous stress**
- **Protection from corrosion even when used with diesel fuels with high sulphur content**

Part No.	Qty	Size
VC115A	1	5 Litres
VC115	1	20 Litres

ROCK OIL
ISO-32 Hydraulic Oil

Meets DIN 51525 and
DIN 51524 Parts 1 & 2.

- **Excellent protection of machinery and systems against corrosion and wear.**

*** NOT to be used as Brake Fluid.**

Part No.	Qty	Size
VC199	1	20 Litres

KOLOR KUT
Water Finding Paste

A golden brown colour which turns brilliant red upon contact with water.
Can be used to successfully gauge water content in all petrol and hydrocarbons.

Part No.	Pack of	Size
VC752	1	85g Tube



RICHTER
Dipping Tape Tool - 10 m

Mild steel tape graduated with raised markings, in mm.
Complete with brass dipping weight.

Part No.	Qty	Description
VC750	1	10 m Dipping Tape

Water
Finding Strips

A golden brown colour which turns brilliant red upon contact with water.
Can be used to successfully gauge water content in all petrol and hydrocarbons.

Part No.	Tub of	Description
VC751	200	Dip Strips

NGK
Spark Plugs

Seat type: Flat.
Tip configuration: Non projected.
Construction: Special design.
Terminal type: Solid.

3.75 mm	Box of	NGK Ref.
PG1	10	B2LM
PG2	10	B4LM
PG3	10	B5HS
PG4	10	B6HS
PG5	10	BCPR5ES
PG6	10	BCPR6ES
PG7	10	BKR5E
PG8	10	BM6A
PG9	10	BMR4A
PG10	10	BMR6A
PG12	10	BMR7A
PG13	10	BP5ES
PG14	10	BP6ES
PG15	10	BPM6A
PG16	10	BPM7A
PG17	10	BPMR4A
PG18	10	BPMR6A
PG19	10	BPMR7A
PG20	10	BPR6HS
PG21	10	BPR5ES
PG22	10	BPR5HS
PG23	10	BPR6ES
PG24	4	BR10EIX
PG25	10	BR2LM
PG26	10	BR4HS
PG27	10	BR4LM
PG28	10	BR5ES
PG29	10	BR5HS
PG30	10	BR6HS
PG31	10	CM6
PG32	10	CMR6H
PG33	10	CR4HSB
PG35	10	CR5HSB

CreteBeater®

Non-Toxic

Non-Corrosive

CreteBeater®
The environmentally friendly foam for removing concrete and cement safely and effectively without damaging the surface of vehicles, tools, equipment, machinery and other surfaces

CreteBeater®
Dissolves concrete by breaking down the bond of cement, making concrete layers bubble up and release from the surface

CreteBeater®
Originally developed for use by the ready-mix concrete supply industry

CreteBeater®

NEW

CreteBeater 'Civil Engineering' Heavy Duty Concrete Remover

100% biodegradable and designed to safely remove cement and concrete by dissolving it in a bio-safe way. Does not contain muriatic, phosphoric or citric acids and is therefore, non-corrosive.

Safe to use on:

- Painted surfaces/vehicles
- Aluminium
- Glass/Windows
- Rubber/Tyres/Hoses
- Human Handling

Part No.	Qty	Pack Size
CB20	1	20 Litre Container

ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Special lance produces a rich foam to help dissolve/degrease dirt. Suitable for use with S·A·S Snow Foam (Part No. SAS2017).

- High foaming action spray

Part No.	Qty	Capacity
CAN27	1	1.8 Litre

ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Supplied with 3 x interchangeable nozzles to adjust the foam thickness. Suitable for use with S·A·S Snow Foam (Part No. SAS2017.

- High foaming action spray
- Lance with 120 cm long hose

Part No.	Qty	Working Capacity
CAN28	1	6.0 Litre

In 3 simple steps!



Apply CreteBeater as a foam making sure the surface is covered and saturated

Infuse for 20-45 minutes ensuring area remains wet (especially in hot conditions)*

Rinse off using pressure washer or water and brush for detailing

288

289

289

290

292

294

Grease + Chemicals

296

297

298

288 Additives
289 AdBlue®
289 Screen Wash
290 Ice + Snow Removal
291 Valeting
298 Servicing
300 Cleaning
302 Grease Nipples
303 Grease Guns
304 Grease
306 Plant Machinery Oils
307 Lubricants + Maintenance
311 Rust Treatment
312 Metal Protection Sprays
313 Primers
314 Paints
316 Paint Rollers
317 Paint Brushes
318 Assortment Sprays

300


303

305

307

309

312

315

317

S·A·S Diesel Fuel Treatment

Improves engine performance.
Lubricates and extends life if injectors and fuel pumps.
Compatible with catalytic converters and particulate traps.
Reduces Exhaust Emissions

Part No.	Qty	Size
SAS701	1	300ml Bottle
SAS701/12	12	300ml Bottles

S·A·S Petrol Fuel Treatment

Improves engine performance.
Neutralises acids and improves fuel economy.
Compatible with catalytic converters and engine sensors.
Reduces Exhaust Emissions

Part No.	Qty	Size
SAS702	1	300ml Bottle
SAS702/12	12	300ml Bottles

S·A·S Engine Flush

Advanced formulation.
Helps prolong the life of new engine oil.
Removes sludge, lacquer and
varnish from all lubrication faces.

Part No.	Qty	Size
SAS703	1	300ml Bottle
SAS703/12	12	300ml Bottles

STP Engine Flush

Suitable for petrol and diesel engines.
Add directly to used motor oil before each oil change.

- **Removes harmful sludge and deposits.**
- **Contains an anti-wear additive to help protect engine surfaces.**

Part No.	Qty	Size
VC151	1	450ml Bottle

Valve Grinding Sticks

Double ended suction cup.

Part No.	Pack of	Description
TL882A	2	Valve Grinding Sticks

STP Diesel Injector Cleaner

A high strength, super concentrated cleaner specially formulated to remove power-robbing deposits from all fuel injection systems. Cleans clogged injectors in just one tankful. Compatible with catalytic converters.

- **Restore power and acceleration.**
- **Smooth out rough idling.**
- **Clean and condition fuel delivery system.**
- **Increase fuel economy.**
- **Reduce exhaust emissions.**

Part No.	Qty	Size
VC153	1	200ml Bottle

STP Petrol Injector Cleaner

A high strength, super concentrated cleaner specially formulated to remove power-robbing deposits from all fuel injection systems. Cleans clogged injectors in just one tankful. Compatible with catalytic converters.

- **Restore power and acceleration.**
- **Smooth out rough idling.**
- **Clean and condition fuel delivery system.**
- **Increase fuel economy.**
- **Reduce exhaust emissions.**

Part No.	Qty	Size
VC152	1	200ml Bottle

BAR'S Radiator Stop Leak

Specially designed to stop emergency cooling system leaks and drips and reduce or eliminate cavitation.

- **Stops and prevents internal and external leaks up to 0.9 mm in size**
- **Freely recirculates to prevent future leaks**
- **Buffing agents keep system clean - will not clog**
- **Compatible with all antifreeze brands**

Part No.	Qty	Size
VC230N	10	200ml Bottles

CE-LIT Radiator Cement

Cures all leaky radiators,
cylinder blocks and water pumps, etc.
even when used with anti-freeze.

- **For Cars, Trucks and Tractors.**

Part No.	Qty	Description
DC70	1	Display Card of 24 Sachets



CHEMICO Grinding Paste

Silicone carbide and lithium based grease.
Double-ended tin of Coarse and Fine paste.

- **A handy supply of a Coarse paste to cut and a Fine paste to finish.**
- **It has inherent shear stability, corrosion protection and good sealing properties.**

Part No.	Pack of	Size
GLU13	4	110g Tin

Granville

GRANVILLE
Brake & Clutch Fluid

DOT 4.

Part No.	Qty	Size
VC165	1	5 Litre Container



AdBlue®
Plastic Delivery Nozzle

- 19 mm Spout
- 3/4" BSP

Part No.	Qty	Description
ADB301	1	Delivery Nozzle

AdBlue®
Gravity Hose Kit

Self assembly.

Part No.	Qty	Length
ADB302	1	3 m Hose

AdBlue® Solution

ISO 22241. Suits all Euro 4/5/6 diesel engines.
For AdBlue® diesel vehicles, ready to use.
32.5% solution of pure urea in demineralised water.

- Freezing point of -11°C
- Pouring spout included

Part No.	Qty	Size
ADB10	1	10 Litres
ADB20	1	20 Litres
ADB205 *	4	210 Litres

* Please allow 5-7 days delivery on this product.

ARDINA CAR CARE

ARDINA
Screen Wash
1:100 Concentrate

Highly concentrated screenwash which removes dirt, water spots and insects. Leaves a pleasant smell and a streak free finish.

- Highly concentrated product: 1 bottle makes 3 litres

Part No.	Box of	Size
DSL62	25	32ml Bottles

S·A·S

S·A·S
Concentrated
Screen Wash

Designed with powerful detergents and an anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

- Lowest working temperature: -7.6°C.

Part No.	Pack of	Size
SAS1060/2	2	5 Litre Containers

Decosol

CLEARALEX
Concentrated Screen Wash

Designed with powerful detergents and a n anti-freeze agent to prevent washer jets freezing in the wintertime, and to clear summer fly squash.

- Lowest working temperature: -7.6°C.

Part No.	Pack of	Size
DSL60	2	5 Litre Containers

Decosol

DECOSOL
Ready Mix
Screen Wash

Pour into the washer bottle and go! Highly concentrated formula, cleans without smearing.

Part No.	Pack of	Size
DSL21N	2	5 Litre Containers

Extending Shovel

Aluminium with heavy duty nylon head and handle.

Part No.	Qty	Description
TL8020	1	Extending Shovel

5" Heavy Duty Ice Scraper

- Soft foam grip handle

Part No.	Qty	Description
TL8021	1	Ice Scraper

3-in-1 Ice Scraper

Part No.	Qty	Description
TL8022	1	Ice Scraper with Squeegee

Decosol

DECOSOL Power De-icer

High strength formula quickly removes frost and ice from windows and windscreens.
Highly concentrated to prevent refreezing.

Part No.	Pack of	Size
DSL31	6	750ml Sprayers

NILCO Cleaning Solutions

NILCO 'Nilglass' Glass & Mirror Cleaner

Britain's leading commercial glass cleaner. For use on all water resistant hard nonporous substrates, particularly glass and other reflective surfaces for light duty cleaning.

Part No.	Pack of	Size
NIL1	6	1 Litre Trigger Sprays
NIL5	2	5 Litre Containers

Decosol

DECOSOL Glass Cleaner

High performance glass and mirror cleaner leaves a streak-free surface both inside and out.
Will not harm rubber and plastics.
Removes insect smear, road & traffic film, nicotine and finger prints.

Part No.	Pack of	Size
DSL40	6	750ml Sprayers

SAS

S·A·S Assorted Pack - Valeting Aerosols 500ml

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASV	Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

BEST SELLER

S·A·S Glass Cleaner

- **Cleans Glass, Ceramics, Perspex and any hard surfaces.**
- **Can be used as a Telephone Cleaner (spray onto cloth before use).**
- **Silicone Free.**

Part No.	Pack of	Size
SAS16	6	500ml Aerosols

S·A·S Air Con Sanitiser

Each aerosol provides up to 4 sanitising applications

- **Highly effective natural formulation.**
- **Eliminates odours from air con and heating systems.**
- **Leaves system fresh and germ free for months.**
- **Complete with specially designed wide-spray extension.**

Part No.	Pack of	Size
SAS55	6	500ml Aerosols

Decosol



DECOSOL 'Instant Valay' Foam Upholstery Cleaner

Award winning foam cleaner.
Fast acting, effective foam cleaner, which safely and gently lifts dirt from fabric, upholstery, vinyl and most interior fitments, including carpets and floor mats.

Part No.	Pack of	Size
DSL50	12	500ml Aerosols

BEST SELLER

S·A·S Cockpit Spray

Restores sheen to any hard surface

- **Enhances appearance of plastics, vinyl and rubber.**
- **Suitable for Public Service Vehicles as a protective coating against soiling.**
- **Acts as a plasticiser.**
- **Contains Silicone.**

Part No.	Pack of	Size
SAS15	6	500ml Aerosols

BEST SELLER

S·A·S Multi-Purpose Foam Cleaner

Use on Upholstery, Curtains, Fabrics and Hard Surfaces; e.g. Computer Casings, Office Furniture.

- **Instant foaming action lifts dirt.**
- **Easily wiped away.**
- **Removes nicotine stains.**
- **Anti-static formula when used with non static cloth (i.e. microfibre).**
- **Ideal for use in Offices, Cars and Public Service Vehicles.**

Part No.	Pack of	Size
SAS32	6	500ml Aerosols

S·A·S Multi Shine

Designed for use in body shops or adjacent to paint spray areas.

- **A Silicone FREE alternative to 'Cockpit Shine'.**
- **Gives an attractive, satin sheen to surfaces.**
- **Ideal for Matt finish dashboard/interiors.**

Part No.	Pack of	Size
SAS51	6	500ml Aerosols

S·A·S Air Duster

High pressure compressed air.

- **Ideal for use on Vehicle Dashboards, Electronic Equipment, Delicate Instruments, Hi-Fi Equipment, Computer Keyboards, etc.**
- **When sprayed upside down acts as a freeze spray which can remove Chewing Gum.**

Part No.	Pack of	Size
SAS54	6	500ml Aerosols

S·A·S Tyre Foam

Wash vehicle, spray on and leave for shine to develop.

- **Suitable for all types of tyre on any vehicle.**
- **Contains Silicone.**

Part No.	Pack of	Size
SAS43	6	500ml Aerosols

S·A·S Pre-Wash Snow Foam

Highly concentrated, high foaming, powerful cleaning formula. Safe to use on all types of paintwork and a great way to prepare your vehicle for washing.

- **Highly concentrated - dilute to a ratio of 9 parts water to 1 part product**
- **pH neutral formula breaks down excess dirt, dust, and grime to leave behind a prepped surface for washing**
- **Multi-Purpose Application - can be used with a foam gun, pressure washer foam lance and through a pump sprayer**

Part No.	Qty	Description
SAS2517A	1	500ml Bottle

S·A·S Car Care Shampoo

A luxurious, high concentration car shampoo. With a dilution ratio of 1900:1 - only 12ml cleans an average sized car.

- **Dilution ratio of 1900:1**
- **High foaming lubrication prevents scratching paintwork**
- **Fully compatible with all types of waxes, sealants and ceramic coatings**

Part No.	Qty	Description
SAS2511A	1	500ml Pump Dispenser

S·A·S Concentrated Wash & Wax

A concentrated shampoo and wax that's strong enough to cut through dirt and road film, while gentle enough not to harm the existing layer of protection on your car.

- **Cleans, shines and protects in one easy step**
- **Between 1:400 and 1:800 dilution ratio - add 2 caps to every 10 litres of water**
- **Special lubricants and waxes provide a smooth glide feel between your wash media and the paint surface**
- **Protects paintwork**

Part No.	Qty	Description
SAS2545A	1	500ml Bottle

S·A·S Alloy Wheel Cleaner

Offers a deep rich clean to your vehicle's wheels, without damaging your sealants.

- **Acid-free**
- **pH neutral**
- **Safe for use on all types of alloy wheels**
- **Tough on dirt but gentle on paint**

Part No.	Qty	Description
SAS2506A	1	500ml Trigger Spray

S·A·S Glass Cleaner

Specially formulated to be safe to use on tinted glass, it leaves behind a streak-free finish and hydrophobic protection.

- **Cleans all glass, mirrored surfaces, lights and chrome trims**

Part No.	Qty	Description
SAS2516A	1	500ml Trigger Spray

S·A·S Cockpit & Trim Shine

Provides the perfect finish to all plastics, rubber trims and tyres leaving behind a protective barrier that is resistant to road debris.

- **Fast drying**
- **Leaves a protective gloss coating**
- **Highly resistant to road debris**

Part No.	Qty	Description
SAS2515A	1	500ml Trigger Spray

S·A·S Multi Purpose Cleaner

A professional, solvent-free, multi-purpose cleaner designed to clean all exterior and interior automotive surface materials quickly and safely.

- **Highly effective on all hard and soft surfaces**
- **Designed for undercarriages, door shuts and engine bay cleaning**
- **Breaks down grease and dirt with ease making it ideal for hard to reach places**

Part No.	Qty	Description
SAS2510A	1	500ml Trigger Spray

S·A·S Tyre Shine Gel

High gloss tyre sealant. Containing high grade silicone and white oil - leaves tyres looking replenished and new. This highly effective, long lasting formula will protect your tyre wall from cracking and browning.

- **Long lasting formula**
- **Leaves tyres looking as good as new**
- **Protects tyre wall from cracking and browning**

Part No.	Qty	Description
SAS2543A	1	500ml Flip Top Bottle

S·A·S Heavy Cutting Paste (Stage 1 of 3)

The first of three stages of cutting compounds. Designed as an aggressive stage of polishing. It will remove scratches of 1200 grit sandpaper and swirl marks with ease, preparing for our Medium Cutting Paste.

- **Formulated with high cutting abrasives and fillers**
- **Contains kaolin clays to help refine, restore and cleanse your vehicle's paintwork**

Part No.	Qty	Description
SAS2501A	1	500ml Flip Top Bottle

S·A·S Medum Cutting Paste (Stage 2 of 3)

The second of three stages of cutting compounds. Formulated with diminishing abrasive chemistry. This means the particles of abrasive start off large, getting smaller the more you work with them - in effect lowering the cutting power over time.

- **Refines, restores and cleanses vehicle paintwork**
- **Contains the highest grade of fillers and kaolin clays**
- **Helps to even out the deeper cuts of our Heavy Cutting Paste in preparation for our Fine Cutting Paste**

Part No.	Qty	Description
SAS2502A	1	500ml Flip Top Bottle

S·A·S Fine Cutting Paste (Stage 3 of 3)

The final of three stages of cutting compounds. Formulated with diminishing abrasive chemistry. This means the abrasive particles get smaller the more they are worked into the paintwork. This effectively means the cutting power of the compound reduces whilst you're using it, offering a more even and gradual application.

- **Contains the highest grade of fillers and kaolin clays**
- **Refines and cleanses your vehicle's paintwork**
- **Designed as the final stage of polishing**

Part No.	Qty	Description
SAS2503A	1	500ml Flip Top Bottle

S·A·S High Gloss Polish

All-in-one wax and polish. Essential for any detailing enthusiast. Contains special abrasives and fillers to help remove paintwork defects.

- **Infused with the finest grade Brazilian carnauba wax**
- **Long term protection**
- **High-gloss finish**
- **Protects against road debris**
- **UV protection**

Part No.	Qty	Description
SAS2508A	1	500ml Pump Dispenser

S·A·S Detailing Pack - Exterior

Part No.	Qty	Description
SASVP1	Set of 6	Exterior Pack

2 x 500ml Pre-Wash Snow Foam, 500ml Concentrated Wash & Wax,
1 x 500ml Care Care Shampoo, 500ml Alloy Wheel Cleaner

S·A·S Detailing Pack - Interior/Exterior

Part No.	Qty	Description
SASVP2	Set of 6	Interior/Exterior Pack

2 x 500ml Glass Cleaner, 500ml Cockpit & Trim Shine,
1 x 500ml Multi Purpose Cleaner, 500ml Tyre Shine Gel

S·A·S Detailing Pack - Exterior Polish

Part No.	Qty	Description
SASVP3	Set of 6	Exterior Polish Pack

2 x 500ml High Gloss Polish, 500ml Fine Cutting Paste,
1 x 500ml Medium Cutting Paste, 500ml Heavy Cutting Paste



S·A·S Glass Cleaner

Supplied in a stackable UN container.

- **Advanced Silicone Free Formula - Rapid evaporation provides a streak-free finish**
- **Highly Effective Cleaning Power - Quickly removes dirt, grease and bird droppings on windows, mirrors, plastic, vinyl & hard surfaces**

Part No.	Qty	Size
SAS2016	1	5 Litre Container
SAS2000T	1	5 Litre Dispenser Tap

S·A·S Satin Finish Cockpit Shine

Supplied in a stackable UN container.

- **Advanced Silicone Free Polymer Formula - Long lasting satin finish that repels soiling & staining**
- **Protects All Things Rubber & Plastic - Use on internal & external plastic, vinyl and rubber trims & finishes to prevent drying, fading & cracking**

Part No.	Qty	Size
SAS2015	1	5 Litre Container

S·A·S Leather Cleaner

Supplied in a stackable UN container.

- **Powerful 3-in-1 Formula - Cleans, rejuvenates and conditions**
- **pH Balanced - Helps to prolong leather life**

Part No.	Qty	Size
SAS2033	1	5 Litre Container

S·A·S Concentrated Carpet Shampoo

- **Concentrated Formulation - Dilute to remove light soiling or use neat to remove heavy soiling on all carpets**
- **Powerful Cleaning Action - Unique formula breaks down oil & grease for quick & easy cleaning of porous materials**

Part No.	Qty	Size
SAS2132	1	1 Litre Bottle

S·A·S Silicone Tyre Dressing

Supplied in a stackable UN container.

- **Makes Tyres Look Like New - Advanced silicone based formula returns tyres back to a slick black sheen**
- **Quick & Easy Application - Simply spray on and wipe**
- **Contains Silicone**

Part No.	Qty	Size
SAS2043	1	5 Litre Container

S·A·S Alloy Wheel Cleaner

Supplied in a stackable UN container.

- **High Performance Formulation - Dissolves brake dust and other iron-rich contaminants**
- **Safe On All Wheel Types - Effectively cleans all types of wheel finish including highly polished and anodised aluminium**

Part No.	Qty	Size
SAS2041	1	5 Litre Container

S·A·S Tar & Gum Remover

Supplied in a stackable UN container.

- **Extremely Strong Formula - Instantly dissolves tar & gum on paintwork & plastics**
- **Multi-Purpose Application - Can also be used to remove oil, grease, fuel stains, wax, silicone & adhesive residue**

Part No.	Qty	Size
SAS2058	1	5 Litre Container

ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Supplied with 3 x interchangeable nozzles to adjust the foam thickness. Suitable for use with S·A·S Snow Foam (Part No. SAS2017.

- **High foaming action spray**
- **Lance with 120 cm long hose**

Part No.	Qty	Working Capacity
CAN28	1	6.0 Litre

S·A·S Pre-Wash Snow Foam

Supplied in a stackable UN container.
Dilute 100/150ml per car.

- **Biodegradable Free Formula - Safely and efficiently lifts dirt and grime without stripping sealant or wax protection**
- **Multi-Purpose Application - Can be used with a foam gun, pressure washer foam lance and through a pump sprayer**

Part No.	Qty	Size
SAS2017	1	5 Litre Container
CAN27	1	Foam Pressure Sprayer 1.8 Litre

S·A·S Highly Concentrated Vehicle Shampoo

Supplied in a stackable UN container.
Dilution ratio: 1900:1.

- **Paintwork Protection Formula - Special lubricants cuts through tough dirt and grime that is gentle enough to protect existing paint layer**
- **Highly Concentrated Formula - Very economical dilution ratio 1900 water : 1 solution**

Part No.	Qty	Size
SAS2011	1	5 Litre Container

S·A·S Concentrated Wash & Wax

Supplied in a stackable UN container.
Dilution ratio: Between 1:400 and 1:800.

- **Paint Protection Formula - Special lubricants cuts through tough dirt and grime that is gentle enough to protect existing paint layer**
- **Leaves A Long Lasting Shine - Waxes provide a glossy paint protection finish that leaves vehicles clean and shiny for weeks**

Part No.	Qty	Size
SAS2045	1	5 Litre Container

S·A·S Hydrophobic Paint Guard

Supplied in a stackable UN container.

- **Long Lasting Hydrophobic Guard - A unique sealant provides protection from bird droppings, bugs and road salts**
- **Multi-Purpose Application - Can be used all over vehicles: Coating paintwork, glass, alloy wheels, steel, plastics and rubbers**

Part No.	Qty	Size
SAS2021	1	5 Litre Container

S·A·S Concentrated Traffic Film Remover

Supplied in a stackable UN container.
Dilution ratio: 1:50.

- **Heavy Duty Formula - Contains sodium hydroxide for effortless cleaning**
- **Multi-Purpose Application - Can be used with a foam gun, pressure washer foam lance and through a pump sprayer**

Part No.	Qty	Size
SAS2040	1	5 Litre Container

S·A·S Waterless Wash & Wax

Supplied in a stackable UN container.

- **Cleans Without Rinsing With Water - The unique formula ensures dirt particles are encapsulated providing a scratch free clean**
- **Professional Wax Finish - Contains Carnauba wax for a durable long lasting protection with an outstanding glossy shine**
- **Contains Silicone**

Part No.	Qty	Size
SAS2022	1	5 Litre Container

S·A·S Wax Spray

Supplied in a stackable UN container.

- **Temperature Insensitive Formula - Quickly provides a thin protective coating of Carnauba wax & gloss enhancing polymers**
- **Professional Streak Free Finish - Produces a durable long lasting protection with an outstanding ultra-slick glossy shine**
- **Contains Silicone**

Part No.	Qty	Size
SAS2046	1	5 Litre Container

S·A·S Odour Eliminator

Supplied in a stackable UN container.

- **Complete Odour Control Formula - Captures, breaks down and kills unpleasant odours**
- **Perfume Free Fresh Fragrance - Removes unwanted smells caused by smoke, damp, pets and traffic fumes leaving it smelling fresh & clean**

Part No.	Qty	Size
SAS2034	1	5 Litre Container

NILCO 'Power Fresh' Air Fresheners

'Power Blast' aerosol provides high volume burst of fragrance.
For industrial or janitorial applications.
Helps eliminates odours in large areas.

Ideal for:

- PSVs.
- Meeting Rooms.
- Refuse Areas.
- Conference Halls.
- Warehouses.
- Changing Rooms & Toilets.

Part No.	Qty	Fragrance	Size
NIL605	1	Spring	750ml Aerosol
NIL606	1	Cranberry	750ml Aerosol
NIL607	1	Lavender	750ml Aerosol

Part No.	Description
AP63	Assorted Pack of 3

1 x Spring. 1 x Cranberry. 1 x Lavender.

LITTLE TREES Air Fresheners - 'Black Ice'

The original 'MAGIC TREE'. Men's cologne fragrance.

- **Ideal for inconspicuous use on black car interiors.**

Part No.	Box of	Description
VC663	24	Black Ice

LITTLE TREES Air Fresheners

The original 'MAGIC TREE'. Assorted Fragrances

Part No.	Qty	Description
VC660	Box of 24	Display Box

Wheel Brush

- Specially designed super soft flexible bristles
- Cleans all hard to reach areas
- Pro-grade, non-scratch safety tip

Part No.	Qty	Description
WB20	1	Wheel Brush

LISTER Vehicle Wash Brush - Industrial Size

Nylon bristles with Hose Fitting.
For use on Vans, Coaches, Trucks, Caravans, etc.

Part No.	Qty	Description
WB91	1	Industrial Size Brush

LISTER Extension Handles for Vehicle Wash Brushes

Compatible with Part No.s WB91, WB94. (Brush head NOT included).

Part No.	Qty	Length
WB93	1	3 ft
WB96	1	6 ft

Telescopic Wash Brush

Soft bristles with flow-through handle.
Length: 100 cm closed, extends to 170 cm (5 ft 8").

Part No.	Qty	Description
WB90	1	Telescopic Wash Brush
WB90H	1	Replacement Brush Head



Extra Large Professional Wash Mitt

Made from simulated sheep wool.

- **Trade quality.**

Part No.	Qty	Description
WC15	1	Professional Wash Mitt

Jumbo Sponges

Synthetic sponge.

- **Designed for professional use.**

Part No.	Qty	Approx. Dimensions.
WC17	12	250 x 120 x 70 mm

Microfibre Cloths

Trade size.

- **Heavy duty micro fibre.**

Part No.	Pack of	Description
WC18	10	Micro Fibre Cloths

Large Ultra Fine Microfibre Glass Towel

Designed for professional use.

- **Ultra fine silky shine finish.**
- **Perfect for cleaning glass.**

Part No.	Qty	Size
WC11	1	400 x 480 mm

Polishing (Mutton) Cloths

100% cotton stockinette.

Part No.	Qty	Size
WC1	1	750g Roll
WC3	1	1 kg Bale of Cut Lengths
WC13	1	2 kg Bale of Precut Lengths

'Water Wizard' Waffle Drying Towel

Designed for professional use.

- **Leaves a streak free finish.**
- **Dry a car in half the time!**
- **Double the absorption of standard towels.**

Part No.	Qty	Size
WC12	1	560 x 760 mm

Microfibre Drying Towel - Large Size

Long pile side for drying with short pile on the other side for detailing.

- **Machine washable.**
- **Super soft edging will not scratch.**
- **Micro fibre technology attracts and holds on to dirt.**

Part No.	Qty	Size
WC10	1	600 x 800 mm

Microfibre Drying Towel - Extra Large

Designed for professional use.
High pile side for drying, short pile side for detailing.

- **Absorbs 8 times its weight in water**
- **Super soft edging, will not scratch**
- **Low lint and clear coat safe**

Part No.	Qty	Size
WC19	1	600 x 1000 mm

Professional Chamois Leather

Made from high quality New Zealand leather.

Part No.	Qty	Size
WC16	1	2.25 ft²

Professional PVA Non-Perforated Synthetic Chamois

Mesh reinforced. Rot proof.

- **Machine washable.**
- **More durable than a chamois leather.**
- **Soft and long lasting with high absorption.**

Part No.	Qty	Size
WC14	1	660 x 430 mm

Looking for Polishing Pads & Discs?

Our full range can be found on Page 407

General Car Seat Protectors

Cover size: 800 x 640 mm.

Part No.	Qty	Weight
BAG35	Box of 100	15 Micron

Quality Car Seat Protectors

Roll width: 650 mm.

Part No.	Qty	Weight
BAG15	Roll of 100	25 Micron

Economy Car Seat Protectors

Supplied on a roll.

Part No.	Qty	Weight
BAG36	Roll of 100	10 Micron



Nylon Seat Cover

Reusable.

Part No.	Qty	Description
BAG40	1	Nylon Seat Cover

Steering Wheel Covers

Part No.	Pack of	Description
BAG31	250	Steering Wheel Covers



Paper Floor Mats

Dimensions: 510 x 360 mm.
Approx. Weight: 90g.

Part No.	Pack of	Description
BAG30	200	Paper Floor Mats

TENG TOOLS Magnetic Protective Wing Cover

Heavy duty red PVC front with TENG TOOLS logo, cloth backing and full length magnetic strip.

Part No.	Qty	Dimensions
TFC01	1	40 x 107 cm

5-in-1 Disposable Vehicle Interior Protection Set

Ideal for use by valeters and in garages to protect customer's vehicle interior whilst performing an M.o.T, service or general valet.

Part No.	Qty	Description
BAG51	100 Kits	5-in-1 Protection Kits

Kit includes: 1 x Disposable car seat cover, 1 x Disposable elasticated steering wheel cover, 1 x Disposable paper floor mat, 1 x Disposable gear stick cover, 1 x Disposable hand brake cover

S·A·S Leak Detector

For detecting leaks in pneumatic systems and compression lock fittings.

- **Suitable for use with air con systems.**
- **Safe for use during engine operation.**
- **Meets the requirements of BS EN14291:2004 - LPG Safe.**
- **Non-flammable water based fluid.**
- **Suitable for Nitrogen gas NOT suitable for Oxysetaline.**
- **Suitable for MOT.**

Part No.	Pack of	Size
SAS53	6	400ml Aerosols

AUTOSOL Metal Polish

Award winning metal polish, perfect for use on chrome, aluminium, stainless steel, brass and copper.

- **Cleans, polishes and protects**
- **Leaves an invisable wax coating to ensure a long-lasting shine**

Part No.	Qty	Size
VC131	12	100g Tubes
VC132	1	750ml Tin

S·A·S Assorted Pack - Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

Part No.	Qty
SASC	Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.

RING UV Dye Range

Find leaks quickly and easily. Safe to leave in any system.



RING UV Dye for Automotive Oils & Fuels

Detect engine oils (mineral and synthetic), hydraulic oil, and petrol/diesel fluid leaks.

- **25ml Bottle suits: 10L Hydraulic Fluid, 3-4L Diesel Engine Oil, 8-10L Petrol Engine Oil and 15L Petrol/Diesel**

Part No.	Qty	Dose Size
ERLD4	1	25ml Bottle



RING UV Dye for Coolant Systems

Add to coolant systems to detect leaks in water pipes and radiators.

- **Safe to leave in any system**

Part No.	Qty	Dose Size
ERLD2	1	25ml Bottle

RING UV Dye for Air Con/Refrigerant Systems

Inject into the A/C system and detect any refrigerant leaks from the system*.
(*Engineers conducting A/C tests MUST be F-Gas registered).

- **5ml Bottle suits: 250ml of Refrigerant**

Part No.	Qty	Dose Size
ERLD1	1	5ml Bottle

S·A·S Brake Cleaner

Cleans brake and clutch parts without dismantling.

- **Removes brake fluid, oil, dust, etc.**
- **Helps maximise brake efficiency.**
- **Prevents objectionable dust escaping into working environment.**
- **Acetone FREE Formula - Safe to use in most Solvent Sprayers.**

Part No.	QTY	Description
SAS81A	1	1 Litre Bottle
SAS81	12	1 Litre Bottles
SAS52	4	5 Litre Containers *
SAS2000T	1	5 Litre Dispenser Tap
SAS62	1	25 Litre Drum - Side Tap Facility *
SAS62T	1	Drum Tap Suits Part No. SAS62

* Limited availability due to transport regulations

Syphon Pumps

Flexible hose. 2" BSP.

- **Suitable for dispensing light oils and non-aggressive chemicals.**

Part No.	Qty	Suitable for
CAN25	1	25 Litre Drums
CAN60	1	60 - 205 Litre Drums

Lever Operated Barrel Pump

Supplied with a 2" BSP and Tri-sure adaptor.
Includes telescopic riser tube and 2 metre hose.
Polypropylene body. Viton seals.
500cc flow rate (per stroke). Size: 1 m x 260 mm.
NOT suitable for products containing Toluene.

Suitable for use with:

- **Water based liquids**
- **Solvents**
- **Screenwash**
- **AdBlue® Solution**
- **Thinners**
- **Antifreeze**
- **Light oils**

Part No.	Qty	Suitable for
CAN50	1	50 - 205 Litre Drums

S·A·S Brake Cleaner

Cleans brake and clutch parts without dismantling.

- **Removes brake fluid, oil, dust, etc.**
- **Helps maximise brake efficiency.**
- **Prevents objectionable dust escaping into working environment.**

Part No.	Pack of	Size
SAS72	12	200ml Aerosols
SAS2	6	500ml Aerosols

Solvent Pressure Sprayers

Polyamid pump with FKM seals.
Polyethylene container.

Part No.	Qty	Capacity
CAN12	1	1 Litre
CAN15	1	1.5 Litre



S·A·S Citrus Fragrance All Purpose Cleaner

Supplied in a stackable UN container.
Soiling dilution ratio: Very heavy use neat, Heavy 10:1, Medium 50:1, Light 100:1.

- **Non Harmful Formulation - Safe to use on virtually any substrate, cleans all hard surfaces including floors, walls, desks & washrooms**
- **Alloy Wheel Safe Formula - Perfect for cleaning vehicles inside and out, including highly polished and anodized aluminium alloy wheels**
- **Alcohol FREE formula**

Part No.	Qty	Size
SAS2010	1	5 Litre Container
SAS2000T	1	5 Litre Dispenser Tap

Funnels + Sprayers

Our complete range of liquid handling products starts on Page 358

SAS

BEST SELLER

S·A·S Electrical/Contact Cleaner

Removes oil, tar, grease and helps remove carbon residues.

- **Improves conductivity and helps prevent arcing and electrical breakdown.**
- **For all heavy duty electrical components, e.g. Switch gear, motors, relays.**

Part No.	Pack of	Size
SAS10	6	500ml Aerosols

SAS

S·A·S Paint & Gasket Remover

- **Removes work gaskets from rocker box covers, water pumps, manifolds etc.**
- **Removes paints, varnishes and lacquers, prior to refinishing.**
- **Removes rubber residues from wheel hubs prior to fitting new or repaired tyres.**
- **Removes charred oil residues from engine components.**

Part No.	Pack of	Size
SAS5	6	500ml Aerosols

Ambersil

AMBERSIL 'Amberklene FE10' Fast Drying Solvent

BEST SELLER

A powerful, fast evaporating solvent cleaner and de-greaser. Ideal for removing grease from bearing housings and gear teeth. Removes copper paste from threaded fasteners. Can also be used for stain removal.

- **Silicone FREE.**
- **Powerful flushing action, rapidly removes contaminants.**
- **Safe for use on ferrous and non-ferrous metals and most plastics.**
- **Meets military specification NATO catalogue No. 6850-99-6636478.**

Part No.	Qty	Size
AMB100	1	400ml Aerosol

SAS

S·A·S Tar & Gum Remover

Supplied in a stackable UN container.

- **Extremely Strong Formula - Instantly dissolves tar & gum on paintwork & plastics**
- **Multi-Purpose Application - Can also be used to remove oil, grease, fuel stains, wax, silicone & adhesive residue**

Part No.	Qty	Size
SAS2058	1	5 Litre Container

SAS

S·A·S Label Remover

- **Removes Sticker Glue, Masking Tape, Clear Adhesive Tape and Tar.**

Part No.	Pack of	Size
SAS58	6	500ml Aerosols

SAS

BEST SELLER

S·A·S Throttle Body Cleaner

For all types of carburettors and fuel injection systems. No effect on catalytic converters or lambda sensors.

- **Removes tars and gum build up.**
- **Improves performance and economy.**

Part No.	Pack of	Size
SAS4	6	500ml Aerosols

SAS

S·A·S Leak Detector

For detecting leaks in pneumatic systems and compression lock fittings.

- **Suitable for use with air con systems.**
- **Safe for use during engine operation.**
- **Meets the requirements of BS EN14291:2004 - LPG Safe.**
- **Non-flammable water based fluid.**
- **Suitable for Nitrogen gas NOT suitable for Oxysetaline.**
- **Suitable for MOT.**

Part No.	Pack of	Size
SAS53	6	400ml Aerosols

SAS

S·A·S Heavy Duty Surface Degreaser

Suitable for use in power wash and hand pump wash dispensers. Can also be used for hand application.

- **Suitable for use on engines and chassis.**
- **Water-based and non-flammable - Suitable for petrol station forecourts.**
- **Economical formula - can be diluted**
- **Silicone FREE formula.**

Part No.	Qty	Size
SAS1059	1	5 Litre Container

Grease Nipples Straight - Imperial

Part No.	Pack of	Size	Type
GN1	50	1/8" BSP Gas	H1
GN3	50	1/4" UNF	H1
GN5	25	1/4" BSP	H1

Grease Nipples Straight - Metric

Part No.	Pack of	Size x Pitch	Type
GN7	25	M6 x 1.00 mm	H1
GN9	25	M8 x 1.00 mm	H1
GN11	25	M8 x 1.25 mm	H1
GN13	25	M10 x 1.00 mm	H1

Grease Nipples Angled 45° - Imperial

Part No.	Pack of	Size	Type
GN2	50	1/8" BSP Gas	H2
GN4	50	1/4" UNF	H2
GN6	25	1/4" BSP	H2

Grease Nipples Angled 45° - Metric

Part No.	Pack of	Size x Pitch	Type
GN8	25	M6 x 1.00 mm	H2
GN10	25	M8 x 1.00 mm	H2
GN12	25	M8 x 1.25 mm	H2
GN14	25	M10 x 1.00 mm	H2

Grease Nipples Angled 90° - Imperial

Part No.	Pack of	Size	Type
GN35	25	1/8" BSP Gas	H3
GN36	25	1/4" UNF	H3
GN37	25	1/4" BSP	H3

Grease Nipples Angled 90° - Metric

Part No.	Pack of	Size x Pitch	Type
GN31	25	M6 x 1.00 mm	H3
GN32	25	M8 x 1.00 mm	H3
GN33	25	M8 x 1.25 mm	H3
GN34	25	M10 x 1.00 mm	H3

Grease Nipples

Straight long.

Part No.	Pack of	Size	Type
GN15	25	1/4" UNF	H1

Grease Nipples - Button Head (Tat Type)

Straight. 15 mm Hex.

Part No.	Pack of	Size	Type
GN16	25	1/8" BSP Gas	T1B

Slide-on Connectors

1/8" BSP Gas.
Suits GN16 (for Button Head Nipple).

Part No.	Pack of	Description
GN17	2	Slide-on Connectors

UMETA 4-Jaw Hydraulic Connectors - Standard Type

1/8" BSP Gas.

Part No.	Pack of	Description
GN19	5	Standard Type

4-Jaw Hydraulic Connectors - General Purpose

1/8" BSP Gas.

Part No.	Pack of	Type
GN191	10	General Purpose

4-Jaw Hydraulic Connectors - Heavy Duty

1/8" BSP Gas.

Part No.	Pack of	Type
GN192	3	Heavy Duty

Flexible Rubber Hose - Snap-on Flexible Extension

1/8" BSP Gas. Complete with 4-jaw hydraulic connector.

Part No.	Qty	Length	
GN22	1	300 mm	(12")

Flexible Rubber Hose

1/8" BSP Gas.

Part No.	Qty	Length	
GN20	1	300 mm	(12")
GN23	1	450 mm	(18")

PRESSOL



PRESSOL Grease Gun

Metal bodied, cast head. Complete with extension pipe and 4-jaw hydraulic connector. 1/8" BSP. Takes 400g cartridge.

- **1.2 cc/stroke.**
- **Withstands pressure up to 7,000 PSI.**

Part No.	Qty	Description
TL895	1	Grease Gun

UMETA

UMETA Grease Gun

Metal bodied, cast head. Complete with extension pipe and 4-jaw hydraulic connector. 1/8" BSP. Takes 400g cartridge.

- **2.0 cc/stroke.**
- **Withstands pressure up to 10,000 PSI.**

Part No.	Qty	Description
TL922	1	Grease Gun

Grease Gun

Metal bodied. Complete with extension pipe and 4-jaw hydraulic connector. 1/8" BSP. Takes 400g cartridge.

- **1.3 cc/stroke.**
- **Withstands pressure up to 8,000 PSI.**

Part No.	Qty	Description
TL899	1	Grease Gun



Oil Suction Guns

Supplied with 400 mm hose.

Part No.	Qty	Capacity
CAN16	1	500 cc
CAN11	1	800 cc
CAN18	1	1000 cc

Air Operated Grease Gun

Complete with extension pipe and 4-jaw hydraulic connector.
Takes 400g cartridge or bulk feed.

Part No.	Qty	Description
TL920	1	Grease Gun

Grease Pump Unit

For 12.5 kg keg.
Complete with follower plate. 1.5 m hose.

Part No.	Qty	Description
GN52	1	Grease Pump Unit

Lever Action Hand Pump

Adjustable to suit up to 250 litres (55 gallon) drums.
2" BSP female outlet for oil and other non-corrosive fluids.
Output in excess of 250 cc/stroke.
(NOT suitable for Anti-freeze).

Part No.	Qty	Description
GN51	1	Hand Pump

FUCHS RENOLIT EP2 Multi-Purpose EP Lithium Grease

Part No.	Qty	Size	Colour
VC181A	3	400g Cartridges	Brown
VC181	12	400g Cartridges	Brown
VC171	6	500g Tubs	Brown
VC182	1	5 kg Tub	Brown

FUCHS RENOLIT LX-EP2 Lithium Complex Grease

Longer life at high temperature.
Temperature range: -30˚C to +160˚C.

Part No.	Box of	Size	Colour
VC180	12	400g Cartridges	Natural

FUCHS RENOLIT Copper Paste

High temperature anti-seize lubricant.
Temperature range -30˚C to 1100˚C.

Part No.	Qty	Size
VC187	1	500g Tub

FUCHS RENOLIT G51 Red Rubber Grease

Suitable for natural and synthetic rubbers. A special rubber compatible grease for use on hydraulic brake and clutch components where hardening or swelling of rubber must be avoided. Designed to assist in the assembly of rubber components of brake, clutch and suspension units.

Part No.	Qty	Size
VC188	1	500g Tub

FUCHS RENOLIT MP3 Lithium Grease

Multipurpose with anti-wear and anti corrosion properties.
Temperature range: -30˚C to +125˚C.

Part No.	Qty	Size
VC179	12	400g Cartridges

FUCHS RENOLIT MO2 Lithium Grease (CV Joint Grease)

Molybdenum Disulphide EP Grease with Graphite.
Temperature range: -25˚C to 120˚C.

Part No.	Box of	Size
VC184	12	400g Cartridges

ARCTIC HAYES Silicone Grease

WRAS approved. Clear paste.
Operating temperature: -50˚C to 200˚C.

- **Resistant to water, ultraviolet rays and oxygen.**
- **WRAS approved food safe and virtually non-toxic.**
- **Resilient and flexible even after completing the curing process.**
- **Resistant to interaction with other chemicals.**
- **An excellent electrical insulator.**

Part No.	Qty	Size
VC189	1	500g Tub

S·A·S Moly Anti-Scuff Paste

Contains 40% micronized Molybdenum Disulphide plus graphite forming soft paste. Load carrying capacity of MoS2 is in excess of 140,000 PSI.

- **Operating temperature: -20˚C to +1000˚C**
- **Ideal for pre-treatment of plain bearings, gears, piston rings, cams and valve stems. Small mechanisms which cannot be lubricated with normal grease after assembly. Threaded components in refrigerating and air consystems.**

Part No.	Qty	Size
SAS194	1	500g Tin

S·A·S EP2 Lithium Grease

High quality lithium grease.

- Temperature range: -20°C to +140°C
- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection
- Highly versatile mutli-purpose grease
- 4-Ball weld load rating: 315 kg

Part No.	Qty	Size	Colour
SAS171	1	500g Tub	Dark Brown
SAS181	12	400g Cartridges	Dark Brown

S·A·S EP2 Lithium Complex Grease

Specially developed lithium complex grease.

- Temperature range: -20°C to +150°C
- Exceptional mechanical stability extends relubrication interval
- Long lasting lubrication at high temperatures
- Excellent EP and anti-wear performance
- Good corrosion resistance components operating in wet conditions
- 4-Ball weld load rating: 450 kg

Part No.	Box of	Size	Colour
SAS180	12	400g Cartridges	Dark Brown

S·A·S Brake Grease

Copper FREE Bentone anti-seize compound.
Unique locking/dispenser cap for precision application.

- ABS Compatible
- Water resistant
- Protects against scratching and corrosion
- Reduces squeaking
- Wide temperature range

Part No.	Box of	Size
SAS192A	1	75ml Tube
SAS192	10	75ml Tubes

S·A·S Ceramic Anti-Seize Compound

Smooth beige paste. Very high purity, metal-free, anti-seize compound and assembly paste.

- Any sub-zero temp to +1500°C
- Prevents electrolytic corrosion as the product insulates differing metals from each other
- Ideal for use on anti-lock braking systems, ASR traction control, all studs, nuts, bolts and other threaded connections. Heating systems (boilers, furnaces, turbines, burner nozzles, etc.).

Part No.	Qty	Size
SAS193	1	500g Tub

S·A·S Copper Grease

Anti-seize compound.

- High temperature range: -40°C to +1100°C
- Protects against rust, oxidation and other corrosion

Part No.	Qty	Size
SAS107A	1	500g Tin
SAS107	6	500g Tins
SAS173	1	3 kg Tin

S·A·S Copper Grease

Stable up to 275°C as a grease & up to 1200°C as a release agent.

- For high temperature applications: Brake and hand brake linkages, exhaust manifold nuts, studs & parts, wheel nuts
- Can be used on boilers and water heaters, e.g. Inspection flanges and to lubricate moving parts in heat treatment industry

Part No.	Pack of	Size
SAS17	6	500ml Aerosols

S·A·S Red Rubber Grease

A top quality lubricating grease.

- Temperature range: -40°C to 110°C
- Ideal for use on brake assemblies

Part No.	Qty	Size
SAS188A	1	500g Tin
SAS188	6	500g Tins

S·A·S Aluminium Anti-Seize Compound

Copper FREE anti-seize compound.

- High temperature range: Any sub-zero temp to +1100°C
- Use on all studs, nuts, bolts and other threaded connections
- Invaluable for application to any component that needs to be dismantled

Part No.	Qty	Size
SAS190A	1	500g Tin
SAS190	6	500g Tins

FUCHS

FUCHS 'Renolin' ZAF 46 HV High Quality Hydraulic & Lubricating Oil

High viscosity index, zinc and ash free hydraulic oil.

- **Ideal for powering hydraulic systems working in refrigerated plant, mobile equipment, or where the system demands a fluid capable of working over a wide temperature range.**

Part No.	Qty	Size
VC117	1	20 Litres

FUCHS

FUCHS 'Agrifarm' Universal 2-stroke Oil

Specifications: API, TC, JASO, FB. Suitable for use in all 2-stroke engines. May be used either as a tank mix or in oil injection systems. Dyed red for ease of identification.

- **Ideal for agricultural and horticultural machinery, chain saws, hedge cutters, strimmers, portable generators, etc.**

Part No.	Qty	Size
VC116	1	20 Litres

FUCHS

FUCHS 'Titan Truck Plus' 15W-40 Oil

Specifications: ACEA E7, API CI-4/SL, GLOBAL DHD-1, CAT ECF-1-a/ECF-2. A super long term all season engine oil of the SHPD category for diesel and gasoline engines with and without turbo charging in passenger cars, trucks, buses and industrial equipment

- **Excellent wear protection even under high continuous stress**
- **Protection from corrosion even when used with diesel fuels with high sulphur content**

Part No.	Qty	Size
VC115A	1	5 Litres
VC115	1	20 Litres

ROCK OIL ISO-32 Hydraulic Oil

Meets DIN 51525 and DIN 51524 Parts 1 & 2.

- **Excellent protection of machinery and systems against corrosion and wear.**

*** NOT to be used as Brake Fluid.**

Part No.	Qty	Size
VC199	1	20 Litres

CreteBeater®

CreteBeater 'Civil Engineering' Heavy Duty Concrete Remover

100% biodegradable and designed to safely remove cement and concrete by dissolving it in a bio-safe way. Does not contain muriatic, phosphoric or citric acids and is therefore, non-corrosive.

Safe to use on:

- **Painted surfaces/vehicles**
- **Glass/Windows**
- **Human Handling**
- **Aluminium**
- **Rubber/Tyres/Hoses**

Part No.	Qty	Pack Size
CB20	1	20 Litre Container

ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Supplied with [illegible]les to adjust the foam thickness. Suitable for use wi[illegible]No. SAS2017.

- **High foaming action spray**
- **Lance with 120 cm long hose**

Part No.	Qty	Working Capacity
CAN28	1	6.0 Litre

MAINTAINING AUTOMOTIVE & ENGINEERING PROFESSIONALS FOR OVER 35 YEARS

S·A·S has been the Universal Maintenance Lubricant of choice for automotive and engineering professionals for over 35 years. The formula that you've come to trust continues to deliver outstanding performance across countless applications in all industrial environments.

360° VALVE SPRAY AT ANY ANGLE

The 500 ml aerosol contains a 360° valve which means it can be sprayed at any angle, even upside down, making it the ideal maintenance lubricant for a vast range of projects.

S·A·S Universal Maintenance Lubricant

Bulk liquid for use with dispensers

- Penetrates & lubricates.
- Cleans & degreases.
- Protects all metals.
- Contains PTFE.
- Frees seized parts fast!
- Inhibits rust & corrosion.
- Displaces moisture.
- Silicone FREE formula.

Part No.	Qty	Size
SAS22A	1	5 Litre Container
SAS22	4	5 Litre Container
SAS23	4	500ml Trigger Sprayers

S·A·S Universal Maintenance Lubricant

Advanced formula with rust inhibitors and moisture displacers.

- Penetrates & lubricates.
- Cleans & degreases.
- Protects all metals.
- Contains PTFE.
- Frees seized parts fast!
- Inhibits rust & corrosion.
- Displaces moisture.
- Silicone FREE formula.

Part No.	Pack of	Size
SAS6	12	200ml Aerosols
SAS20	12	500ml Aerosols with 360° Valve

WD-40 Multi-Purpose Lubricant

WD-40 protects metal from rust and corrosion, penetrates stuck or jammed parts, displaces moisture, and lubricates just about anything. WD-40 is also great when it comes to cleaning grease, grime, and other marks from most surfaces.

Part No.	Pack of	Size
VC140	12	450ml Aerosols

S·A·S Extreme Universal Maintenance Lubricant

Meets the requirements of MoD specification 68-10 [PX-24] and NATO C-634 for water-displacing corrosion preventatives.

- Improved corrosion protection vs standard multi-purpose lubricants
- High concentration of water displacement additives mean it can be applied directly to wet surfaces
- Virtually colourless & transparent
- Excellent lubrication properties

Part No.	Qty	Size
SAS21A	1	500ml Aerosol

S·A·S

NEW

S·A·S Extreme Universal Maintenance Lubricant

Meets the requirements of MoD specification 68-10 [PX-24] and NATO C-634 for water-displacing corrosion preventatives.

- **Improved corrosion protection vs standard multi-purpose lubricants**
- **High concentration of water displacement additives mean it can be applied directly to wet surfaces**
- **Virtually colourless & transparent**
- **Excellent lubrication properties**

Part No.	Qty	Size
SAS21A	1	500ml Aerosol

Ambersil



AMBERSIL 'PX24' Industrial Strength Protective Lubricant

Formulated specifically to meet exacting standards of Military maintenance personnel. A multi-purpose lubricant, corrosion inhibitor, dewatering & protective fluid. No adverse effects on rubber, paintwork or plastics and acrylic sheet polyester, glass fibre laminate, vinyl sheet and ebonite after immersion for 240 hours.

- **Meets with NATO military specifications.**
- **Water Displacement: Complete Displacement of NaCl test solution (IP 178).**
- **Corrosion Protection: Pass/No Corrosion (IP 178).**
- **Temperature range: -20°C to +115°C.**

Part No.	Qty	Size
AMB110	1	400ml Aerosol

WD-40

BEST SELLER

WD-40 Multi-Purpose Lubricant

WD-40 protects metal from rust and corrosion, penetrates stuck or jammed parts, displaces moisture, and lubricates just about anything. WD-40 is also great when it comes to cleaning grease, grime, and other marks from most surfaces.

Part No.	Pack of	Size
VC140	12	450ml Aerosols

S·A·S

S·A·S Freeze Release Spray

Shock freeze and release of seized and corroded parts.

- **Quick release of seized parts.**
- **Prevents corrosion.**
- **2-in-1 Maintenance lubricant spray.**

Part No.	Qty	Size
SAS147	6	500ml Aerosols

Swarfega

SWARFEGA 'Duck Oil'

A silicone-free, non-conductive, multi-purpose service spray. Exceptionally low surface tension means it can easily penetrate and protect with no need to dismantle machinery and parts.

Part No.	Qty	Size
DEB20	1	5 Litre Tin

Swarfega

SWARFEGA 'Duck Oil' Trigger Sprayer

For use with Part No. DEB20. Supplied empty.

Part No.	Qty	Description
DEB21	1	500ml Trigger Sprayer (supplied empty)

Ambersil

AMBERSIL 'Dry Moly' Dry Molybdenum Disulphide Lubricant

A resin bonded, high pressure resistant, dry film lubricant containing Molybdenum Disulphide (MoS2) for metal-to-metal lubrication where a wet film cannot be tolerated. Once applied, the MoS2 lubricant prevents seizing, fretting, scuffing & reduces friction.

- **Tough and long lasting**
- **Repels water**
- **Will not attract dust, dirt and contaminants**
- **Assists assembly and running-in**
- **Highly effective in high-load applications**
- **Performance can be enhanced by polishing the dry film with a soft, dry cloth**
- **Operational temperature range: -150°C to +400°C**

Part No.	Qty	Size
AMB111	1	400ml Aerosol

BEST SELLER

BRADEX Easy Start

Starts all engines. Suitable for diesel, petrol and paraffin engines.

Part No.	Pack of	Size
VC145	12	280ml Aerosols

S·A·S Graphited Penetration Oil

Rapidly and efficiently loosens and frees seized nuts, bolts and hinges.

- **Spray gives a grey low viscosity highly penetrating liquid.**
- **Incorporates a residual lubricant to help reduce friction during dismantling.**
- **Leaves a film to protect against further corrosion.**
- **Silicone FREE.**

Part No.	Pack of	Size
SAS1	6	500ml Aerosols

S·A·S Food Safe Lube

For food preparation and food packing machinery.
For use on chain sprockets, slides or any moving part.
Water resistant, suitable for wet pack operations.

- **Based on edible Soya bean oil.**
- **Nut and nut oil FREE.**
- **Taint FREE formula.**
- **Temperature range: -10 to 100°C.**

Part No.	Pack of	Size
SAS12	6	500ml Aerosols

S·A·S Clear Fine Oil

For use in difficult places where lubrication is normally carried out with conventional oil can.

- **Gives economical application on types of machinery, small lightly loaded bearings, etc.**

Part No.	Pack of	Size
SAS56	6	500ml Aerosols

S·A·S Chain and Cable Lube

For heavyweight drive chains, e.g. Fork-lift truck masts, motor cycle chains.

- **Silicone FREE**
- **Penetrating, anti-fling formula.**
- **Rubber grommet friendly.**

Part No.	Pack of	Size
SAS14	6	500ml Aerosols

S·A·S White Grease

Universal grease with almost limitless applications, e.g. Locks, hinges and striker plates. Suitable for clean area applications.

- **Anti water wash-out properties**
- **Provides visual check where used**
- **Anti-corrosive**
- **Silicone FREE**

Part No.	Pack of	Size
SAS7	6	500ml Aerosols

S·A·S Heavy Duty Open Gear Lube

Designed specifically for exposed gears, wire ropes, heavy duty chains and other moving parts.

- **Ideal for exterior use – provides extra protection against rust, corrosion and wear vs standard chain and cable lube**
- **Maximises the service life of wire rope**
- **Excellent resistance to salt water environment**
- **Contains bitumen for improved durability & corrosion protection**
- **Rapid penetration into wire ropes, gears and link**
- **Excellent de-watering properties**
- **Viscosity modifiers prevent throw off ensuring long working life**
- **Low tack when dry helps reduce dirt build-up**

Part No.	Qty	Size
SAS33A	1	500ml Aerosol

S·A·S Clear Grease

For use on areas requiring a tenacious lubricant, whilst retaining a good cosmetic appearance, e.g. Car door locks.

- **Silicone FREE**
- **Does NOT contain PTFE**

Part No.	Pack of	Size
SAS18	6	500ml Aerosols

S·A·S Cutting Oil

For all metal types.

- **Improves lubrication/cooling.**
- **Retains viscosity at high cutting temperatures.**
- **Prevents tarnishing.**
- **Extends tool life.**

Part No.	Pack of	Size
SAS46	6	500ml Aerosols

S·A·S Silicone Spray

BEST SELLER

For use on curtain slider tracks, folding bus and train doors, coin operated machines, etc. Use as a mould release and for easing slip-fitting parts assembly. Use on surfaces where heat is present, e.g. heat sealing machines. Imparts waterproofing qualities to fabrics, e.g. tarpaulins, industrial outdoor clothing.

- **Stable to 275°C**
- **Lowers friction & prevents sticking**
- **Low stain formula**
- **Zero effect on plastics**
- **Contains Silicone**
- **NOT food safe**

Part No.	Pack of	Size
SAS8	6	500ml Aerosols

S·A·S Weld Anti-Spatter

Water Based

- **Provides a protective oily film for use in welding**
- **Silicone FREE**

Part No.	Pack of	Size
SAS9	6	400ml Aerosols

S·A·S Silicone Grease

BEST SELLER

- **Moisture repelling**
- **Excellent insulating properties for electronic control and switchgear in exterior applications**
- **Contains Silicone**

Part No.	Pack of	Size
SAS19	6	500ml Aerosols

S·A·S Assorted Pack - Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No.	Qty
SASL	Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.

S·A·S Rubber Care

Maintains rubber seals on doors, bonnets, tailgates, etc. Can be used on tyres, rubber mats and rubber trim strips.

- **Reduces the effect of spray and salt water**
- **Reduces the effects of diluted acids and alkalines**
- **Prevents rubber parts ageing and cracking and eliminates squealing noises from dry rubber**
- **Silicone FREE**

Part No.	Pack of	Size
SAS57	6	500ml Aerosols

S·A·S Battery Terminal Protector

BEST SELLER

Suitable for use on batteries and earthing straps in cars, buses, trains and plant hire equipment.

- **Protects against corrosion**
- **Improves electrical continuity thus improving starting**
- **Contains an indicator to visualise acid leaks (turns red)**
- **Waterproofs terminals**

Part No.	Pack of	Size
SAS3	6	500ml Aerosols

Looking for Wire Brushes?

Our complete range wire brushes are available from Page 400

LOCTITE

LOCTITE '7503' Rust Remedy

Supplied on a blister card.

Part No.	Qty	Size
VC955	1	90ml Bottle

Granville

GRANVILLE Rust Cure Convertor

A co-polymer latex combined with organic chelating agents designed for application to corroded ferrous substrates. It actively converts the rust present on the substrate into a stable organic iron complex. As the polymer dries it forms an impermeable barrier to oxygen and moisture effectively sealing out any further corrosion. Contact with aliphatic or aromatic solvents will cause softening of the film which will recover.

- **Water based formulation**
- **Extremely low order of toxicity**
- **Does not contain phosphoric acid or lead**
- **Excellent resistance to acid and alkali splashes**

Part No.	Qty	Size
VC161	1	1L Bottle

Granville

GRANVILLE Rust Repair Gel

A highly effective non drip rust neutraliser and inhibitor based on organic and inorganic acids. It is suitable for treating all ferrous surfaces and will quickly remove and neutralise rust.

- **Non drip formuation - Ideal for horizontal and hard to reach areas**
- **Easy to apply**
- **Effectively treats rust**
- **Over paintable**
- **Fast acting gel formulation**

Part No.	Qty	Size
VC162	1	150g Bottle

Granville

GRANVILLE Rust Repair Liquid

A highly effective rust neutraliser and inhibitor based on organic and inorganic acids. It is suitable for treating all ferrous surfaces and will quickly remove and neutralise rust.

- **Easy to apply**
- **Effectively treats rust**
- **Over paintable**
- **Fast acting liquid formulation**

Part No.	Qty	Size
VC163	1	500ml Bottle

jenolite

BEST SELLER

JENOLITE 'The Original' Rust Remover - Liquid

A free-flowing liquid rust removal product that can be applied by spray, brush or immersion. Ideal for box sections, tubular components and articles with tight recessed areas.

- **Easy to apply - No need to rinse off, simply wipe the surface after application**
- **Rust will disappear to leave a stable surface ready for priming and painting**

Part No.	Qty	Size
VC235	1	500ml Bottle

jenolite

JENOLITE 'The Original' Rust Remover - Gel

A concentrated non-drip gel handy for treating small areas of rust or corrosion on cars, bikes, household appliances and gardening equipment. You can also use it to clean rust spots off chrome plating prior to lacquering or polishing.

- **Easy to apply - No need to rinse off, simply wipe the surface after application**
- **Rust will disappear to leave a stable surface ready for priming and painting**
- **Ideal for small rust spots**

Part No.	Qty	Size
VC234	1	40g Tube

jenolite

JENOLITE 'No Prime' Rust Convertor - Liquid

The complete remedy for rust! It removes rust, provides a seal to prevent its return, and allows the surface to be painted over without the need for primer.

- **2-in-1 Application - Gets rid of the rust and converts the once rusted area into a stable, polymer coated surface ready to paint.**
- **Provides proven resistance to chemical, bacterial and salt spray attack, as well as a barrier to water vapour, oxygen and carbon dioxide**
- **Removes even the most stubborn rust to leave metal looking as good as new!**

Part No.	Qty	Size
VC237	1	250g Tub

S·A·S

NEW



S·A·S Ultimate Rust Protector

High melt point of 100-120°C makes it ideal for elevated temperature applications / environments.

- **Ideal for protecting metallic surfaces and inner panels from corrosion e.g. underbody, sills, cracks etc.**
- **Stops rust and helps prevent future corrosion forming**
- **Self healing – minor damage to the coating will reflow over time**
- **Excellent salt spray and humidity resistance**
- **Unlike resin / paint products it will not peel or chip**

Part No.	Qty	Size
SAS63A	1	500ml Aerosol

S·A·S Bright Alu Zinc Galv Spray

NEW

Zinc & Aluminium based coating.

- 60% metal content in the dried paint film
- Ideal for the bright cosmetic finish and protection of previously galvanised surfaces
- Excellent corrosion resistance
- Self priming – one step process
- Ideal for spot repairs after welding
- Weld-through
- Excellent adhesion to metallic surfaces

Part No.	Qty	Size
SAS68A	1	500ml Aerosol

S·A·S Zinc Spray

BEST SELLER

Use as a primer coat which can be over painted with acrylic, cellulose, alkyd, polyurethane alkyd and epoxy. Use as a coating on pipes and steel fabrications.

- 66% zinc content (in dry film).
- Thin film (e.g. Single coat) can be welded through.

Part No.	Pack of	Size
SAS24	6	500ml Aerosols

S·A·S Primer Adhesion Promoter

NEW

Clear primer for difficult plastic substrates.

- Excellent adhesion to PP / PP composites, TPO (Thermoplastic Olefin), rigid vinyl and SMC (glass fibre reinforced polyester) and fibreglass
- Also improves paint adhesion to galvanised steel, non-ferrous metals (aluminium) and wood
- Reduces the need to pre-abrade surfaces before painting
- No sanding required post application
- Very low film build, virtually invisible
- Quick drying

Part No.	Qty	Size
SAS65A	1	500ml Aerosol

AMBERSIL 'Cold Galvanise' Zinc-Rich Protective Coating

A zinc rich acrylic coating that offers excellent Cathodic anti-corrosion protection to steel fabrications and all exposed ferrous metalwork. Suitable as a primer, can be over coated with acrylic, cellulose, alkyd, polyurethane-alkyd & epoxy paints.

- Protects metalwork & steels from corrosion.
- Can be welded through.
- For use on bare non-rusted steel & seams.
- Zinc 99% pure, content 88% cured film.
- Suitable for use as renovation media as specified in BS EN ISO 1461:1999.
- Matt, dark grey, weathered appearance.
- Fast drying & Xylene free.

Part No.	Qty	Size
AMB120	1	400ml Aerosol

AMBERSIL 'Alu Hi Temp' High Temperature Corrosion Protection

Corrosion protection for high temperature applications based on aluminium pigments. Builds a glossy, hard film on metal surfaces after exposure to high temperatures (+1 hour at 200°C) and is not eroded over time. For use on ferrous metals subjected to continuous high temperatures.

- Dry to touch in 15 minutes.
- Lead and Chromate free.
- Continuous protection up to 600°C.
- Passes ASTM D-2485 1-68: Methods 2 & 3.



Part No.	Qty	Size
AMB121	1	400ml Aerosol

VIP 'Perfect-Fill' High Build Primer

Suitable for plastics and metal.

- For deep filling and fast priming of surface defects.

Part No.	Qty	Colour	Size
VIP45G	1	Grey	400ml Aerosol
VIP45DG	1	Dark Grey	400ml Aerosol
VIP45W	1	White	400ml Aerosol

S·A·S Anti Corrosion Graphene Primer

NEW

Exceptional corrosion protection 1750+ hours ASTM G-85.
Smooth matt grey finish with excellent sanding properties.

- **Zinc Free formula – Less environmentally hazardous**
- **Excellent barrier properties of Graphene extends coating life**
- **Fast drying – Touch dry in 3-4 mins, sand & top-coat in 20 mins**
- **Excellent adhesion to metallic surfaces – Mild Steel & aluminium**
- **Excellent Flexibility – ASTM D522 Conical Mandrel - No cracking**
- **Excellent anti-sag properties enables high coat depths**
- **Fills minor surface imperfections**
- **Can also be applied to many rigid plastics**

Part No.	Qty	Size
SAS66A	1	500ml Aerosol

S·A·S Primer - Grey

BEST SELLER

Acrylic

- **Fast drying.**

Part No.	Pack of	Size
SAS35	6	500ml Aerosols

S·A·S 1K Epoxy Primer

NEW

Single component epoxy modified primer for improved durability, toughness and corrosion protection. Matt red oxide finish.

- **Contains Zinc Phosphate to further improve anti-corrosive performance**
- **1000+ hours salt spray performance (ASTM B-117)**
- **Excellent adhesion to metallic surfaces - Mild steel & aluminium**
- **Ideal for exterior applications or harsher environments / area prone to corrosion e.g. car chassis**
- **No need to top-coat other than for cosmetic finish**
- **High solids - Free from metals**

Part No.	Qty	Size
SAS67A	1	500ml Aerosol

S·A·S Primer - Red Oxide

BEST SELLER

Acrylic

- **Fast drying.**

Part No.	Pack of	Size
SAS37	6	500ml Aerosols

S·A·S High Build Etch Primer

NEW

High build primer and acid etch in a single product.

- **Twice the paint solids of many conventional primers**
- **Improved adhesion to problematic metallic surfaces e.g. non-ferrous metals (aluminium and its alloys, brass, copper) and zinc coated steel (Zintec)**
- **Excellent anti-sag properties enable high coat depths to be achieved**
- **Fills minor surface imperfections**
- **Smooth matt finish with excellent sanding properties**
- **Can also be applied to many rigid plastics.**

Part No.	Qty	Size
SAS64A	1	500ml Aerosol

S·A·S Primer - White

Acrylic

- **Fast drying.**

Part No.	Pack of	Size
SAS36	6	500ml Aerosols

Looking for Paints?

Our complete range is available on the next page

S·A·S Black Paint - Matt

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray - Adjustable nozzle for different spray patterns
- Excellent adhesion - Avoids sagging

Part No.	Pack of	Size
SAS28	6	500ml Aerosols

S·A·S Red Paint - Post Office Red

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray - Adjustable nozzle for different spray patterns
- Excellent adhesion - Avoids sagging

Part No.	Pack of	Size
SAS30	6	500ml Aerosols

S·A·S Black Paint - Satin

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray - Adjustable nozzle for different spray patterns
- Excellent adhesion - Avoids saggingr

Part No.	Pack of	Size
SAS25	6	500ml Aerosols

S·A·S White Paint - Gloss

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray - Adjustable nozzle for different spray patterns
- Excellent adhesion - Avoids saggingr

Part No.	Pack of	Size
SAS31	6	500ml Aerosols

S·A·S Black Paint - Gloss

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray - Adjustable nozzle for different spray patterns
- Excellent adhesion - Avoids sagging

Part No.	Pack of	Size
SAS27	6	500ml Aerosols

S·A·S Silver Paint - Medium

Tough acrylic formula paint for interior and exterior use.

- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray - Adjustable nozzle for different spray patterns
- Excellent adhesion - Avoids sagging

Part No.	Pack of	Size
SAS29	6	500ml Aerosols

S·A·S Black Paint - VHT (Very High Temperature)

Use on exhausts, manifolds and any surfaces which are subject to high temperatures.

- Fast drying aerosol paint with high covering power.
- Gives a tough durable coating and a matt finish.
- Petrol & oil resistant when cured.
- Withstands temps up to 650°C.

Part No.	Pack of	Size
SAS59	6	400ml Aerosols

Looking for Lane Marking Tapes?

A complete range of lane marking tapes are on Page 322



Looking for Marking Crayons?

A range of marking crayons can be found on page 239

S·A·S Line Marker

A permanent, quick drying and durable acrylic paint. Ideally suited for use with line marking equipment, stencils or for free hand application.

- **Suitable For Use On: Concrete, tarmac, steel, grass and wood**
- **Quick drying, 30-40 minutes will withstand light traffic**
- **Through dry in 24 hours**
- **Areas Of Use: Car parks, road marking, warehouse and walkways, highway maintenance, utility services, sports fields, tennis courts and playgrounds**

Part No.	Qty	Colour	Size
SAS40W	1	White	750ml Aerosol
SAS40Y	1	Yellow	750ml Aerosol
SAS40R	1	Red	750ml Aerosol
SAS40B	1	Blue	750ml Aerosol

S·A·S Assorted Pack - Paint Aerosols 500ml

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASP	Set of 6

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.

AMBERSIL Acrylic Paint Marker Pens



Tenacious resin binds paint to the writing surface almost eliminating the problems associated with accidental rub-off and will not wash off with water/rain.

Part No.	Qty	Colour
AMB130	1	White
AMB131	1	Yellow
AMB132	1	Red
AMB133	1	Black

HMG Floor Paint

Gloss finish. Coverage: 10m² per litre.

- **Use on concrete, steel and wooden floors.**
- **Resistant to mild chemicals.**

Part No.	Qty	Colour	Size	VOC Content
VC480	1	Safety Blue	5 Litres	High 25-50%
VC481	1	Safety Red	5 Litres	High 25-50%
VC482	1	Safety Yellow	5 Litres	High 25-50%
VC483	1	Black	5 Litres	High 25-50%
VC484	1	Dark Green	5 Litres	High 25-50%
VC485	1	Dark Grey	5 Litres	High 25-50%
VC486	1	White	5 Litres	High 25-50%

JOHNSTONE'S TRADE Professional Gloss Paint

VOC 2010 compliant. Solvent based. Suitable for use on steel and metal.

- **Optimum high gloss finish.**

Part No.	Qty	Colour	Size
VC470	1	Black	5 Litres
VC471	1	Post Office Red	5 Litres

Looking for Paint Brushes?

The full range of paint brushes and rollers start from page 316

Tack Rags
For wiping surfaces prior to painting for a dust-free finish.
Can be folded and refolded.

Part No.	Box of	Description
VC410	10	Tack Rags

4" Paint Roller Frame
Supplied WITHOUT Roller Refill.

Part No.	Qty	Description
PB100	1	4" Roller Frame

4" Paint Roller Refills

Part No.	Pack of	Type
PB101	10	Medium Pile (Emulsion)
PB102	10	Smooth Foam (Gloss)

4" Paint Roller Tray

Part No.	Qty	Description
PB103	1	4" Tray

4" Paint Roller Paint Tray Kit

Part No.	Qty	Description
PB104	1	4" Roller & Paint Tray Kit

Kit contains: 1 x 4" Roller Frame, 4" Paint Tray. 2 x Roller Refills: Medium Pile, Smooth Foam.

Professional 9" x 1 3/4" Ø Paint Roller Frame
Supplied WITHOUT Roller Refill. Suits Part No. PB111.

Part No.	Qty	Description
PB110	1	9" x 1 3/4" Ø Roller Frame

Professional 9" x 1 3/4" Ø Paint Roller Refill
Medium pile. Suits Part No. PB110.

Part No.	Qty	Description
PB111	1	9" x 1 3/4" Ø Roller Refill

9" Paint Roller Tray

Part No.	Qty	Description
PB112	1	9" Tray

General Purpose 9" x 1 1/2" Ø Paint Roller Tray Kit
Suits Part No. PB121

Part No.	Qty	Description
PB120	1	9" x 1 1/2" Ø Roller & Paint Tray Kit

Kit contains: 1 x 9" Roller Frame, 9" Medium Pile Roller Refill & 9" Tray.

General Purpose 9" x 1 1/2" Ø Roller Refills
Suits Part No. PB120

Part No.	Pack of	Check
PB121	3	9" x 1 1/2" Ø Roller Refills

Paint Brushes - Professional Plain Wooden Handles

Part No.	Pack of	Size	
PB48	8	1/2"	(12 mm)
PB51	4	1"	(25 mm)
PB49	3	1 1/2"	(38 mm)
PB52	2	2"	(50 mm)
PB53	1	3"	(75 mm)
PB54	1	4"	(100 mm)

Assorted Pack of Paint Brushes - Plastic Handles

Part No.	Pack of	Description
AP30	4 Pieces	Small Sizes

Sizes: 1/2", 1", 1 1/2", 2".

Assorted Pack of Paint Brushes - Plastic Handles

Part No.	Pack of	Description
AP31	3 Pieces	Large Sizes

Sizes: 2", 3", 4".

Paint Brushes - Budget Type for General Use

Part No.	Pack of	Size
PB1/2	12	1/2"
PB1	12	1"
PB1 1/2	12	1 1/2"
PB2	12	2"
PB3	12	3"
PB4	12	4"

Assorted Pack of Paint Brushes - Budget Type for General Use

Part No.	Pack of
AP19	10 Pieces

Sizes: 1/2", 1", 1 1/2", 2", 3".

Touch Up Brushes - Short Plain Wooden Handles

Part No.	Pack of	Size
PB62	12	No. 2
PB64	12	No. 4
PB66	12	No. 6
PB68	12	No. 8

Assorted Pack of Touch Up Brushes - Short Plain Wooden Handles

Part No.	Pack of
AP48	10 Pieces

4 x Size No.'s: 2, 4, 6, 8.

Assorted Pack of Touch Up Brushes - Plastic Handles

Part No.	Pack of
AP16	24 Pieces

3 x Size No.'s: 2, 4, 6.

White Spirit

Conforms to BS 245.

- Thins solvent based paints.
- Cleans paint brushes.
- De-greases.

Part No.	Qty	Size
VC760	1	2 Litres

Looking for Masking Tapes

Our complete range of adhesive tapes start on Page 320

Looking for Paint Scrapers

Our complete range of scraping tools and blades can be found on Page 428

S·A·S Assorted Pack - Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No.	Qty
SASL	Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

Part No.	Qty
SASC	Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Valeting Aerosols 500ml

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASV	Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Paint Aerosols 500ml

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASP	Set of 6

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.

320

321

324

325

326

327

Sealants + Adhesives

327

320 Adhesive Tapes
324 Instant Adhesives
326 Threadlockers
327 Retainers
327 Epoxies
329 Repair Adhesives
332 Instant Gaskets
333 Silicone Sealants
335 MS-Polymer Sealants
335 Pipe Sealants
336 Exhaust Repair

328

328

328

329

330

332

333

333

335

336

Masking Tape - General Purpose

For temperatures up to 70°C (158°F).NOT suitable for use in bodyshops.

Part No.	Qty	Width x Length
VC411	36 Rolls	24 mm x 50 m
VC412	24 Rolls	48 mm x 50 m

Masking Tape - High Temperature

Sticks firmly and securely to most surfaces with clean removal.

- **Good performance maintained on bake cycles of 127°C (260°F) for up to 1 hour.**
- **Designed for paint masking in automotive refinishing and industrial sectors.**

Part No.	Qty	Width x Length
MT24	6 Rolls	24 mm x 50 m
MT48	6 Rolls	48 mm x 50 m

3M

BEST SELLER

3M 'Scotch Auto®' Masking Tape - 2328

- **Solvent resistant**
- **Prevents bleed through**

Part No.	Qty	Width x Length
MT225	9 Rolls	24 mm x 50 m
MT250	5 Rolls	48 mm x 50 m

Trim Masking Tape

High temperature rating: 100°C.
Unique tape to mask up around rubber window surrounds and plastic panel trims.

- **Perforated to make the job very quick.**
- **High temperature rating: 100°C.**

Part No.	Pack of	Width x Length
MT11	1 Roll	48 mm x 10 m

Fine Line Tape - Green

High temperature rating: 150°C.
Flexible and strong for masking around tight curves and sharp corners.

Part No.	Pack of	Width x Length
MT10	1 Roll	3 mm x 55 m

Double-Sided Adhesive Tape - Non-Foam Type

Avoids thickness build-up where foam tape has been previously used.

Part No.	Pack of	Width x Length
VC406	1 Roll	12 mm x 50 m
VC408	1 Roll	25 mm x 50 m

Transparent Marque Badge Tape

Transparent tape with strong acrylic adhesive.
Adhesive thickness 0.04 mm.
Application temperature: 15 to 35°C.

- **A Simple, no fuss and very effective way to attach car logos and emblems back onto newly painted panels**
- **Tape is strong and will resist adverse weather conditions, oil and UV light.**

Part No.	Pack of	Width x Length
MT12	10	50 x 300 mm Strips

BEST SELLER

Double-Sided Adhesive Foam Tape - Green Backing

Industrial standard general purpose tape.

- **Suitable for interior and exterior use.**

Part No.	Pack of	Width x Length	Thickness
VC402	1 Roll	12 mm x 10 m	0.8 mm
VC403	1 Roll	19 mm x 10 m	0.8 mm
VC404	1 Roll	25 mm x 10 m	0.8 mm
VC405	1 Roll	50 mm x 10 m	0.8 mm

BEST SELLER

Double-Sided Adhesive Foam Tape - Yellow Backing

Designed for automotive trim fixing.

- **Delayed cure allows for repositioning where required.**

Part No.	Pack of	Width x Length	Thickness
GLU10	2 Rolls	12 mm x 5 m	1.0 mm
GLU11	2 Rolls	19 mm x 5 m	1.0 mm
GLU24	2 Rolls	25 mm x 10 m	1.0 mm
GLU21	1 Roll	48 mm x 5 m	1.0 mm

ADVANCE 'AT132' Polycloth Duct Sealing Tape (Gaffer)

General purpose waterproof cloth tape.

- **Easy unwind and easy tear**
- **Very high initial stick**
- **Gloss finish**

Part No.	Qty	Colour	Width x Length
TAPE4	2 Rolls	Silver	50 mm x 50 m
TAPE4B	24 Rolls	Silver	50 mm x 50 m
TAPE5	2 Rolls	Black	50 mm x 50 m
TAPE5B	24 Rolls	Black	50 mm x 50 m
TAPE6	2 Rolls	White	50 mm x 50 m

Gaffer Tape

General purpose waterproof cloth tape.

Part No.	Qty	Colour	Width x Length
TAPE7	2 Rolls	Silver	50 mm x 50 m
TAPE7B	24 Rolls	Silver	50 mm x 50 m
TAPE8	2 Rolls	Black	50 mm x 50 m
TAPE8B	24 Rolls	Black	50 mm x 50 m



Double-Sided Adhesive Pads - Mirror Pads

Part No.	Pack of	Size
VC400	40	40 x 28 mm

Cold Weather Aluminium Foil Tape

Certifie]d to BS476. Approved to class 'O' rating, used in the insulation marketplace on foil-faced pipe and slab sections and protects against the effects of fire, dust and moisture.

- **Excellent in low temperature and humidity applications**
- **A soft, conformable aluminium foil conforms to irregular surfaces**

Part No.	Qty	Width x Length
TAPE53	1	50 mm x 45.7 m



Double-Sided Adhesive Pads - Number Plate Pads

Part No.	Pack of	Size
VC401	20 x 3	80 x 25 mm

All Weather Clear Repair Tape

UV resistant polythene tape. Ideal for reinforcement of horticultural PVC structures and suitable for a variety of long-ageing applications.

- **Outside UV resistant for 9 months**
- **Multi-purpose repairs - Polythene film, polytunnels, greenhouses, car lamps**
- **Designed for indoor and outdoor repairing and sealing applications**

Part No.	Qty	Width x Length
TAPE54	3	50 mm x 10 m



'Hook & Loop' Tapes - Black

Self-adhesive. 25 mm wide x 25 m long.

Part No.	Qty	Type
VC441	1 Roll	'Hook' Tape
VC442	1 Roll	'Loop' Tape

Anti Corrosion Petro Tape

Apply by hand. For use on pipes, valves, joints and cables above and below ground. Seals against weathering and protects against water and chemicals.

- **Highly impermeable to water and gases**
- **Used to protect buried or exposed pipes, valves, pipe fittings, cables and other metalwork from corrosion**
- **Non-hardening, non-cracking and highly resistant to deterioration**

Part No.	Qty	Width x Length
TAPE50	1	50 mm x 10 m

Crossweave Tape

Clear polypropylene tapereinforced with crossweave glass fibre, coated with a synthetic rubber resin adhesive.

- **High tensile strength for heavy duty bundling and packaging**
- **Recommended for packing of pallets and for high level reinforcements**

Part No.	Qty	Colour	Width x Length
TAPE52	1 Roll	Clear	50 mm x 50 m

Wide Carton Sealing Tape

Clear polypropylene.
Suitable for use with dispenser Part No. TAPE10.

- **Low Noise**

Part No.	Box of	Colour	Width x Length
TAPE11	24 Rolls	Clear	72 mm x 132 m

Wide Carton Sealing Tape Dispenser Gun

Suitable for use with Part No. TAPE11.

Part No.	Qty	Description
TAPE10	1	75 mm Tape Gun

Carton Sealing Tape

Brown polypropylene.
Suitable for use with dispenser Part No. TAPE3.

Part No.	Pack of	Colour	Width x Length
TAPE2	6 Rolls	Brown	50 mm x 60 m

Carton Sealing Tape Dispenser Gun

Suitable for use with Part No. TAPE2.

Part No.	Qty	Description
TAPE3	1	50 mm Tape Gun



Hazard Warning Adhesive Tapes

50 mm x 33 m roll. Highly visible.
Suitable for use on concrete floors.

Part No.	Qty	Colours
TAPE24	1 Roll	Black/Yellow
TAPE25	1 Roll	White/Red

Reflective Tape

Class 1 commercial grade self adhesive tape for safety markings and barriers

- **Ideal for the temporary road sign, safety markings and barriers, etc.**
- **Lasts for 3 to 5 years**

Part No.	Qty	Colour	Width x Length
TAPE30	1 Roll	Red/White	50 mm x 10 m
TAPE31	1 Roll	Black/Yellow	50 mm x 10 m



Anti-Slip Hazard Tape

Coarse grade.

Part No.	Qty	Colours	Width x Length
TAPE26	1 Roll	Black/Yellow	50 mm x 18.4 m

Lane Marking Tape

Self adhesive PVC.

Part No.	Qty	Colour	Width x Length
TAPE40	1	Red	50 mm x 33 m
TAPE41	1	Blue	50 mm x 33 m
TAPE42	1	Green	50 mm x 33 m
TAPE43	1	Yellow	50 mm x 33 m
TAPE44	1	Black	50 mm x 33 m
TAPE45	1	White	50 mm x 33 m

PVC Insulation Tape

Flame Retardant to BS EN 60454 Type 2.

Part No.	Pack of	Colour	Width x Length
EPT1	10	Black	19 mm x 20 m
EPT11	10	Blue	19 mm x 20 m
EPT17	10	Brown	19 mm x 20 m
EPT12	10	Green	19 mm x 20 m
EPT13	10	Green/Yellow Stripe	19 mm x 20 m
EPT18	10	Grey	19 mm x 20 m
EPT14	10	Red	19 mm x 20 m
EPT15	10	White	19 mm x 20 m
EPT16	10	Yellow	19 mm x 20 m

Assorted Pack of PVC Insulation Tape

19 mm Wide x 20 m Long. Flame Retardant to BS EN 60454 Type 2.

Part No.	Pack of
EPT3	10 Pieces

5 x Colours: (2 x) Blue, Green, Red, White, Yellow.

PVC Tape - 2" Wide

Part No.	Qty	Colour	Width x Length
EPT2	1	Black	50 mm x 33 m

ADVANCE

ADVANCE 'AT7' PVC Insulation Tape

Flame Retardant to BS EN 60454 Type 2.

Part No.	Pack of	Colour	Width x Length
EPT7	10 Rolls	Black	19 mm x 20 m

ADVANCE

ADVANCE High Temperature 'AT74' PVC Insulation Tape

Flame retardant, high temperature PVC electrical insulation tape.
0.15 mm Tape Thickness (150 Micron).

Part No.	Pack of	Colour	Width x Length
EPT74	10 Rolls	Black	19 mm x 33 m

Nitto

NITTO '21A' PVC Insulation Tape

0.20 mm Tape Thickness (200 Micron).

Part No.	Pack of	Colour	Width x Length
EPT21	10 Rolls	Black	19 mm x 20 m

Farmers 'Silage' High Strength PVC Tape

High strength tape for repairing around the farm including silage patching, electrical insulation and banding.

- **Good resistance to abrasion, corrosion and moisture**
- **High dielectric strength**
- **Excellent conformability**

Part No.	Qty	Colour	Width x Length
TAPE55	3 Rolls	Black	75 mm x 20 m

High Density PTFE Gas Tape

Manufactured to EN 751-3 GRp, BS 6920. WRAS approved.

- **33% thicker than standard PTFE tape.**
- **Developed especially for the gas industry.**
- **Suitable for use on all common gases and liquids.**

Part No.	Pack of	Width x Length
GLU51	10 Rolls	12 mm x 5 m

PTFE Thread Sealing Tape

BS 4375. 751-3:1997.
Supplied on a plastic spool.

- **For use on all materials: Steel, Alloy, Plastic, Copper and Ceramics.**

Part No.	Pack of	Width x Length
GLU5	10 Rolls	12 mm x 12 m

LOCTITE

LOCTITE '401' Instant Adhesive

Universal Adhesive.

Part No.	Qty	Size
VC906	1	20g Bottle

LOCTITE

LOCTITE 'Precision' Super Glue

Supplied on a blister card.

Part No.	Qty	Size
VC935	1	5g Bottle

LOCTITE

LOCTITE 'Easy Brush' Super Glue

Supplied on a blister card.

Part No.	Qty	Size
VC934	1	5g Bottle

LOCTITE

LOCTITE 'All Plastics' Super Glue Kit

Extra strong formulation - Even for the most difficult plastics. Supplied on a blister card.

Part No.	Qty	Description
VC928	1 Kit	All Plastics Super Glue Kit

1 x Super Glue: 2g Tube. 1 x Activator Primer: 4ml Bottle.

LOCTITE

LOCTITE Super Glue Liquid

Universal instant adhesive.
Supplied on a blister card.

- High performance formula.
- No clog pin cap.
- Bonds metal, rubber, wood, leather & most plastics.

Part No.	Qty	Size
VC933	1	3g Tube

LOCTITE

LOCTITE '319' Rear View Mirror Bonder

Supplied on a blister card.

Part No.	Qty	Size
VC929	1	0.5ml Bottle

LOCTITE

LOCTITE '3090' Multi-Substrate Adhesive

Colourless cyanoacrylate instant adhesive gel.
Complete with 7 nozzles.

- Bonds: Plastics, rubbers and metals.
- Also works on porous substrates: Wood, paper, leather, cork and fabrics.
- For applications with gaps up to 5 mm or where excess of adhesive is present.
- Fixing time: 90 - 150 seconds.

Part No.	Qty	Description
VC910	1	10g Dispenser Syringe Kit
VC911	10	Replacement Nozzles

S·A·S Adhesive & Sealant Engineers Kit

Comprehensive kit containing the most frequently used adhesive and sealant products from the range.
Supplied in a tough plastic storage case.

Part No.	Description
SASKIT1	10 Piece Kit

Kit contents: 1 x Super Glue: 20g. 1 x Thread Lock: 10ml. 1 x Stud Lock: 10ml. 1 x Nut Lock: 10ml. 1 x Bearing Fit: 50ml. 1 x Instant Gasket, Blue: 100ml. 1 x Multi Gasket: 50ml. 1 x Brake & Airline Sealant: 50ml. 1 x High Strength Epoxy: 25ml. 1 x Quick Metal Liquid: 25ml.

S·A·S Super Glue

Medium viscosity.
Bonds metal, rubber and most materials in seconds.

Part No.	Qty	Size
SAS401/5	Pack of 5	3g Tubes
SAS495/5	Pack of 5	5g Bottles
SAS495/24	Box of 24	5g Bottles
SAS4950	1	20g Bottle
SAS4950/12	Box of 12	20g Bottles

S·A·S Super Glue Gel

Quick setting very thick non-drip gel adhesive.
Ideal for applications requiring a viscous product, i.e. Vertical applications.
Bonds metal, rubber and most materials in seconds.

Part No.	Qty	Size
SAS454	1	20g Tube
SAS454/20	Box of 20	20g Tubes

S·A·S Super Glue - High Viscosity

High viscosity. Bonds metal, rubber and most materials in seconds.

Part No.	Qty	Size
SAS422	1	20g Bottle
SAS422/12	Box of 12	20g Bottles

S·A·S Spray Adhesive

Can be applied to Roof Linings, Trim Linings, Upholstery and Carpets (NOT suitable for unsupported construction).
This product should NOT be used on surfaces where temperature may exceed 50°C.

- **Specially formulated for maintenance and repair applications for all types of substrate and trim (except plasticised PVC)**
- **Non-chlorinated formula**

Part No.	Pack of	Size
SAS470	6	500ml Aerosols

S·A·S Activator

Dramatically increases the cure speed of instant adhesives/super glue. Can also help the cure rate when used in large gaps and aids bonding on porous materials.

- **Suitable for use on PVCU, plastic, glass and metal.**

Part No.	Qty	Size
SAS325	1	200ml Aerosol

LOCTITE

LOCTITE '243' Threadlocker

Fast-acting thread lock and sealant. Stops bolts, screws and nuts vibrating loose. Medium strength - Easily undone with normal hand tools. OEM Specified.

Part No.	Qty	Size
VC941	1	24ml Bottle
VC901	1	50ml Bottle

LOCTITE

LOCTITE '270' Threadlocker

Stud 'N Bearing Fit. Retains studs and bearings, sealing against corrosion. Vibration proof - Eliminates wear. OEM specified.

Part No.	Qty	Size
VC942	1	24ml Bottle
VC902	1	50ml Bottle

LOCTITE

LOCTITE 'Stick 248' Threadlocker - Medium Strength

Removable strength threadlocking adhesive, specially suited to fasteners between 1/4" and 3/4" diameter. Parts can be separated using hand tools.

Part No.	Qty	Size
VC971	1	19g Stick

LOCTITE

LOCTITE 'Stick 268' Threadlocker - High Strength

High strength threadlocking adhesive. Offering heavy duty strength and performance for high strength applications.

Part No.	Qty	Size
VC972	1	19g Stick

S·A·S

S·A·S Thread Lock

Prevents vibration loosening and leakage through threaded fastening. Designed for easy disassembly of treated components. Anaerobic formula allows curing only when confined between metal parts.

- **Strength: Low**
- **Gap Fill: 0.50 mm**
- **Suitable for use with oil, petrol and diesel**

Part No.	Qty	Size
SAS222/5	Pack of 5	10ml Bottles
SAS222/12	Box of 12	10ml Bottles
SAS2220	1	50ml Bottle
SAS2220/12	Box of 12	50ml Bottles

S·A·S

BEST SELLER

S·A·S Nut Lock

Prevents shock and vibration loosening and leakage on all types of metal fasteners. Designed for locking and sealing, Nut Lock withstands harsh environments yet is removable with hand tools.

- **Strength: Medium**
- **Gap Fill: 0.25 mm**
- **Temp Range: -40°C to +150°C**
- **Suitable for use with oil, petrol and diesel**

Part No.	Qty	Size
SAS243/5	Pack of 5	10ml Bottles
SAS243/12	Box of 12	10ml Bottles
SAS2430	1	50ml Bottle
SAS2430/12	Box of 12	50ml Bottles

S·A·S

BEST SELLER

S·A·S Stud Lock

Fast acting seal against leakage and corrosion. Chemical resistance against fuels, lubricants and gases. Eliminates double nutting and/or welding of critical assemblies.

- **Strength: High**
- **Gap Fill: 0.10 mm**
- **Temp Range: -50°C to +150°C**
- **Suitable for use with oil and petrol**

Part No.	Qty	Size
SAS271/5	Pack of 5	10ml Bottles
SAS271/12	Box of 12	10ml Bottles
SAS2710	1	50ml Bottle
SAS2710/12	Box of 12	50ml Bottles

S·A·S Bearing Fit

Provides medium strength retention under cyclic loading. Will retain full strength and not suffer fatigue under load stress, as well as benefiting from low corrosivity.

- **Strength: Medium**
- **Gap Fill: 0.20 mm**
- **Temp Range: Up to 150°C**
- **Full cure time: 12 hours**

Part No.	Qty	Size
SAS601	1	50ml Bottle
SAS601/12	Box of 12	50ml Bottles

S·A·S High Strength Retainer

Provides high strength retention under cyclic loading. Will retain full strength and not suffer fatigue under load stress, as well as benefiting from low corrosivity.

- **Strength: High**
- **Gap Fill: 0.20 mm**
- **Temp Range: Up to 150°C**
- **Full cure time: 24 hours**

Part No.	Qty	Size
SAS638	1	50ml Bottle
SAS638/12	Box of 12	50ml Bottles

S·A·S Quick Metal Liquid

Good matching qualities for bonding and repairing of most metals. Ideal for repair of metal housings and steel sheets.

- **Temperature Range: Up to 120°C (250°F)**
- **Cure Time: 45 minutes (Full Cure: 16 hours)**
- **Cured material can be filed, bored, tapped and over painted**

Part No.	Qty	Size
SAS380	1	25ml Syringe

S·A·S Rapid Epoxy

Quick setting, waterproof and impact resistant fluid epoxy resin adhesive.

- **Temperature range: Up to 50°C**
- **Cure time: 5 minutes (Full cure: 24 Hours)**

Part No.	Qty	Size
SAS450	1	25ml Syringe

S·A·S High Strength Epoxy

High strength, waterproof and impact resistant fluid epoxy resin adhesive.

- **Temperature range: Up to 42°C**
- **Cure time: 20 minutes (Full cure: 24 Hours)**

Part No.	Qty	Size
SAS460	1	25ml Syringe

S·A·S Quick Metal Putty

Kneedable epoxy repair putty. Ideal for long lasting emergency repairs. Adheres to moist surfaces even curing under water. Steel filled product resistant to corrosion.

- **Temperature Range: Up to +120°C**
- **Cure Time: 1 hour (Full Cure: 24 hours)**
- **Cured material can be filed, bored, tapped and over painted**

Part No.	Qty	Size
SAS390	1	112g Stick

S·A·S Quick Aluminium Putty

Epoxy putty for rebuilding damaged castings and worn parts.

- **Temperature Range: Up to +120°C**
- **Cure Time: 1 hour (Full Cure: 24 hours)**
- **Cured material can be filled, bored, tapped and painted over**

Part No.	Qty	Size
SAS391	1	114g Stick

EVO-STIK

EVO-STIK 'Impact' Instant Contact Adhesive

Multi-Purpose. Instant bond on contact.

- **Instant bond on contact.**
- **Bonds most materials, even non-porous.**
- **High strength - No need to support.**
- **Fast drying formula.**

Part No.	Qty	Size
VC337	1	500ml Tin
VC336	6	65g Tube

ARALDITE 'Rapid' Super Strong Adhesive

Long lasting and solvent FREE. Water resistant and can be painted or sanded.

- **Sets In Minutes.**
- **Bonds: Metal, Wood, Masonry, Ceramics, Glass, Most Plastics, Chipboard, Dry Concrete, Leather, Cardboard, Fabric and Rubber.**

Part No.	Qty	Size
VC393	1	2 x 15ml Tubes
VC394	1	24ml Syringe

Glue Sticks

Suitable for use with Part No. TL880.

Part No.	Approx. Qty	Ø x Length	Weight
TL881	34 Sticks	12 x 300 mm	1 kg

PROVIDUS+ Glue Gun

80W, 230V. Suitable for use with Part No. TL881.

Part No.	Qty	Description
TL880	1	Glue Gun

J-B WELD

J-B WELD Original Cold Weld

A remarkable easy, convenient and inexpensive alternative to welding, soldering and bronzing. Bonds to virtually any clean, dry surface. Sets in 4-6 hours, cures in 16-24 hours. Supplied on a blister card.

- **Maximum Temperature: 600°F (315°C).**
- **Tensile Strength: 3960 PSI.**
- **Cure Time: 16 hours.**

Part No.	Qty	Pack of
VC391	1	2 x 28 g Tubes

J-B WELD

J-B WELD Industrial Professional Size

Same product as J-B Weld in an industrial size pack. A remarkable easy, convenient and inexpensive alternative to welding, soldering and bronzing. Bonds to virtually any clean, dry surface. Sets in 4-6 hours, cures in 16-24 hours.

- **Maximum Temperature: 600°F (315°C).**
- **Tensile Strength: 3960 PSI.**
- **Cure Time: 16 hours.**

Part No.	Qty	Box of
VC392	1	2 x 142 g Tubes

J-B WELD

J-B WELD 'KwikWeld'

A fast-set, fast cure version of the original J-B Weld. A lightning 'kwik' bond with strength, perfect for any quick fix repairs. Sets in 4 Minutes, cures in 4-6 hours! Supplied on a blister card.

- **Maximum temperature: 300°F (148°C).**
- **Tensile strength: 2424 PSI.**
- **Bonds In 4 Minutes!**
- **Cure Time: 4 hours.**

Part No.	Qty	Pack of
VC395	1	2 x 28g Tubes

LOCTITE

LOCTITE 'Double-Bubble' Clear 5 Minute Epoxy

2K Epoxy. Supplied with mixing cards and sticks.

- **Cure Time: 3-5 minutes at 20°C.**

Part No.	Qty	Size
VC380A	10 Kits	3g Sachets
VC380	50 Kits	3g Sachets

PLASTIC PADDING 'Super Steel' Epoxy Weld

Hardens in 5 minutes.
Supplied on a blister card.

- **Seals, Repairs, Fixes, Fills, Replaces.**
- **For use on Aluminium, Copper, Glass, Marble, Steel, Plastic, Stone, Wood, etc.**

Part No.	Qty	Size
VC991	1	2 x 25g Tubes

Q-BOND Adhesive System Kits

Quick bonding, ultra strong adhesive system.
Black powder is carbon/graphite based designed for repairing hard plastics.
Grey powder is aluminium based designed for repairing metal surfaces.
Each pack contains: 2 x 10ml adhesive, 1 x black powder and 1 x grey powder.

- **Non toxic**
- **Flexible when dry**
- **Resistant to chemicals, petrol, diesel, oil, coolant**
- **Withstands temperatures up to 180°C and pressures up to 1300psi**
- **Can be drilled, tapped, ground, sanded, primed, painted or powder coated 10 seconds after use**

Part No.	Qty	Description
QB10	10 Kits	Q-Bond Kits c/w Display Box
QB10A	1 Kit	Q-Bond Kit

VIP 'PowerWeld' 2K Methacrylate

2-component structural adhesive (Methyl-Methacrylat-Ester) for bonding metal, modern difficult to bond plastics and innovative composites. Complete with 2 x mixer nozzles.

- **High lapshear resistance**
- **Very good chemical resistance**
- **High temperature specification**
- **Non runny**
- **Partly no primer / no sanding**
- **Remains elastic**
- **Wide adhesion spectrum**
- **Very good working consistency**
- **Fills cuts and gaps up to 4mm**
- **Good reworkability (sanding, drilling, painting, etc.)**
- **UV stable**

Part No.	Qty	Size
VIP52	1 Kit	25ml Cartridge

VIP 'Power Mix' - 1 Minute 2K Polyurethane Universal Repair Adhesive

2-part syringe cartridge.
Unique adhesive for plastic and metal components.
Cures in 1 minute (full cure time 24 hours).

Part No.	Pack of	Colour	Weight
VIP21B	2 Kits	Black	56g

VIP 'Power Mix' - 5 Minute 2K Polyurethane Universal Repair Adhesive

2-part syringe cartridge.
Unique adhesive for plastic and metal components.
Cures in 5 minutes (full cure time 24 hours).

Part No.	Pack of	Colour	Weight
VIP25C	2 Kits	Clear	56g

Applicator Nozzles

Suitable for 50ml 2-part syringe cartridges (suits Part No.s VIP25C & VIP21B).

Part No.	Pack of	Description
VIP37	12	Applicator Nozzles

Heavy Duty Applicator Gun

Suitable for 50ml
2-part syringe cartridges.

Part No.	Qty	Description
TL887	1	50ml Syringe Applicator Gun



VIP 'Power Mix' Primer

Adhesion promoter for most plastics, compound materials and a variety of surfaces. Developed to improve 2-part component adhesives performance, e.g. 'Power Mix'. Short drying time.

Part No.	Qty	Description
VIP35	1	150ml Aerosol

MOTIP 2 Component Filled Fibreglass Putty

2 component fibreglass putty for filling surface holes in steel, aluminium, wood, concrete and polyester. Fibre putty is easy to sand and has excellent filling properties. Fibre putty offers high impact resistance and may be resprayed with allpaints. It is resistant to chemicals and weather influences and can be applied in layers up to 2 cm in thickness.

Part No.	Qty	Weight
MP9	1	250g

MOTIP 2 Component Polyester Repair Set

NEW RANGE

2 component polyester resin to be used in combination with the enclosed fibreglass mat and fibreglass fleece. To fill holes in surfaces of steel, aluminium, wood, concrete and polyester. Also suitable to create objects for which a mould is required. Polyester resin is elastic and resistant to chemicals and weather influences. MoTip Polyester Resin has excellent adhesion and is, after hardening, only mechanically sandable.

Part No.	Qty	Weight
MP7	1	250g

MOTIP 2 Component Polyester Putty

Universal 2 component polyester putty to level irregularities in surfaces of steel, aluminium, wood, concrete and polyester. Polyester Putty is elastic and very easy to sand. Polyester putty is re-sprayable with all lacquer systems and resistant to chemicals and weather influences. MoTip Polyester Putty can be applied in layers with a thickness up to 2 cm.

Part No.	Qty	Weight
MP1	1	250g

MOTIP 2 Component Polyester Resin

2 component polyester resin to be used in combination with fibreglass mat or fibreglass fleeze. To fill holes in surfaces of steel, aluminium, wood, concrete and polyester. Also suitable to create objects for which a mould is required. Polyester resin is elastic and resistant to chemicals and weather influences. MoTip Polyester Resin has excellent adhesion and is after hardening only mechanically sandable.

Part No.	Qty	Weight
MP6	1	250g

MOTIP 2 Component Unfilled Fibreglass Putty

2 component fibreglass putty for filling surface holes in steel, aluminium, wood, concrete and polyester. Fibre putty has excellent filling properties. It offers high impact resistance and may be resprayed with all paints. It is resistant to chemicals and weather influences and can be applied in layers up to 2cm in thickness.

Part No.	Qty	Weight
MP8	1	250g

MOTIP 2 Component Bumper Repair Putty

2 component plastic putty to level irregularities in bumpers. Bumper repair putty is very elastic and easy to sand. Bumper repair putty can be resprayed with all paints, also powder coating, and has a very fine structure. Bumper repair putty is resistant to chemicals and weather influences and has excellent adhesion. MoTip Bumper Repair Putty can be applied in layers with a thickness up to 1 centimetre.

Part No.	Qty	Weight
MP2	1	250g

MOTIP 2 Component Metal Putty

2 component metal putty to level irregularities in surfaces of steel, aluminium, wood, concrete and polyester. As a result of the supplement of aluminium pigments, very easy to draw and consequently, ideal to treat larger surfaces. Metal putty is elastic and very easy to sand. Metal putty can be resprayed with all paints and resistant to chemicals and weather influences. MoTip Metal Putty can be applied in layers with a thickness up to 2 cm.

Part No.	Qty	Weight
MP4	1	250g

MOTIP 2 Component Fine Putty

2 component fine putty to level small irregularities in surfaces of steel, aluminium, wood, concrete and polyester. Fine Putty is easy to sand, elastic and resprayable with all lacquer systems. Fine Putty has a very fine structure and excellent adhesion and is resistant to chemicals and weather influences. MoTip Fine Putty can be applied in layers with a thickness up to 0.5 cm.

Part No.	Qty	Weight
MP3	1	250g

MOTIP Grey Finishing Putty (Tube)

Fast drying finishing putty to level small, superficial irregularities in surfaces of steel, aluminium, wood and polyester. Finishing putty has a fine structure and is easy to sand. MoTip Finishing putty is re-sprayable with all lacquer systems and can be applied in layers up to 0.5 millimetre.

Part No.	Qty	Weight
MP5	1	200g

MOTIP Fibreglass

Size: 0.5m²

Part No.	Qty	Type
MP10	1	Tissue
MP11	1	Fleece
MP12	1	Mat

Plastic Filler Spreader

Plain plastic.

- **Ideal for use in automotive workshops, marine and boat industry, fibre glass and general industry.**

Part No.	Pack of	Size
TL1001	10	70 x 106 mm

TEROSON UP 130 Chemical Metal

Repairs dents, pinholes and scratches. Can be drilled and tapped.

- **Original hard, multi purpose, two part repair paste**
- **Resistant to water, oil, fuel, most weak acids and chemicals**
- **Pot life: 4:30 mins**
- **Colour: dark grey**
- **Sandable: 15 to 20 mins**
- **High chemical resistance**

Part No.	Qty	Pack Size
VC994	1	321g

TEROSON UP 120 Leak Fix

Emergency repair of fuel tanks, leaking pipes, radiators etc.

- **Two part, all purpose emergency filler**
- **Resistant to oil, water and common chemicals**
- **Pot Life: 3:30 mins**
- **Colour: grey/green/black**
- **Sandable: 15 to 20 mins**
- **Temperature resistance up to 120°C**
- **Good temperature resistance**

Part No.	Qty	Pack Size
VC995	1	326g

SAS

BEST SELLER

S·A·S Multi Gasket

For sealing close fitting joints and flanged connections. Providing resistance to low pressures immediately after flange assembly.

- **Temperature range: -55°C up to 150°C.**
- **Excellent water and oil resistance.**
- **Anaerobic formula allows curing only when confined between metal parts.**
- **Silicone Free.**

Part No.	Qty	Size
SAS574	1	50ml Accordion Bottle
SAS574/12	Box of 12	50ml Accordion Bottles

LOCTITE

LOCTITE '574' Multi Gasket

Part No.	Qty	Size
VC940	1	50ml Bottle

LOCTITE

LOCTITE '5990' Silicone Copper

Gasket Maker/Sealant.

- **High performance.**

Part No.	Qty	Size
VC951	1	100ml Tube

HYLOMAR

HYLOMAR 'Hylotyte Red'

Semi hardening gasket and jointing compound. Supplied on a blister card.

- **Resistant to steam.**
- **Operating temperature range: -40°C to 250°C.**
- **Resistant to automotive fluids: Petrol, oil, water and anti-freeze.**

Part No.	Qty	Size
VC224	1	50g Tube

Granville

GRANVILLE Instant Gasket Silicone Sealant - Red 'Extra High Temp'

Compatible with catalytic converters.

- **Extra high temperature up to 650°F (343°C) intermittent.**

Part No.	Qty	Size
VC241	1	200ml Power Can

HYLOMAR

HYLOMAR 'Universal Blue' Gasket Compound

The original 'Blue Hylomar'.
Resistant to a wide range of fluids including all industrial fuels, oils, water and brine, air, turbine and piston engine combustion products, water, water/glycol and methanol mixtures, petroleum and synthetic diester lubricating oils, gasoline and kerosene fluids (Avtur & Avcat) and fluorocarbon refrigerants.

Part No.	Qty	Size
GLU12A	Pack of 3	40g Tubes
GLU12	Box of 12	40g Tubes
GLU4A	Pack of 3	100g Tubes
GLU4	Box of 12	100g Tubes

LOCTITE

LOCTITE '5926' Instant Gasket

Permanently flexible silicone sealant for gasket flanges of any shape and size. Sets very quickly. Ideal for a wide range of automotive applications.

Part No.	Qty	Size
VC952	1	40ml Tube

S·A·S High Temp Instant Gasket

For use as a gasket sealant to replace conventional gaskets. Waterproof formula seals leaks and can be used as an adhesive to bond metal, glass and rubber.

- **Temperature range: -40°C up to 240°C (Intermittent).**
- **Excellent water and oil resistance.**
- **Resistant to Petrol.**

Part No.	Qty	Size
SAS591	1	220ml Power Can

S·A·S Extra High Temp Instant Gasket

Red. High modulus flexible acetoxy.

- **Replaces conventional gaskets**
- **Temperature range: -40°C to +350°C (intermittent)**
- **Compatible with catalytic converters**
- **Power can application**
- **Resistant to Petrol and Diesel**

Part No.	Qty	Size
SAS592	1	220ml Power Can

S·A·S Instant Gasket - Blue

For use as a gasket sealant to replace conventional gaskets. Waterproof formula seals leaks and can be used as an adhesive to bond metal, glass and rubber.

- **Temperature range: -40°C to 240°C (Intermittent)**
- **Excellent water and oil resistance**
- **Resistant to Petrol and Diesel**

Part No.	Qty	Size
SAS590	1	100ml Tube
SAS590/12	Box of 12	100ml Tubes

S·A·S Instant Gasket - Clear

For use as a gasket sealant to replace conventional gaskets. Waterproof formula seals leaks and can be used as an adhesive to bond metal, glass and rubber.

- **Temperature range: -40°C to +250°C (intermittent).**
- **Compatible with catalytic converters.**
- **Resistant to Petrol.**

Part No.	Qty	Size
SAS593	1	100ml Tube
SAS593/12	Box of 12	100ml Tubes

S·A·S RTV Silicone Sealant

Premium quality specially formulated for automotive and industrial use. Bonds and seals metals, glass, rubber, etc. Flexible and resistant to transmission, cooling and lubricating fluids.

- **Temperature range: -40°C up to 150°C**
- **Excellent water and good oil resistance**
- **Mildew resistant - suitable for sanitary applications**

Part No.	Qty	Colour	Size
SAS202B/3	Pack of 3	Black	300ml Cartridges
SAS202B/12	Box of 12	Black	300ml Cartridges
SAS202C/3	Pack of 3	Clear	300ml Cartridges
SAS202C/12	Box of 12	Clear	300ml Cartridges
SAS202W/3	Pack of 3	White	300ml Cartridges
SAS202W/12	Box of 12	White	300ml Cartridges

Assorted Pack of Cartridge Nozzles

Suitable for most 300/310ml cartridges

Part No.	Description
SASNOZ	Pack of 12

2 x Colours: Black, Clear, White.



Cartridge Guns - General Use

For use with sealant cartridges up to 400ml.

Part No.	Pack of	Description
TL921	2	General Use Gun

COX The original



COX 'Easiflow HD' Cartridge Gun - Heavy Duty

For use with sealant cartridges up to 400ml.

Part No.	Qty	Description
TL885	1	Heavy Duty Gun

Geocel

GEOCEL 'Auto' Silicone

For sealing windscreens and making permanent replacement instant gaskets.

Part No.	Pack of	Size
VC247	6	78g Injector Cartridge

DEN BRAVEN 'Gasket - Sealant' High Temperature Silicone Sealant

Designed for forming gasket joints where an extremely high temperature resistance is necessary.

- **Trade strength.**
- **Resistance up to 300°C.**

Part No.	Pack of	Colour	Size
VC204	3	Red	310ml Cartridges

SIROFLEX 'Polyflex-HM' Polyurethane Sealant

300ml cartridge.

Part No.	Qty	Colour
VC203B	Pack of 3	Black
VC203BB	Box of 12	Black
VC203W	Pack of 3	White
VC203WB	Box of 12	White

Assorted Pack of Cartridge Nozzles

Suitable for most 300/310ml cartridges

Part No.	Description
SASNOZ	Pack of 12

2 x Colours: Black, Clear, White.



Cartridge Guns - General Use

For use with sealant cartridges up to 400ml.

Part No.	Pack of	Description
TL921	2	General Use Gun

COX The original



COX 'Easiflow HD' Cartridge Gun - Heavy Duty

For use with sealant cartridges up to 400ml.

Part No.	Qty	Description
TL885	1	Heavy Duty Gun

SIROFLEX Expanding Foam

Trade strength.

Part No.	Qty	Size
VC205	1	700ml Aerosol



VIP 'Power Bond' Windscreen MS-Polymer Sealant/Bonder

A unique sealing and bonding mastic of the new generation high-quality hybrid polymers

- **2 hour drive-away time.**
- **Suitable for use with integrated windscreen antenna.**
- **Cures under the influence of air.**
- **Can be painted after 15 minutes, even when wet.**
- **Fast drying, contains no isocyanates, solvents or silicone.**
- **Remains flexible.**
- **TÜV approved.**

Part No.	Qty	Colour	Size
VIP13B	1	Black	310ml cartridge
VIP13BB	12	Black	310ml cartridges

VIP 'Power Bond' Seam Sealer 1K MS-Polymer Sealant/Bonder

A unique sealing and bonding mastic of the new generation high-quality hybrid polymers.

- **Cures under the influence of air.**
- **Can be painted after 15 minutes, even when wet.**
- **Fast drying, contains no isocyanates, solvents or silicone.**
- **Remains flexible.**

Part No.	Qty	Colour	Size
VIP10B	1	Black	310ml cartridge
VIP10B/10	10	Black	310ml cartridges
VIP10C	1	Clear	310ml cartridge
VIP10C/10	10	Clear	310ml cartridges
VIP10G	1	Grey	310ml cartridge
VIP10G/10	10	Grey	310ml cartridges
VIP10W	1	White	310ml cartridge
VIP10W/10	10	White	310ml cartridges

VIP Black Windscreen Activator Primer for Sealant/Bonder

For use with 'Power Bond S' (Part No. VIP13B).

Part No.	Qty	Description
VIP33	1	38ml Bottle

S·A·S Brake & Air Line Sealant with PTFE

Instant low pressure sealant for fine and coarse threads up to 3 inch in diameter. Cures up to 60 hours after application, allowing for re-alignment of joints. Will not shred or tear. PTFE seals against oils, gases, chemicals.

- **Strength: Medium.**
- **Gap Fill: 0.40 mm.**
- **Petrol resistant.**

Part No.	Qty	Size
SAS572	1	50ml Accordion Bottle
SAS572/12	Box of 12	50ml Accordion Bottles

LOCTITE '572' Brake & Air Line Thread Sealant

Seals and locks.
Low strength.

Part No.	Qty	Size
VC945	1	50ml Bottle

High Density PTFE Gas Tape

Manufactured to EN 751-3 GRp, BS 6920.
WRAS approved.

- **33% thicker than standard PTFE tape.**
- **Developed especially for the gas industry.**
- **Suitable for use on all common gases and liquids.**

Part No.	Pack of	Width x Length
GLU51	10 Rolls	12 mm x 5 m

PTFE Thread Sealing Tape

BS 4375. 751-3:1997.
Supplied on a plastic spool.

- **For use on all materials: Steel, Alloy, Plastic, Copper and Ceramics.**

Part No.	Pack of	Width x Length
GLU5	10 Rolls	12 mm x 12 m

SAS

S·A·S Exhaust Assembly Paste

Eases exhaust assembly and seals all joints.

- **Silicone free.**

Part No.	Pack of	Size
SAS210/6	6	500g Cartridges
SAS210/12	12	500g Cartridges

Holts

HOLTS 'Firegum®'

Eases exhaust assembly and seals all joints.
Specially formulated for the assembly of all exhaust systems as well as flues and boiler pipes.

- **100% carbon monoxide proof.**
- **Withstands temperatures of up to 1000°C.**

Part No.	Pack of	Size
VC215	12	75g Tubes

SAS

S·A·S Exhaust Repair Putty

Specially designed for the lubrication and assembly of exhaust systems. Asbestos free and formulated to withstand pressures and temperatures commonly found in vehicle exhaust systems.

- **Temperature range: Up to 1,000°C.**

Part No.	Qty	Size
SAS220	1	200g Tub
SAS220/12	Box of 12	200g Tubs

Holts

HOLTS 'Gun Gum®' Silencer Repair Paste

Quick, simple and easy to use.
Repairs holes in silencers with a gas tight seal.
The hotter it gets the harder it gets!

Part No.	Pack of	Size
VC216	12	200g Tins



Cartridge Guns - General Use

For use with sealant cartridges up to 400ml.

Part No.	Pack of	Description
TL921	2	General Use Gun

HYLOMAR

HYLOMAR 'EAP5' Exhaust Assembly Paste

For efficient leak-proof exhaust systems.

- **Asbestos free.**
- **Withstands 1000°C.**
- **Smooth texture for easy working.**

Part No.	Pack of	Size
VC211	12	140g Tubes

COX The original



COX 'Easiflow HD' Cartridge Gun - Heavy Duty

For use with sealant cartridges up to 400ml.

Part No.	Qty	Description
TL885	1	Heavy Duty Gun

HYLOMAR

HYLOMAR 'ERP2'Exhaust Repair Putty

For efficient leak-proof repairs.

- **Asbestos free.**
- **Withstands 1000°C.**
- **Smooth texture for easy working.**

Part No.	Pack of	Size
VC212	12	250g Tubs

338

341

343

344

347

349

Hygiene + Safety

351

355

357

338 Hand Care
344 Hand Wipes
346 Janitorial
351 Vacuum Spares
354 Liquid Handling
360 Spillage Control
362 First Aid
363 Fire Safety
364 Safety Signage
374 Disposable Gloves
375 Gloves
377 Head Protection
378 Eye Protection
380 Respiratory Protection
382 Hearing Protection
384 Safety Clothing
386 Safety Boots + Footwear
388 Safety At Height

360

362

365

374

378

381

383

386

ROZALEX®

ROZALEX 'Medsan' Sanitising Cream

An alcohol free hand sanitiser lotion which also moisturises and acts as a light duty barrier cream. Chlorhexidine based for broad and safe bug killing properties. Once applied the quick drying, non greasy formula keeps killing bugs for up to 2 hours making ideal for use with food preparation or healthcare.

- **Hand Sanitiser & Moisturiser**
- **Alcohol FREE**
- **Works For 2 Hours After Application**
- **Non-Greasy**

Part No.	Qty	Size
RZ1001	1	250ml Dispenser Bottle

ROZALEX®

ROZALEX 'Rozsan' Sanitising Gel

High quality BS-EN approved hand sanitiser. Suitable for use in hospitals, nursing homes, schools and food preparation applications. Certified for use against MRSA, eColi, c-Diff, Listeria and Salmonella.

- **BS-EN approved high quality alcohol gel**
- **Better quality alcohol gives improved skin feel after use**
- **Can be used in Food preparation and Healthcare applications**
- **Quick drying**

Part No.	Qty	Size
RZ1002	1	500ml Dispenser Bottle

SAS

S·A·S Hand Sanitiser Gel

Waterless alcohol base gel.

- **Non-irritant formulation**
- **Kills 99.9% of bacteria**

Part No.	Qty	Size
SAS530	1	500ml Dispenser Bottle

Antibacterial Hand Gel

Waterless alcohol base hand sanitiser gel. Contains 75% Alcohol.

- **Kills 99.9% of germs**
- **Fragrance Free**
- **Quick Drying**

Part No.	Qty	Size
VC535	1	500ml Dispenser Bottle

ROZALEX®

ROZALEX 'Dri-Guard®' Barrier Cream

General purpose dry work barrier cream. Designed to give protection against everyday materials such as mineral oils, solvents, dust, grease, factory grime, cement and dry work in industry.

- **Contains lanolin derivative**
- **Gives protection against solvent and oil based contaminants**
- **Facilitates soil removal from skin**

Part No.	Qty	Size
RZ1004	1	450ml Tub
RZ1005	1	5 Ltr Bucket

ROZALEX®

ROZALEX 'Wet-Guard®' Barrier Cream

A general purpose wet work barrier cream. Designed to give protection against everyday materials such as neat and soluble cutting oils, dilute alkali and acids, detergents, coolants, wet cements and other water/oil based materials in industry.

- **Water repellent**
- **Gives protection against water based materials and contaminants**
- **Can be used as a general purpose barrier cream**
- **Suitable for use under gloves**

Part No.	Qty	Size
RZ1104	1	450ml Tub

SAS

S·A·S Barrier Cream

An essential pre-work tool in preventing irritating skin conditions and infections, its powerful non-greasy action protects the skin against paints, resins, epoxies, inks and tars.

Part No.	Pack of	Size
SAS500	4	1 Litre Bottles

ROZALEX®

ROZALEX 'Xworx®' Reconditioning Cream

A quality reconditioning cream that enables the skin to re-hydrate & replenish natural oils lost during the day.

- **Non-coloured, non-perfumed & non-greasy**
- **Prevents dry and cracked skin - a key cause of dermatitis**
- **Especially suitable for sensitive skin**
- **Keeps hands supple and flexible for safer and more efficient handling of tools and machinery**

Part No.	Qty	Size
RZ3004	1	450ml Tub

ROZALEX®

ZALPON 'Zing' Citrus Gel Hand Cleaner - Heavy Duty

A 100% solvent free heavy duty gel hand cleaner which features walnut scrub and moisturisers to clean working hands and leave them feeling soft with a unique triple citrus fragrance.

- **Removes: Oil, Grease, Paint & Grime**
- **Heavy Duty Cleaning Action**
- **Includes Walnut Scrub & Moisturisers**

Part No.	Qty	Size
RZ2011	6	1 Litre Dispenser Bottle
RZ2014	4	4 Litre Pump Pack

ROZALEX®

ZALPON 'Zorange' Orange Pumice Gel Hand Cleaner - Extra Heavy Duty

An extra heavy duty hand cleaner for ingrained dirt and oils. Containing natural orange oils, moisturisers, esters and pumice for a deep clean without drying the skin.

- **Extra Heavy Duty Hand Cleaner**
- **Contains Natural Orange Oils**
- **Ideal For Heavily Ingrained Hands**

Part No.	Qty	Size
RZ2001	6	1 Litre Dispenser Bottle
RZ2004	4	4 Litre Pump Pack

Swarfega®

SWARFEGA® 'Heavy' Hand Cleaner - Heavy Duty

Heavy duty gel formula containing non-abrasive natural scrubbing granules and added conditioner to quickly remove deeply ingrained oil and grease soilings and leave the skin feeling smooth after use.

- **Deep cleaning**
- **Added conditioner**
- **Fresh fragrance**

Part No.	Qty	Size
DEB15	1	15 Litre Bucket

Swarfega®

SWARFEGA® 'Orange' Hand Cleanser - Heavy Duty

Advanced formulation, solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep-down cleaning action and moisturiser to help care for the skin. Removes ingrained oil, grease and general grime.

Part No.	Qty	Size
DEB74PP	4	4 Litre Pump Pack
DEB75	1	15 Litre Bucket

DREUMEX

DREUMEX 'Classic' Red Hand Cleansing Gel

Hand cleansing gel for medium soilings such as oil, fats, grease, bitumen and rubber. Contains solvents. Ideal for use in garages, workshops and metalworking industry.

- **Increased cleaning powerbecause of skin friendly Silica micrograins**
- **Skin friendly - Dermatologically tested and approved**

Part No.	Qty	Size
VC706	1	600ml Tub
VC705	1	4.5 Litre Tin
VC715	1	15 Litre Bucket

Antibacterial Hand Soap

A mild yet effective formulation which leaves hands soft and clean and is suitable for regular use.

- **Kills 99.99% of germs**
- **Specially formulated and enriched with moisturiser**
- **Gentle and effective**

Part No.	Qty	Pack Size
VC506	1	485 ml Bottle
VC507	1	5 Litre Container

S·A·S Foam Hand Cleaner

A ready to use high quality, anti-bacterial, foaming hand & skin cleanser.

- Excellent cleaning performance yet gentle on the skin
- Does not contain petroleum or natural solvents
- A water based blend of non-ionic surfactants
- Kills germs and bacteria
- Pleasant fragrance

Part No.	Qty	Size
SAS543	12	600ml Pump Bottle

S·A·S Pink Pearl Hand Cleaner

A ready to use rich lotion hand cleanser designed for general purpose / washroom.

- Can be poured into a 1 Litre Dispenser
- Does not contain petroleum or natural solvents
- A water based blend of non-ionic surfactants
- Excellent cleaning performance yet gentle on the skin
- Pleasant Jasmine fragrance leaves hands smelling fresh & clean

Part No.	Qty	Size
SAS541	6	1 Litre Bottle

S·A·S Industry Gold Hand Cleaner

Engineering grade general purpose, solvent-free clear golden gel hand and skin cleanser with light orange fragrance.

- Can be poured into a 1 Litre Dispenser
- Does not contain petroleum or natural solvents
- A water based blend of natural soaps
- Can be used with or without water
- Excellent cleaning performance yet gentle on the skin
- Pleasant Orange fragrance, leaves hands feeling soft, fresh & clean

Part No.	Qty	Size
SAS542	6	1 Litre Bottle

S·A·S Soap Dispenser Unit

For bulk-filling. Dispenser can be used for most hand soap products. Wall Mounting. Complete with wall mounting fixings.
NOT suitable for use with beaded hand gels.

Part No.	Qty	Description
SAS540	1	1 Litre Dispenser Unit

Hand Care - Selection Guide

	Natural Mousse Scrub	Red Tough Grit Gel	Orange Pumice Gel	Citrus Sream Scrub
Fragrance :	Lavender	Industrial	Orange	Citrus
Type :	Mousse	Thick Gel	Light Gel	Cream
Category :	Medium Duty	Heavy Duty	Heavy Duty	Extra Heavy Duty
Sizes :	3 L / 10 L	5 L / 15 L	3 L / 10 L	3 L / 10 L
Effectively Removes :				
Grime	✓✓✓	✓✓✓	✓✓✓	✓✓✓
Grease	✓✓	✓✓✓	✓✓✓	✓✓✓
Ingrained Oil	✓✓	✓✓✓	✓✓✓	✓✓
Paints	✓	✓✓	✓✓	✓✓✓
Inks	✓	✓✓	✓✓	✓✓✓
Dyes	✓	✓✓	✓✓	✓✓✓
Tar / Glue	✓	✓✓	✓✓✓	✓✓✓
Contains :				
Corn Scrub				✓
Pumice		✓	✓	
Wood Flour / Walnut Scrub	✓			

S·A·S Abrasive Hand Wipes

Extra heavy duty textured hand and skin wipes impregnated with an effective cleansing solution.

- Abrasive & smooth sides allow scrubbing & wiping
- Also suitable for cleaning tools
- Non-scratching
- Pleasant orange fragrance leaves hands smelling fresh and clean
- Wipes stay fresh and moist for up to 18 months after opening
- Alcohol content 1-10%

Part No.	Qty	Size
SAS527	1	Bucket of 100 Wipes

S·A·S Non-Abrasive Hand Wipes

BEST SELLER

Heavy duty hand and skin wipes impregnated with an effective cleansing solution.

- Also suitable for cleaning tools
- Non-scratching
- Pleasant orange fragrance leaves hands smelling fresh and clean
- Alcohol content 1-10%

Part No.	Qty	Size
SAS520	1	Bucket of 150 Wipes

S·A·S Red Tough Grit Gel Hand Cleaner - Heavy Duty

A water based blend of non-ionic surfactants, soap and refined petroleum solvent.

- **Traditional gel cleanser**
- **Utilises best quality odourless kerosene**
- **Natural scrubbing agent pumice provides maximum dirt removal**
- **Pleasant industrial fragrance**
- **Non-poly-bead formulation**

Part No.	Qty	Size
SAS505	1	5 Litre Bucket
SAS515	1	15 Litre Bucket

S·A·S Natural Mousse Scrub Hand Cleaner - Medium Duty

A medium duty, water based and solvent-free hand cleaner suitable for use on damaged skin. Contains wood flour, walnut scrub and lavender oil for enhanced protection.

- **Solvent-free formula - Does not contain petroleum**
- **Natural scrubs - provides a skin-Friendly scrub to aid dirt removal**
- **Contains lavender oil - Leaves a pleasant 'fresh and clean' light fragrance**
- **Suitable for use on damaged skin - Leaving it feeling smooth and cared for**

Part No.	Qty	Size
SAS501A	1	3 Litre Tub
SAS501	6	3 Litre Tubs
SAS502	1	3 Litre Pump
SAS503	1	3 Litre Tub Wall Bracket
SAS511	1	10 Litre Container
SAS512	1	10 Litre Pump

S·A·S Orange Pumice Gel Hand Cleaner - Heavy Duty

A ready to use natural solvent based extra heavy-duty hand cleaner with pumice for enhanced skin cleaning.

- **A water based blend of natural solvents, surfactants and pumice**
- **Maximum performance on ingrained oils**
- **Pumice ensure maximum dirt removal**
- **Pleasant citrus fragrance leaves hands smelling fresh & clean**

Part No.	Qty	Size
SAS506A	1	3 Litre Tub
SAS506	6	3 Litre Tubs
SAS502	1	3 Litre Pump
SAS503	1	3 Litre Tub Wall Bracket
SAS516	1	10 Litre Container
SAS512	1	10 Litre Pump

S·A·S Citrus Cream Scrub Hand Cleaner - Extra Heavy Duty

Extra heavy duty hand cleaner with moisturisers and natural scrubbing agent.

Specifically formulated for the effective removal of:

- **Ingrained Oil**
- **Inks**
- **Grime**
- **Dyes**
- **Grease**
- **Paints**
- **Tar**

Part No.	Qty	Description
SAS504A	1	3 Litre Tub
SAS504	6	3 Litre Tubs
SAS502	1	3 Litre Pump
SAS503	1	3 Litre Tub Wall Bracket
SAS514	1	10 Litre Container
SAS512	1	10 Litre Pump

SCJohnson PROFESSIONAL
A family company™

DEB Dispenser Units

Suits all DEB (except DEB142) and SWARFEGA cartridges. Supplied empty.

Part No.	Qty	Description
DEB2	1	2 Litre Dispenser Unit
DEB4	1	4 Litre Dispenser Unit

DEB 'Skin Protection Centre' 2 Litre, 4 Litre & 2 x 1 Litre Dispenser Units

Robust lightweight boards containing DEB dispensers to provide effective 3-Step Skin Safety Programme. Dimensions (W x H): 800 mm x 570 mm. Supplied empty.

- **Everything you need for clean healthy skin in the most appropriate location**
- **Easy to install, easy to maintain**
- **Recommended contents: Step 1: 1L = DEB81. Step 2: 2L = DEB112 or DEB32. Step 3: 4L = DEB34, DEB24 or Swarfega DEB74. Step 4: 1L = DEB91.**

Part No.	Qty	Description
DEB6	1	Skin Safety Centre

DEB 'Estesol®' Blue Lotion Hand Cleanser - Light Duty

Light duty lotion hand cleaner with a light, pleasant unisex fragrance.

- **Contains glycerin**
- **Skin hypoallergenic**
- **Silicone-free**
- **Ideal for frequent use to remove general workplace dirt and grime**

Part No.	Qty	Description
DEB112	1	2 Litre Cartridge
DEB112C	4	2 Litre Cartridges
DEB114	1	4 Litre Cartridge
DEB114B	4	4 Litre Cartridges

DEB 'Solopol®' Lime Hand Cleanser - Medium Duty

A powerful medium duty cream hand cleaner.

- **Non-abrasive natural cornmeal hand scrub**
- **Contains lime extracts**
- **Removes industrial soiling, oil, grease and general dirt and grime**

Part No.	Qty	Description
DEB32	1	2 Litre Cartridge
DEB32C	4	2 Litre Cartridges
DEB34	1	4 Litre Cartridge
DEB34B	4	4 Litre Cartridges

DEB 'Kresto®' Citrus Hand Cleanser - Heavy Duty

A powerful citrus hand cleaner.

- **Non-abrasive natural cornmeal hand scrub**
- **Contains orange oil**
- **Removes difficult to remove soiling including inks, most adhesives, oil based paints, oil, grease and grime**

Part No.	Qty	Description
DEB22	1	2 Litre Cartridge
DEB22C	4	2 Litre Cartridges
DEB24	1	4 Litre Cartridge
DEB24B	4	4 Litre Cartridges

DEB 'Solopol® GFX™' Foaming Gritty Hand Cleanser - Heavy Duty

Heavy duty gritty power foam hand cleaner with non-abrasive natural scrubbing agents.

- **Lightly fragranced, solvent-free formulation is twice as effective as traditional heavy duty soaps**
- **Efficient foam formula provides over 43% more hand washes compared with traditional hand cleansers**
- **Removes ingrained oil, grease, carbon black & lubricants**

Part No.	Qty	Description
DEB142	1	3.25 Litre Cartridge
DEB142B	4	3.25 Litre Cartridges
DEB3	1	3.25 Litre Heavy Duty Dispenser Unit

DEB 'InstantFOAM' Complete Foaming Hand Sanitiser

Kills 99.999% of many common germs and is fully tested and proven to be bactericidal, virucidal, yeasticidal and mycobactericidal.

- **Quick and easy to apply - No water required**
- **Skin conditioners leave hands feeling soft and smooth**
- **Hypo allergenics minimise the risk of allergic reactions**
- **No gelling agents or polymers that leave a sticky residue on hands**

Part No.	Qty	Size
DEB201	1	1 Litre Cartridge
DEB201B	6	1 Litre Cartridges
DEB200	1	1 Litre Dispenser Unit

SWARFEGA® 'Orange' Hand Cleanser - Heavy Duty

NEW

Advanced formulation, solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep-down cleaning action and moisturiser to help care for the skin. Removes ingrained oil, grease and general grime. Also compatible with DEB Dispenser Unit (Part No. DEB4).

- **Added moisturisers**
- **Fresh orange fragrance**
- **Dermatologically tested**
- **Toxicological approval**

Part No.	Qty	Size
DEB74	1	4 Litre Cartridge
DEB74B	4	4 Litre Cartridges
DEB7	1	4 Litre Dispenser Unit

DEB 'Stokoderm® Protect Pure' General Skin Protection Cream

Extra protection skin cream.

- **Pre-work protective and reconditioning cream**
- **Protects the skin against contact with water and non-water based contaminants**
- **For wet and dry work**

Part No.	Qty	Size
DEB80A	1	100ml Bottle
DEB81	1	1 Litre Cartridge
DEB81B	6	1 Litre Cartridges
DEB1	1	1 Litre Dispenser Unit

SWARFEGA® 'Orange' Hand Cleanser - Heavy Duty

Advanced formulation, solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep-down cleaning action and moisturiser to help care for the skin. Removes ingrained oil, grease and general grime.

Part No.	Qty	Size
DEB74PP	4	4 Litre Pump Pack
DEB75	1	15 Litre Bucket

DEB 'Stokolan® Classic' After-Work Conditioner Cream

Apply at the end of each work period to moisturise skin.

- **A mild, super-hydrating after work conditioning cream**
- **Increases skin moisture by approximately 60%**

Part No.	Qty	Size
DEB90A	1	100ml Bottle
DEB91	1	1 Litre Cartridge
DEB91B	6	1 Litre Cartridges
DEB5	1	1 Litre Dispenser Unit

SWARFEGA® 'Heavy' Hand Cleaner - Heavy Duty

Heavy duty gel formula containing non-abrasive natural scrubbing granules and added conditioner to quickly remove deeply ingrained oil and grease soilings and leave the skin feeling smooth after use.

- **Deep cleaning**
- **Added conditioner**
- **Fresh fragrance**

Part No.	Qty	Size
DEB15	1	15 Litre Bucket

SCRUBS-IN-A-BUCKET Alcohol Free Hand Cleaner Towels

Fast one-step process hand cleaning towels.

- **Does not transfer soil back onto hands**
- **Quickly removes: Dirt, Oil, Tar, Adhesives, Lubricants, Grease, Urethanes, Epoxies, Sealants, Paints, Inks and Dyes**
- **Can also be used on: Tools, Plastics, Painted Surfaces, Work Surfaces, Metals, Vinyls and Equipment**
- **Unique alcohol free formula leaves hands feeling moisturised not dry**

Part No.	Qty	Description
VC534	1	Tub of 72

GRIME-EEZ® Multi-Wipes

Hand wipes for general applications in industrial environments including engineering, printing, mechanics and plumbing. Supplied in a re-sealable tub.

- **Low alcohol based antibacterial cleaning solution**
- **Leaves skin cleansed and dry**
- **Wipes will last 18 months if tub is kept resealed**
- **No need for water**
- **Alcohol content 1-10%**

Part No.	Qty	Description
VC530	1	Tub of 150 Wipes

BIG WIPES 'Multi-Purpose' Super Tough Absorbent Wipes

Cleans paint (oil, water and hammer finish), adhesives (including adhesive and tape deposits), silicone, epoxy, PU foam, oil grease from hands, tools and surfaces.

- **Alcohol content 0.1-1.0%**

Part No.	Qty	Size
VC2010	1	80 Wipe Tub

BIG WIPES 'Heavy-Duty ' Textured, Scrub & Clean Wipes

Dual sided wipes designed for scrubbing and cleaning. Cleans paint, adhesive, oil and more from hands, tools & surfaces.

- **Alcohol content 0.1-1.0%**

Part No.	Qty	Size
VC2020	1	80 Wipe Tub

S·A·S Abrasive Hand Wipes

Extra heavy duty textured hand and skin wipes impregnated with an effective cleansing solution.

- **Abrasive & smooth sides allow scrubbing & wiping**
- **Also suitable for cleaning tools**
- **Non-scratching**
- **Pleasant orange fragrance leaves hands smelling fresh and clean**
- **Wipes stay fresh and moist for up to 18 months after opening**
- **Alcohol content 1-10%**

Part No.	Qty	Size
SAS527	1	Bucket of 100 Wipes

S·A·S Non-Abrasive Hand Wipes

Heavy duty hand and skin wipes impregnated with an effective cleansing solution.

- **Also suitable for cleaning tools**
- **Non-scratching**
- **Pleasant orange fragrance leaves hands smelling fresh and clean**
- **Alcohol content 1-10%**

Part No.	Qty	Size
SAS520	1	Bucket of 150 Wipes

BIG WIPES 'The Cage' Wall Bracket

Ideal for storing BIG WIPES on a van or in a workshop. Suits Part No.'s VC2010, VC2020 and VC2440.

Part No.	Qty	Size
VC2421	1	Wall Bracket

BIG WIPES 'Multi-Surface' Super Absorbent Bio Wipes

BIO DEGRADABLE

The biodegradable alternative for water based products and general dirt. Dermatologically tested and assessed to the latest EU regulations 1223/2009 - ZERO levels of skin irritation recorded. Unique formula cleans paint (oil, water and hammer finish), adhesives (including adhesive and tape deposits), silicone, epoxy, PU foam, oil grease from hands, tools and surfaces.

- **All natural plant-based viscose fabric and unique 4X4 formula are 100% biodegradable**
- **Water-based formula offers >99% antibacterial protection**
- **Alcohol content 0.1-1.0%**

Part No.	Qty	Size
VC2440	1	80 Wipe Tub

ULTRAGRIME PRO 'Multiuse' Clothwipes

Super-size performance alcohol-free low foaming wipes for hands, tools walls and all surfaces.

- **Removes oil, grease, ink, paint, silicone and uncured PU foam**
- **100 super-size wipes**
- **Stay wet for over an hour!**
- **Skin safe! - Dermatologically tested**
- **Super-soft, strong and absorbent**
- **Contains Vitamin E and Aloe extract**
- **Contains antibacterial agent**

Part No.	Qty	Pack Size	Wipe Size
VC121	1	Pack of 100	38 cm x 25 cm

ULTRAGRIME PRO 'Multiuse BIO' Biodegradable Clothwipes

Super-size performance alcohol-free low foaming wipes for hands, tools, walls and all surfaces. 100% biodegradable to EN14046.

- **Removes oil, grease, ink, paint, silicone and uncured PU foam**
- **100 super-size wipes**
- **Stay wet for over an hour!**
- **Skin Safe! - Dermatologically tested**
- **Super-soft, strong and absorbent**
- **Contains Vitamin E and Aloe extract**
- **Contains antibacterial agent**

Part No.	Qty	Pack Size	Wipe Size
VC124	1	Pack of 100	38 cm x 25 cm

ULTRAGRIME PRO 'Anti-Bac' Clothwipes

Conforms to EN 1276, EN 13727 and EN 14476 standards. Bactericidal and virucidal wipe with a 60 second kill rate on viruses. Kills enveloped viruses including Coronaviruses and SARS Cov-2 which is the virus which causes Covid-19.

- **100 super-size wipes**
- **Kills 99.999% of germs in 30 seconds**
- **Stay wet for over an hour!**
- **Can be used on any surface**
- **Dermatologically tested – safe on hands**

Part No.	Qty	Pack Size	Wipe Size
VC126	1	Pack of 100	38 cm x 25 cm

ULTRAGRIME PRO 'Power Scrub' Clothwipes

Ultra-strong cloth fabric has a rough abrasive side and a powerful grease-busting cleaning agent.

- **80 super-size wipes**
- **Dermatologically tested - safe on skin**
- **Stays wet and useable for over an hour**
- **Removes grease, paint, silicone, uncured PU foam, and adhesives**
- **Alcohol-free with vitamin E and aloe extract formula**
- **Safe for all surfaces**
- **Large absorbency capacity**
- **3-in-1 action: lifts, cleans and protects**

Part No.	Qty	Pack Size	Wipe Size
VC127	1	Pack of 80	38 cm x 25 cm

GRIMEX Alcohol Free Hand Cleaning Wipes

Individual hand cleaners. No mess, no waste, no water necessary. Cleans hands of: Oil, Grease, Ground in dirt, Inks, Paints and Tars where no water is available. Re-sealable dispenser pack.

Part No.	Qty	Description
VC519	1	Dispenser Pack of 100

UNIWIPE 'Clinical' Sanitiser & Cleaner Wipes

Fragrance & alcohol-free clinical sanitiser and cleaner. Sanitising efficacy EN1276 and EN13727. Highly effective cleaning wipes with outstanding microbiocidal performance. Effective against bacteria, fungi and viruses.

- **Kills Norovirus, MRSA and H1N1**
- **Safe and suitable for all surfaces**
- **Grippy and absorbent**
- **Harmless and hand safe**
- **Trusted in healthcare organisations**
- **Dual action cleaner and sanitiser**
- **Very low foaming**

Part No.	Qty	Pack Size	Wipe Size
VC122	1	Pack of 100	38 cm x 25 cm
VC125	1	Pack of 200	20 cm x 20 cm

NILCO 'H1' Professional Antibacterial Cleaner and Sanitiser

NSF Registration Number 141336. Complies with BS EN 1276. A neutral solvent based aqueous bactericidal and virucidal anti-static cleaner.

- **Effective against a wide range of bacteria and moulds**
- **Leaves surfaces hygienically clean**
- **Fast drying, ideal for kitchen surfaces**
- **Safe for use on: Food preparation areas, work surfaces, stainless steel, ceramic tiles, walls and other hard non-porous surfaces**

Part No.	Qty	Pack Size
NIL11	1	1 Litre Trigger Sprayer
NIL15	1	5 Litre Container

CLINELL Alcohol Free Universal Sanitising Wipes

Tested to European Standard EN1276 and prEN 12054. Proven to kill 99.999% of germs making them one of the most effective sanitising wipes on the market. Supplied in a durable resealable pack.

- **Clinically proven to kill superbugs - NHS approved**
- **Wipes for cleaning and disinfecting surfaces and equipment**
- **No damage to surfaces**

Part No.	Qty	Size
WS140	1	40 Wipes Pack
WS120	1	200 Wipes Pack

JEYES FLUID Multi-Purpose Disinfectant for Outdoor Use

Strong disinfectant for drains, dustbins, etc.

- **Removes fungi, algae, moss and lichen from paths, fences, walls etc.**

Part No.	Qty	Size
JEY5	1	5 Litres

NILCO Citrus Urinal Blocks

Deodorant urinal blocks with a powerful, persistent perfume.

Part No.	Qty	Size
NIL618	1	3 kg Tub

NILCO Bactericidal Washing Up Liquid

Dilute 1:80 with water to ensure effective cleaning.

- **Contains a broad spectrum biocide**

Part No.	Qty	Size
NIL630	1	5 Litre Container

S·A·S Heavy Duty Surface Degreaser

Suitable for use in power wash and hand pump wash dispensers. Can also be used for hand application.

- **Suitable for use on engines and chassis.**
- **Water-based and non-flammable - Suitable for petrol station forecourts.**
- **Economical formula - can be diluted**
- **Silicone FREE formula.**

Part No.	Qty	Size
SAS1059	1	5 Litre Container

NILCO Heavy Duty Floor Cleaner

Dilute with water for required performance.

- **Citrus fragranced**

Part No.	Qty	Size
NIL624	1	5 Litre Container

S·A·S Citrus Fragrance All Purpose Cleaner

Supplied in a stackable UN container. Soiling dilution ratio: Very heavy use neat, Heavy 10:1, Medium 50:1, Light 100:1.

- **Non Harmful Formulation - Safe to use on virtually any substrate, cleans all hard surfaces including floors, walls, desks & washrooms**
- **Alloy Wheel Safe Formula - Perfect for cleaning vehicles inside and out, including highly polished and anodized aluminium alloy wheels**
- **Alcohol FREE formula**

Part No.	Qty	Size
SAS2010	1	5 Litre Container

Antiviral Disinfectant

This powerful formulation kills a range of pathogenic viruses in under 5 minutes and is suitable for use on most non-porous surfaces. When used as directed, leaves treated surfaces safe for human contact.

- **Effective against Coronavirus**
- **Kills 99.99% of germs and viruses**
- **Cleans and disinfects**
- **Ready to use**

Part No.	Qty	Pack Size
VC508	1	750 ml Trigger Spray
VC509	1	5 Litre Container

LIFT Spray Cleaner with Bactericide

A liquid cleaner with a powerful bactericide which provides quick, easy cleaning and sanitising for all food preparation surfaces, microwaves, chopping boards, fridges and freezers.

- **An effective hard surface cleaner and sanitiser capable of removing a wide variety of ingrained and greasy soiling**
- **Anti-microbial activity: effective against both gram negative and gram positive bacteria**
- **Tested under BSEN1276 and BSEN13697 and found to kill 99.99% of germs within 30 seconds**

Part No.	Qty	Pack Size
VC511	1	750 ml Trigger Spray
VC512	1	5 Litre Container

Paper Towels

Paper towels help prevent cross contamination through minimal contact.

- **Made from 100% recycled paper**
- **Wall Dispensers also available**

Part No.	Pack Qty	Size W x L	Colour	Type
WB41	250	240 x 235 mm	Blue	Z-Fold
WB42	240	240 x 235 mm	Blue	V-Fold
WB43	240	230 x 310 mm	Green	C-Fold
WB40	1	Dispenser Unit		

Nail Brushes



Part No.	Pack of	Description
WS29	6	Plastic Nail Brushes
WS21	3	Wooden Nail Brushes

Toilet Rolls

2-ply sheets. Standard size.

Part No.	Pack of	Description
VC524	36 Rolls	Toilet Rolls

Blue Paper Wipes - Small Rolls

190 mm 2-ply sheets. 150 m rolls.
Rolls can be centre fed for use with Dispenser Unit.

Part No.	Pack of	Description
VC529	6 Rolls	Small Blue Rolls
VC559	1	Dispenser Unit

Blue Paper Wipes - Large Rolls

280 mm 2-ply sheets. 400 m roll.

Part No.	Pack of	Description
VC537	2 Rolls	Large Blue Rolls
VC526	1	Floor Stand

White Paper Wipes - Low-Lint Airlaid

240 mm x 130 m rolls.

Part No.	Qty	Description
VC538	2 Rolls	White Paper
VC526	1	Floor Stand

Polishing (Mutton) Cloths

100% cotton stockinette.

Part No.	Qty	Size
WC1	1	750g Roll
WC3	1	1 kg Bale of Cut Lengths
WC13	1	2 kg Bale of Precut Lengths

Basic Coloured Industrial Wipes

Durable and re-useable mixture of cotton-rich material, ideal for heavy industrial cleaning where a cost-effective solution is required.
NOT recommended for polishing.

Part No.	Qty	Size
VC667	1	10 kg Bag

General Purpose Industrial Wipes

Absorbent, durable and re-useable 'Rags-in-a-Bag'.

Part No.	Qty	Size
VC669	1	10 kg Bag

Standard White Industrial Wipes

Absorbent, durable and re-useable mixture of cotton-rich material 'Rags-in-a-Bag'.

Part No.	Qty	Size
VC668	1	10 kg Bag

Dustbin & Lid

Galvanised steel.

Part No.	Qty	Capacity
WB73	1	90 Litres

50L Swing Bin

Made from tough easy to clean polyproylene.
Lift off lid for easy cleaning.
Can be used with or without refuse sacks.

Part No.	Qty	Capacity
WB113	1	50 Litres

Bin Bags

White.

Part No.	Pack Qty	Size
WB71	1,000	380 x 600 x 600 mm

Polythene Sacks

For storage or refuse.

Part No.	Pack of	Dimensions	
BAG14	50	89 x 56 cm	(35" x 22")

Refuse Sacks/Liners

For general refuse.

Part No.	Pack of	Description
BAG17	100	Refuse Sacks/Liners

Stales (Broom Handles) - 1 1/8" (28.7 mm) Ø

Suitable for Part Nos WB5, WB9 & WB12.

Part No.	Pack of	Length	
WB7L	2	**5 ft Stales (Handles)**	(1.52 m)

Stales (Broom Handles) - 15/16" (23.8 mm) Ø

Suitable for Part Nos WB3, WB4, WB11 & WB81.

Part No.	Pack of	Length	
WB6	2	**4 ft Stales (Handles)**	(1.22 m)
WB6L	2	**5 ft Stales (Handles)**	(1.52 m)

Yard Broom Heads - Stiff Bass

For use with 15/16" Ø handle.

Part No.	Pack of	Width		Suits Stale Part No.
WB4	2	**12"**	(30 cm)	WB6/WB6L

Broom Heads - Soft Natural Coco

Part No.	Pack of	Width		Suits Stale Part No.
WB3	4	**12"**	(30 cm)	WB6/WB6L
WB9	2	**18"**	(46 cm)	WB7L
WB5	2	**24"**	(61 cm)	WB7L

Metal Stays for Brooms

Suitable for Part No.s WB4, WB5 & WB9.

Part No.	Pack of	Description
WB8	2	**Metal Stays**

Broom Head - Soft PVC Bristles

For use with 15/16" Ø handle.

Part No.	Qty	Width	Hole Size	Suits Stale Part No.
WB75	1	**275 mm (11")**	15/16"	WB6/WB6L

Hand Brushes - Medium Bristles

Part No.	Pack of	Description
WB14	2	**Hand Brushes**

Dust Pan - Metal

Part No.	Qty	Description
WB15	1	**Metal Dust Pan**

Dustpan & Brush

Plastic.

- **Soft nylon bristles**

Part No.	Qty	Description
WB72	2 Piece Set	**Dustpan & Brush**

Looking for Mops & Buckets?

Our floor cleaning range continus overleaf

Stales (Broom Handles) - 15/16" (23.8 mm) Ø

Suitable for Part Nos WB3, WB4, WB11 & WB81.

Part No.	Pack of	Length	
WB6	2	4 ft Stales (Handles)	(1.22 m)
WB6L	2	5 ft Stales (Handles)	(1.52 m)

Wooden Back Rubber Squeegee

Plain wooden back fitted solid black rubber blade.
Complete with the Rapid Lock System. For use with 15/16" Ø handle.

Part No.	Qty	Length	Suits Stale Part No.
WB11	1	457 mm	WB6/WB6L

Light Duty Metal Fitted Rubber Squeegee

Chrome plated metal frame.
Fitted 100% double mousse blade. For use with 15/16" Ø handle.

Part No.	Qty	Length	Suits Stale Part No.
WB12	1	450 mm	WB6/WB6L

Mop Head - String 16 oz

For use with 15/16" Ø handle.

Part No.	Qty	Description	Suits Stale Part No.
WB81	1	Mop Head	WB6/WB6L

Mop Bucket - Metal

Galvanised. Complete with wringing cone.

Part No.	Qty	Description
JUG11	1	Mop Bucket

Kentucky Mop System

Durable mop head suitable for wood, laminate and other floor surfaces.

Part No.	Qty	Description
WB76	1	Aluminium Screw Fit Handle - 1.37m
WB77	1	Plastic Mop Screw Fitting
WB78	1	Kentucky Mop Head - 454g

14L Plastic Mop Bucket

Made from durable and robust plastic.
Graduation marked. Complete with large wringer.

Part No.	Qty	Description
WB80	1	Mop Bucket

20L Kentucky Mop Bucket On Wheels

Mop bucket with wringer. On wheels for easy manoeuvrability.

Part No.	Qty	Description
WB79	1	Mop Bucket On Wheels

Caution Wet Floor Sign

A-frame style foldable "Caution Wet Floor/Cleaning In Progress" sign.

Part No.	Qty	Description
WB112	1	Wet Floor Sign

Dry Vacuum Kit - 32 mm

Suits Numatic Henry type vacuums.

Part No.	Qty	Diameter
VAC11	1	32 mm

Kit contains:1 x Pedal Floor Tool (VAC9) ,2.5 m Hose Kit (VAC14), Chrome Bend (VAC16). 2 x Chrome Straights (VAC18).

Vacuum Straight

Part No.	Qty	Diameter x Length	Material
VAC18	1	32 mm x 500 mm	Chrome

Vacuum Bend

Part No.	Qty	Diameter	Material
VAC16	1	32 mm	Chrome

Vacuum Bags

Suits Numatic Henry type vacuums.

Part No.	Pack of	Description	Type
VAC71	10	1 Motor Type	1B
VAC70	10	1 Motor - HEPA-FLO	

Vacuum Filters & Seals

Suits Numatic Henry type vacuums.

Part No.	Qty	Size
VAC50	1	12" Filter Dry
VAC51	1	12" Seal

Soft Round Dusting Brush

Brush diameter: 65 mm.

Part No.	Qty	Diameter
VAC2	1	32 mm

Crevice Tool

Tool length: 240 mm.

Part No.	Qty	Diameter
VAC4	1	32 mm

Upholstery Nozzle

Tool width: 150 mm.

Part No.	Qty	Diameter
VAC8	1	32 mm

Pedal Floor Tool

Tool width: 400 mm.

Part No.	Qty	Diameter
VAC9	1	32 mm

Angled Hose Cuff

Part No.	Qty	Diameter
VAC6	3 Piece Set	32 mm

Machine End Cuff

Part No.	Qty	Diameter
VAC20	2 Piece Set	32 mm

Hose Kit

Complete with Angled Hose Cuffs and Machine Cuffs

Part No.	Qty	Diameter x Hose Length
VAC14	1	32 mm x 2.5 m

Extra Long Hose

Part No.	Qty	Diameter x Hose Length
VAC13	1	32 mm x 15 m

Industrial Dry Vacuum Kit - 38 mm

Suits 2 and 3 motor vacuums.

Part No.	Qty	Diameter
VAC12	1 Kit	38 mm

Kit contains: 1 x All Brush Floor Tool (VAC23), 2.5 m Hose Kit (VAC15), Aluminium Bend (VAC17). 2 x Aluminium Straights (VAC19).

Commercial Wet Vacuum Kit

Suits 2 and 3 motor vacuums.

Part No.	Qty	Diameter
VAC32	1 Kit	38 mm

Kit contains: 1 x Wet Squeegee Floor Tool (VAC30), 2.5 m Hose Kit (VAC15), Aluminium Bend (VAC17). 2 x Aluminium Straights (VAC19).

Round Dusting Brush

Part No.	Qty	Diameter
VAC3	1	38 mm

Crevice Tool

Part No.	Qty	Diameter
VAC5	1	38 mm

All Brush Floor Tool

Tool width: 400 mm.

Part No.	Qty	Diameter
VAC23	1	38 mm

Wet & Dry Dual Floor Tool

Tool width: 400 mm.
Brush front with rear squeegee.

Part No.	Qty	Diameter
VAC24	1	38 mm

Wet Squeegee Floor Tool

Tool width: 400 mm.

Part No.	Qty	Diameter
VAC30	1	38 mm

Angled Hose Cuff

Part No.	Qty	Diameter
VAC7	3 Piece Set	38 mm

Machine End Cuff

Part No.	Qty	Diameter
VAC21	2 Piece Set	38 mm

Hose Kit

Complete with Angled Hose Cuffs and Machine Cuffs

Part No.	Qty	Diameter x Hose Length
VAC15	1	38 mm x 2.5 m

Vacuum Straight

Part No.	Qty	Diameter x Length	Material
VAC19	1	38 mm x 500 mm	Aluminium

Vacuum Bend

Part No.	Qty	Diameter	Material
VAC17	1	38 mm	Aluminium

Commercial Wet & Dry Dual Floor Tool Vacuum Kit

Brush front with rear squeegee. Suits 2 and 3 motor vacuums.

Part No.	Qty	Diameter
VAC34	1 Kit	38 mm

Kit contains: 1 x Wet & Dry Multi-Tool (VAC24), 2.5 m Hose Kit (VAC15), Aluminium Bend (VAC17). 2 x Aluminium Straights (VAC19).

Commercial Wet & Dry Vacuum Kit

Suits 2 and 3 motor vacuums.

Part No.	Qty	Diameter
VAC33	1 Kit	38 mm

Kit contains: 1 x Wet Squeegee Floor Tool (VAC30), All Brush Floor Tool (VAC23), 2.5 m Hose Kit (VAC15), Aluminium Bend (VAC17). 2 x Aluminium Straights (VAC19)

Vacuum Bags

For 2 and 3 motor vacuums.

Part No.	Pack of	Description	Type
VAC72	10	2 Motor Type	3B
VAC73	10	3 Motor Type	4B

Vacuum Filters & Seals

Suits 2 and 3 motor vacuums.

Part No.	Qty	Size
VAC52	1	14" Filter Dry
VAC53	1	14" Seal

Heater & Vacuum On/Off Switches

16(4)A, 250VAC. Panel cut out 'A' style: 27.2 x 22.3 mm.

Part No.	Qty	Switch Colour
EC13	1	Black
EC14	1	Illuminated Red

Wet Ball Float Assembly

Suits 2 and 3 motor vacuums.

Part No.	Qty	Description
VAC42	1	Wet Ball Float Assembly

Vacuum Castors

Suits 2 and 3 motor vacuums.

Part No.	Pack of	Description	Fitting
VAC62	1	3" Swivel	Female
VAC64	1	3" Braked	Female
VAC63	4	3" Swivel	Male

Push & Twist Fit Wet & Dry Dual Floor Tool Vacuum Kit

Suits KÄRCHER NT type vacuums.

Part No.	Qty	Size
VAC100	1 Kit	38 mm

38 mm Kit contains: 1 x Wet & Dry Multi Tool, 2.5 m Hose Kit, Crevice Tool, Aluminium Bend, 2 x Aluminium Straights x 500 mm.

Multi-Purpose Drain Pan

Polyethylene with raised platform for cleaning parts, etc.
Diameter x Height: 40 cm (16") x 10.2 cm (4").

Part No.	Qty	Capacity
JUG12	1	6 Litre

Oil/Fluid Drain Pans

Complete with pouring spout and steadying handle.

Part No.	Qty	Capacity
JUG16	1	7.6 Litre
JUG17	1	14 Litre

Cassette Hose Reel

15 m non-kink hose with fitted tap connector and spray nozzle. Supplied on an easy wind storage cassette.

Part No.	Qty	Description
TUB60	1	Cassette Hose Reel

Watering Can

Polythene.

Part No.	Qty	Capacity
JUG6	1	6.5 Litre

Pails (Buckets)

Black heavy duty polythene.
Graduated with pouring lip and handle.

Part No.	Pack of	Capacity	
JUG8	5	14 Litre	(3 Gallon)

Watering Can

Polythene.

Part No.	Qty	Capacity
JUG10	1	10 Litre

Fuel Cans

Plastic. Conforms to the Petroleum-spirit (plastic Containers) Regulations 1982 SI1982/630.

- **Colour coded for safe identification of fuels.**
- **c/w easy to use flexible pouring spouts.**

Part No.	Qty	Capacity	Colour	Suits
CAN105	1	5 Litre	Green	Petrol
CAN110	1	10 Litre	Black	Diesel

Steel Jerry Can

Conforms with UN Certification and UK HSE regulations. Manufactured from 0.8 mm steel. Safety pin included.

- **Robust construction for strength and long lasting performance**
- **Powder coated internally and external for a tough and durable finish**

Part No.	Qty	Capacity	Colour	Size (H x D x W)
CAN305	1	5 Litre	Khaki Green	24 x 12 x 31 cm
CAN310	1	10 Litre	Khaki Green	30 x 13 x 41 cm
CAN320	1	20 Litre	Khaki Green	36 x 17 x 47 cm

Steel Jerry Can Spout

Manufactured from 0.8 mm steel. Designed to fit snugly onto the 5, 10 and 20 Litre Jerry Cans.

- **Powder coated internally and external for a tough and durable finish**
- **Makes pouring easier**

Part No.	Qty	Description
CAN24	1	Pouring Spout



S·A·S 5 Litre Dispenser Tap

Suits all S·A·S 5 Litre UN containers.

Part No.	Qty	Thread Size
SAS2000T	1	51 mm

Drum Tap

Manufactured from PE, PP and LDPE. Suitable for use with blow moulded containers with DIN 60 neck finish (HDPE/PP).

Part No.	Qty	Thread Size	Suits Part No.
SAS62T	1	61 mm	SAS62

Die Cast Zinc Drum Tap - Lockable

NOT suitable for diesel.

Part No.	Qty	Thread Size
CAN21	1	3/4" BSP



Drum Tap - Polyethylene

Part No.	Pack of	Thread Size
VC99	3	3/4" BSP

Drum Tap - Polypropylene

Lockable. Suitable for diesel and anti-freeze.

Part No.	Qty	Thread Size
CAN22	1	3/4" BSP

Drum Tap - Solid Brass

Lockable.

Part No.	Qty	Description
CAN23	1	3/4" BSP

Drum Tap - Self Closing All Metal

Zinc alloy. Lockable.

Part No.	Qty	Thread Size
CAN20	1	3/4" BSP

Oil Suction Guns

Supplied with 400 mm hose.

Part No.	Qty	Capacity
CAN16	1	500 cc
CAN11	1	800 cc
CAN18	1	1000 cc



LASER Evacuation/Dispensing Pump

Removes fluid from overfilled cooling systems or expansion bottles.

- **Metric and imperial measures.**
- **Polycarbonate tube with aluminium cap and handle.**

Part No.	Qty	Capacity
TL7400	1	1 Litre

Hand Operated Oil Suction Pump

Supplied with 3 extension tubes. NOT suitable for Petrol or Diesel.

- **Ideal for extracting* or changing engine oils or lubricants in plant, vehicles, motorbikes, etc. As well as non lubricants such as water from tanks.**
  *** Extracts fluids ONLY.**

Part No.	Qty	Capacity
CAN30	1	6.5 Litres

Lever Operated Barrel Pump

Supplied with a 2" BSP and Tri-sure adaptor.
Includes telescopic riser tube and 2 metre hose.
Polypropylene body. Viton seals. 500cc flow rate (per stroke).
Size: 1 m x 260 mm. NOT suitable for products containing Toluene.

Suitable for use with:

- **Water based liquids**
- **Solvents**
- **Screenwash**
- **AdBlue® Solution**
- **Thinners**
- **Antifreeze**
- **Light oils**

Part No.	Qty	Suitable for
CAN50	1	50 - 205 Litre Drums

Syphon Pumps

Flexible hose. 2" BSP.

- **Suitable for dispensing light oils and non-aggressive chemicals.**

Part No.	Qty	Suitable for
CAN25	1	25 Litre Drums
CAN60	1	60 - 205 Litre Drums

Metal Oil Can

Seamless steel body with polythene pump and rigid metal spout.

Part No.	Qty	Capacity
CAN2	1	500ml

Oil Can

Polypropylene body with flexible spout.

Part No.	Qty	Capacity
CAN1	1	500ml

ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Special lance produces a rich foam to help dissolve/degrease dirt. Suitable for use with S·A·S Snow Foam (Part No. SAS2017).

- **High foaming action spray**

Part No.	Qty	Capacity
CAN27	1	1.8 Litre



ALTA Detergent (TFR) Pressure Sprayer

Contains EPDM seals.

- **Suitable for use with Glycol, Detergents (TFR), Mild Acids, Hydraulic Oils and Solvents containing Acetone.**

Part No.	Qty	Capacity
CAN14	1	1.8 Litre
CAN14K	1 Kit	EPDM Seal/Repair Kit

ALTA Foam Pressure Sprayer

Contains FPM VITON® (FKM) seals. Supplied with 3 x interchangeable nozzles to adjust the foam thickness. Suitable for use with S·A·S Snow Foam (Part No. SAS2017.

- **High foaming action spray**
- **Lance with 120 cm long hose**

Part No.	Qty	Working Capacity
CAN28	1	6.0 Litre

ALTA Solvent Pressure Sprayer

Contains FPM VITON® (FKM) seals.

- **Suitable for use with Oils, Lubricants, Petrol, Solvents and Scale-Removers.**
- **Can only be used with Acetone FREE Brake Cleaner.**

Part No.	Qty	Capacity	Suits Part No.s
CAN19	1	1.3 Litre	
CAN13	1	1.8 Litre	
CAN13K	1 Kit	FPM VITON® Seal/Repair Kit	CAN13, CAN19

Solvent Pressure Sprayers

Polyamid pump with FKM seals. Polyethylene container.

Part No.	Qty	Capacity	Suits Part No.s
CAN12	1	1 Litre	
CAN15	1	1.5 Litre	
CAN12K	1 Kit	Replacement FKM Seal Kit	CAN12, CAN15

Solvent Sprayer

FKM seal.

Part No.	Qty	Capacity
CAN7	1	1 Litre

PRESSOL

PRESSOL Chemical Sprayers

Heavy duty polyethylene.

- **Suitable for use with cleaning fluids, lubricants and penetrating agents.**
- **Fully adjustable nozzle allows operator to pre-set the spray.**

Part No.	Qty	Capacity
CAN3A	1	750ml
CAN3	12	750ml

PRESSOL

PRESSOL Industrial Trigger Sprayer - 500 ml

Container: HDPE (high density polyethylene).

- **INOX spring and pressure ball on filtered suction hose allows for unique horizontal application.**
- **Continuous spray action, spray volume per cycle: 1.4 ml.**
- **FKM seals - Suitable for use with thin liquids such as lubricants, Acetone FREE brake cleaner, industrial and automotive cleaners.**

Part No.	Qty	Container Colour	Spray head Colour
CAN55	1	Black	Black/Silver
CAN56	1	Red	Black

ALTA '500' Leak-proof Solvent Sprayer

High-density polyethylene (HDPE) body is resistant to most solvents. Stainless steel springs and ball bearings.

- **100% airtight seal prevents leakage**
- **Leak-proof trigger**
- **Suitable for aggressive chemicals**

Part No.	Qty	Capacity
CAN26	1	500ml

Heavy Duty Adjustable Trigger Sprayer

Polypropylene body.
NOT suitable for use with Brake Cleaners.

- **Fully adjustable nozzle**
- **Suitable for use with general chemicals (i.e. De-Icer, De-Greasers, Maintenance Oils)**

Part No.	Qty	Capacity
CAN8	1	750ml

Measuring Jugs

Polythene with removable spout.

Part No.	Qty	Capacity
JUG21	1	1 Litre
JUG22	1	2 Litre
JUG23	1	5 Litre
JUG23A	1	Replacement Spout for 5 Litre Jug

Measuring Jugs

Complete with lid and removable spout with stopper.

Part No.	Qty	Capacity
JUG31	1	1 Litre
JUG32	1	2 Litre
JUG33	1	5 Litre

Funnel with Flexible Spout

Polyethylene with removable brass filter.

Part No.	Qty	Diameter	
FUN60	1	160 mm	(6.4")

Funnel with Cranked Spout

Polyethylene with removable brass filter.

Part No.	Qty	Diameter	
FUN50	1	162 mm	(6.4")

Funnel with Flexible Spout

Polythene with removable flexible spout and filter.

Part No.	Qty	Diameter	
FUN1	1	150 mm	(6")
FUN2	1	230 mm	(9")

Measuring Jug

Polythene.

Part No.	Qty	Capacity
JUG3	1	5 Litre

PRESSOL

PRESSOL Funnel with Flexible Spout

Polyethylene with removable brass filter.

Part No.	Qty	Diameter	
FUN6	1	160 mm	(6.4")

PRESSOL

PRESSOL Funnel with Cranked Spout

Polyethylene with removable brass filter.

Part No.	Qty	Diameter	
FUN5	1	162 mm	(6.4")

PRESSOL

PRESSOL Small Funnels Set

Polythene.

Part No.	Qty	Description
FUN7	1 Set	5 Piece Set
5 x Sizes: Ø 60, 80, 100, 120, 140 mm.		

Rectangular Funnel

Polyethylene with stainless steel filter.

Part No.	Qty	Length	
FUN3	1	300 mm	(12")

General Purpose Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad dimensions	Weight
VC670	50 Pads	48 x 43 cm	175 gsm

General Purpose Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad Dimensions	Weight
VC670B	200 Pads	48 x 43 cm	175 gsm



General Purpose Absorbent Roll - Heavy Duty

Part No.	Qty	Size	Weight
VC672	1 Roll	50 cm x 50 m Roll	350 gsm

General Purpose Maintenance Socks

For containment and absorbing spills, and placing around machinery to prevent leaks from spreading causing hazards. Absorbs: 3.5 Litres per sock.

Part No.	Pack of	Size
VC686	2	8 cm x 1.2 m

General Purpose 'Mini' Spill Kit - 9 Litres

Mini spill kit in convenient sealed bag. Absorbs: 9 Litres.

Part No.	Qty	Description
VC682	1 Kit	7 Piece Kit

Kit contents: 5 x Pads. 1 x Cushion. 1 x Disposal Bag & Tie.

General Purpose Spill Kit - 19 Litres

Quick response kit designed for smaller spills. Absorbs: 19 Litres. Weight: 2.5 kg.

Part No.	Qty	Description
VC680	1 Kit	13 Piece Kit

Kit contents:10 x Pads. 2 x Socks: 8 cm x 1.2 m. 1 x Disposal Bag & Tie: (H xW x D) 43 x 52 x 10 cm.

'OIL-DRI' Absorbent Floor Granules

Ideal for oil and grease. Good absorbency. Good resistance to breakdown. White granules.

Part No.	Qty	Size
VC679	1	20 Litre Bag

'Isol8' Organic Absorbent

Multipurpose: cleans up spills, cleans hands and machinery. Absorbs: Lubrication Oil, Hydraulic Oil, All Paints, Petrol, Diesel, Grease, Anti-freeze, Acids, Alkalines, Liquid Fats, Water, Body Fluids.

- **Highly concentrated: Economical, fast acting and space-saving.**
- **Lightweight: safe to carry, easy to pour.**
- **Organic: environmentally friendly, 100% recycled natural material, can be incinerated.**

Part No.	Qty	Size	Weight
VC678	1 Bag	10 Litre Bag	1.3 kg
VC678B	5 Bags	10 Litre Bags	1.3 kg

Hazard Warning Barrier Tape

70 mm x 500 m roll. NON-adhesive, highly visible.

Part No.	Qty	Colours
TAPE20	1 Roll	Black/Yellow
TAPE21	1 Roll	White/Red

Hazard Warning Adhesive Tapes

50 mm x 33 m roll. Highly visible. Suitable for use on concrete floors.

Part No.	Qty	Colours
TAPE24	1 Roll	Black/Yellow
TAPE25	1 Roll	White/Red

Oil & Fuel Only Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad dimensions	Weight
VC671	50 Pads	50 x 40 cm	175 gsm

Oil & Fuel Only Absorbent Pads - Lightweight

Supplied in a dispenser box with carrying handle.

Part No.	Box of	Pad Dimensions	Weight
VC671B	200 Pads	50 x 40 cm	175 gsm

Oil & Fuel Only Absorbent Roll - Heavy Duty

Part No.	Qty	Size	Weight
VC673	1 Roll	50 cm x 50 m Roll	350 gsm

Caution Wet Floor Sign

A-frame style foldable
"Caution Wet Floor/Cleaning In Progress" sign.

Part No.	Qty	Description
WB112	1	Wet Floor Sign

Looking for Drain Pans or Buckets?

Our liquid handling range is on Page 354

Oil & Fuel Only Maintenance Socks

Oil only socks, strong tubular knitted outer for extra durability. Absorbs: 3.8 Litres per sock.

Part No.	Pack of	Size
VC687	2	9 cm x 1.2 m

Oil & Fuel Only 'Mini' Spill Kit - 10 Litres

Mini spill kit in convenient sealed bag.
Absorbs: 10 Litres.

Part No.	Qty	Description
VC683	1 Kit	7 Piece Kit

Kit contents: 5 x Oil Pads. 1 x Cushion. 1 x Disposal Bag & Tie.

Oil & Fuel Only Spill Kit - 22 Litres

Quick response kit designed for smaller spills.
Suitable for any type of oil and hydrocarbons.
Absorbs: 22 Litres.

Part No.	Qty	Description
VC681	1 Kit	13 Piece Kit

Kit contents: 10 x Oil Pads. 2 x Socks: 8 cm x 1.2 m.
1 x Disposal Bag & Tie: (H xW x D) 43 x 52 x 10 cm.

Oil & Fuel Only Spill Response Kit - 20 Litres

Response kit designed for smaller spills.
Suitable for any type of oil and hydrocarbons.
Absorbs: 20 Litres. Supplied in a red PVC holdall c/w carrying/hanging straps.

Part No.	Qty	Description
VC684	1 Kit	19 Piece Kit

Kit contents: 12 x Oil Pads. 2 x Oil Socks. 1 x Pair of Gloves 3 x Disposable Bags & Ties. 1 x Red PVC Holdall.

Oil Only Spill Response Kit - 50 Litres

Response kit designed for larger spills. Suitable for any type of oil and hydrocarbons.
Absorbs: 50 Litres. Supplied in a red PVC holdall c/w carrying/hanging straps.

Part No.	Qty	Description
VC685	1 Kit	44 Piece Kit

Kit contents: 30 x Oil Pads. 3 x Oil Socks. 3 x Cushions. 1 x Pair of Gloves. 1 x Pair of Goggles.
5 x Disposable Bags & Ties. 1 x Red PVC Holdall.

British Standard Large Workplace First Aid Kit

Fully compliant to BS 8599-1. Supplied in a robust polypropylene storage case.

Part No.	Qty	Description
WS160	1 Kit	91 Piece Kit

Contents: 1 x Guidance Leaflet 1 x Contents List; 4 x Medium Sterile Dressing; 1 x Large Sterile Dressing; 2 x Triangular Bandage; 6 x Safety Pins; 2 x Sterile Eyepad; 40 x W/Proof Plasters; 20 x Sterile Saline Wipes; 1 x Microporous Tap; 6 x Nitrile Gloves (pairs; 2 x Sterile Finger Dressing; 1 x Resuscitation Face Shield; 1 x Foil Blanket; 1 x Hydrogel Burn Dressing; 1 x Scissor; 1 x Conforming Bandage

British Standard Small Workspace First Aid Kit

Fully compliant to BS 8599-1. Supplied in a durable storage bag.

Part No.	Qty	Description
WS165	1 Kit	41 Piece Kit

Contents: 1 x Guidance Leaflet 1 x Contents List 1 x Medium Sterile Dressing 1 x Large Sterile Dressing 1 x Triangular Bandage 2 x Safety Pins 1 x Sterile Eyepad 10 x W/Proof Plasters 4 x Sterile Saline Wipes 1 x Microporous Tape 1 x Nitrile Gloves (pairs) 1 x Sterile Finger Dressing 1 x Resuscitation Face Shield 1 x Foil Blanket 1 x Sterile Eyewash (500ml) 1 x Hydrogel Burn Dressing 1 x Scissors 1 x Conforming Bandage

HSE Small First Aid Kit - Case

Fully HSE compliant.

Part No.	Qty	Description	Suitable for
WS110	1 Kit	47 Piece Kit	1-10 Persons

HSE Small First Aid Kit - Bag

Part No.	Qty	Description	Suitable for
WS105	1 Kit	47 Piece Kit	1-10 Persons

HSE PSV (Public Service Vehicle) First Aid Kit

Part No.	Qty	Description
WS101	1 Kit	32 Piece Kit

Wash-proof Sterostrip Plasters Assortment

Part No.	Qty	Description
WS77	1	Box of 100

Premium Fabric Plasters Assortment

Part No.	Qty	Description
WS76	1	Box of 100

Premier Burn Care Kit

Supplied in a robust polypropylene storage case.

- **The red box makes it highly visible & easy to identify**
- **The kit provides effective and fast treatment for burns, scalds and sunburn**

Part No.	Qty	Description
WS170	1 Kit	**23 Piece Kit**

Contents: 1 x Burnshield burn dressings 20cm x 20cm 2 x Burnshield burn dressings 10cm x 10cm
8 x Burnshield blott sachets 5 x Sterowash 20ml eyewash pods 1 x Crepe bandage - 10cm x 5m
2 x Conforming bandage - 7.5cm x 4m 2 x Vinyl gloves (pair) 1 x Microporous tape 2.5cm x 5m 1 x Scissors (pair)

RING

RING Fire Extinguishers

Complete with secure mounting bracket.ABC rating for solid, liquid, gas and electrical fires. Weight: 1 kg.

- **Ideal for all automotive, domestic and leisure use.**

Part No.	Qty	Type
FE1	1	**ABC Dry Powder**
FE2	1	**ABC Dry Powder with Gauge**

Eyewash Station

For wall mounting. Complete with mirror.
Contains 2 x 500ml bottles of sterile sodium chloride solution.

Part No.	Qty	Description
WS200	1 Kit	**Eyewash Station**
WS200R	1	**Eyewash Solution 500ml Bottle**

SLEEPSAFE

SLEEPSAFE Smoke Alarm

Certified to EN 14604:2005. Photoelectric technology, helps to reduce nuisance alarms.

- **Complete with 9V battery**
- **No mains power required**
- **Easy to install**
- **Reliable, compact and robust**
- **Powerful 85 dB speaker**

Part No.	Qty	Description
DET6	1	**Smoke Alarm**

SLEEPSAFE

SLEEPSAFE CO Alarm

Certified to EN 50291:2001. Features 3 visual LED readouts: Alarm, Sensor and Power

- **Complete with 9V battery**
- **No mains power required**
- **Reliable, compact and robust**
- **Easy to install**
- **6 year guarantee**
- **Powerful 85 dB speaker**

Part No.	Qty	Description
DET5	1	**CO Alarm**

SLEEPSAFE

SLEEPSAFE 10 Year CO Alarm

Certified to EN50291-1:2010 and EN50291-2:2010. Features 3 visual LED readouts: Alarm, Fault and Power

- **Complete with 10 Year sealed-for-life battery**
- **No mains power required**
- **Reliable, compact and robust**
- **Easy to install**
- **Powerful 85 dB audible alarm**

Part No.	Qty	Description
DET7	1	**CO Alarm**

SLEEPSAFE

SLEEPSAFE CO Detectors

Coloured dot will change colour in the presence of excess Carbon Monoxide.
A small and convenient simple CO detector, ideal for testing heating equipment at work, home or away.
4 month life span once opened. Supplied in a blister pack.

Part No.	Pack of	Description
DET1	2	**CO Detectors**

Single Use Eye/ Wound Wash Pods

Part No.	Box of	Size
WS78	25	**25 ml Bottles**

Size: 240 x 360 mm

Part No.	Qty	Type
SSB130	1	Sign
SSA131	1	Sticker

Part No.	Qty	Type
SSB132	1	Sign
SSA133	1	Sticker

Part No.	Qty	Type
SSB134	1	Sign
SSA135	1	Sticker

Part No.	Qty	Type
SSB136	1	Sign
SSA137	1	Sticker

Part No.	Qty	Type
SSB122	1	Sign
SSA123	1	Sticker

Part No.	Qty	Type
SSB124	1	Sign
SSA125	1	Sticker

Part No.	Qty	Type
SSB126	1	Sign
SSA127	1	Sticker

Part No.	Qty	Type
SSB128	1	Sign
SSA129	1	Sticker

Size: 360 x 120 mm

Part No.	Qty	Type
SSB114	1	Sign
SSA115	1	Sticker

Part No.	Qty	Type
SSB106	1	Sign
SSA107	1	Sticker

Part No.	Qty	Type
SSB104	1	Sign
SSA105	1	Sticker

Part No.	Qty	Type
SSB102	1	Sign
SSA103	1	Sticker

Part No.	Qty	Type
SSB112	1	Sign
SSA113	1	Sticker

Part No.	Qty	Type
SSB110	1	Sign
SSA111	1	Sticker

Part No.	Qty	Type
SSB108	1	Sign
SSA109	1	Sticker

Part No.	Qty	Type
SSB116	1	Sign
SSA117	1	Sticker

Part No.	Qty	Type
SSB120	1	Sign
SSA121	1	Sticker

Part No.	Qty	Type
SSB118	1	Sign
SSA119	1	Sticker

Size: 480 x 350 mm

Part No.	Qty	Type
SSB143	1	Sign

Traffic & Prohibitory Signs

These signs are used to warn people of a potential hazard.

Designed to be used in a wide variety of situations, in factories, building sites, farms, estates and warehouses, they can be displayed inside or outside and are fully waterproof.

Traffic signs are ideal for use on private traffic routes, car parks and industrial estates.

Prohibitory signs or "No" signs are generally depicted with a black safety symbol in a red circle with a diagonal cross through.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 350 x 480 mm

Part No.	Qty	Type
SSB142	1	Sign

Part No.	Qty	Type
SSB139	1	Sign

Part No.	Qty	Type
SSB141	1	Sign

Part No.	Qty	Type
SSB140	1	Sign

Size: 80 x 80 mm

Part No.	Qty	Type
SSA101	10	Stickers

Part No.	Qty	Type
SSB138	1	Sign

Size: 100 x 250 mm



CO^2

Part No.	Qty	Type
SSA258	1	Sticker

Water

Part No.	Qty	Type
SSA261	1	Sticker

Dry Powder

Part No.	Qty	Type
SSA260	1	Sticker

Foam Spray

Part No.	Qty	Type
SSA259	1	Sticker

Size: 120 x 120 mm

Part No.	Qty	Type
SSA254	1	Sticker

Part No.	Qty	Type
SSA255	1	Sticker

Part No.	Qty	Type
SSA256	1	Sticker

Part No.	Qty	Type
SSA257	1	Sticker

Size: 360 x 120 mm

Part No.	Qty	Type
SSB270	1	Sign
SSA271	1	Sticker

Part No.	Qty	Type
SSB272	1	Sign
SSA273	1	Sticker

Fire Safety Signs

Fire Extinguisher Stickers are used to indicate the type of fire extinguisher present, and for what types of fire it can be used.

Mandatory Fire Stickers, such as "Fire door keep closed", are used on fire doors and fire escape doors and must be kept clear on both sides for ease of evacuation.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 360 x 120 mm

Part No.	Qty	Type
SSB266	1	Sign
SSA267	1	Sticker

Part No.	Qty	Type
SSA276	1	Sticker

Part No.	Qty	Type
SSB264	1	Sign
SSA265	1	Sticker

Part No.	Qty	Type
SSB268	1	Sign
SSA269	1	Sticker

Part No.	Qty	Type
SSA277	1	Sticker

Part No.	Qty	Type
SSB262	1	Sign
SSA263	1	Sticker

Part No.	Qty	Type
SSA275	1	Sticker

Part No.	Qty	Type
SSA274	1	Sticker

Part No.	Qty	Type
SSA278	1	Sticker

Size: 360 x 240 mm

Part No.	Qty	Type
SSB287	1	Sign
SSA288	1	Sticker

Size: 240 x 360 mm



Part No.	Qty	Type
SSB279	1	Sign
SSA280	1	Sticker

Part No.	Qty	Type
SSB285	1	Sign
SSA286	1	Sticker

Part No.	Qty	Type
SSB281	1	Sign
SSA282	1	Sticker

Part No.	Qty	Type
SSB283	1	Sign
SSA284	1	Sticker

Fire Exit & Emergency Signs

Fire Exit Signs are used to tell people where to go in the event of a fire. An essential sign for use on all commercial premises.

You should always be able to see a “Fire Exit” sign indicating the direction you should take.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 100 x 100 mm

Part No.	Qty	Type
SSA239	1	Sticker

Part No.	Qty	Type
SSA240	1	Sticker

Part No.	Qty	Type
SSA241	1	Sticker

Part No.	Qty	Type
SSA242	1	Sticker

Part No.	Qty	Type
SSA243	1	Sticker

Part No.	Qty	Type
SSA244	1	Sticker

Part No.	Qty	Type
SSA245	1	Sticker

Part No.	Qty	Type
SSA246	1	Sticker

Size: 240 x 360 mm



Part No.	Qty	Type
SSB227	1	Sign
SSA228	1	Sticker

Part No.	Qty	Type
SSB219	1	Sign
SSA220	1	Sticker

Part No.	Qty	Type
SSB203	1	Sign
SSA204	1	Sticker

Part No.	Qty	Type
SSB213	1	Sign
SSA214	1	Sticker

Part No.	Qty	Type
SSB205	1	Sign
SSA206	1	Sticker

Part No.	Qty	Type
SSB201	1	Sign
SSA202	1	Sticker

Transport Hazard Warning Labels

The ADR (European agreement concerning the international carriage of dangerous goods by road) regulations, state that all packages containing dangerous goods should have a warning label. The labels shall be in the form of a square at an angle of 45° (diamond shaped).

Used in the transportation of dangerous goods by road, sea and air. Our Hazard Warning Diamonds comply with International legislation.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.





Part No.	Qty	Type
SSB207	1	Sign
SSA208	1	Sticker

Part No.	Qty	Type
SSB209	1	Sign
SSA210	1	Sticker

Part No.	Qty	Type
SSB223	1	Sign
SSA224	1	Sticker



Part No.	Qty	Type
SSB215	1	Sign
SSA216	1	Sticker

Part No.	Qty	Type
SSB229	1	Sign
SSA230	1	Sticker

Part No.	Qty	Type
SSB221	1	Sign
SSA222	1	Sticker

Part No.	Qty	Type
SSB217	1	Sign
SSA218	1	Sticker

Part No.	Qty	Type
SSB225	1	Sign
SSA226	1	Sticker

Part No.	Qty	Type
SSB211	1	Sign
SSA212	1	Sticker

Size: 360 x 120 mm

Part No.	Qty	Type
SSB231	1	Sign
SSA232	1	Sticker

Part No.	Qty	Type
SSB233	1	Sign
SSA234	1	Sticker

Part No.	Qty	Type
SSB235	1	Sign
SSA236	1	Sticker

Size: 360 x 350 mm

Part No.	Qty	Type
SSB237	1	Sign
SSA238	1	Sticker

Hazard Warning Signs

Identify and warn staff and visitors of potential hazards.

Signs should be placed so people have plenty of time to see and fully understand them and to take action, reducing risks before reaching the hazard. Designed to be used in a wide variety of situations, in factories, building sites, farms, estates and warehouses.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 360 x 120 mm

Size: 360 x 240 mm

Toilet

Part No.	Qty	Type
SSB319	1	Sign
SSA320	1	Sticker

Visitor parking only

Part No.	Qty	Type
SSB325	1	Sign
SSA326	1	Sticker

Customer car parking

Part No.	Qty	Type
SSB307	1	Sign
SSA308	1	Sticker

NO PARKING
This access to be kept clear at all times

Part No.	Qty	Type
SSB305	1	Sign
SSA306	1	Sticker

Disabled toilet

Part No.	Qty	Type
SSB317	1	Sign
SSA318	1	Sticker

Reception

Part No.	Qty	Type
SSB315	1	Sign
SSA316	1	Sticker

All visitors must report to office

Part No.	Qty	Type
SSB301	1	Sign
SSA302	1	Sticker

WARNING
C.C.T.V. system installed on these premises
Video recording in operation

Part No.	Qty	Type
SSB309	1	Sign
SSA310	1	Sticker

Men

Part No.	Qty	Type
SSB323	1	Sign
SSA324	1	Sticker

Private Property Keep out

Part No.	Qty	Type
SSB311	1	Sign
SSA312	1	Sticker

WARNING
These premises are alarm protected

Part No.	Qty	Type
SSB303	1	Sign
SSA304	1	Sticker

Women

Part No.	Qty	Type
SSB321	1	Sign
SSA322	1	Sticker

Drinking water

Part No.	Qty	Type
SSB313	1	Sign
SSA314	1	Sticker

General Signs

Use to advise staff and visitors of common site and warehouse locations and ensure procedures are followed.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 480 x 350 mm

Part No.	Qty	Type	Material
SSB248	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB253	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB251	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB249	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB252	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB143	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB247	1	Sign	3 mm Foamex



Part No.	Qty	Type	Material
SSB250	1	Sign	3 mm Foamex

Size: 360 x 350 mm

Part No.	Qty	Type	Material
SSB237	1	Sign	3 mm Foamex
SSA238	1	Sticker	Self Adhesive Vinyl

Multi-Message Signs

Used for areas and situations where more than one safety message is required, ideal for situations where wall space is limited.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 240 x 360 mm

Part No.	Qty	Type
SSB405	1	Sign
SSA406	1	Sticker

Part No.	Qty	Type
SSB411	1	Sign
SSA412	1	Sticker

Part No.	Qty	Type
SSB403	1	Sign
SSA404	1	Sticker

Part No.	Qty	Type
SSB407	1	Sign
SSA408	1	Sticker

Part No.	Qty	Type
SSB415	1	Sign
SSA416	1	Sticker

Part No.	Qty	Type
SSB409	1	Sign
SSA410	1	Sticker

Part No.	Qty	Type
SSB417	1	Sign
SSA418	1	Sticker

Part No.	Qty	Type
SSB419	1	Sign
SSA420	1	Sticker

Part No.	Qty	Type
SSB401	1	Sign
SSA402	1	Sticker

Part No.	Qty	Type
SSB421	1	Sign
SSA422	1	Sticker

Part No.	Qty	Type
SSB413	1	Sign
SSA414	1	Sticker

Part No.	Qty	Type
SSB423	1	Sign
SSA424	1	Sticker

Mandatory PPE Signs

Mandatory PPE Signs are used to warn people of potential damage to their health if they do not wear the correct PPE and encourages them to do so. Designed to be used in a wide variety of situations, in factories, building sites, farms, estates and warehouses, displayed inside or outside.

Signs are manufactured from high quality 3 mm foamex board.

Self adhesive vinyl stickers are fully waterproof conforming to BS ISO EN 7010.

Size: 480 x 300 mm

Part No.	Qty	Type	Material
SSB503	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB502	1	Sign	3 mm Foamex

Size: 350 x 350 mm

Part No.	Qty	Type	Material
SSB501	1	Sign	3 mm Foamex

Size: 480 x 150 mm

Part No.	Qty	Type	Material
SSB506	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB507	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB505	1	Sign	3 mm Foamex

Part No.	Qty	Type	Material
SSB504	1	Sign	3 mm Foamex

M.o.T. Signs

M.o.T. Signs should be used at a vehicle testing station which is approved by the Department of Transport.

Clearly indicate an M.o.T. station, designated area or services available that will inform new and existing customers alike.

Signs are manufactured from high quality 3 mm foamex board are fully waterproof conforming to BS ISO EN 7010.



Blue Vinyl Nitrile Hybrid Gloves - Powder FREE

High quality PVC/Nitrile blend.

- **Nitrile provides good strength, protection and a snug fit combined with the sensitivity of vinyl**
- **Synthetic materials ensures 100% latex FREE**

Part No.	Qty	Size
VC842	Box of 100	S
VC882	10 x Boxes of 100	S
VC843	Box of 100	M
VC883	10 x Boxes of 100	M
VC844	Box of 100	L
VC884	10 x Boxes of 100	L
VC845	Box of 100	XL
VC885	10 x Boxes of 100	XL

Grippaz Patented Non-Slip Gloves

GRIPPAZ Orange Grip Gloves

This glove is designed to cover a broad spectrum of industrial uses including automotive, assembly, paint spraying, cleaning, electro-plating asbestos removal and janitorial.

- **Ambidextrous**
- **CE Level 5 Dexterity**
- **Ergonomic Grip**
- **Chemical Resistant**

Part No.	Qty	Size
VC619	Box of 50	M
VC626	10 x Boxes of 50	M
VC620	Box of 50	L
VC627	10 x Boxes of 50	L
VC621	Box of 50	XL
VC628	10 x Boxes of 50	XL
VC622	Box of 50	XXL
VC629	10 x Boxes of 50	XXL

'Black Pearl' Soft Nitrile Gloves - Powder FREE

Complies to EN455.
High quality powder free nitrile AQL 1.5.

- **Latex Free - Synthetic materials eliminates protein sensitisation**
- **Nitrile Formulation - Provides good resistance to tears and punctures**
- **Fingertip textured**

Part No.	Qty	Size
VC563	Box of 100	M
VC594	10 x Boxes of 100	M
VC564	Box of 100	L
VC595	10 x Boxes of 100	L
VC565	Box of 100	XL
VC596	10 x Boxes of 100	XL

Blue Nitrile Gloves - Powder FREE

Part No.	Qty	Size
VC553	Box of 100	S
VC590	10 x Boxes of 100	S
VC554	Box of 100	M
VC591	10 x Boxes of 100	M
VC555	Box of 100	L
VC592	10 x Boxes of 100	L
VC556	Box of 100	XL
VC593	10 x Boxes of 100	XL

Orange HD Diamond Grip Nitrile Gloves - Powder Free

High quality powder free nitrile AQL 1.5.

- **Unique diamond grip optimises surface performance and provides a high grip strength**
- **Good resistance to tears and punctures**
- **Latex Free - Synthetic materials eliminates protein sensitisation**

Part No.	Qty	Size
VC600	Box of 100	M
VC886	10 x Boxes of 100	M
VC601	Box of 100	L
VC887	10 x Boxes of 100	L
VC603	Box of 100	XL
VC889	10 x Boxes of 100	XL

Latex Gloves - Powder FREE

Part No.	Qty	Size
VC541	Box of 100	S
VC578	10 x Boxes of 100	S
VC539	Box of 100	M
VC576	10 x Boxes of 100	M
VC540	Box of 100	L
VC577	10 x Boxes of 100	L
VC542	Box of 100	XL
VC579	10 x Boxes of 100	XL

KS TOOLS GERMANY

KS TOOLS Mechanics Anti-Vibration Gel Gloves

Absorbs and dissipates repeated impacts and shocks.

- **Designed for handling power tools, industrial tools and any tools with repetitive vibration.**

Part No.	Qty	Size	EN388 Rating
K310.0250	1 Pair	L	2112
K310.0255	1 Pair	XL	2121
K310.0260	1 Pair	XXL	2121

KS TOOLS GERMANY

KS TOOLS Mechanics Grip Gloves

Designed for maximum comfort when used in cold, wet and dirty environments.

- **Palm covered with rubber nodules for maximum grip.**
- **Hard wearing 'Dry Suit' material technology for maximum protection.**

Part No.	Pack of	Size	EN388 Rating
K310.0350	1 Pair	L	2121
K310.0355	1 Pair	XL	2121
K310.0360	1 Pair	XXL	2121

PU Coated Gloves

- Seamless knitted shell with a polyurethane coated palm
- Seamless for extra comfort with open back style that allows hand to breathe
- Tight fitting for maximum dexterity

Part No.	Pack Qty	Size
WS510	10 Pairs	M
WS511	10 Pairs	L
WS512	10 Pairs	XL
WS513	10 Pairs	XXL

Kevlar Gloves

Conforms to EN388.
Fabric: Kevlar 10ga.

- Enhance abrasion/cut resistant
- Good dexterity
- Ideal for Automotive, Glass, Construction and General handing applications

Part No.	Qty	Size	EN388 Rating
WS311	1 Pair	XL	4544

Nitrile Coated Gloves

- Seamless knitted shell with a nitrile coated palm
- Seamless for extra comfort with open back style that allows hand to breathe
- Tight fitting for maximum dexterity

Part No.	Pack Qty	Size
WS514	10 Pairs	M
WS515	10 Pairs	L
WS516	10 Pairs	XL
WS517	10 Pairs	XXL

Nitrotouch Gloves

Conforms to EN388
(Glove rating 4122).
Cut resistant and washable nitrile coated nylon.

- Ideal for maintenance, warehousing, construction, assembly, material handling and general plant use.

Part No.	Qty	Size	EN388 Rating
WS307	12 Pairs	M	4122
WS308	12 Pairs	L	4122
WS309	12 Pairs	XL	4122

KS TOOLS GERMANY

KS TOOLS Micro-Fine Woven Gloves - Black

Permeable to air, elasticated wrists.
Conforms to EN388.

Part No.	Box of	Size	EN388 Rating
K310.0470	12 Pairs	L	1131
K310.0475	12 Pairs	XL	1131
K310.0480	12 Pairs	XXL	1131

Latex Coated Gloves

Conforms to EN388
(Glove rating 1131).
Textured latex palm coating offers a superb grip. 10 gauge poly cotton with fleece lining and ribbed knit wrist for comfort.

- Ideal for general handling, construction and maintenance use.

Part No.	Qty	Size	EN388 Rating
WS302	1 Pair	L	1131
WS303	1 Pair	XL	2242

Electron PU Coated Nylon Gloves

Conforms to EN388 (Glove rating 4131) & EN 1149.
Textured polyurethane palm coated nylon.

- Great sensitivity and dexterity.
- Ideal for precision engineering, assembly operations, electronics assembly/testing/packing.

Part No.	Qty	Size	EN388 Rating
WS304	12 Pairs	M	3121
WS305	12 Pairs	L	3121
WS306	12 Pairs	XL	3121

Latex Coated Grip Gloves

Conforms to EN388, EN420.
Latex coated palm. 10 gauge poly cotton and seamless liner.

Part No.	Pack of	Size	EN388 Rating
WS48	5 Pairs	L	2121
WS49	5 Pairs	XL	2142X

DELTAPLUS

DELTAPLUS Heat Tolerant Glove

100% polyester. PURE latex coating on palm and fingertips. Gauge 13.

Part No.	Qty	Size	EN388 Rating
WS320	1 Pair	M	2142
WS321	1 Pair	L	2142
WS322	1 Pair	XL	2142

PVC Gloves

With knitted wrist.

Part No.	Qty	Description	EN388 Rating
WS6	5 Pairs	PVC Gloves	3131

DELTAPLUS

DELTAPLUS Heat Tolerant Winter Glove

Inside: 100% acrylic gauge 10.
Outside: 100% polyamide gauge 15.
Full latex coating of the hand.
Second foam latex coating on palm and fingertips.

Part No.	Qty	Size	EN388 Rating
WS325	1 Pair	L	2231
WS326	1 Pair	XL	2231

Yellow Kriss-Kross Gripper Gloves

Heavy weight string knitted base with coarse PVC lattice pattern on both sides providing excellent dexterity and grip.

Part No.	Pack of	Size	EN388 Rating
WS40	5 Pairs	L	1000

Cotton & Chrome Gloves

Chrome palm and cotton liner.
One size fits all.

Part No.	Pack of	Descriptions	EN388 Rating
WS46	5 Pairs	Cotton & Chrome Gloves	1000

Knit Wrist Stockinette Gloves

One size fits all.

Part No.	Pack of	Descriptions	EN388 Rating
WS45	10 Pairs	Stockinette Gloves	1000

Rigger Gloves

Canadian pattern.
Chrome leather palms.

Part No.	Pack of	Description	EN388 Rating
WS7	5 Pairs	Rigger Gloves	2111X

Hide Rigger Gloves - Heavy Duty

Conforms to EN388, EN420
Cow split leather glove, double palm with rubberized cuff and half lined. Colours may vary.

Part No.	Pack of	Size	EN388 Rating
WS42	5 Pairs	L	4244

14" PVC Gauntlets

Cotton lined.
Conforms to EN388, EN420.

Part No.	Pack of	Description	EN388 Rating
WS41	2 Pairs	14" PVC Gauntlets	2003

Household Rubber Gloves

Medium weight.
Cotton flock lined.
Conforms to EN420.

Part No.	Pack of	Size	EN388 Rating
WS43	12 Pairs	M	1000
WS44	12 Pairs	L	1000

Rubber Gloves

Black. Heavy duty acid resistant for platers.

Part No.	Qty	Description	EN388 Rating
WS24	1 Pair	Rubber Gloves	3121

Gauntlets

With tough cotton fleece lining, 5" cuffs. Colour may vary.

Part No.	Qty	Description	EN388 Rating
WS8	1 Pair	Gauntlets	4133

Bump Cap

Black, adjustable.
EN 812

Part No.	Qty	Description
WS35	1	Bump Cap

DELTAPLUS

DELTAPLUS Impact Resistant Bump Cap

Approved to EN812:2012.

- **Highly ventilated polyester/Cotton with mesh fabric**
- **Lined with polyethylene and comfortable EVA foam shell to absorb shocks.**

Part No.	Qty	Description	Size
WS403	1	Bump Cap	52-56 cm

DELTAPLUS

DELTAPLUS Safety Helmets

Approved to EN397:2012 / A1:2012 / EN50365:2002.
Electrical insulation up to 100V.A.C (Class 0)
UV-resistant high density polyethylene or polypropylene.
Low density polyethylene cradle with 8 fixing points.

- **Sweat band**
- **Standard holes for accessories and anchorage for chin straps with 2 or 4 points**

Part No.	Qty	Colour
WS417W	1	White
WS417Y	1	Yellow

DELTAPLUS

DELTAPLUS Dual-Shell Safety Helmet with Retractable Visor

ABS dual shell safety helmet with polycarbonate retractable visor.
Electrical insulation up to 1000 V.A.C. or 1500 V.D.C, protection against arc fault Class 1 (GS-ET 29). Visor with anti-Fog N and anti-scratch K treatments and protection against electrical arcs, and molten metals or hot liquids projections.

- **One-D Rotor clamping system: head size 53 to 63 cm**
- **2 headband positions**
- **Retro-reflective stickers**

Part No.	Qty	Description
WS420	1	Safety Helmet with Visor

Face Shield

Complete with brow guard/harness and 20 cm (8") polycarbonate visor. BS EN 166/1/B9.

Part No.	Qty	Description
WS18	1	Face Shield with Clear Visor
WS18C	1	Replacement Clear Visor
WS18S	1	Replacement Anti-Glare Visor

Ski Style Wide Vision Safety Goggles

CE marked. 99.9% UV/B protection.
EN166 / EN170 / EN175.
Soft rubber body provides exceptional comfort.
Withstands high temperatures. Fits over most spectacles. Anti scratch/mist.

Part No.	Qty	Lens Colour	Markings
WS1508	1	Clear	1 BT 9 O

Wide Vision Welding Goggles

CE marked. 99.9% UV/B protection.
EN166 / EN171 / EN175.
Fits over most spectacles. Anti scratch/mist.

Part No.	Qty	Lens Colour	Markings
WS1511	1	Shade 5	4-5 1 BT 9 O

Grinding Goggles

BS EN 166/1/B.

Part No.	Qty	Description
WS23	1	Grinding Goggles

Safety Goggles - Wide Vision

BS 679/1959.

Part No.	Qty	Description
WS3	1	Safety Goggles

Lightweight Wraparound Safety Spectacles with Safety Cord

CE marked. 99.9% UV/B protection.EN166 / EN170 (*EN172).
Outstanding field of vision, exceptional protection.
Adjustable arms/lens angle. Anti scratch. Integral nose piece.

Part No.	Qty	Lens Colour	Markings
WS1491	1	Clear	2-1.2 1 FT O

Wraparound Safety Spectacles with Rubber Nose Pads

CE marked. 99.9% UV/B protection. EN166 / EN170 (*EN172) (†EN171).
Comfortable lightweight design, rubber nose pads and soft temple tips. Anti scratch.

Part No.	Qty	Lens Colour	Markings
WS1498	1	Clear	2-1.2 1 FT O
WS1500	1	Shade 5†	4-5 1 FT O

Frameless Adjustable Wraparound Safety Spectacles

CE marked. 99.9% UV/B protection. EN166 / EN170 (*EN172).
Adjustable temple length. Anti scratch. Lightweight. Integral nose piece.

Part No.	Qty	Lens Colour	Markings
WS1505	1	Clear	2-1.2 1 FT O
WS1506	1	Smoke*	5-3.1 1 FT O

DELTAPLUS

DELTAPLUS 'Metal Free' Single Lens Safety Glasses

Polycarbonate. CE marked. 99.9% UV/B protection.
Approved to EN166, EN172:2002 Ultraviolet filters.Metal free: dielectric.

- **Ideal for spraybooths**
- **Ultra light: 18g**
- **Ultra flexible**
- **Anti scratch**

Part No.	Qty	Lens Colour	Markings
WS1516	1 Pair	Clear	1 FT/FT
WS1517	1 Pair	Smoke	1 FT/FT

Safety Spectacles

Polycarbonate over specs.
BS EN 166/1/F.

Part No.	Pack of	Description
WS17	10	Safety Spectacles

DELTAPLUS Twin Lens Safety Glasses

Polycarbonate CE marked.
99.9% UV/B protection.Approved to EN166, EN172:2002 Ultraviolet filters

- **Polycarbonate twin lens glasses**
- **Soft tips.**
- **Anti scratch**
- **Twin material anti-slip arms**
- **Soft TPE nose piece**
- **Anti mist (WS1514 only)**

Part No.	Qty	Lens Colour	Markings
WS1514	1 Pair	Clear	ANSI Z87+
WS1515	1 Pair	Gradient	1 FT/FT

DELTAPLUS LYVIZ Coated Single Lens Easy Clean Safety Glasses

Polycarbonate. CE marked. 99.9% UV/B protection.
Approved to EN166, EN172:2002 Ultraviolet filters

- **Removable Foam Frame**
- **Adjustable nylon arms. Side protection**
- **LyViz treatment : oleophobic and hydrophobic coating enables user to clean lenses with a quick wipe and eliminates the danger of removing them whilst working**

Part No.	Qty	Lens Colour	Markings
WS1522	1 Pair	Clear	1 FT/FT ANSI Z787+

DELTAPLUS Ergonomic Safety Glasses with Removable Foam

CE marked. 99.9% UV/B protection.Approved to EN166, EN172:1994 / A1:2000 / A2:2001 Sunglare filters for industrial use C/w protective pouch and neck cord.

- **Polycarbonate lens**
- **Sports elastic strap**
- **UV/IR Anti-mist**
- **Twin material curved arms**
- **Anti-slip soft TPE nose piece**
- **Anti-scratch**
- **'Soft comfort' removable foam frame for dust and shock protection**

Part No.	Qty	Lens Colour	Markings
WS1524	1 Pair	Gradient	1 FT/FT

NEW

DELTAPLUS Helium Metal Detectable Safety Glasses

Ultra light polycarbonate single lens glasses.
Extra fine frame. Suitable for long duration wear.

- **Metallically charged blue frame visually detectable by X-ray and magnetism**
- **Blue tint with excellent transmission factor (80%)**
- **Extra fine frame**
- **Suitable for the food industry**
- **Comfortable for indoor use**
- **Compatibility with noise cancelling headphones**

Part No.	Qty	Lens Colour	Markings
WS1550	1 Pair	Blue	1FT/FT

DELTAPLUS Monobloc Single Lens Safety Glasses

Polycarbonate. CE marked.
99.9% UV/B protection.Approved to EN166, EN172:2002. Ultraviolet filters.

- **Integrated nose piece**
- **Soft flat spatula type arms**
- **Side protection**
- **Anti Scratch**
- **Easy to use with safety helmet and ear defenders and disposable masks**

Part No.	Qty	Lens Colour	Markings
WS1494	1 Pair	Clear	1 FT/FT ANSI Z787+
WS1495	1 Pair	Smoke	1 FT/FT ANSI Z787+
WS1496	1 Pair	Yellow	1 FT/FT ANSI Z787+
WS1497	1 Pair	Mirror	1 FT/FT ANSI Z787+

Eye Protection - Markings

This range of eye protectors are suitable for use in accordance with the marking of the lens and frame.

UV 400

UV 400 protection provides protection against 99 to 100% of UVA and UVB ultraviolet radiation. It is called UV 400 because it blocks all rays of light up to a wavelength of 400 nanometers.

Frame Marking

Standard Number

EN166 = Personal Eye Protection (technical performance standard)
EN175 = Welding Personal Protection (equipment for eye and face protection during welding and allied processes)

Symbol for Mechanical Strength

TF = Low Energy Impact (45m/s)
BT = Medium Energy Impact (10 m/s) - Goggles

Field(s) Of Use

9 = Resistance to Molten (Metal and Hot Solids) - Goggles
3 = Resistance to Liquids (Droplets or Splashes) - Goggles

Ocular Marking

Scale Number (first digit)

2 = EN170 - Ultraviolet Filters (transmittance requirements and recommended utilisation)
4 = EN171 - Infrared Filters (transmittance requirements and recommended use)
5 = EN172 - Solar Radiation Filters (sun glare filters for industrial use)

Shade Number (second and third digit)

1.2 = Clear / Amber
3.1 = Smoke / Green / Blue Mirror
5 = Shade 5

Optical Class

1 = High Optical Quality (suitable for occasional wear)

Symbol for Original Ocular

0 = Original Ocular EN170 - Ultraviolet Filters (transmittance requirements and recommended utilisation)

NEW

KN95 Face Masks

Meets the standard GB/T 2626-2006.
5-layer mask with stretchable ear-loops.
Non-woven polypropylene fabric.

- **Adjustable nose piece form-fit design provides high breathability for maximum comfort**
- **Excellent anti-fog and anti-haze properties**
- **Hypoallergenic - Latex and fibreglass-free**

Part No.	Box of	Description
WS95	10	KN95 Face Masks

NEW

Surgical Type Face Masks

3-layer pleated mask with stretchable ear-loops.

- **Adjustable nose piece form-fit design provides high breathability for maximum comfort**
- **Hypoallergenic - 100% latex and fibreglass-free**

Part No.	Box of	Description
WS1	50	Surgical Type Face Masks

DELTAPLUS

DELTAPLUS White Hygiene Masks

- **Non-woven polypropylene 160 g/m².**
- **Elasticated straps and nose clip for adjustment.**

Part No.	Box of	Description
WS5	50	Hygiene Masks

DELTAPLUS

DELTAPLUS Moulded Disposable Masks FFP1 + Valve

Approved to EN149:2001 / A1:2009

- **Nose clip for adjustment**
- **Foam edge under nose clip**
- **High performance exhalation valve**

Part No.	Box of	Description
WS412	10	FFP1 + Valve

DELTAPLUS

DELTAPLUS Moulded Disposable FFP2 Masks

Approved to EN149:2001 / A1:2009

- **Nose clip for adjustment**
- **Foam edge under nose clip**

Part No.	Box of	Description
WS27	20	FFP2

DELTAPLUS

DELTAPLUS Moulded Disposable FFP2 Masks + Valve

Approved to EN149:2001 / A1:2009

- **Nose clip for adjustment**
- **Foam edge under nose clip**
- **High performance exhalation valve**

Part No.	Box of	Description
WS28	10	FFP2 + Valve

MOLDEX

MOLDEX Smart Pocket FFP2 Masks + Valve

Approved to EN149:2001.
Supplied in a dispenser box.

- **Individually packaged, fits into your pocket.**
- **Protected from dust and kept hygienic before use.**

Part No.	Box of	Description
MX2475	10	FFP2 + Ventex Valve

MOLDEX





MOLDEX Smart Solo FFP Masks

Approved to EN149:2001.

- **Even with gloves putting the '1-Strap' mask on and taking it off is quick, simple and safe.**

Part No.	Box of	Description
MX2395	20	FFP1 + Ventex Valve
MX2495	20	FFP2 + Ventex Valve

MOLDEX

MOLDEX Smart Series FFP Masks + Valve

Approved to EN149:2001.

- **The clip and adjustable strap make putting the mask on and off easier.**
- **During breaks the mask can be worn around the neck.**

Part No.	Box of	Description
MX2385	20	FFP1 + Ventex Valve
MX2485	20	FFP2 + Ventex Valve
MX2505	10	FFP3 + Ventex Valve

Half Mask

Complete with A1 P2 Dust filter cartridges suitable for automotive refinish workshops. Cartridges colour coded to European norms: EN14387:2004/A1:200843 and EN143:2000/A1:2006.

- **Durable manufactured from natural rubber and features fully adjustable straps ensuring a comfortable and efficient fit with maximum protection**
- **The A1 P2 cartridges offer protection from organic vapours and gases and are replaceable**

Part No.	Qty	Description
WS50	1 Kit	Half Mask
WS51	4	Replacement Cartridges

MOLDEX



MOLDEX AIR Plus Reusable FFP3 Masks

Approved to EN149:2001.

- **Washable full face seal.**
- **The full face seal is made of soft Kraton material, so it can be wiped clean leaving the mask ready to be used again.**
- **Strap length can be adjusted with the help of the clip.**

Part No.	Box of	Description
MX3405	5	FFP3 + Ventex Valve

MOLDEX

MOLDEX Compact Half Face Mask

Tested and certified to EN 405:200. Maintenance free and ready for use.

- **Wide field of vision**
- **Unrestricted freedom of movement**
- **Lightweight and comfortable**
- **FlexFit: automatically adjusts to different face shapes**
- **Pleated Filter Technology: low breathing resistance, high durability**

Part No.	Pack Qty	Protection Level
MX5120	1	FFA1P2 R D
MX5230	1	FFA2P3 R D
MX5330	1	FFA1B1E1P3 R D
MX5430	1	FFA1B1E1K1P3 R D

DELTAPLUS



DELTAPLUS Moulded Disposable FFP3 Masks + Valve

Approved to EN149:2001 / A1:2009

- **Nose clip for adjustment**
- **EVA edge for extra comfort under nose clip**
- **High performance exhalation valve**

Part No.	Box of	Description
WS415	10	FFP3 + Valve

DELTAPLUS



DELTAPLUS Moulded Disposable FFP3 Masks + Valve

Approved to EN149:2001 / A1:2009

- **Non-woven synthetic fibre**
- **Wide adjustable strap**
- **Complete ultra soft face joint ring**
- **High performance exhalation valve**

Part No.	Box of	Description
WS416	5	FFP3 + Valve

Looking for Full Face Masks?

Our range of full face masks with replacement filters features overleaf

MOLDEX

MOLDEX 7000 Series Half Face Mask

Uses Easylock filters.

- **Lightweight**
- **Gentle on skin**
- **Easy to clean and maintain**

Part No.	Qty	Description
MX7002	1	**Medium Mask**
MX7003	1	**Large Mask**
MX7122	1 Kit	**Medium Mask & x 2 A1P2 Filters**
MX7232	1 Kit	**Medium Mask & x 2 A2P3 Filters**
MX7432	1 Kit	**Medium Mask & x 2 ABEK1P3 Filters**

MOLDEX

MOLDEX 9000 Series Full Face Mask

Extremely lightweight with excellent periphery vision. The lens is made from scratch resistant polycarbonate and is easy to clean thanks to the hydrophobic coating.
Uses Easylock filters.

- **Panoramic lens**
- **Easy to clean and maintain**
- **Class 2**

Part No.	Qty	Description
MX9002	1	**Medium Mask**
MX9003	1	**Large Mask**

MOLDEX

MOLDEX EasyLock Filters For 7000 + 9000 Series

EasyLock particulate filters can either be connected to the EasyLock gas cartridges or directly with the mask body.

- **Revolutionary filter system**
- **No need for additional clips or holders**
- **Different filters can be combined**

Part No.	Pack Qty	Type
MX9100	1 Pair	**A1 Gas Filters**
MX9400	1 Pair	**ABEK1 Gas Filters**
MX9020	1 Pair	**P2 R D Particulate Filters**
MX9030	1 Pair	**P3 R D Particulate Filters**
MX9200	1 Pair	**A2 Gas Filters**
MX9500	1 Pair	**A2B2E1 Gas Filters**
MX9600	1 Pair	**AX Gas Filters (Single Use)**

MOLDEX

MOLDEX 'Spark Plugs' Disposable Earplugs Dispenser Stations with Earplugs

The dispensing system is made of recyclable material. As the dispenser mechanism is automatically replaced with every refill plugs remain hygienic.
(Mounting bracket shown available separately).

Part No.	Contains	Description
MX7825	250 Pairs	**Small Station**
MX7850	500 Pairs	**Large Station**
MX7060	1	**Mounting Bracket c/w Fittings**

MOLDEX

MOLDEX 'Spark Plugs' Disposable Earplugs

Approved to EN352-2:2002.
Contoured shape, comfortable PU foam earplugs.
Suited to protect against long-term exposure.
Soft material that is easy to insert.

Part No.	Pack of	SNR	High, Medium, Low
MX7800	20 Pairs	**35dB**	(34, 32, 31dB)

MOLDEX

MOLDEX 'MelLows' Disposable Earplugs

Approved to EN352-2:2002. Contoured shape, comfortable PU foam earplugs. Suited to protect against long-term exposure. Soft material that is easy to insert.

- **Protects against lower noise levels**
- **Designed to keep you in touch with your environment and aid communication**

Part No.	Pack of	SNR	Nigh, Medium, Low
MX7600	20 Pairs	**22dB**	(26, 18, 12dB)

MOLDEX

MOLDEX 'Jazz-Band' Reusable Banded Earplugs

Approved to EN35-2:1991.
The convenient option against intermittent noise throughout the day. Dual material technology reduces noise transmission.

- **Complete with neck cord with safety release mechanism**

Part No.	Pack of	SNR	High, Medium, Low
MX6700	1 Pair	**23dB**	(25, 19, 18dB)
MX6750	2 Pairs	**Replacement Pods**	

MOLDEX

MOLDEX 'Pura-Band' Reusable Banded Earplugs

Approved to EN35-2:1991.
The convenient option against intermittent noise throughout the day.
Durable and washable pods made of soft thermoplastic.

Part No.	Pack of	SNR	High, Medium, Low
MX6600	1 Pair	22dB	(24, 18, 17dB)

DELTAPLUS



DELTAPLUS Linked Folding Ear Plugs

Approved to EN352-2

- **Can be worn under the chin**
- **PU earplugs with headband in polypropylene.**
- **Ideal for intermittent or occasional wear.**
- **Individual pack**

Part No.	Qty	SNR	High, Medium, Low
WS407	1 Pair	24dB	(25, 20, 19dB)

MOLDEX

MOLDEX 'Rockets Cord' Reusable Earplugs

Approved to EN352-2:2002.
For long term exposure to noise.
Supplied in a compact plastic storage case.

- **Washable plugs made of soft and durable Kraton material.**
- **Dual material ensures easy insertion & maximum comfort.**

Part No.	Pack of	SNR	High, Medium, Low
MX6401	1 Pair	30dB	(31, 26, 24dB)

DELTAPLUS

DELTAPLUS High Visibility Disposable Corded Ear Plugs

Approved to EN352-2

- **HV disposable PU earplugs with plastic cord.**
- **Ergonomic design for more comfort.**

Part No.	Qty	SNR	High, Medium, Low
WS404	20 Pairs	34dB	(33, 31, 30dB)

JSP

JSP Ear Plugs - Reusable Type

Supplied with cord.

Part No.	Pack of	Description
WS20	5 Pairs	Reusable Ear Plugs

Ear Defenders

Glass filled nylon ear cups, polystyrene pads with flexible foam protection.
BS 6344 Part 2.
Frequency range: 1000 - 8000 Hz.

Part No.	Qty	Description
WS15	1 Pair	Ear Defenders

DELTAPLUS

DELTAPLUS Ear Defenders

Approved to EN352-1.
ABS and synthetic foam cups. ABS headband.

- **Adjustable in height to give an individual fit.**
- **Padded and flexible.**

Part No.	Qty	SNR	High, Medium, Low
WS408	1 Pair	26dB	(30, 24, 15dB)

DELTAPLUS

DELTAPLUS Foldable Ear Defenders

Approved to EN352-1.
Supplied with carry bag and belt clip.

- **Adjustable in height to give an individual fit**
- **ABS and synthetic foam cups**
- **Double plastic headband**
- **Can be folded away into a compact size for easier storage and hygiene**

Part No.	Qty	SNR	High, Medium, Low
WS409	1 Pair	30dB	(33, 29, 19dB)

MOLDEX

MOLDEX 'M1' Ear Defenders

Approved to EN352-1.
For protection from intermittent noise or for those who cannot achieve a safe and comfortable fit with earplugs. Metallic colour 'SoftCoat' material with padded steel headband, comfortable and robust.

- **6 adjustment points to give an individual fit**
- **Unique design can be folded away into a compact size for easier storage and hygiene**

Part No.	Pack of	SNR	High, Medium, Low
MX6100	1 Pair	31dB	(31, 29, 21dB)

MOLDEX

MOLDEX 'M2' Ear Defenders

Approved to EN352-1. Metallic colour 'SoftCoat' material. Moulded cup grips make fitting and alignment quick and easy. Wide range of cup adjustment gives excellent pressure distribution for all sizes.

- **Can be worn behind the neck, ideal when using head gear**

Part No.	Pack of	SNR	High, Medium, Low
MX6200	1 Pair	27-30dB	(31, 26, 17dB)

Hi-Vis Vest - Orange

Conforms to EN 471 Class 2.
100% polyester fabric hook & loop fastening.

Part No.	Qty	Size	Colour
WS459L	1	L	Fluorescent Orange
WS459XL	1	XL	Fluorescent Orange

Hi-Vis Vest - Yellow

Conforms to EN 471 Class 2.
100% polyester fabric hook & loop fastening.

Part No.	Qty	Size	Colour
WS400	1	M	Fluorescent Yellow
WS401	1	L	Fluorescent Yellow
WS402	1	XL	Fluorescent Yellow

DELTAPLUS

NEW

DELTAPLUS Bodywarmer - Black/Grey

PVC-coated polyester bodywarmer.

- Collar with polar lining for optimal comfort
- 3 pockets
- Extra comfort opening on both sides
- Lower back protection

Part No.	Qty	Size	Colour
WS458M	1	M	Grey-Black
WS458L	1	L	Grey-Black
WS458XL	1	XL	Grey-Black

DELTAPLUS

DELTAPLUS '2 in 1' Hi-Vis Bomber Jacket/ Body Warmer

Approved to EN343:2003 A1:2007 / EN ISO 20471:2013 High visibility Class 3.
Silver coloured shoulder-belt and parallel assembly.

- Bomber jacket with removable sleeves
- Collar with polar lining for optimal comfort
- Knitted cuffs and at bottom of garment
- 4 x Pockets

Part No.	Qty	Size	Colour
WS452L	1	L	Fluorescent Yellow
WS452XL	1	XL	Fluorescent Yellow

DELTAPLUS

DELTAPLUS Hi-Vis Parka

Approved to EN ISO 13688:2013 / EN ISO 20471:2013 / EN343:2003 A1:2007. High visibility Class 3.
Silver colour shoulder-belt and parallel assembly

- Warm parka waterproof seams
- Fixed hood
- Fastening with zip under Hook & Loop storm flap
- 4 x Pockets

Part No.	Qty	Size	Colour
WS454L	1	L	Fluorescent Yellow/Navy Blue
WS454XL	1	XL	Fluorescent Yellow/Navy Blue

DELTAPLUS

DELTAPLUS Softshell Jacket

- Fastening with zip under storm flap
- Bottom of sleeves with bias finishing
- 5 x Pockets
- Adjustable bottom of garment with elastic drawstring

Part No.	Qty	Size	Colour	Chest
WS453M	1	M	Grey-Black	48/50
WS453L	1	L	Grey-Black	52/54
WS453XL	1	XL	Grey-Black	56/58

DELTAPLUS Rain Suit

Approved to
EN ISO 13688:2013 /
EN343:2003 A1:200.
Weatherproof Rating 3 -1*.

JACKET:

- Fastening with zip under storm flap
- Fixed hood
- Raglan sleeves and adjustable cuffs with press-studs
- 2 x Pockets

TROUSERS:

- Elasticated waist
- Adjustable bottom of legs with press-studs
- 2 x Hand slits

Part No.	Qty	Size	Chest
WS455L	1 Set	L	52/54
WS455XL	1 Set	XL	56/58

DELTAPLUS Disposable Type 5/6 Coverall

Approved to EN ISO 13982-1:2004 /
A1:2010 / EN13034:2005 / A1:2009

- 100% SMS
- Fastening with zip under flap.
- Elasticated round head, waist, cuffs and ankles.
- Individual pack.
- 0% Silicone/Latex.
- Anti-Static.
- Breathable fabric .
- Non woven 100% SMS 50 g/m².

Part No.	Qty	Size
WS457L	1	L
WS457XL	1	XL

DELTAPLUS Cargo Style Work Trousers

Approved to EN ISO 13688:2013.
Navy with royal blue trim

- Elasticated waist on both sides.
- 7 pockets including 1 ruler.
- Twill 65% polyester 35% cotton 245 g/m².

Part No.	Qty	Size	Waist
WS450M	1	M	38/40
WS450L	1	L	42/44
WS450XL	1	XL	46/48

DELTAPLUS Working Overalls

Approved to EN340:2003.
Navy with orange trim.

- Front zip fastening with bias finishing
- Elasticated waist & cuffs
- 7 x Pockets
- Twill 65% polyester 35% cotton 235 g/m²

Part No.	Qty	Size	Chest
WS451M	1	M	48/50
WS451L	1	L	52/54
WS451XL	1	XL	56/58

DELTAPLUS Gel Kneepads

Approved to EN14404:2004 / A1:2010

- Outside anti slip shell.
- Elastic hook & loop band to maintain the knee.
- Adjustable strips in elastic hook & loop.

Part No.	Qty	Description
WS418	1 Pair	Gel Kneepads

DELTAPLUS Kneepads for Trouser Inserts

Approved to EN14404:2004 / A1:2010.
Polyethylene foam.

Part No.	Qty	Size
WS419	1 Pair	200 x 150 mm

DELTAPLUS Lightweight Composite Water Resistant Leather Hiker Safety Boots - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011.
Outsole: Ladder lateral grips, cleats with grip on all indoor and outdoor surfaces.
Upper: Pigmented split leather, S3 water resistant treatment. Insole: Ultra flexible anti-perforation composite insole.

- **Ultra light weight**
- **Composite toe cap 200 joule, lighter than steel, non-conductive material**
- **Non metallic footwear**
- **Ideal for agriculture, construction, craftsmen, light industry, service logistics & mining**

Part No.	Qty	Size UK (EU)		Class	Performance
WS55008	1 Pair	8	(42)	S3	SRC
WS55009	1 Pair	9	(43)	S3	SRC
WS55010	1 Pair	10	(44.5)	S3	SRC

DELTAPLUS Water Resistant Leather Hiker Safety Boots - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011.
Upper: Pigmented split leather, S3 water resistant treatment.
Outsole: Ladder lateral grips, toe and heel grips.

- **Comfortable wider fit**
- **Anti fatigue sole with integrated flexing zone**
- **Reflective strip**
- **Reinforced toe protection with PU cover (Bumper Cap System)**
- **Ideal for agriculture, construction, craftsmen, light industry, service logistics & mining**

Part No.	Qty	Size UK (EU)		Class	Performance
WS55708	1 Pair	8	(42)	S3	SRC
WS55709	1 Pair	9	(43)	S3	SRC
WS55710	1 Pair	10	(44.5)	S3	SRC

DELTAPLUS Leather Safety Boots - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011.
Upper: Pigmented split leather. Lining: Polyamide mesh.
Insole: Fixed - Polyamide on EVA. Outsole: Injected dual-density PU.

- **Ideal for construction, craftsmen, service logistics, light industry and mining**

Part No.	Qty	Size UK (EU)		Class	Performance
WS55308	1 Pair	8	(42)	S1P	SRC
WS55309	1 Pair	9	(43)	S1P	SRC
WS55310	1 Pair	10	(44.5)	S1P	SRC

DELTAPLUS Nubuck Leather Hiker Safety Boots - Sand

Approved to EN ISO 20344:2011 / EN ISO 20345:2011.
Upper: Cow Nubuck. Midsole: Steel. Outsole: PU/rubber.
Lining: Polyester. Insole: Removable, Polyester 4 mm EVA.

- **Ideal for craftsmen, light industry and service logistics**

Part No.	Qty		Colour	Size UK (EU)		Class	Performance
WS55808	1 Pair		Sand	8	(42)	S1P HRO	SRC
WS55809	1 Pair		Sand	9	(43)	S1P HRO	SRC
WS55810	1 Pair		Sand	10	(44.5)	S1P HRO	SRC
WS55908	1 Pair		Black	8	(42)	S1P HRO	SRC
WS55909	1 Pair		Black	9	(43)	S1P HRO	SRC
WS55910	1 Pair		Black	10	(44.5)	S1P HRO	SRC

DELTAPLUS Leather Fur-Lined Rigger Boots - Beige

Approved to EN ISO 20344:2011 / EN ISO 20345:2011.
Outsole: Injected dual density PU with front PU reinforcement.
Lining: Acrylic fur. Insole: Removable preformed polyester on EVA.
Upper: Cowhide leather, water resistant treatment S3 with TPR heel protection.

- **Ideal for agriculture, construction, craftsmen, light industry, service logistics and mining.**

Part No.	Qty	Size UK (EU)		Class	Performance
WS56008	1 Pair	8	(42)	S3 CI	SRC
WS56009	1 Pair	9	(43)	S3 CI	SRC
WS56010	1 Pair	10	(44.5)	S3 CI	SRC

DELTAPLUS Mesh/Full Grain Leather Safety Trainers - Black

Approved to EN ISO 20344:2011 / EN ISO 20345:2011.
Upper: Leather/mesh. Lining: Polyester.
Outsole: Cemented PU/rubber for better abrasion resistance.

- **Ultra flexible anti-perforation composite insole**
- **Composite toe cap 200 joule, lighter than steel, non-conductive material**
- **Ideal for craftsmen, light industry and service logistics**

Part No.	Qty	Size UK (EU)		Class	Performance
WS55408	1 Pair	8	(42)	S1P HRO	SRC
WS55409	1 Pair	9	(43)	S1P HRO	SRC
WS55410	1 Pair	10	(44.5)	S1P HRO	SRC

DELTAPLUS Lightweight Slip-On Safety Shoes

Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Polyester and cotton. Insole: Removable preformed polyester on EVA. Midsole: Injected single density PU.

- **Ultra lightweight for all day comfort**
- **Ideal for craftsmen, light industry and service logistics**

Part No.	Qty	Colour	Size UK (EU)	Class	Performance
WS55104	1 Pair	Blue	4 (37)	S1P	SRC
WS55105	1 Pair	Blue	5 (38)	S1P	SRC
WS55106	1 Pair	Blue	6 (39)	S1P	SRC
WS55107	1 Pair	Blue	7 (40.5)	S1P	SRC
WS55108	1 Pair	Blue	8 (42)	S1P	SRC
WS55204	1 Pair	Black	4 (37)	S1P	SRC
WS55205	1 Pair	Black	5 (38)	S1P	SRC
WS55206	1 Pair	Black	6 (39)	S1P	SRC
WS55207	1 Pair	Black	7 (40.5)	S1P	SRC
WS55208	1 Pair	Black	8 (42)	S1P	SRC

DELTAPLUS Suede Split Leather Safety Trainers

Approved to EN ISO 20344:2011 / EN ISO 20345:2011. Upper: Leather/mesh. Lining: Polyester. Outsole: Cemented PU/rubber for better abrasion resistance.

- **Ultra flexible anti-perforation composite insole**
- **Composite toe cap 200 joule, lighter than steel, non-conductive material**
- **Ideal for craftsmen, light industry and service logistics**

Part No.	Qty	Colour	Size UK (EU)	Class	Performance
WS55508	1 Pair	Blue/Grey	8 (42)	S1P HRO	SRC
WS55509	1 Pair	Blue/Grey	9 (43)	S1P HRO	SRC
WS55510	1 Pair	Blue/Grey	10 (44.5)	S1P HRO	SRC
WS55608	1 Pair	Biege	8 (42)	S1P HRO	SRC
WS55609	1 Pair	Biege	9 (43)	S1P HRO	SRC
WS55610	1 Pair	Biege	10 (44.5)	S1P HRO	SRC

Safety Boots + Footwear - Selection Guide

To make selection easier, safety boots and footwear normally carries a simple two or three letter code which defines the basic safety standards for that particular product. Typically this begins with an S for 200 Joule toe caps and less commonly P for 100 Joule toe caps; additional properties may be indicated by the use of further codes or pictograms.

As a basic requirement safety footwear must have a 200 joule toe cap. Other properties that may be included are: penetration resistance (midsole protection), conductive, anti-static, insulated against heat or cold, energy absorbing, outsole resistant to hot contact, water resistant.

Summary of Basic Ratings

SB Safety basic, 200 joules Toe Protection, Oil Resistant outer sole. (Minimum Requirement)

SBP As SB plus Mid-Sole for penetration resistance.

S1 As SB plus Anti-Static properties and fully enclosed Energy Absorbing heel area.

S1P As S1 plus Mid-Sole for penetration resistance.

S2 As S1 plus resistance to Water Penetration and absorption.

S3 As S2 plus Mid-Sole for penetration resistance and cleated outsole

Toe Protection (SB)

Your toes are a very vulnerable part of your body, especially in a workplace. Toe protection must withstand a 200 joule impact. Joule is the unit of energy and this standard is purposefully specific. Something heavy falling from a low height could have a lot less energy than something lighter from a much higher height. As well as impacts, the toe area must withstand a resting mass of well over 1000kg.

Most people have heard of steel toe cap boots but the protection doesn't have to be steel. In fact there are advantages to alternatives. Non-metallic protection can be equally as strong but lighter.

Midsole Penetration Protection (P) - SBP, S1P, S3

Sharp objects where we walk and stand are a significant risk not only in the workplace but also outdoors and at home. Midsole protection will guard against nails and other objects. To meet this standard the footwear must be able to resist a penetration force of 1100N. Midsole protection is provided in one of these methods: a stainless steel insert in the sole, aluminium insert in the sole, or by Kevlar insole. The Aluminium and Kevlar solutions are the most flexible and lightest and cover the greatest area of the foot. Kevlar insoles also offer much higher thermal insulation.

E **Energy Absorption**
Energy Absorption in the heel region

WRU **Water Resistant Upper**
Water resistant upper; not used on all rubber or polymeric footwear.

HRO **Heat Resistant**
Heat resistant outsole: to resist 300°C for 60 seconds

CI **Insulation against Cold**
Insulation against cold: tested for 30 minutes at 1-20°C

HI **Insulation against heat**
Insulation against heat: tested for 30 minutes at 150°C

ESD **Electro-Static Discharge**
ESD footwear is designed for the electronics and explosives industry and meet ESD CEI EN 61340-5-1 standard.

Non-metallic footwear

Safety footwear containing no metal parts is ideal for workplaces with metal detectors like airports, eliminating the hassle of removing them.

All safety footwear can have more features than are listed above but these are the minimum requirements to meet each of the safety ratings and the most common.

Options for specific protection are categorised as:

A Antistatic: Comes as standard with level S1, S2 and S3

E Energy absorbing heel: Comes as standard with level S1, S2 and S3

P Puncture Resistant: Comes as standard with level SBP, S1P and S3

HRO Heat Resistant Outsole: Comes as standard with level SB, S1, S2 and S3

Slip Resistance

The safety features of footwear, including slip resistance, are also tested according to a set of European test standards written into EN ISO 20344:2011 Personal protective equipment. Test methods for footwear.

Depending on the test conditions chosen, footwear tested according to the EN standards is now marked with one of the following codes: SRA, SRB, SRC.

The codes indicate that the footwear has met the specified requirements when tested as follows:

SRA Tested on ceramic tile wetted with dilute soap solution

SRB Tested on smooth steel with glycerol

SRC Tested under both the above conditions.

DELTAPLUS Restraint Work Harness Kit

Approved to EN355:2002 / EN361:2002 / EN363 : 2008 / EN364 : 1992 / EN365 : 2004.
Ready for use kit:
1 fall arrester anchorage point harness (back).

- **2 x Adjustment loops**
- **2 x Adjustable side plates with lanyard**
- **1 x Connector**

Part No.	Qty	Description	Size
WS472	1 Kit	**Work Harness Kit**	L

Lanyard in irremovable stranded rope Ø 12 mm. Length 1.50 m.

DELTAPLUS 'Classic' Fall Arrester Kit

Approved to EN355:2002 / EN361:2002 / EN363:2008 / EN364:1992 / EN365:2004.
Ready for use fall arrester kit:
2 fall arrester anchorage point harness (back - front).

- **2 x Adjustment loops**
- **2 x Adjustable side plates**
- **1 x Screw Karabiner**

Part No.	Qty	Description	Size
WS471	1 Kit	**Fall Arrester Kit**	L

1 x Fall arrest with non removable energy absorber in stranded rope dia. 12mm, length 2 m.



DELTAPLUS 'Scaffolding' Fall Arrester Kit

Approved to EN355:2002 / EN361:2002 / EN362:2004 / EN363:2008 / EN364:1992 / EN365:2004.
Ready for use fall arrester kit:
2 fall arrester anchorage point harness (back - front).

- **2 x Adjustment loops**
- **2 x Adjustable side plates**

Part No.	Qty	Description	Size
WS470	1 Kit	**Fall Arrester Kit**	L

Fall arrest with energy absorber with lanyard strap, length 2 m, equipped with 1 connector and 1 hook.

DELTAPLUS Fall Arrester Harness

Approved to EN361:2002 / EN363:2008 / EN364:1992 / EN365:2004 / EN355:2002 / EN361:2002

- **2 x Fall arrester anchorage point harness (back - front)**
- **2 x Adjustment loops**
- **2 x Adjustable lateral plates**

Part No.	Qty	Description	Size
WS473	1	**Fall Arrester Harness**	L

DELTAPLUS 'Riplight System II®' Fall Arrester Harness

Approved to EN361:2002 / EN363:2008 / EN364:1992 / EN365:2004 / EN355:2002 / EN361:2002.
Elasticated harness with extensible 'Riplight System II®' patented waves.

- **2 x Fall arrester anchorage points (back - front)**
- **4 x Adjustable buckles**

Part No.	Qty	Description	Size
WS474	1	**Fall Arrester Harness**	L

DELTAPLUS Energy Absorber Lanyard

Approved to EN363:2008 / EN364:1992 / EN365:2004 / EN355:2002.
Fall arrester with energy absorber in woven webbing with integrated crumple on the lanyard.

- **Retracted length: 1.40 m. Stretched length: 2 m**
- **1 x Screw lock karabiner in galvanized steel, opening 17 mm**
- **1 x Automatic hook lock in galvanized steel, large opening 55 mm**

Part No.	Qty	Description
WS475	1	**Energy Absorber Lanyard**

DELTAPLUS Lanyard

Approved to EN363:2008 / EN364:1992 / EN365:2004 / EN358:2002.

- **Adjustable work positioning lanyard via reducer**
- **Protective sheath on the splices**

Part No.	Qty	Rope Ø x Length
WS476	1	**12 mm x 2 m**

DELTAPLUS Screw Karabiner

Galvanized steel. Approved to EN362:2004 / EN363:2008 / EN364:1992 / EN365:2004. R > 23 kN.
Set of 5 screw lock karabiners in galvanized steel.

- **Automatic locking mechanism**
- **Large eye opening**

Part No.	Qty	Opening
WS477	5	**17 mm**

DELTAPLUS Automatic Lock Hook

Approved to EN362:2004 / EN363:2008 / EN364:1992 / EN365:2004
Set of 2 automatic hooks lock in galvanized steel.

- **Large opening 55 mm**
- **Eye hook. R > 20 kN.**

Part No.	Qty	Description
WS478	2	**Lock Hook**

390

391

394

396

398

400

401

Welding, Gas + Abrasives

390 Welding Protection
391 Welding Rods
391 Welding Electrodes
392 Welding Accessories
394 Soldering
396 Gas Heating Spares
398 Gas Brazing
399 Grinding Wheels
399 Abrasive Rolls
400 Wire Wheels
401 Wire Brushes
402 Abrasive Rolls
402 Abrasive Paper
403 Sanding Blocks
404 Abrasive Discs
406 Abrasive Flap Discs
407 Polishing Discs
408 Cut-Off Discs
408 Thin Cutting Discs
409 Flat Cutting Discs
410 Depressed Centre Cutting Discs
411 Grinding Discs
412 Hand Files
413 Rotary Burrs
414 Aerosol Spray Packs


402


405

406

407

408

409

409

412

413

Welders' Face Shield - Hand Held Type

EN 175. Aperture.

Part No.	Qty	Takes Lens Size
WS22	1	4 1/4" x 3 1/4" (108 x 82.5 mm)

Welders' Face Shields

Complete with headband and fixed lens holder (Lens NOT included).

Part No.	Qty	Takes Lens Size
WS36	1	4 1/4" x 3 1/4" (108 x 82.5 mm)

Welders' Face Shields

Complete with headband and flip-up lens holder (Lens NOT included).

Part No.	Qty	Takes Lens Size
WS37	1	4 1/4" x 2" (108 x 51.0 mm)

Face Shield Lenses - 4 1/4" x 2"

DIN 0196CE where applicable. (108 x 51 mm).

Part No.	Pack of	Lens Type
WS22C	5	Anti-Spatter
WS22S	5	Shade No. 10



Face Shield Lenses - 4 1/4" x 3 1/4"

DIN 0196CE where applicable. (108 x 82.5 mm).

Part No.	Pack of	Lens Type
WS22CA	5	Anti-Spatter
WS22SA	5	Shade No. 10

Welding Goggles

One-piece. Spatter resistant lenses incorporating a gas welding filter for gas welding only. BS 679/1959.

Part No.	Qty	Lens Colour
WS4	1	Shade 5

Welding Goggles - Flip-Up Type

Flexible body with 50 mm round polycarbonate lenses and indirect vents for gas welding only. KM348551F.

Part No.	Qty	Lens Colour
WS16	1	Shade 5

Wide Vision Welding Goggles

CE marked. 99.9% UV/B protection.
EN166 / EN171 / EN175.
Fits over most spectacles. Anti scratch/mist.

Part No.	Qty	Lens Colour	Markings
WS1511	1	Shade 5	4-5 1 BT 9 O

Wraparound Safety Spectacles with Rubber Nose Pads

CE marked. 99.9% UV/B protection.
EN166 / EN170 (*EN172) (†EN171).
Comfortable lightweight design, rubber nose pads and soft temple tips. Anti scratch.

Part No.	Qty	Lens Colour	Markings
WS1500	1	Shade 5 †	4-5 1 FT O

Gauntlets

With tough cotton fleece lining, 5" cuffs. Colour may vary.

Part No.	Qty	Description	EN388 Rating
WS8	1 Pair	Gauntlets	4133

'Super 6' General Purpose Welding Electrodes

AWS: E6013 EN ISO 2560: E420 RC11.
Universal electrode for welding in all positions on AC and DC (AC>70V). Especially suitable for where one single type of electrode is required. General purpose electrode for welding high tensile steels and low alloy steel.
The weld metal shows an excellent low temperature toughness and high crack resistance. Applications: General fabrication, repair & maintenance.

Part No.	Weight	Size
WR51	5 kg	2.0 x 350 mm
WR52	5 kg	2.5 x 350 mm
WR53	5 kg	3.2 x 350 mm
WR54	5 kg	4.0 x 350 mm

HILCO 'Red Extra' Welding Electrodes

Steels, General Rutile.
AWS: E6013 DIN: E 51 32 R(C)3.

- **Suitable for general purpose electrode, including thin sheet work.**
- **Easy striking, even on transformers with a low open circuit voltage.**

Part No.	Qty	Ø	Weight
WR41	1	2.0 mm	4.1k g
WR42	1	2.5 mm	5.0 kg
WR43	1	3.2 mm	5.0 kg
WR44	1	4.0 mm	5.0 kg

Welding Curtain Set

Flame retardant to EN 1598. Dimensions: 6 x 6 ft.
Galvanised steel box section for enhanced strength.
Set contains: 1 x Metal Frame, 1 x PVC Green Curtain: 6 x 6 ft, 20 x Curtain Rings.

- **Suitable for all types of welding: MIG, TIG, stick, oxy/fuel and plasma cutting**
- **Lightweight and portable**
- **Quick and easy to erect**

Part No.	Qty	Description
WS500	1 Set	Welding Curtain Set
WS501	1	Replacement PVC Green Curtain
WS502	1	Replacement Metal Frame
WS503	20	Replacement Curtain Rings

SIF 'Sifsteel No. 11' Welding Rods

Steel. Low carbon copper coated mild steel. BS 1453 A1.
For all classes of mild steel and wrought iron.

Part No.	Weight	Size	Equiv
WR1	2.5 kg	1.6 mm	1/16"
WR2	2.5 kg	2.4 mm	3/32"
WR3	2.5 kg	3.2 mm	1/8"

SIF 'Sifredicote' Brazing Rods - Flux Coated

BS EN ISO 17672:2016 CU 470. A 'Sifbronze' No. 1 with a full flux coating.

- **Provides a faster continuous brazing through not having to flux-dip.**
- **Ideal for general mild steel work, galvanised steel and dissimilar metal applications.**

Part No.	Weight	Size	Equiv
WR82	1 kg	2.4 mm	3/32"
WR83	1 kg	3.2 mm	1/8"

SIF 'Sifbronze No. 1' Brazing Rods

Non-impregnated. BS 1845 CZ6 / BS 1453 C2.

Part No.	Weight	Size	Equiv
WR11	1 kg	1.6 mm	1/16"
WR12	1 kg	2.4 mm	3/32"
WR13	1 kg	3.2 mm	1/8"

SIF Brazing Flux

Part No.	Qty	Size
WRF3	1	225g Tub

Earthing Clamp

Part No.	Qty	Amperage
WS72	1	400 A

Electrode Holder

Twist type.

Part No.	Qty	Amperage
WS74	1	400 A



Chipping Hammer

Sprung handle.

Part No.	Qty	Description
WS70	1	Chipping Hammer

Spanner/ Cylinder Keys

Part No.	Pack of	Description
WS13A	1	Spanner/Cylinder Key
WS13	2	Spanner/Cylinder Keys

Welding Nozzle Cleaners

Part No.	Pack of	Description
WS14A	1	Nozzle Cleaners
WS14	5	Nozzle Cleaners



Mig Wire

Copper coated deoxidised steel for semi-automatic welding (CO_2 wire). BS 2901 A18.

Part No.	Qty	Diameter
WR73	5 kg Spool	0.6 mm
WR75	15 kg Spool	0.6 mm
WR74	5 kg Spool	0.8 mm
WR76	15 kg Spool	0.8 mm

Torch Spares for Mig No. 15 Type Torches

Part No.	Pack of	Size
WS84	10	Tips 0.6 mm
WS85	10	Tips 0.8 mm

Torch Spares for Mig No. 15 Type Torches

Part No.	Pack of	Description
WS86	2	Shrouds

Torch Spares for Mig No. 25 Type Torches

Part No.	Pack of	Size
WS89	10	Tips 0.6 mm
WS90	10	Tips 0.8 mm

Torch Spares for Mig No. 25 Type Torches

Part No.	Pack of	Description
WS91	2	Shrouds

Torch Spares for Mig No. 25 Type Torches

Part No.	Pack of	Description
WS92	2	Tip Adaptor



Welding Nozzles

Swaged copper tube. Lightweight.

Part No.	Pack of	Size No.
WS9	3	No. 2
WS10	3	No. 3
WS11	3	No. 5
WS53	3	No. 10



Male Fitting/Coupler

Suits fuel gases.

Part No.	Qty	Thread
GAS26	1	3/8" Left Hand
GAS25	1	3/8" Right Hand

Gas Cutting Nozzles - Acetylene

A-NMS. Suits 18/90 style torch.

Part No.	Qty	Size
WS60	1	1/32"
WS61	1	3/64"
WS62	1	1/16"

Gas Cutting Nozzles - Propane

P-NMS. Suits 18/90 style torch.

Part No.	Qty	Size	Cutting Capability
WS64	1	1/32"	3 - 6 mm Plate
WS67	1	3/64"	5 - 12 mm Plate
WS63	1	1/16"	10 - 75 mm Plate
WS68	1	5/64"	70 - 100 mm Plate
WS66	1	3/32"	90 - 150 mm Plate
WS65	1	1/8"	140 - 300 mm Plate

Welding Cable Plug

BS EN 60974-12. A standard Dinse type plug.

Part No.	Pack of	Type/Cable Size
WCP25	1	10 - 25 mm²
WCP50	1	35 - 50 mm²

Welding Cable Socket

BS EN 60974-12. A standard Dinse type socket.

Part No.	Pack of	Type/Cable Size
WCS50	1	35 - 50 mm²
WCS25	1	10 - 25 mm²

Stud Welding Panel Pins

Copper coated pins for use with dent pulling stud welders.

Part No.	Pack of	Dia x Length
DRP1	500	2.0 x 50 mm

Triple Flint Lighter

Part No.	Qty	Description
WS54	1	Triple Flint Lighter

Triple Flints

Suits Part No. WS54.

Part No.	Pack of	Description
WS55	10	Triple Flints

Flint Lighter

Pistol type.

Part No.	Qty	Description
WS12	1	Flint Lighter

S·A·S

S·A·S Weld Anti-Spatter

Water Based

- Provides a protective oily film for use in welding
- Silicone FREE

Part No.	Pack of	Size
SAS9	6	400ml Aerosols

sif

SIF Brazing Flux

Part No.	Qty	Size
WRF3	1	225g Tub

Solder Wire

Flux cored. 40% Tin / 60% Lead.
BS 441.
• **General purpose.**

Part No.	Qty	Diameter	
SO2	0.5 kg Coil	**1.6 mm Ø**	(16 SWG)
SO1	0.5 kg Coil	**3.2 mm Ø**	(10 SWG)

Solder Wire

Flux cored. 60% Tin / 40% Lead.
BS 441.
• **For circuit boards, etc.**

Part No.	Qty	Diameter	
SO22	0.5 kg Coil	**0.7 mm Ø**	(22 SWG)
SO18	0.5 kg Coil	**1.2 mm Ø**	(18 SWG)

KS TOOLS GERMANY

KS TOOLS
Soldering Wire Holding Pliers

Special pliers for fixing wires during soldering.
Self closing spring and latching mechanism.

Part No.	Qty	Length
K115.1052	1	**245 mm**

PROVIDUS Technic Make It Safe.



PROVIDUS+ Soldering Iron

230V fitted with mains plug.

Part No.	Qty	Wattage
TL952	1	**100W**

Solder

Tinmans. 40% Tin / 60% Lead.

Part No.	Pack of	Approx. Weight
SO3	2 Sticks	**0.5 kg**

Solder

Body solder. 28% Tin / 72% Lead.

Part No.	Pack of	Approx. Weight
SO4	2 Sticks	**1 kg**

TEMPLER'S
'Telux' Soldering Flux

Milder formula. General purpose.
For copper pipe work, brass, mild steel and other metals.
Soft and easy to apply in a thin film, e.g. capillary joints on pipe work.
NOT suitable for use on Aluminium or Stainless Steel.

Part No.	Qty	Size
SO9	1	**50g Tin**
SO8	1	**250g Tub**

Soldering Flux

Zinc chloride rosin free.

Part No.	Qty	Size
SO6	1	**500ml Bottle**

KS TOOLS Micro Soldering Kit

Gas powered micro soldering equipment up to 1,300°C.
With Piezo ignition.Adjustable gas flow, refillable with gas lighter refills.
Supplied in robust storage case.

Part No.	Qty	Description
K960.1160	1 Set	**10 Piece Set**

1 x Gas soldering iron. 1 x Soldering head for screw-in soldering tips. 2 x Tips: 3.5 mm chisel tip, 4.5 mm diagonal tip. 1 x Heat-shrink tubing attachment. 1 x Cap Soldering. 1 x Solder wire spool. 1 x Cap. 1 x Tower housing. 1 x Soldering sponge.

LASER Gas Soldering Kit

Part No.	Qty	Description
TL955	1 Set	**5 Piece Set**

1 x Torch with blow torch attachment. 2 x Soldering tips. 1 x Torch stand. 1 x Pack of solder.

Looking for Gas Brazing Torches & Gas?

A full range can be found on Page 398



S·A·S Butane Gas Chargers

High quality, ultra pure butane gas.
Fitted with universal refill adaptor.

- **Ideal for gas lighters, torches, gas soldering irons and glue guns.**

Part No.	Pack of	Size
SAS50	6	**200ml Aerosols**

KS TOOLS Universal Butane Soldering Gun

Temperature up to 1300°C / 2450°F.
Flame soldering burner with small bundled flamer for fine soldering work.
Dimensions: 36 x 143 x 92 mm.
Complete with table stand.

Part No.	Qty	Description
K960.1200	1	**Soldering Gun**

LASER Butane Gas Solder Torch

Butane gas powered, hand held gas torch.
Suitable for heating and shrinking applications.

- **Piezo electric ignition.**
- **Adjustable heat control.**

Part No.	Qty	Description
TL7600	1	**Butane Gas Torch**

Windproof Jet Flame Torch

Refills with standard butane gas chargers (suits Part No. SAS50).
Colour/model may vary.

- **Windproof jet flame**

Part No.	Qty	Description
TL130	1	**Jet Flame Torch**

Adjustable Propane Gas Regulator - 0.35 - 2 Bar

Outlet: 1/4" BSP Female.

Part No.	Qty	Pressure
GAS3	1	Adjustable 0.35 - 2.0 Bar

Adjustable Propane Gas Regulator - 0.5 - 1 Bar

Outlet: 1/4" BSP Female.

Part No.	Qty	Pressure
GAS4	1	Adjustable 0.5 - 1.0 Bar

Fixed Propane Gas Regulator - 37 Mbar

Outlet: For 10 mm Ø bore hose.

Part No.	Qty	Pressure
GAS7	1	Fixed 37 Mbar



Fixed Propane Gas Regulator - 1 Bar

Outlet: 1/4" BSP Female.

Part No.	Qty	Pressure
GAS5	1	Fixed 1 Bar

Fixed Propane Gas Regulator - 2 Bar

Outlet: 1/4" BSP Male

Part No.	Qty	Pressure
GAS6	1	Fixed 2 Bar



Regulator Thread Protection Caps

Black Rubber

Part No.	Pack of	Description
GAS23	50	Protection Caps

Propane/Butane Gas Bottle Spanner

Lightweight type. Pressed gas regulator spanner fits propane regulators and butane regulators with a 28/30mm nut.

Part No.	Qty	Description
GAS24	1	Gas Bottle Spanner

Pigtail Propane Gas Hose

Part No.	Qty	Length
GAS32	1	18"



T Manifold for Propane Bottles

Brass.

Part No.	Qty	Description
GAS30	1	T Manifold

Regulator Gas Tails - 1/4" BSPT Male

Zinc. 60° coned seat.

Part No.	Qty	Hose I.D.	
GAS20	1	4.8 mm	(3/16")
GAS21	1	6.3 mm	(1/4")
GAS22	1	8.0 mm	(5/16")



Male Fitting/Coupler

Suits fuel gases.

Part No.	Qty	Thread
GAS26	1	3/8" Left Hand
GAS25	1	3/8" Right Hand

Butane Fixed Low Pressure 'Quick-On' Regulators - 28 Mbar

Conforms to EN 12864.
Outlet: For 10 mm Ø bore hose.

Part No.	Qty	Cylinder Diameter
GAS8	1	20 mm
GAS9	1	21 mm

Gas Hoses

BS3212: 1991/2/4,8. High pressure LPG.

Part No.	Qty	Dia x Length	
GAS38	1	5 mm x 50 m Roll	(3/16")
GAS39	1	6 mm x 50 m Roll	(1/4")
GAS40	1	8 mm x 50 m Roll	(5/16")

Gas Hose with 1/4" BSP Female Fittings

BS3212: 1991/2/4,8. High pressure LPG.

Part No.	Qty	Dia. x Length	
GAS35	1	6 mm x 1.5 m	(1/4")
GAS37	1	6 mm x 3.0 m	(1/4")

Gas Hose with 1/4" BSP Female Fittings including 90° Fitting

BS3212: 1991/2/4,8. High pressure LPG.

Part No.	Qty	Dia x Length	
GAS36	1	6 mm x 2 m Hose	(1/4")

Locknuts For Thermocouples

Brass

Part No.	Pack of	Description
GAS63	20	Thermocouple Locknuts

Piezo Ignitor

Part No.	Qty	Description
GAS73	1	Piezo Ignitor



Thermostat Otterstat

Part No.	Qty	Description
GAS64	1	Thermostat Otterstat

Universal Electrode

Part No.	Qty	Description
GAS71	1	Electrode

Boxer Heater Flame Supervision Device

Mfr. Ref: SP 1400CN. Complete with locknuts.

Part No.	Qty	Description
GAS72	1	Heater Flame Device

Bullfinch



BULLFINCH Boxer Heater Igniter & Lead

Mfr. Ref: SP 1400BD

Part No.	Qty	Description
GAS75	1	Heater Igniter & Lead

Boxer Heater Spark Plug

Mfr. Ref: SP 1500C.

Part No.	Qty	Description
GAS74	1	Heater Spark Plug



Thermocouples

Part No.	Qty	Description
GAS62	1	Boxer Heater Type
GAS61	1	300/350 (Unthreaded) (A)
GAS60	1	Threaded Type (E)

PROVIDUS Technic Make it Safe.

PROVIDUS+ Professional Turbo Torch

For use with GASEX® (VC51) gas cylinders.
Particularly suited to both heating small parts and for small welding jobs. It can also be used for stripping paint, thawing piping, burning and brazing.

Part No.	Qty	Description
TL956	1	Professional Turbo Torch

PROVIDUS Technic Make it Safe.

PROVIDUS+ GASEX® Gas Cylinder

EN 471. TÜV approved.

- **35% faster than Propane.**

Part No.	Qty	Size
VC51	1	860ml Cylinder

Soldering and Brazing Heat Mat

Made from HDW graphic, woven glass fibre.
Dimensions:
250 mm x 250 mm (10" x 10").
For use with brazing torches, soldering irons, etc.

- **Withstands temperatures up to 600°C.**

Part No.	Qty	Description
WS19	1	Heat Mat

ambersil

BEST SELLER

AMBERSIL Acrylic Paint Marker Pens

Tenacious resin binds paint to the writing surface almost eliminating the problems associated with accidental rub-off and will not wash off with water/rain.

Part No.	Qty	Colour	Nib Ø
AMB130	1	White	3 mm
AMB131	1	Yellow	3 mm
AMB132	1	Red	3 mm
AMB133	1	Black	3 mm

ARCTIC HAYES Tools & Consumables

ARCTIC HAYES 'Vortex' Brazing Torch

Fits 1 inch CGA600 thread gas cylinders (suits Part No.s VG1 & VG2).

- **Lightweight tough magnesium alloy body with soft rubber hand grip**
- **Piezo ignition, flame regulator and safety lock**

Part No.	Qty	Description
VT1	1	Brazing Torch

ARCTIC HAYES Tools & Consumables

BEST SELLER

ARCTIC HAYES 'Vortex' Map-X Gas

Suitable for all soldering and brazing applications.

- **Burns up to +115°C.**

Part No.	Qty	Size
VG1	1	400g Cylinder

ARCTIC HAYES Tools & Consumables

ARCTIC HAYES 'Vortex' Propane Gas

Ideal for soldering fittings, etc.

- **Burns up to 900°C+.**

Part No.	Qty	Size
VG2	1	400g Cylinder

Grinding Wheels - A60 Fine

Aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

Part No.	Qty	O.D. x Hole Ø	
WCD31	1	150 x 20 mm	(6" x 3/4")

Grinding Wheels - A46 Medium

Aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

Part No.	Qty	O.D. x Hole Ø	
WCD32	1	150 x 20 mm	(6" x 3/4")

Grinding Wheels - A36 Coarse

Aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

Part No.	Qty	O.D. x Hole Ø	
WCD33	1	150 x 20 mm	(6" x 3/4")

Grinding Wheels - 3C60 Silicon Carbide 60 Grit

NOT aluminium oxide. 1 1/4" hole with reducing bushes for 1/2" axle.

Part No.	Qty	O.D. x Hole Ø	
WCD34	1	150 x 20 mm	(6" x 3/4")



Steel Wool

Quality steel wool.

Part No.	Weight	Grade
WB26	1 lb (0.45 kg) Approx.	Fine Grade
WB28	1 lb (0.45 kg) Approx.	Medium Grade

Non-Woven Material Rolls - Aluminium Oxide

100 mm wide x 10 m roll.

Part No.	Qty	Colour	Grade
WB220	1	Red	Very Fine

Non-Woven Material Rolls - Silicon Carbide

100 mm wide x 10 m roll.

Part No.	Qty	Colour	Grade
WB210	1	Grey	Ultra Fine

Finishing Pads - Fibre

Dimensions: 152 x 229 mm

Part No.	Pack of	Colour	Grade
WB21	10	Grey	Ultra Fine
WB22	10	Red	Very Fine
WB23	10	Green	General Purpose

Cup Brushes - Twist Knot

Hardened steel wire.

Part No.	Qty	O.D. x Wire Ø	Size	Max RPM
WB55	1	70 mm x 0.35 mm	M10	14,000
WB60	1	70 mm x 0.35 mm	M10 x 1.25	14,000
WB56	1	70 mm x 0.35 mm	M14	14,000
WB57	1	85 mm x 0.50 mm	M14	8,500
WB59	1	105 mm x 0.50 mm	M14	8,500

Cup Brush

0.30 mm high resistance crimped steel wire.

Part No.	Qty	O.D.	Size	Max RPM
WB54	1	120 mm	M14	8,500

Wheel Brush - Twist Knot

0.50 mm Ø twist knot hardened steel wire.

Part No.	Qty	O.D.	Size	Max RPM
WB67	1	115 mm	M14	20,000

Conical Brushes - Twist Knot

0.50 mm Ø twist knot hardened steel wire.

Part No.	Qty	O.D.	Size	Max RPM
WB69	1	95 mm	M10	14,000
WB68	1	95 mm	M14	14,000

Shaft Mounted Cup Brushes

6 mm Ø Shaft. 0.35 mm Ø high resistance crimped steel wire.

Part No.	Qty	O.D.	Max RPM
WB61	1	50 mm	4,500
WB62	1	75 mm	4,500



Wire Brushes with Metric Adaptors

0.35 mm Ø high resistance crimped steel wire.
Suitable for use with bench grinders.
Supplied with reducing adaptor kit for 16 mm, 20 mm, 25 mm bore hole.

Part No.	Qty	O.D. x Width	Bore Hole	Max RPM
WB49	1	150 x 20 mm	38 mm	6,000
WB50	1	200 x 29 mm	38 mm	6,000



Wire Brushes with Imperial Adaptors

0.35 mm Ø high resistance crimped steel wire.
Suitable for use with bench grinders.
Supplied with reducing adaptor kit for 1/2", 5/8", 3/4", 1" bore hole.

Part No.	Qty	O.D. x Width	Bore Hole	Max RPM
WB51	1	200 x 23 mm	38 mm	6,000

Shaft Mounted Brush

0.30 mm Ø high resistance crimped steel wire.

Part No.	Qty	O.D.	Max RPM
WB66	1	20 mm	18,000

Shaft Mounted Wheel Brushes

6 mm Ø Shaft. 0.30 mm Ø high resistance crimped steel wire.

Part No.	Qty	O.D. x Width	Max RPM
WB64	1	50 x 8 mm	5,000
WB65	1	60 x 8 mm	6,000



Rubber-Bonded Circular Shaft Brush (Mule Skinner)

6 mm Ø Shaft. 0.30 mm Ø brass coated steel wire.

Part No.	Qty	O.D.	Max RPM
WB70	1	60 mm	18,000

SIT 'SPID' Brushes

Part No.	Qty	Wire Type
WB19A	6	Brass Plated Steel
WB19	24	Brass Plated Steel

SIT 'SPID' Brushes

Part No.	Qty	Wire Type
WB31	6	Stainless Steel



Wire Brushes

Wooden handles.

Part No.	Pack of	Type
WB10A	6	2-Row
WB10	12	2-Row

Wire Brushes

Wooden handles.

Part No.	Pack of	Type
WB1A	6	4-Row
WB1	12	4-Row

Wire Brushes with Metal Scraper

Wooden handles.

Part No.	Qty	Type
WBS3	3	4-Row with Scraper
WBS1	1	4-Row with Scraper



LASER Wire Brush Set

A comprehensive wire brush set suitablefor numerous uses including removing carbon from internal threads or pipes and cleaning drilled holes.

- **The set includes a 6" extension with 1/4" shank quick release chuck for power tool use**
- **Soft grip handle for hand use**

Part No.	Qty	Description
TL7120	1 Set	20 Piece Set

1 x Soft grip handle. 1 x 1/4" Shank quick release chuck: 6". 6 x Stainless steel brushes: 9, 10, 13, 15, 17, 19 mm. 6 x Brass brushes: 9, 10, 13, 15, 17, 19 mm. 6 x Nylon brushes: 9, 10, 13, 15, 17, 19 mm.

Mini 3-Row Wire Brushes Set

Part No.	Qty	Description
WB30	1 Set	3 Piece Set

1 x Steel (Brush Head W x D): 90 x 20 mm. 2 x Brass (Brush Head W x D): 35 x 10, 90 x 20 mm.

KS TOOLS GERMANY

KS TOOLS Rubber Eraser Pad

(Toffee/Carmel Wheel). M8 shaft, for use in drills and cordless power tools (NOT suitable for air sanders).

- **For complete and careful removal of pinstripes and adhesive wheel balance stickers on high value alloy wheels**
- **The neutral coloured rubber eraser pad ensures optimal results and prevents surface smudging**

Part No.	Qty	Ø x Width	Max RPM
K515.1243	1	90 mm x 15 mm	2,000

Parts Cleaning Brush

Taper cut 64 mm pure bristles.
Can be used in all parts cleaning solvents.

Part No.	Qty	Length	
TNH266C	1	260 mm	(10")

Emery Rolls - Blue Twill

Part No.	Length	Width		Grit
WER150	25 m Roll	25 mm	(1")	150
WER80	25 m Roll	25 mm	(1")	80
WER60	25 m Roll	25 mm	(1")	60
WER40	25 m Roll	25 mm	(1")	40

Emery Rolls - Blue Twill

Part No.	Length	Width		Grit
WER1	50 m Roll	25 mm	(1")	150
WER10	50 m Roll	25 mm	(1")	120
WER2	50 m Roll	25 mm	(1")	80
WER25	50 m Roll	25 mm	(1")	60
WER3	50 m Roll	25 mm	(1")	40



Emery Rolls - Blue Twill

Part No.	Length	Width		Grit
WER30	50 m Roll	50 mm	(2")	80
WER31	50 m Roll	50 mm	(2")	40

Emery Rolls - Brown (Engineers' Quality)

Part No.	Length	Width		Grit
WER6	50 m Roll	25 mm	(1")	120
WER4	50 m Roll	25 mm	(1")	80



Emery Rolls - Brown (Engineers' Quality)

Part No.	Length	Width		Grit
WER7	50 m Roll	50 mm	(2")	120
WER5	50 m Roll	50 mm	(2")	80

Emery Sheets - Blue Twill

Dimensions: 230 x 280 mm (9" x 11").

Part No.	Pack of	Grit
WES1	25	150
WES21	25	120
WES2	25	80
WES31	25	60
WES3	25	40

Production Papers - Aluminium Oxide

Sheet dimensions: 230 x 280 mm (9" x 11").

Part No.	Pack of	Grit
WPP1	25	80
WPP2	25	60
WPP3	25	40

Wet & Dry Papers

Sheet dimensions: 230 x 280 mm (9" x 11").

Part No.	Pack of	Grit
WAP7	25	1200
WAP6	25	1000
WAP800	25	800
WAP1	25	600
WAP2	25	400
WAP360	25	360
WAP3	25	320
WAP240	25	240
WAP4	25	180
WAP120	25	120
WAP5	25	80

KS TOOLS Sanding Block

Sponge rubber backing, stainless steel clamping clips.

- **For use with emery, wet & dry, sand paper, etc.**
- **Very good for working on surfaces**
- **Moulded handle ensures a comfortable grip**

Part No.	Qty	Description
K515.3095	1	Sanding Block

BIBIELLE Zirconium Sanding Belts

Polyester cloth with tape joint.

Part No.	Pack of	Ø	Grit
WSB31	10	13 x 305 mm	80
WSB32	10	13 x 305 mm	60
WSB33	10	13 x 305 mm	36
WSB51	10	19 x 520 mm	80
WSB52	10	19 x 520 mm	60
WSB53	10	19 x 520 mm	36

BIBIELLE Flap Wheels

Aluminium oxide cloth. 6 mm shaft.

Part No.	Pack of	Ø x Thickness	Grit
WAF216	4	25 mm x 10 mm	60
WAF218	4	25 mm x 10 mm	80
WAF226	4	25 mm x 20 mm	60
WAF228	4	25 mm x 20 mm	80
WAF424	4	40 mm x 20 mm	40
WAF426	4	40 mm x 20 mm	60
WAF428	4	40 mm x 20 mm	80
WAF434	4	40 mm x 30 mm	40
WAF436	4	40 mm x 30 mm	60
WAF438	4	40 mm x 30 mm	80
WAF524	4	50 mm x 25 mm	40
WAF526	4	50 mm x 25 mm	60
WAF528	4	50 mm x 25 mm	80
WAF624	4	60 mm x 30 mm	40
WAF626	4	60 mm x 30 mm	60
WAF628	4	60 mm x 30 mm	80
WAF854	2	80 mm x 50 mm	40
WAF856	2	80 mm x 50 mm	60
WAF858	2	80 mm x 50 mm	80

Sanding Block - Dense Red Rubber

Dense rubber sanding block fitted with slots to attach the abrasive paper.

- **Can be used with wet or dry sanding**

Part No.	Qty	Size
WSD102	1	70 x 125 mm

Sanding Kit - Curved Blocks

Includes both concave and convex adaptors. Takes standard 150 mm diameter hook and loop abrasive discs. Supplied in a robust storage case.

- **Ideal for body contours and excellent for wheel arches, wings.**
- **Teardrop sander included, great for sanding grooves.**

Part No.	Qty	Description
WSD100	6 Piece Set	Sanding Kit

Kit contains: 1 x Sanding wedge. 5 x Sanding blocks: Various shapes.

Sanding Block - Hook & Loop

Soft foam hand sanding block with a hook and loop backing. Takes standard 150 mm diameter hook and loop abrasive discs.

Part No.	Qty	Takes
WSD101	1	150 mm Ø Discs

Sanding Block with Dust Extraction

Hook and loop fitting.
Dust extraction outlet 19 mm (external), supplied with 2 adaptors to allow a wide range of extraction systems to be connected (Adaptors: 25 mm and 28 mm).

- **Dust extraction facility that can be coupled to a central vacuum unit for dust free sanding.**
- **Multiple hole configurations to accept a wide range of manufacturers abrasive sheets.**

Part No.	Qty	Size
WSD103	1	70 x 420 mm



Backing Pads for Fibre-Backed Discs

ISO 15636

Part No.	Qty	Diameter	Size x Pitch	Max RPM
WSD61	1	90 mm	M10 x 1.50 mm	15,300
WSD62	1	102 mm	M14 x 2.00 mm	13,300
WSD63	1	178 mm	M14 x 2.00 mm	8,600

Sanding Discs - Fibre-Backed

Vulcanised.

Part No.	Pack of	Ø		Grit
WSD1	25	100 mm	(4")	50
WSD2	25	100 mm	(4")	36
WSD3	25	100 mm	(4")	24
WSD31	25	115 mm	(4 1/2")	50
WSD32	25	115 mm	(4 1/2")	36
WSD33	25	115 mm	(4 1/2")	24
WSD34	25	180 mm	(7")	50
WSD35	25	180 mm	(7")	36
WSD36	25	180 mm	(7")	24

Sanding Discs - Self-Adhesive

150 mm (6") Ø

Part No.	Pack of	Ø		Grit
WSD7	100	150 mm	(6")	320
WSD8	100	150 mm	(6")	180
WSD81	100	150 mm	(6")	120
WSD9	100	150 mm	(6")	80
WSD91	100	150 mm	(6")	40



Assorted Pack of 'Mini' Sanding Discs with Velour Backing c/w Backing Pad

Part No.	Description
AP70	51 Piece Set

10 x 50 mm (2") Discs: 60, 120, 240, 320, 400 Grit. 1 x Backing Pad: 50 mm (2").

Backing Pads for Velour-Backed Discs

Part No.	Qty	Diameter	Size x Pitch
WSD60	1	150 mm	M14 x 2.00 mm



Sanding Discs with Velour Backing

Universal. For paint, metals, wood and lacquers. Spec KE-RR.

Part No.	Pack of	Ø		Grit
WSD41	100	150 mm	(6")	120
WSD42	100	150 mm	(6")	80
WSD43	100	150 mm	(6")	60
WSD44	100	150 mm	(6")	40



Sanding Discs with Velour Backing

Finer grits for finishing. Spec KC-RA.

Part No.	Pack of	Ø		Grit
WSD51	100	150 mm	(6")	240
WSD52	100	150 mm	(6")	180

'Mini' Sanding Discs with Velour Backing

Universal. For paint, metals, wood and lacquers. Spec KE-RR.

Part No.	Pack of	Ø		Grit
WSD70	10	50 mm	(2")	60
WSD71	10	50 mm	(2")	120
WSD72	10	50 mm	(2")	240
WSD73	10	50 mm	(2")	320
WSD74	10	50 mm	(2")	400

Backing Pads for 'Mini' Fibre-Backed Discs

Part No.	Qty	Diameter		Shaft Size x Pitch
WSD64	1	50 mm	(2")	6 x 1.00 mm
WSD65	1	75 mm	(3")	6 x 1.00 mm

BIBIELLE Quick Change 'R' Holders

Medium (80 SHA) hardness.

Part No.	Qty	Diameter	Shaft Ø
WQD51	1	51 mm (2")	6 mm
WQD76	1	76 mm (3")	6 mm

BIBIELLE Quick Change 'R' Aluminium Oxide Discs

Max RPM: 25,000 (51 mm) & 20,000 (76 mm). Y-weight backing.

- **Work surfaces: Standard steel and non-ferrous materials.**

Part No.	Pack of	Diameter	Grit
WQD112	10	51 mm (2")	120
WQD108	10	51 mm (2")	80
WQD106	10	51 mm (2")	60
WQD103	10	51 mm (2")	36
WQD122	10	76 mm (3")	120
WQD118	10	76 mm (3")	80
WQD116	10	76 mm (3")	60
WQD113	10	76 mm (3")	36

BIBIELLE Quick Change 'R' High Performance Zirconium Discs

Max RPM: 25,000 (51 mm) & 20,000 (76 mm). Y-weight backing.

- **Work surfaces: Standard steel, alloyed steel and non-ferrous materials.**

Part No.	Pack of	Diameter	Grit
WQD132	10	51 mm (2")	120
WQD128	10	51 mm (2")	80
WQD126	10	51 mm (2")	60
WQD123	10	51 mm (2")	36
WQD142	10	76 mm (3")	120
WQD138	10	76 mm (3")	80
WQD136	10	76 mm (3")	60
WQD133	10	76 mm (3")	36



BIBIELLE Quick Change 'R' Surface Strip-It Discs

Rigid material with faster cuts and longer life.
Leaves a cleaning manageable surface to work on.

- **Applications: Clearing welds, removing corrosion, rust, scale and paints.**

Part No.	Pack of	Diameter	Max RPM
WQD170	2	51 mm (2")	10,500
WQD171	2	76 mm (3")	7,000

BIBIELLE Quick Change 'R' Surface Conditioning Discs

Max RPM: 22,100 (51 mm) & 15,100 (76 mm).

- **Applications: deburring, cleaning, blending, finishing and polishing of a wide range of parts**
- **Suitable work surfaces: Any kind of metal (stainless steel, titanium, aluminium, alloys), plastic and composite**

Part No.	Pack of	Diameter	Grade	Colour
WQD152	10	51 mm (2")	Fine	Blue
WQD151	10	51 mm (2")	Medium	Red
WQD150	10	51 mm (2")	Coarse	Brown
WQD162	10	76 mm (3")	Fine	Blue
WQD161	10	76 mm (3")	Medium	Red
WQD160	10	76 mm (3")	Course	Brown

BIBIELLE 'Strip-It' Abrasive Discs - Extra Coarse

Part No.	Pack of	O.D.		Thickness
WB107	2	178 mm	(7")	13 mm

BIBIELLE Shafts for 'Strip-It' Discs

Part No.	Qty	Shaft	For Hole Sizes
WB608	1	6 mm	M8
WB612	1	6 mm	M12
WB812	1	8 mm	M12

BIBIELLE 'Strip-It' Abrasive Discs

Glass-backed. Extra coarse.

Part No.	Pack of	O.D.		Thickness
WB304	2	100 mm	(4")	16 mm
WB3045	2	115 mm	(4 1/2")	22 mm

OSBORN 'Special' Zirconium Flap Discs

Tapered type. Made of zirconium corundum.
Compliant with EN 13743. For mild steel, stainless steel.

- **For surface grinding on steel and stainless steel.**
- **No clogging up.**
- **Good grinding capacity.**

Part No.	Pack of	O.D. x Hole Ø		Grit	Mx RPM
DFD1110	2	4 1/2"	115 x 22.23 mm	120	13,280
DFD118	2	4 1/2"	115 x 22.23 mm	80	13,280
DFD116	2	4 1/2"	115 x 22.23 mm	60	13,280
DFD116B	10	4 1/2"	115 x 22.23 mm	60	13,280
DFD114	2	4 1/2"	115 x 22.23 mm	40	13,280
DFD114A	5	4 1/2"	115 x 22.23 mm	40	13,280
DFD1210	2	5"	125 x 22.23 mm	120	12,200
DFD128	2	5"	125 x 22.23 mm	80	12,200
DFD126	2	5"	125 x 22.23 mm	60	12,200
DFD124	2	5"	125 x 22.23 mm	40	12,200



BIBIELLE Zirconium Flap Discs

Fibreglass backing.
For deburring, removing welding seams and spots, removing scale, rust and oxidation of any kind, blunting sharp corners and edges.

Part No.	Pack of	O.D. x Hole Ø		Grit	Max RPM
WAF108	4	4"	100 x 16 mm	80	15,150
WAF106	4	4"	100 x 16 mm	60	15,150
WAF104	4	4"	100 x 16 mm	40	15,150
WAF118	4	4 1/2"	115 x 22.23 mm	80	13,300
WAF116	4	4 1/2"	115 x 22.23 mm	60	13,300
WAF114	4	4 1/2"	115 x 22.23 mm	40	13,300

OSBORN Polishing Flap Discs

For use with angle grinders. Compliant with EN 13743.
Professionally de-rust and descale. Effective on stainless steel, steel, aluminium and non-ferrous metals.

Part No.	Pack of	O.D.	O.D. x Hole Ø	Grade Colour
DPD13	2	4 1/2"	115 x 22.23 mm	Fine Blue
DPD12	2	4 1/2"	115 x 22.23 mm	Medium Red
DPD11	2	4 1/2"	115 x 22.23 mm	Coarse Brown



OSBORN Polishing Flap Discs

For use with angle grinders. Compliant with EN 13743.
Professionally de-rust and descale. Effective on stainless steel, steel, aluminium and non-ferrous metals.

Part No.	Description
AP62	**Assorted Pack of 3**
1 x Coarse. 1 x Medium. 1 x Fine.	

osborn



OSBORN Polishing Wheels

Soft fleece resin bonded on rigid plastic backing. For use with angle grinders.
Suitable for corners, angles, U-profiles, on rounded or flat surfaces.
Suitable for use on stainless steel, steel, aluminium and non-ferrous metals.

Part No.	Qty	O.D.	O.D. x Hole Ø	Grade
DPW21	1	4 1/2"	115 x 22.23 mm	Fine
DPW22	1	4 1/2"	115 x 22.23 mm	Medium
DPW31	1	5"	125 x 22.23 mm	Fine
DPW32	1	5"	125 x 22.23 mm	Medium

'Mini' Buffing Kit with Velour Backing c/w Backing Pad

Part No.	Qty	Description
WC5	1 Set	4 Piece Set

3 x 75 mm (3") Buffing Pads: Lambs wool, sponge pad (white), sponge pad (yellow).
1 x Backing Pad: 75 mm (3").

osborn

OSBORN Gloss Polishing Flap Discs

Fibreglass backing. Flaps are made of high quality special felt.
Use for buffing and polishing components.

- **Provides a mirror finish.**

Part No.	Pack of	O.D.	O.D. x Thickness x Hole	Max RPM
DPD14	2	4 1/2"	115 x 1.0 x 22.23 mm	4,500

osborn



OSBORN Gloss Polishing Flap Disc Kit

Complete with polishing compounds. Ideal for stainless steel.

- **Provides a mirror image.**

Part No.	Description
AP75	5 Piece Kit

2 x Polishing Flap Discs G-VA: Coarse, Fine. 1 x Gloss Polishing Flap Disc G-VA finish.
2 x Polishing Compounds. 110g: Blue (for non-ferous), White (for pre-polishing steel/stainless steel).

KS TOOLS GERMANY

KS TOOLS Rubber Eraser Pad

(Toffee/Carmel Wheel). M8 shaft,
for use in drills and cordless power tools
(NOT suitable for air sanders).

- **For complete and careful removal of pinstripes and adhesive wheel balance stickers on high value alloy wheels**
- **The neutral coloured rubber eraser pad ensures optimal results and prevents surface smudging**

Part No.	Qty	Ø x Width	Max RPM
K515.1243	1	90 mm x 15 mm	2,000

Compounding Pad - European Foam

Size (Thickness x Dia): 50 x 150 mm. Thread: M14. Speed rating: 2.600 RPM.

Part No.	Qty	Colour	Type
WSD110	1	White	Hard
WSD111	1	Black	Soft/Medium

Cut-off Wheels

Resinoid. Double reinforced for safe operation at high speed.
One mandrel for all sizes. For cut-off or slotting hard or ferrous metals.
Use with high speed air guns (for best results and prolonged wheel life), 1/4" chuck or larger, or with electric drills and grinders.

Part No.	Pack of	O.D. x Thick x Hole Ø		Max RPM
WCD23	5	**3" x 1/32" x 3/8"**	76 x 0.8 x 10 mm	20,372
WCD24	5	**3" x 1/16" x 3/8"**	76 x 1.6 x 10 mm	20,372

osborn

OSBORN 'Special' Mini Metal Cutting Discs

Compliant with EN 12413.
Small cutting disc for pneumatic grinders. Perfect for thin sheet steel.
Good performance on construction steel, tool steel and high speed steel.

Part No.	Pack of	O.D. x Thickness	O.D. x Thickness x Hole Ø	Max RPM
DCD23	10	**3" x 3/64"**	76 x 1.2 x 10 mm	20,100
DCD24	10	**3" x 5/64"**	76 x 2.0 x 10 mm	20,100

bibielle Abrasive Technologies

BIBIELLE 1.0 mm Thin Cut-off Flat Metal Cutting Discs

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, bodyworks. Work surfaces: Standard steel, iron.

Part No.	Pack of	O.D.	O.D. x Thick x Hole Ø	Max RPM
WCD50	5	**3"**	76 x 1.0 x 10.0 mm	20,000

Cut-off Wheel Kit

For 1/4" and 3/8" (10 mm) holes.
Fits 1/4" and 3/8" (10 mm) chuck.

Part No.	Qty	Description
WCD26	3 Pc Kit	**Mandrel Kit**

workshop warehouse

Workshop Warehouse 1 mm Thin Flat Cutting Disc

Manufactured in Europe. Compliant with EN 12413. Free from Fe, S or Cl. Designed specifically for special cutting applications where speed, efficiency and accuracy are all important. Typical applications: Cutting stainless steel, construction steel.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole	Max RPM
WCD145/25	25	**4 1/2"**	115 x 1.0 x 22.23 mm	13,200

osborn

OSBORN '1 mm Inox Special' Flat Metal Cutting Discs

Compliant with EN 12413. Extremely fast cutting with minimum effort required.
Precision cutting accurate to the millimetre. Low-burr giving burr-free edges. Ideal for sheet metal, steel cable, thin-walled profile sections, pipes of stainless steel and non-ferrous metals and composite materials (FRP).

Part No.	Pack of	O.D.	O.D. x Thickness x Hole Ø	Max RPM
DCD51	5	**4 1/2"**	115 x 1.0 x 22.23 mm	13,280
DCD51B	25	**4 1/2"**	115 x 1.0 x 22.23 mm	13,280
DCD52	5	**5"**	125 x 1.0 x 22.23 mm	12,200
DCD52B	25	**5"**	125 x 1.0 x 22.23 mm	12,200

osborn



OSBORN '1 mm Inox Special' Flat Metal Cutting Discs In 'Lifetime-Plus' Tins

Compliant with EN 12413. Extremely fast cutting with minimum effort required.
Precision cutting accurate to the millimetre. Low-burr giving burr-free edges.
Extreme cutting power and speed with ultra-long life for more cuts.
Ideal for sheet metal, steel cable, thin-walled profile sections, pipes of stainless steel and non-ferrous metals and composite materials (FRP).

- **Over 30% more service-life of cutting discs from a freshly opened 'Lifetime-Plus' pack!**
- **The "fresh from the oven" discs ensure to put all their power onto the machine.**

Part No.	Qty	O.D.	O.D. x Thickness x Hole	Max RPM
DCLP51	Tin of 10 Discs	**4 1/2"**	115 x 1.0 x 22.23 mm	13,280
DCLP52	Tin of 10 Discs	**5"**	125 x 1.0 x 22.23 mm	12,200

OSBORN 'Jubilee 1 mm' High Performance Edition Cutting Discs

Supplied in a 'lifetime-plus' vacuum sealed tin.
Extremely fast cutting with minimum effort required.
Precision cutting accurate to the millimetre. Ideal for thin sheets, steel ropes, thin-walled profiles and pipes made of steel or stainless steel. Compliant with EN12413.

Part No.	Qty	O.D.	O.D. x Thickness x Hole	Max RPM
DCLP70	Tin of 10 Discs	4 1/2"	115 x 1.0 x 22.23 mm	13,280
DCLP71	Tin of 10 Discs	5"	125 x 1.0 x 22.23 mm	12,200

BIBIELLE 1.0 mm Thin Flat Metal Cutting Discs

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, bodyworks.
Work surfaces: Standard steel, iron.

Part No.	Pack of	O.D.	O.D. x Thick x Hole Ø	Max RPM
WCD51	5	4 1/2"	115 x 1.0 x 22.2 mm	13,300
WCD52	5	5"	125 x 1.0 x 22.2 mm	12,200

BIBIELLE 1.2 mm Thin Flat Metal Cutting Discs

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures, bodyworks.
Work surfaces: Standard steel, iron.

Part No.	Pack of	O.D.	O.D. x Thick x Hole Ø	Max RPM
WCD81	5	4 1/2"	115 x 1.2 x 22.2 mm	13,300
WCD81B	50	4 1/2"	115 x 1.2 x 22.2 mm	13,300
WCD83	5	5"	125 x 1.2 x 22.2 mm	12,200

OSBORN '1.6 mm Inox Special' Flat Metal Cutting Discs

Compliant with EN 12413.
For normal steel and stainless steel, particularly suitable for sheet metal and thin-walled profiles. High cutting speed. Long service life, hardly any burring. The standard disc used in tank farms and in tank construction.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole Ø	Max RPM
DCD56	5	4 1/2"	115 x 1.6 x 22.23 mm	13,280
DCD56B	25	4 1/2"	115 x 1.6 x 22.23 mm	13,280

BIBIELLE 2.5 mm Thin Flat Metal Cutting Discs

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures,
Work surfaces: Standard steel, iron.

Part No.	Pack of	O.D.	O.D. x Thick x Hole Ø	Max RPM
WCD71	5	4"	100 x 2.5 x 16.0 mm	15,200
WCD73	5	4 1/2"	115 x 2.5 x 22.2 mm	13,300
WCD79	5	9"	230 x 2.5 x 22.2 mm	6,600

OSBORN 'Perfect' Flat Metal Cutting Discs

Compliant with EN 12413.
All-purpose disc, suitable for cutting all types of metal. Good service life.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole Ø	Max RPM
DCD31	5	4"	100 x 3.0 x 16.00 mm	15,250
DCD33	5	4 1/2"	115 x 3.0 x 22.23 mm	13,280
DCD35	5	5"	125 x 3.0 x 22.23 mm	12,200
DCD37	5	7"	180 x 3.0 x 22.23 mm	8,600
DCD39	5	9"	230 x 3.0 x 22.23 mm	6,600
DCD45	2	12"	300 x 3.5 x 20.00 mm	5,100
DCD46	2	14"	356 x 3.0 x 25.40 mm (Chop Saw Wheel)	4,400

workshop warehouse

Workshop Warehouse 3 mm Cutting Disc - Depressed Centre

Manufactured in Europe. Compliant with EN 12413.
Suitable for cutting all metals.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole	Max RPM
WCD345/25	25	4 1/2"	115 x 3.0 x 22.23 mm	13,200

bibielle Abrasive Technologies

BIBIELLE Metal Cutting Discs - Depressed Centre

Applications: Cutting sheet metals, pipes, box beams, sections and solid metal structures,
Work surfaces: Standard steel, iron.

Part No.	Pack of	Ø	O.D. x Thick x Hole Ø	Max RPM
WCD61	5	4"	100 x 3.0 x 16.0 mm	15,200
WCD61B	50	4"	100 x 3.0 x 16.0 mm	15,200
WCD63	5	4 1/2"	115 x 3.0 x 22.2 mm	13,300
WCD63B	50	4 1/2"	115 x 3.0 x 22.2 mm	13,300
WCD65	5	5"	125 x 3.0 x 22.2 mm	12,200
WCD67	5	7"	180 x 3.0 x 22.2 mm	8,500
WCD69	5	9"	230 x 3.0 x 22.2 mm	6,600
WCD69B	25	9"	230 x 3.0 x 22.2 mm	6,600

DRONCO® Are Rebranding To osborn

All DRONCO product labels will be rebranded under a new OSBORN design.
The new designs will include clear user friendly information and pictograms whilst retaining the renowned DRONCO professional performance.

osborn

OSBORN 'Perfect' Metal Cutting Discs - Depressed Centre

Compliant with EN 12413.
All-purpose disc, suitable for cutting all types of metal. Good service life.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole Ø	Max RPM
DCD1	5	4"	100 x 3.0 x 16.00 mm	15,250
DCD1B	25	4"	100 x 3.0 x 16.00 mm	15,250
DCD3	5	4 1/2"	115 x 3.0 x 22.23 mm	13,280
DCD3B	25	4 1/2"	115 x 3.0 x 22.23 mm	13,280
DCD5	5	5"	125 x 3.0 x 22.23 mm	12,200
DCD7	5	7"	180 x 3.0 x 22.23 mm	8,600
DCD9	5	9"	230 x 3.0 x 22.23 mm	6,600
DCD9B	25	9"	230 x 3.0 x 22.23 mm	6,600

osborn

OSBORN 'Inox Special' Cut+Grind Discs - Depressed Centre

Compliant with EN 12413. Multipurpose disc for cutting and grinding.
Suitable for thin and thick walled profiles and solid materials.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole Ø	Max RPM
DCG1	5	4 1/2"	115 x 2.5 x 22.23 mm	13,280
DCG1B	25	4 1/2"	115 x 2.5 x 22.23 mm	13,280

workshop warehouse

Workshop Warehouse 6 mm Grinding Disc - Depressed Centre

Manufactured in Europe. Compliant with EN 12413.
Suitable for all grinding applications on all metals.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole	Max RPM
WGD645/25	25	4 1/2"	115 x 6.0 x 22.23 mm	13,200

DRONCO osborn



DRONCO 'Perfect' Metal Grinding Discs - Depressed Centre

Compliant with EN 12413.
For all types of metal, primarily sheet steel, construction steel and welding seams.Hard, all-purpose disc with a good service life.

Part No.	Pack of	O.D.	O.D. x Thickness x Hole Ø	Max RPM
DGD2	10	4"	100 x 6.0 x 16.00 mm	15,250
DGD4	10	4 1/2"	115 x 6.0 x 22.23 mm	13,280
DGD6	10	5"	125 x 6.0 x 22.23 mm	12,200
DGD8	5	7"	180 x 6.0 x 22.23 mm	8,600
DGD10	5	9"	230 x 6.0 x 22.23 mm	6,600

bibielle Abrasive Technologies

BIBIELLE Metal Grinding Discs - Depressed Centre

Designed for removing any metal material rapidly and efficiently.
Applications: Deburring, removing welding seams, working sharp edges.

Part No.	Pack of	O.D.	O.D. x Thick x Hole Ø	Max RPM
WCD62	5	4"	100 x 6.5 x 16.0 mm	15,200
WCD62B	50	4"	100 x 6.5 x 16.0 mm	15,200
WCD64	5	4 1/2"	115 x 6.5 x 22.2 mm	13,300
WCD64B	50	4 1/2"	115 x 6.5 x 22.2 mm	13,300
WCD66	5	5"	125 x 6.5 x 22.2 mm	12,200
WCD68	5	7"	178 x 6.5 x 22.2 mm	8,500
WCD70	5	9"	230 x 6.5 x 22.2 mm	6,600

DRONCO osborn

DRONCO 'Quality ST 7' Diamond Cutting Discs

Sintered, segmented diamond cutting disc.
Compliant with EN 13236. Dry cutting. C 3 shape 7 mm segments.
Suitable for cutting all kind of construction site materials:

- Concrete.
- Porous Concrete.
- Brick.
- Sand-lime Stone.
- Lime Stone.
- Concrete Roofing Tiles.
- Sand Stone.

Part No.	Qty	O.D.	O.D. x Thickness x Hole Ø	Segments Max RPM
DDB1	1	4 1/2"	115 x 2.0 x 22.23 mm	9 13,280
DDB2	1	5"	125 x 2.0 x 22.23 mm	9 12,200
DDB3	1	7"	180 x 2.2 x 22.23 mm	14 8,600
DDB4	1	9"	230 x 2.4 x 22.23 mm	18 6,600
DDB5	1	12"	300 x 3.2 x 20.00 mm	18 6,400
DDB6	1	12"	300 x 3.2 x 22.23 mm	22 6,400
DDB7	1	14"	350 x 3.2 x 25.40 mm	24 5,500

SafeSaw System - Steel Set

Compatible with 115 mm angle grinders. Max speed: 19,000 RPM.
The SafeSaw System universal cutting blade will cut through most materials, including: Wood and wood with nails, aluminium, steel and iron up to 8 mm thick.
Ideal for exhausts, studding and steel panels.

Part No.	Qty	Description
TL615	1 Set	SafeSaw System Set
TL616	1	Replacement 115 mm Steel Blade

1 x Safety Guard. 1 x Arbour Kit. 1 x Spanner. 1 x Steel Blade: 115 mm x 25.4 mm.

BAHCO

BAHCO Engineers' File Set

Complete with handles. Black finish heads. Supplied with roll-up plastic wallet & tie.

Part No.	Qty	Length	
TB47808	5 Piece Set	8"	(200 mm)

4 x Bastard Cut: Hand, Square, Half-round, Round. 1 x Second Cut: Hand.

BAHCO

BAHCO Engineers' File Set

Complete with handles. Black finish heads. Supplied with roll-up plastic wallet & tie.

Part No.	Qty	Length	
TB47810	5 Piece Set	10"	(250 mm)

4 x Bastard Cut: Hand, Square, Half-round, Round. 1 x Bastard Cut: Hand.

LASER Precision Needle File Set

Supplied in a storage wallet.

- **Precision hardened and tempered files.**
- **Interchangeable soft grip handle.**
- **File lengths: 120 mm.**

Part No.	Qty	Description
TL7112	1 Set	13 Piece Set

12 x Needle files: Various types. 1 x Interchangeable handle.

File Handles

Wooden.

Part No.	Pack of
TL784	10 Pieces

3 x For Files: 6", 10". 4 x For Files: 8".

File Set

WITHOUT handles. BS 498. Suppied in a telescopic plastic box.

Part No.	Qty	Description
TL751	1 Set	8 Piece Set

4 x Bastard Cut: Hand 10", Half-round 10", Round 10", Square 8".
4 x Second Cut: Hand 8", Half-round 8", Round 6", Three-square 8.

File Set - Second Cut

Complete with detachable ABS handles. BS 498. Supplied in a wallet.

Part No.	Qty	Description
TL766	1 Set	4 Piece Set

2 x Hand: 8". 1 x Half-Round: 8". 1 x Round: 8" .

Parts Cleaning Brush

Taper cut 64 mm pure bristles. Can be used in all parts cleaning solvents.

Part No.	Qty	Length	
TNH266C	1	260 mm	(10")

ALPEN Rotary Burr - Oval

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams).
Supplied in a plastic storage box.

Part No.	Qty	Head Ø	Length	Shaft Ø
DB22	1	6 mm	61 mm	6 mm
DB23	1	8 mm	61 mm	6 mm
DB4	1	10 mm	61 mm	6 mm
DB24	1	12 mm	61 mm	6 mm

ALPEN Rotary Burr - Arc Round Nose

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams).
Supplied in a plastic storage box.

Part No.	Qty	Head Ø	Length	Shaft Ø
DB19	1	6 mm	65 mm	6 mm
DB20	1	8 mm	65 mm	6 mm
DB5	1	10 mm	65 mm	6 mm
DB21	1	12 mm	65 mm	6 mm

ALPEN Rotary Burr - Arc Pointed Nose (Tree)

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams).
Supplied in a plastic storage box.

Part No.	Qty	Head Ø	Length	Shaft Ø
DB16	1	6 mm	65 mm	6 mm
DB17	1	8 mm	65 mm	6 mm
DB3	1	10 mm	65 mm	6 mm
DB18	1	12 mm	65 mm	6 mm

ALPEN Rotary Burr - Ball Nose

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams).
Supplied in a plastic storage box.

Part No.	Qty	Head Ø	Length	Shaft Ø
DB10	1	6 mm	65 mm	6 mm
DB11	1	8 mm	65 mm	6 mm
DB2	1	10 mm	65 mm	6 mm
DB12	1	12 mm	65 mm	6 mm

ALPEN Rotary Burr Set

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams).
Supplied in a plastic storage box.

Part No.	Qty	Description	Head Ø
DBK3	1 Set	3 Piece Set	10 mm

1 x Cylindrical with front cut.
1 x Arc pointed nose.
1 x Ball nose.

ALPEN Rotary Burr - Cylindrical, Front End Cut

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams). Supplied in a plastic storage box.

Part No.	Qty	Head Ø	Length	Shaft Ø
DB7	1	6 mm	65 mm	6 mm
DB8	1	8 mm	65 mm	6 mm
DB1	1	10 mm	65 mm	6 mm
DB9	1	12 mm	65 mm	6 mm

ALPEN Rotary Burr - Conical Ball Nose

Tungsten carbide. No. 6 Cut (Universal).
For soft and hard metals (weld seams). Supplied in a plastic storage box.

Part No.	Qty	Head Ø	Length	Shaft Ø
DB13	1	6 mm	65 mm	6 mm
DB14	1	8 mm	65 mm	6 mm
DB6	1	10 mm	65 mm	6 mm
DB15	1	12 mm	65 mm	6 mm

S·A·S Assorted Pack - Lubricant Aerosols 500ml

A selection of our fastest moving lubricant aerosols, including the No. 1 selling Universal Maintenance Lubricant used for a multitude of lubricating and maintenance applications.

Part No.	Qty
SASL	Set of 6

6 x 500ml Aerosols: White Grease with PTFE, Clear Grease, Silicone Spray, Chain & Cable Lube, Copper Grease, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Cleaning Aerosols 500ml

A selection of popular cleaning aerosols, plus the No. 1 selling Universal Maintenance Lubricant which can be used for a wide range of everyday cleaning applications.

Part No.	Qty
SASC	Set of 6

6 x 500ml Aerosols: Brake Cleaner, Throttle Body Cleaner, Electrical Cleaner, Label & Gum Remover, Leak Detector, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Valeting Aerosols 500ml

A selection of professional quality valeting aerosols, providing a clean finish for all vehicles. Plus the No.1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASV	Set of 6

6 x 500ml Aerosols: Glass Cleaner, Cockpit Spray, Tyre Foam, Multi Purpose Foam Cleaner, Air Duster, Universal Maintenance Lubricant.

S·A·S Assorted Pack - Paint Aerosols 500ml

A selection of top quality paint aerosols, providing a professional finish each and every time. Plus the No. 1 selling Universal Maintenance Lubricant, ideal for everyday maintenance applications.

Part No.	Qty
SASP	Set of 6

6 x 500ml Aerosols: Zinc Spray, Satin Black Paint, Silver Paint, Grey Primer, Red Oxide Primer, Universal Maintenance Lubricant.

416

417

418

419

420

421

Cutting + Drilling

422

423

423

416 Drills
420 Spot Weld Drills
421 Stub Drills
421 Step Drills
422 Drill Chucks
423 Taps + Dies
424 Hole Saws
425 Hacksaws + Blades
426 Saws + Blades
428 Scrapers
429 Knives + Blades
430 Snap-Off Knives
430 Scissors
431 Cutters
432 VDE Cutters + Pliers

424

425

427

428

429

430

431

432

DORMER 'A100' HSS Jobber Twist Drills - Metric

Steam tempered. 118° point angle. DIN 338.

Part No.	Pack of	Ø	Length
DHM1	10	1 mm	34 mm
DHM1.5	10	1.5 mm	40 mm
DHM2	10	2 mm	49 mm
DHM2.5	10	2.5 mm	57 mm
DHM3	10	3 mm	61 mm
DHM3.2	10	3.2 mm	65 mm
DHM3.3	10	3.3 mm	65 mm
DHM3.5	10	3.5 mm	70 mm
DHM4	10	4 mm	75 mm
DHM4.2	10	4.2 mm	75 mm
DHM4.5	10	4.5 mm	80 mm
DHM4.8	10	4.8 mm	86 mm
DHM4.9	10	4.9 mm	86 mm
DHM5	10	5 mm	86 mm
DHM5.5	10	5.5 mm	93 mm
DHM6	10	6 mm	93 mm
DHM6.5	10	6.5 mm	101 mm
DHM6.8	10	6.8 mm	109 mm
DHM7	10	7 mm	109 mm
DHM7.5	10	7.5 mm	109 mm
DHM8	10	8 mm	117 mm
DHM8.5	10	8.5 mm	117 mm
DHM9	10	9 mm	125 mm
DHM9.5	10	9.5 mm	125 mm
DHM10	10	10 mm	133 mm
DHM10.2	5	10.2 mm	133 mm
DHM10.5	5	10.5 mm	133 mm
DHM11	5	11 mm	142 mm
DHM11.5	5	11.5 mm	142 mm
DHM12	5	12 mm	151 mm
DHM12.5	5	12.5 mm	151 mm
DHM13	5	13 mm	151 mm

DORMER 'A100' HSS Jobber Twist Drills - Imperial

Steam tempered. 118° point angle. DIN 338.

Part No.	Pack of	Ø	Length
DH116	10	1/16"	43 mm
DH1964	10	19/64"	117 mm
DH564	10	5/64"	49 mm
DH516	10	5/16"	117 mm
DH332	10	3/32"	57 mm
DH2164	10	21/64"	117 mm
DH764	10	7/64"	61 mm
DH1132	10	11/32"	125 mm
DH18	10	1/8"	65 mm
DH2364	10	23/64"	125 mm
DH964	10	9/64"	70 mm
DH38	10	3/8"	133 mm
DH532	10	5/32"	75 mm
DH2564	10	25/64	133 mm
DH1164	10	11/64"	80 mm
DH1332	5	13/32"	133 mm
DH316	10	3/16"	86 mm
DH2764	5	27/64"	142 mm
DH1364	10	13/64"	86 mm
DH716	5	7/16"	142 mm
DH732	10	7/32"	93 mm
DH2964	5	29/64"	142 mm
DH1564	10	15/64"	93 mm
DH1532	5	15/32"	151 mm
DH14	10	1/4"	101 mm
DH3164	5	31/64"	151 mm
DH1764	10	17/64"	109 mm
DH12	5	1/2"	151 mm
DH932	10	9/32"	109 mm



DORMER 'A100' HSS Jobber Twist Drill Set - Metric Set No. '419'

Steam tempered.
118° point angle.
DIN 338. Supplied in a plastic selector box.

Part No.	Qty	Description
DHK19	1 Set	19 Piece Set

19 x Sizes: 1.0 - 10.0 mm in 0.5 mm steps.

DORMER 'A100' HSS Jobber Twist Drill Set - Metric Set No. '204'

Steam tempered. 118° point angle.
DIN 338. Supplied in a metal storage box.

Part No.	Qty	Description
DHK25	1 Set	25 Piece Set

25 x Sizes: 1.0 - 13.0 mm in 0.5 mm steps.

S·A·S

S·A·S Cutting Oil

For all metal types.

- Improves lubrication/cooling.
- Retains viscosity at high cutting temperatures.
- Prevents tarnishing.
- Extends tool life.

Part No.	Pack of	Size
SAS46	6	500ml Aerosols

Assorted Pack of Plastic Wall Plugs

Part No.	Pack of
AP49	400 Pieces

3 x Colours: Yellow, Red, Brown.

DORMER

DORMER 'A002' HSS Jobber Twist Drill Set - Metric Set No. '419'

Bright finish/TiN tipped.
Split point (above 2.0 mm).
118° point angle. DIN 338.
Supplied in a plastic selector box.

Part No.	Qty	Description
DDK19	1 Set	**19 Piece Set**

19 x Sizes: 1.0 - 10.0 mm in 0.5 mm steps.

DORMER

DORMER 'A002' HSS Jobber Twist Drill Set - Metric Set No. '204'

Bright finish/TiN tipped. Split point (above 2.0 mm).
118° point angle. DIN 338.
Supplied in a metal storage box.

Part No.	Qty	Description
DDK25	1 Set	**25 Piece Set**

25 x Sizes: 1.0 - 13.0 mm in 0.5 mm steps.

DORMER

DORMER 'A002' HSS Jobber Twist Drills - Metric

Bright finish/TiN tipped.
Split point (above 2.0 mm).
118° point angle. DIN 338.

Part No.	Pack of	Ø	Length
DXM1	10	1 mm	34 mm
DXM1.5	10	1.5 mm	40 mm
DXM2	10	2 mm	49 mm
DXM2.5	10	2.5 mm	57 mm
DXM3	10	3 mm	61 mm
DXM3.2	10	3.2 mm	65 mm
DXM3.3	10	3.3 mm	65 mm
DXM3.5	10	3.5 mm	70 mm
DXM4	10	4 mm	75 mm
DXM4.2	10	4.2 mm	75 mm
DXM4.5	10	4.5 mm	80 mm
DXM4.8	10	4.8 mm	86 mm
DXM4.9	10	4.9 mm	86 mm
DXM5	10	5 mm	86 mm
DXM5.5	10	5.5 mm	93 mm
DXM6	10	6 mm	93 mm
DXM6.5	10	6.5 mm	101 mm
DXM6.8	10	6.8 mm	109 mm
DXM7	10	7 mm	109 mm
DXM7.5	10	7.5 mm	109 mm
DXM8	10	8 mm	117 mm
DXM8.5	10	8.5 mm	117 mm
DXM9	10	9 mm	125 mm
DXM9.5	10	9.5 mm	125 mm
DXM10	10	10 mm	133 mm
DXM10.2	5	10.2 mm	133 mm
DXM10.5	5	10.5 mm	133 mm
DXM11	5	11 mm	142 mm
DXM11.5	5	11.5 mm	142 mm
DXM12	5	12 mm	151 mm
DXM12.5	5	12.5 mm	151 mm
DXM13	5	13 mm	151 mm

DORMER

DORMER 'A002' HSS Jobber Twist Drills - Imperial

Bright finish/TiN tipped.
Split point (above 2.0 mm).
118° point angle. DIN 338.

Part No.	Pack of	Ø	Length
DX116	10	1/16"	43 mm
DX1964	10	19/64"	117 mm
DX564	10	5/64"	49 mm
DX516	10	5/16"	117 mm
DX332	10	3/32"	57 mm
DX2164	10	21/64"	117 mm
DX764	10	7/64"	61 mm
DX1132	10	11/32"	125 mm
DX18	10	1/8"	65 mm
DX2364	10	23/64"	125 mm
DX964	10	9/64"	70 mm
DX38	10	3/8"	133 mm
DX532	10	5/32"	75 mm
DX2564	10	25/64"	133 mm
DX1164	10	11/64"	80 mm
DX1332	5	13/32"	133 mm
DX316	10	3/16"	86 mm
DX2764	5	27/64"	142 mm
DX1364	10	13/64"	86 mm
DX716	5	7/16"	142 mm
DX732	10	7/32"	93 mm
DX2964	5	29/64"	142 mm
DX1564	10	15/64"	93 mm
DX1532	5	15/32"	151 mm
DX14	10	1/4"	101 mm
DX3164	5	31/64"	151 mm
DX1764	10	17/64"	109 mm
DX12	5	1/2"	151 mm
DX932	10	9/32"	109 mm

Looking for Burrs?

Our range of Rotary Burrs are available on Page 413

ALPEN 'Sprint Master' HSS Jobber Twist Drills - Imperial

DIN 338.

Part No.	Qty	Ø
DR116	10	1/16"
DR564	10	5/64"
DR332	10	3/32"
DR764	10	7/64"
DR18	10	1/8"
DR18L	50	1/8"
DR964	10	9/64"
DR532	10	5/32"
DR1164	10	11/64"
DR316	10	3/16"
DR316L	50	3/16"
DR1364	10	13/64"
DR732	10	7/32"
DR1564	10	15/64"
DR14	10	1/4"
DR14L	50	1/4"
DR1764	10	17/64"
DR932	10	9/32"
DR1964	10	19/64"
DR516	10	5/16"
DR2164	10	21/64"
DR1132	10	11/32"
DR2364	10	23/64"
DR38	10	3/8"
DR2564	10	25/64"
DR1332	5	13/32"
DR2764	5	27/64"
DR716	5	7/16"
DR2964	5	29/64"
DR1532	5	15/32"
DR3164	5	31/64"
DR12	5	1/2"

ALPEN 'Sprint Master' HSS Jobber Twist Drills - Metric

DIN 338.

Part No.	Qty	Ø
DRM1	10	1 mm
DRM1.5	10	1.5 mm
DRM2	10	2 mm
DRM2.5	10	2.5 mm
DRM3	10	3 mm
DRM3.2	10	3.2 mm
DRM3.3	10	3.3 mm
DRM3.5	10	3.5 mm
DRM4	10	4 mm
DRM4.5	10	4.5 mm
DRM4.8	10	4.8 mm
DRM5	10	5 mm
DRM5.5	10	5.5 mm
DRM6	10	6 mm
DRM6.5	10	6.5 mm
DRM7	10	7 mm
DRM7.5	10	7.5 mm
DRM8	10	8 mm
DRM8.5	10	8.5 mm
DRM9	10	9 mm
DRM9.5	10	9.5 mm
DRM10	10	10 mm
DRM10.5	5	10.5 mm
DRM11	5	11 mm
DRM11.5	5	11.5 mm
DRM12	5	12 mm
DRM12.5	5	12.5 mm
DRM13	5	13 mm

ALPEN 'Sprint Master' HSS Jobber Drill Set - Metric Sizes

DIN 933.
Supplied in a plastic selector.

Part No.	Qty	Description
DRK19	1 Set	19 Piece Set

19 x Metric Sizes: 1.0 - 10.0 mm in 0.5 mm steps.

ALPEN 'Sprint Master' HSS Jobber Drill Set - Metric Sizes

DIN 338.
Supplied in a plastic storage case.
Sizes 2-3 mm are gold in colour.

Part No.	Qty	Description
TM13	1 Set	13 Piece Set

13 x Metric Sizes: 2-8 mm in 0.5 mm steps.

The Alpen Sprint HSS range of jobber drills have been superceded with the Alpen Sprint Master range. Please be aware that during stock changeover you may receive the Sprint version of some items.

ALPEN 'Sprint' HSS Jobber Drill Set - Metric Sizes

DIN 338. Supplied in a metal dispenser.

Part No.	Qty	Description
DRK25	1 Set	**25 Piece Set**

25 x Metric Sizes: 1.0 - 13.0 mm in 0.5 mm steps.

ALPEN Metal Drill Dispenser - Metric

Holds 25 Drills from 1 - 13 mm in 0.5 mm steps. Supplied empty.

Part No.	Qty	Description
DRD25	1	**Drill Dispenser**

PCL 10 mm (3/8") Pneumatic Reversible Drill

Ideal for drilling, reaming and honing.
Side mounted forward/reverse shift, fitted with 10 mm (3/8") keyless chuck.
Free speed 1,800 RPM, Air Consumption 130 l/min, Sound 87 db (A), Vibration 1.5 m/s²Weight 1.1 kg.

Part No.	Qty	Description
ALT3	1	**10 mm Reversible Drill**

ALPEN 'Super' HSS (Ground Flute) Jobber Twist Drills - Metric

DIN 338.

Part No.	Qty	Ø
DGM1	10	**1 mm**
DGM1.5	10	**1.5 mm**
DGM2	10	**2 mm**
DGM2.5	10	**2.5 mm**
DGM3	10	**3 mm**
DGM3.5	10	**3.5 mm**
DGM4	10	**4 mm**
DGM4.5	10	**4.5 mm**
DGM5	10	**5 mm**
DGM5.5	10	**5.5 mm**
DGM6	10	**6 mm**
DGM6.5	10	**6.5 mm**
DGM7	10	**7 mm**
DGM7.5	10	**7.5 mm**
DGM8	10	**8 mm**
DGM8.5	10	**8.5 mm**
DGM9	10	**9 mm**
DGM9.5	10	**9.5 mm**
DGM10	10	**10 mm**
DGM10.5	5	**10.5 mm**
DGM11	5	**11 mm**
DGM11.5	5	**11.5 mm**
DGM12	5	**12 mm**
DGM12.5	5	**12.5 mm**
DGM13	5	**13 mm**

KRINO HSS Jobber Drill Set - Metric Sizes

DIN 338. Supplied in a metal dispenser.

Part No.	Qty	Description
TLD19	1 Set	**19 Piece Set**

19 Metric Sizes: 1.5 - 10 mm in 0.5 mm steps.

KRINO HSS Jobber Drill Set - Metric Sizes

DIN 338. Supplied in a metal dispenser.

Part No.	Qty	Description
TLD25	1 Set	**25 Piece Set**

25 Metric Sizes: 1.5 - 13 mm in 0.5 mm steps.

KRINO HSS Jobber Drill Set - Imperial Sizes

DIN 338. Supplied in a metal dispenser.

Part No.	Qty	Description
TLD29	1 Set	**29 Piece Set**

29 Imperial Sizes: 1/16"-1/2" in 1/64" steps

ALPEN HSS-Co Cobalt Split Point Jobber Twist Drills

DIN 338.
5% Cobalt alloy content.

Part No.	Qty	Ø
DCB1	1	1 mm
DCB1.5	1	1.5 mm
DCB2	1	2 mm
DCB2.5	1	2.5 mm
DCB3	1	3 mm
DCB3.2	1	3.2 mm
DCB3.3	1	3.3 mm
DCB3.5	1	3.5 mm
DCB4	1	4 mm
DCB4.5	1	4.5 mm
DCB4.8	1	4.8 mm
DCB5	1	5 mm
DCB5.5	1	5.5 mm
DCB6	1	6 mm
DCB6.5	1	6.5 mm
DCB7	1	7 mm
DCB7.5	1	7.5 mm
DCB8	1	8 mm
DCB8.5	1	8.5 mm
DCB9	1	9 mm
DCB9.5	1	9.5 mm
DCB10	1	10 mm
DCB10.5	1	10.5 mm
DCB11	1	11 mm
DCB11.5	1	11.5 mm
DCB12	1	12 mm
DCB12.5	1	12.5 mm
DCB13	1	13 mm

ALPEN HSS-Co Cobalt Jobber Drill Sets - Metric Sizes

Cross cut point. DIN 338. Supplied in a metal dispenser.

Part No.	Qty	Description
DCK19	1 Set	**19 Piece Set**
19 x Metric Sizes: 1.0 - 10.0 mm in 0.5 mm steps.		

ALPEN HSS-Co Cobalt Jobber Drill Sets - Metric Sizes

Cross cut point. DIN 338. Supplied in a metal dispenser.

Part No.	Qty	Description
DCK25	1 Set	**25 Piece Set**
25 x Metric Sizes: 1.0 - 13.0 mm in 0.5 mm steps.		

DORMER 'A777' HSS-Co Cobalt Jobber Twist Drills - Metric

Bronze Finish, 135° 4 Facet Point. DIN 338.

Part No.	Qty	Ø
DXC2.5	10	2.5 mm
DXC3.0	10	3 mm
DXC3.2	10	3.2 mm
DXC3.3	10	3.3 mm
DXC3.5	10	3.5 mm
DXC4.0	10	4 mm
DXC4.5	10	4.5 mm
DXC5.0	10	5 mm
DXC5.5	10	5.5 mm
DXC6.0	10	6 mm
DXC6.5	10	6.5 mm
DXC8.0	10	8 mm

DORMER 'A723' Spot Weld Drills

HSCo. Bronze finish.

Part No.	Qty	Ø	Length
DDW1	1	6.0 mm	66 mm
DDW2	1	6.0 mm	93 mm
DDW3	1	8.0 mm	79 mm
DDW4	1	8.0 mm	117 mm

ALPEN HSS-Co Cobalt Spot Weld Drills

Part No.	Qty	Ø x Length
TL535	1	6 mm x 80 mm
TL538	1	8 mm x 80 mm

ALPEN HSS-Co Cobalt Spot Weld Drills

Titanium coated.

Part No.	Qty	Ø x Length
TL526	1	8 mm x 80 mm



ALPEN HSS-Co Cobalt Spot Weld Drills

Part No.	Qty	Ø x Length
TL536	1	8 mm x 40 mm
TL537	1	8 mm x 44 mm

ALPEN 'Sprint Master' HSS Reduced Shank Jobber Drills

Part No.	Qty	Ø	Shank Ø
DRS14	1	14 mm	9.5 mm
DRS15	1	15 mm	9.5 mm
DRS16	1	16 mm	9.5 mm
DRS18	1	18 mm	12.5 mm
DRS19	1	19 mm	12.5 mm
DRS20	1	20 mm	12.5 mm

ALPEN HSS Blacksmiths' Drills

1/2" Parallel Shank. DIN WN 734.

Part No.	Qty	Ø
DR916	1	9/16"
DR34	1	3/4"
DR58	1	5/8"
DR1316	1	13/16"
DR1116	1	11/16"
DR78	1	7/8"

ALPEN 'Super' HSS Stub Drills

DIN WN 301.

Part No.	Pack of	Ø
DRST18	10	3.2 mm

ALPEN HSS Stub Drills

Double-Ended. DIN WN 321.

Part No.	Pack of	Ø
DRST32	10	3.2 mm

ALPEN HSS-Co Cobalt Stub Drill Set

Cross Cut Point.
DIN 1897 PZ.
Supplied in a plastic storage case.

Part No.	Qty	Description
DCK6	1 Set	6 Piece Set

6 x Metric Sizes: 2, 3, 4, 5, 6, 8 mm.

ALPEN Masonry Drill Set

Supplied in a plastic storage case.

Part No.	Qty	Description
DRK8	1 Set	8 Piece Set

8 x Sizes: 3, 4, 5, 6, 7, 8, 9, 10 mm.

ALPEN 'Profi Multicut' Universal Drill Set

Tungsten carbide.
Supplied in a plastic storage case.

- High working speed
- No bit changes
- Extremely versatile
- All diamond-ground cutting edges, so also ideal for metals
- Precise drilling - even with changing drills in various materials
- Patented 4-stage profile for fast bore-dust removal

Part No.	Qty	Descriptions
DPMK5	1 Set	5 Piece Set

5 x Sizes: 4, 5, 6, 8, 10 mm.

EXACT HSS Step Drill & Milling Cutter

Part No.	Qty	Size / Steps
TL569	1	4 - 12 mm in 2 mm Steps



EXACT HSS Step Drills

Part No.	Qty	Range / Steps
TL577	1	4 - 20 mm in 2 mm steps
TL578	1	6 - 30 mm in 2 mm steps
TL573	1	4 - 12 mm in 1 mm steps
TL571	1	12 - 20 mm in 1 mm steps
TL572	1	20 - 30 mm in 1 mm steps

EXACT HSS Taper Drills (Cone Cutter)

Part No.	Qty	Range
TL581	1	8 - 20 mm
TL582	1	16 - 30 mm

HSS Countersinks

Part No.	Qty	Ø
TL586	1	12.4 mm
TL587	1	20.5 mm



Looking for Carbide Mill Cutters?
Our full range is on Page 234

Drill Chucks

Complete with chuck keys.

Part No.	Qty	Mount	Capacity	Key Type
DRC1	1	3/8" x 24 F	1 - 10 mm	S2A



Drill Chucks

Complete with chuck keys.

Part No.	Qty	Mount	Capacity	Key Type
DRC2	1	1/2" x 20 F	1.5 -13 mm	S2A

Keyless Drill Chucks

Suitable for rotary percussion drilling
but should be used with SDS type impact action.

- **Keyless convenience - Fast bit changeover, and no lost keys.**

Part No.	Qty	Mount	Capacity
DRC5	1	3/8" x 24	1.5 - 10 mm
DRC6	1	1/2" x 20	2 - 13 mm



Replacement Chuck Keys

Part No.	Pack of	Key Type	Suits Part No.s
DKEY3	5	S2A	DRC1, DRC2
DKEY2	5	For JACOBS K30 or RÖHM S8 Types	

Rethreading Tap Set

DIN 352 (HSS Hand Taps),
DIN 1814 (Adjustable Tap Wrench).
Supplied in a metal dispenser.

Part No.	Qty	Description
TL541	1 Set	22 Piece Set

21 x Hand Taps: M3, M4, M5, M6, M8, M10, M12. 1 x Adjustable Tap Wrench No. 1, 1/2" for taps: M1 - M12.

TENG TOOLS Rethreading Tap & Die Set

Supplied in a tool tray.

Part No.	Qty	Description
TTTD17	1 Set	17 Piece Set

7 x Metric Dies: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.5, 12 mm x 1.75.
7 x Metric Taps: 3, 4, 5, 6, 8, 10, 12 mm. 1 x Tap Handle, capacity 3 to 12 mm.
1 x Die Handle with adjustment screw, capacity 3 to 12 mm. 1 x Screw pitch gauge.

Rethreading Tap & Die Set

HSS-G Hand Taps. For metric ISO-thread DIN 13, tolerance 6H.
DIN 352 (Hand Taps), DIN 1814 (Adjustable Tap Wrench),
DIN 223 (Round Dies), DIN 225 (Die Stock). Supplied in a metal dispenser.

Part No.	Qty	Description
TL540	1 Set	32 Piece Set

21 x Hand Taps: M3, M4, M5, M6, M8, M10, M12. 7 x Round Dies: M3, M4, M5, M6, M8, M10, M12.
1 x Dies Stock, 25 x 9 mm: M7 - M9. 1 x Adjustable Tap Wrench No. 1, 1/2" for taps: M1 - M12.
1 x Screwdriver. 1 x Thread Gauge: Metric.



Thread Repair Files

For defect inner and outer threads. Suitable for the repair of
both right as well as left hand threads with different diameters. Length: 230 mm.

Part No.	Qty	Thread Type
TL7635	1	Metric Sizes

8 x Pitches: 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 mm.

Part No.	Qty	Thread Type
TL7636	1	Imperial Sizes

8 x Pitches: 24, 20, 18, 16, 14, 12, 11, 10 Pitch Per Inch.

Tap Wrench Adjustable Type

DIN 1814.

Part No.	Qty	Size	for Taps
TL547	1	No. 2	M3.5 - M12

Tap Wrench with Ratchet

Part No.	Qty	Length	for Taps
TL546	1	100 mm	M5 - M12

Dies

DIN 223.

Part No.	Qty	Thread x Pitch
TL521	1	M5 x 0.80 mm
TL522	1	M6 x 1.00 mm
TL523	1	M8 x 1.25 mm
TL524	1	M10 x 1.50 mm
TL525	1	M12 x 1.75 mm

Hand Taps

HSS-G ground thread.
DIN 352, DIN 13.
Kit contains Taper, Second and Plug.

Part No.	Set of	Thread x Pitch
TL549	3	M5 x 0.80 mm
TL542	3	M6 x 1.00 mm
TL543	3	M8 x 1.25 mm
TL544	3	M10 x 1.50 mm
TL545	3	M12 x 1.75 mm

Thread Insert System Kits

Supplied in a robust plastic storage case.

Part No.	Qty	Size	Pitch
HRK105	1 Kit	M5	0.80 mm
HRK106	1 Kit	M6	1.00 mm
HRK108	1 Kit	M8	1.25 mm
HRK110	1 Kit	M10	1.50 mm
HRK112	1 Kit	M12	1.75 mm

Kit contains: 1 x Pre-wind Installation Tool. 1 x HSS-G Tap.
1 x HSS Drill: 5.2 mm 1 x Tang Break-off Tool: No. 8. 20 x Inserts.

Insert Replacement Packs - Metric

Part No.	Pack of	Size	Pitch
HRP105	10	M5	0.80 mm
HRP106	10	M6	1.00 mm
HRP108	10	M8	1.25 mm
HRP110	10	M10	1.50 mm
HRP112	10	M12	1.75 mm

Thread Repair Kit - Spark Plug Inserts

Supplied in a robust plastic storage case.

Part No.	Qty	Size	Pitch
HRK214	1 Kit	M14	1.25 mm

Kit contains: 1 x Pre-wind Installation Tool. 1 x HSS-G Tap:
5 x Inserts M14 x 1.25 mm: 8.4 mm, 12.4 mm, 16.4 mm Reach.

Insert Replacement Packs - Spark Plug M14 x 1.25 mm

Part No.	Pack of	Size x Pitch	Reach
HRP208	10	M14 x 1.25 mm	1/2"
HRP212	10	M14 x 1.25 mm	3/4"

Lambda Sensor Thread Repair Kit

Chrome Molybdenum.
Supplied in robust storage case.

- **Quick and easy repair without component disassembly. Repairs damaged Lambda Probe Threads.**

Part No.	Qty	Description
TL1200	1 Set	9 Piece Set

1 x Reamer and insert tool. 5 x Insert nuts with collar.
2 x Taps: M18 x 1.5 mm x 50 mm, M20 x 1.5 mm x 50 mm.

MORSE 'Master Cobalt®' Hole Saws

Bi-metal with HSS M3 cutting edge.
4/6 variable pitch positive rake teeth.
1 1/2" cutting depth. Cuts through 2 x 4's.
Now comes with a D slot. 100mm extra cutting depth with new teeth.

Part No.	Qty	Ø		For use with Arbor Part No.s
TNAV10	1	5/8"	(16 mm)	TNM24K, TNM34
TNAV12	1	3/4"	(19 mm)	TNM24K, TNM34
TNAV125	1	20 mm		TNM24K, TNM34
TNAV14	1	7/8"	(22 mm)	TNM24K, TNM34
TNAV155	1	1"	(25 mm)	TNM24K, TNM34
TNAV18	1	1 1/8"	(29 mm)	TNM24K, TNM34
TNAV19	1	1 3/16"	(30 mm)	TNM24K, TNM34
TNAV20	1	1 1/4"	(32 mm)	TNM45, TNM45P
TNAV24	1	1 1/2"	(38 mm)	TNM45, TNM45P
TNAV28	1	1 3/4"	(44 mm)	TNM45, TNM45P
TNAV315	1	50 mm		TNM45, TNM45P
TNAV32	1	2"	(51 mm)	TNM45, TNM45P
TNAV36	1	2 1/4"	(57 mm)	TNM45, TNM45P
TNAV40	1	2 1/2"	(64 mm)	TNM45P
TNAV44	1	2 3/4"	(70 mm)	TNM45P
TNAV48	1	3"	(76 mm)	TNM45P
TNAV64	1	4"	(102 mm)	TNM45P

MORSE Hole Saw Arbors

Complete with pilot drill.

Part No.	Qty	Fits Hole Saw	Thread	Shank / For Chuck
TNM24K	1	14 - 30 mm	1/2" (20 mm)	1/4" Round / 1/4" & Up

Part No.	Qty	Fits Hole Saw	Thread	Shank / For Chuck
TNM34	1	14 - 30 mm	1/2" (20 mm)	3/8" Hex / 3/8"



Part No.	Qty	Fits Hole Saw	Thread	Shank / For Chuck
TNM45P	1	32 - 152 mm	5/8" (18 mm)	7/16" Hex / 1/2"

MORSE Mechanics' Hole Saw Kit

Supplied in a plastic storage case.

Part No.	Qty	Description
TNAV5M	1 Set	6 Piece Set

5 x Hole Saws: 22, 25, 29, 32, 38 mm. 1 x Arbor: 3/8" hex shank for 3/8" chuck.

MORSE Plumbers' Hole Saw Kit

Supplied in a plastic storage case.

Part No.	Qty	Description
TNAVP2	1 Set	9 Piece Set

7 x Hole Saws: 22, 29, 35, 38, 44, 48, 50 mm. 2 x Arbors: 7/16 hex shank for 1/2" chuck.

MORSE Pilot Drills

Split point, shank ground on 3 sides.

Part No.	Qty	Ø		For use with Arbor Part No's
TN200	1	1/4" x 4 1/4"	(6.5 mm x 115 mm)	TNM24K, TNM34
TN250	1	1/4" x 3"	(6.5 mm x 76 mm)	TNM45, TNM45P

Need more?

More cutting blades can be found overleaf and this handyJab Saw handle can be found on Page 427

MORSE Hacksaw Blades

Bi-metal flexible blade with 8% cobalt HSS variable tooth pitch cutting edge.

- **Teeth are brought into action at varying angles for faster, smoother cutting.**

Part No.	Qty	Pitch
TL622A	Pack of 10	14/18 TPI
TL622	Box of 100	14/18 TPI
TL623A	Pack of 10	20/24 TPI
TL623	Box of 100	20/24 TPI
TL624A	Pack of 10	26/32 TPI
TL624	Box of 100	26/32 TPI

MORSE Hacksaw Frame

Complete with MORSE Bi-metal HSS Blade - 20/24 TPI.

Part No.	Qty	Description
TL631	1	Hacksaw Frame



ECLIPSE Hacksaw Blades

Flexible bi-metal high speed steel. Blade size: 300 x 12.5 x 0.63 mm (12 x 1/2 x 0.025"). Virtually unbreakable for durability and safety. Cuts through all materials including alloy and stainless steel.

Part No.	Qty	Pitch
TL607A	Pack of 10	18 TPI
TL607	Box of 100	18 TPI
TL608A	Pack of 10	24 TPI
TL608	Box of 100	24 TPI
TL609A	Pack of 10	32 TPI
TL609	Box of 100	32 TPI

ECLIPSE 'Pro-Plus' Hacksaw Frame

Strong, lightweight frame for greater comfort and control when sawing with soft-feel handle for comfort. Complete with ECLIPSE 'Plus 30' 24 TPI bi-metal blade.

Part No.	Qty	Description
TL605	1	22T 'Pro-Plus' Hacksaw

BAHCO '317' Hacksaw

Alternative 90° blade mounting makes flush cutting possible.
Complete with BAHCO 'Sandflex®' Bi-Metal 24 TPI Blade.

Part No.	Qty	Description
TB317	1	'317' Hacksaw

BAHCO '319' Hacksaw

Steel tube core and comfortable plastic covering.
Alternative 55° blade mounting for flush cutting.
Complete with BAHCO 'Sandflex®' Bi-Metal 24 TPI Blade.

Part No.	Qty	Description
TB319	1	'319' Hacksaw

BAHCO 'Sandflex®' Hacksaw Blades

Bi-metal flexible high speed steel. BAHCO Ref: 3906.

Part No.	Qty	Pitch
TB1018C	Pack of 30	18 TPI
TB1018	Box of 100	18 TPI
TB1024C	Pack of 30	24 TPI
TB1024	Box of 100	24 TPI
TB1032C	Pack of 30	32 TPI
TB1032	Box of 100	32 TPI

ECLIPSE PROFESSIONAL TOOLS

ECLIPSE Powersaw Blades

All Hard HSS. 350 x 25 x 1.60 mm (14" x 1" x .050").

Part No.	Qty	Length x Width x Thickness	Pitch
TL633	10	350 x 25 x 1.60 mm	10 TPI
TL634	10	350 x 25 x 1.60 mm	14 TPI

BAHCO

BAHCO 'High Speed' Power Hacksaw Blades

All hard HSS. BAHCO Ref: 3802.

Part No.	Qty	Length x Width x Thickness	Pitch
TB2221	10	300 x 25 x 1.25 mm	14 TPI
TB2320	10	350 x 25 x 1.25 mm	10 TPI
TB2321	10	350 x 25 x 1.25 mm	14 TPI
TB2330	10	350 x 32 x 1.60 mm	10 TPI
TB2331	10	350 x 32 x 1.60 mm	14 TPI
TB2430	10	400 x 32 x 1.60 mm	10 TPI

Flexback Bandsaw Blades

High performance hard tooth, flexible back carbon steel bandsaw for cutting most materials including wood, plastic and non-ferrous metals.

Part No.	Qty	Width x Thickness x Pitch	Length	Type
TL590	1	1/2" x 0.25" x 14 TPI	7' 10 1/4"	Reg Raker
TL591	1	1/2" x 0.25" x 14 TPI	7' 3 1/2"	Reg Raker
TL592	1	1/2" x 0.25" x 24 TPI	7' 10 1/4"	Reg Wavy
TL594	1	1/2" x 0.25" x 24 TPI	7' 3 1/2"	Reg Wavy
TL593	1	1/2" x 0.25" x 6 TPI	7' 3 1/2"	Skip Raker

M42 Bi-Metal Bandsaw Blades

Ideal for general purpose cutting and contour cutting of tubing, structurals and solids, especially in fabrication applications or where the material is proven to vibration.

Part No.	Qty	Width x Thickness x Pitch	Length
TL595	1	1/2" x 0.25" x 14 TPI	7' 10 1/4"
TL596	1	1/2" x 0.25" x 10 TPI	7' 10 1/4"

TENGTOOLS

TENG TOOLS Mini Hacksaw

Complete with 3 x 6" mini hacksaw blades.

- **Six position blade setting.**

Part No.	Qty	Description
T705	1	Mini Hacksaw Frame

Junior Hacksaw Blades

For Metal Cutting 6" x 32 TPI.

Part No.	Pack of	Description
TL638	10 x 10	Junior Hacksaw Blades

BAHCO

BAHCO '268' Junior Hacksaw

Chrome finish with glass fibre handle.
Complete with 150 mm 32 TPI blade.

Part No.	Qty	Description
TB268	1	'268' Junior Hacksaw

BAHCO



BAHCO '268' Junior Hacksaw Blades

Part No.	Pack of	Pitch
TB2032	10	32 TPI

SafeSaw System - Steel Set

Compatible with 115 mm angle grinders. Max speed: 19,000 RPM.
The SafeSaw System universal cutting blade will cut through most materials, including: Wood and wood with nails, aluminium, steel and iron up to 8 mm thick. Ideal for exhausts, studding and steel panels.

Part No.	Qty	Description
TL615	1 Set	SafeSaw System Set
TL616	1	Replacement 115 mm Steel Blade

1 x Safety Guard. 1 x Arbour Kit. 1 x Spanner. 1 x Steel Blade: 115 mm x 25.4 mm.

MORSE Jab Saw

Heavy duty. Supplied complete with
6" x 6 TPI bi-metal reciprocating saw blade.

- **Easily change blades - Suitable for use with reciprocating saws and standard hacksaw blades**
- **Ideal for use in tight and confined places**

Part No.	Qty	Description
TL625	1 Set	**2 Piece Set**

MORSE Reciprocating Saw Blades

Suitable for use with Jab Saw (Part No. TL625). Universal fitting, fits all popular reciprocating saw machines 8% Cobalt edge offers more wear resistance. Matrix II cutting edge has shock resistance teeth that resist strippage.

- **Applications Include: Machinable metal, wood, nail-embedded wood, composites, rubber, plastic, plaster and other common building materials.**

Part No.	Qty	Length x Pitch	Applications
TL629	5	**6" x 6 TPI**	Wood, Wood/Nails
TL627	5	**6" x 10 TPI**	Metal, Wood, Wood/Nails
TL626	5	**6" x 14 TPI**	Metal
TL628	5	**6" x 18 TPI**	Metal

MORSE Heavy Duty Reciprocating Saw Blade Kit

NOT suitable for use with
Jab Saw (Part No. TL625).
Universal fitting, fits all popular reciprocating saw machines.
8% Cobalt edge offers more wear resistance.
Matrix II cutting edge has shock resistance teeth that resist strippage.

- **Applications: Machinable metal, wood, nail-embedded wood, composites, rubber, plastic, plaster and other common building materials.**

Part No.	Qty	Description
TL630	1 Kit	**11 Piece Kit**

1 x Blade Storage Tube. 2 x 9" x 8/11 TPI Renovator Blades. 3 x 6" x 8/11 TPI Renovator Blades.
2 x 6" x 6 TPI Havoc Blades. 2 x 6" x 10 TPI Havoc Blades. 2 x 9" x 6 TPI Havoc Blades.

BAHCO '244' Handsaw

Hard point with screwed plastic handle. For medium thick wood materials.
For cutting along, as well as across, the grain.

Part No.	Qty	Description
TB244	1	**22" Handsaw**

BAHCO Jig Saw Blades - High Speed Steel

Euro Shank (Type 3802).
Fits: AEG, ATALS COPCO, BOSCH, DeWALT, HITACHI, MAKITA, METABO, MILWAUKEE and Similar Machines.
Supplied on a blister card.

Part No.	Pack of	Length x TPI	Thickness Range	Material
TB4512	5	**75 mm x 24 TPI**	1 - 3 mm	Metal
TB4522	5	**75 mm x 14 TPI**	2.5 - 6 mm	Metal



Jig Saw Blades - BOSCH Fitting

For AEG, BOSCH, ELU, FESTO, FLEX, HITACHI, HOLZHER, MAFELL, MAKITA and METABO.

- **Applications: Soft steel, aluminium, non-ferrous metal, up to 2 mm.**

Part No.	Pack of	Type
TL645	5	**T118A**

Jig Saw Blades - BOSCH Fitting

For AEG, BOSCH, ELU, FESTO, FLEX, HITACHI, HOLZHER, MAFELL, MAKITA and METABO.

- **Applications: Softwood, hardwood, plastic up to 60 mm rough cut.**

Part No.	Pack of	Type
TL647	5	**T111C**

Air Saw Blades

SIG, flexi soft metals up to 2 mm.

Part No.	Pack of	Pitch
TL654	5	**14 TPI**
TL649	5	**24 TPI**
TL655	5	**32 TPI**



HYDE 'MAXXGRIP PRO®' Stiff Scraper - Chisel-Ended

High carbon steel blade, mirror finish.

- **Full tang blade construction.**
- **Ergo-engineered soft-grip handle to reduce fatigue, absorb shock and increase comfort during extended use.**

Part No.	Qty	Blade Width	
TNY3	1	3"	(76 mm)

HYDE 'MAXXGRIP PRO®' Stiff Scraper

High carbon steel blade, mirror finish.

- **Full tang blade construction.**
- **Ergo-engineered soft-grip handle to reduce fatigue, absorb shock and increase comfort during extended use.**

Part No.	Qty	Blade Width	
TNY1	1	1 1/2"	(38 mm)
TNY2	1	2"	(51 mm)

HYDE 'Black & Silver' Scraper - 5-in-1 Painter Tool

High carbon steel blade, mirror finish. Full tang blade construction.
Nylon handle resists most paint thinners and solvents.

Part No.	Qty	Blade Width	
TNY119	1	2 1/2"	(63 mm)

HYDE 'Black & Silver' Scraper - Chisel-Ended/Putty Knife

High carbon steel blade, mirror finish. Full tang blade construction.
Nylon handle resists most paint thinners and solvents.

Part No.	Qty	Blade Width	
TNYP114	1	1 1/4"	(32 mm)



KS TOOLS Chisel Scraper Set

INOX stainless steel.
Hammer through design.

Part No.	Qty	Description
K907.2210	1 Set	4 Piece Set

2 x 1.2 mm Scrapers: 25, 32 mm wide.
2 x 2.5 mm Chisel scrapers: 25, 32 mm wide.

'Razor-Mate' Scrapers

Various colour vinyl grips.
Supplied in a screw-top plastic jar.

Part No.	Qty	Descriptions
TNH52230	Jar of 30	'Razor-Mate' Scrapers

'Zippy' Type Scrapers & Blades

Supplied with 5 x single edge steel razor blades.

Part No.	Qty	Description
TL671	5 Sets	Scrapers with 5 Blades

Single Edge Steel Razor Blades for 'Zippy' Type Scrapers

Suitable for use with Part No.s TL671 and TNH52230.

Part No.	Box of	Description
TL672	100	Razor Blades

KS TOOLS Jack Knife

Supplied complete with nylon belt bag.

- **Teflon® coated blade with lock function**
- **Anti-slip handle with finger recesses**

Part No.	Qty	Description	Overall Length
K907.2105	1	Jack Knife	193 mm

BAHCO Pocket Knife

Stainless steel folding blade.
Flat design to fit in pocket easily.

Part No.	Qty	Description	Overall Length
TB1	1	Stainless Steel Knife	175 mm

Looking for Snap-off Knives?

Our range of Knives + Blades continues overleaf on Page 430

COAST



COAST Multi-Tool with 2 x LED Lights

Stainless steel tool construction in anodized silver finish. Includes 2 x inbuilt LED lights.
Supplied with pocket/belt pouch.

- **Spring-loaded pliers for auto-opening/added torque using pliers, wire cutter/stripper**
- **Individual tools can be opened with handles in closed position - quick/easy access**
- **Ergonomic design, handle ideal compliments each of the working tools in use**
- **LED light in closed position, shine ahead of knife blade & pliers when in working use**

Part No.	Qty	Description
TL683	1	Multi-Tool

1 x Professional quality knife, pliers, wire cutter, wire stripper, cap lifter, can opener and scissors. 4 x screwdrivers.

Trimming Knife Blades - Standard Trapezoid Type

Supplied with 100 x All metal blades. Heavy duty.

Part No.	Box of	Description
TL658	100	Trim Knife Blades in Dispenser

BEST SELLER

Trimming Knife Blades - Standard Trapezoid Type

All metal. Heavy duty.

Part No.	Pack of	Description
TL662	10 x 10	Trim Knife Blades

KS TOOLS GERMANY

KS TOOLS Folding Knife

Metal construction with belt hook.
Quick-locking blade mechanism.
Supplied with 5 x standard 'Trapezoid' blades.

Part No.	Qty	Description	Overall Length
K907.2174	1 Set	Knife with 5 Blades	155 mm

COAST

COAST 'Pro Razor' Folding Knife

Stainless steel frame with nylon handle with belt clip.
Supplied with 4 standard 'Trapezoid' blades, 1 fitted and 3 in handle storage.

- **Folding knife with 'Double Lock' system for added safety**
- **'E-Z change' blade replacement feature**

Part No.	Qty	Description	Overall Length
TL682	1	Folding Knife	188 mm

TENG TOOLS Utility Knife - Retractable Blade

Complete with 2 x standard 'Trapezoid' blades.

Part No.	Qty	Description
T710	1	Heavy Duty Utility Knife

Trimming Knife All Metal with Top Lever Retractor

Uses standard 'Trapezoid' blades.

Part No.	Qty	Description
TL659	1	Trim Knife

Trimming Knife Spring-loaded Automatic Retractor

Uses standard 'Trapezoid' blades.

Part No.	Qty	Description
TL660	1	Auto Retract Knife

Contractors' Trimming Knife Automatic Reloading

Complete with 10 x heavy duty Sheffield made standard 'Trapezoid' blades.

- **Internal storage for 10 blades (included)**
- **No tools required to change blade**
- **Soft hand grip**
- **Quick push button blade removal**
- **Blade retraction button**

Part No.	Qty	Description
TL670	1	Contractors' Knife

TENG TOOLS Utility Knife - Heavy Duty with Retractable Blade.

Complete with 2 x standard 'Trapezoid' blades.

- **Ergonomic handle with non-slip section**
- **Quick opening and closing**
- **3-step blade adjustment**
- **Spare blade storage inside handle**

Part No.	Qty	Description
T710N	1	Utility Knife

KS TOOLS GERMANY



KS TOOLS Long Knife For Scraping

Stable aluminium knife with non-slip grip with trapezoid blade.
For use with standard trapezoid and hook blades. Blade magazine in knife.

Part No.	Qty	Length
K140.2290	1	470 mm

OLFA Trimming Knives with 'Snap-off' Blades

Heavy duty metal body.

Part No.	Pack of	Blade Width
TL673	6	9 mm Blade
TL675	1	18 mm Blade
TL677	1	25 mm Blade

OLFA Trimming Knife Blades 'Snap-off' Type

Supplied in a plastic storage box.

Part No.	Pack of	Blade Width
TL678	20	25 mm

Trimming Knives with 'Snap-off' Blades

Part No.	Pack of	Blade Width
TL663	10	9 mm
TL665	10	18 mm

Trimming Knife Blades 'Snap-off' Type

Part No.	Pack of	Blade Width
TL664	10 x 10	9 mm
TL666	10 x 10	18 mm



KS TOOLS Workshop Utility Scissors with Wire Cutters

Stainless steel blades. Ergonomic plastic handles.
Supplied with belt storage pouch.

Part No.	Qty	Length	
K118.0060	1	140 mm	(4 1/2")

NWS Scissors/Shears

Stainless steel, polished cutting edges.
Black varnished handles. Heavy duty. Re-adjustable screw-joint.

Part No.	Qty	Length	
TL676	1	200 mm	(8")

Lever Bolt Cutters

Chrome-vanadium steel forged jaws.
Precision steel tube handles with PVC grips. DIN ISO 9242.

Part No.	Qty	Length		Capacity
TL230	1	610 mm	(24")	8 mm Ø

ECLIPSE Tin Snips - Straight

Standard type.

Part No.	Qty	Length	
TL232	1	300 mm	(12")

BAHCO Cutting Pliers

Ergonomic handles. Black finish heads.

Part No.	Qty	Length	
TB2101G4	1	140 mm	(5 1/2")
TB2101G6	1	160 mm	(6 1/4")

TENG TOOLS 'Mega Bite' Side Cutter

High carbon steel. 72° cutting edge angle. Vinyl coated handles.

Part No.	Qty	Length	
TMB441-6	1	150 mm	(6")

TENG TOOLS 'Mega Bite' Side Cutter - Heavy Duty

High carbon steel. 72° cutting edge angle. Vinyl coated handles.

Part No.	Qty	Length	
TMB442-8	1	200 mm	(8")

NWS Electricians' Miniature Side Cutters

Box jointed with double leaf spring. Soft wire capacity: 1.2 mm Ø.

Part No.	Qty	Length	
TNE3	1	115 mm	(4 1/2")

NWS Side Cutters

Plastic coated handles. Black finish heads. DIN ISO 5749.

Part No.	Qty	Length	
TNP4/160	1	160 mm	(6 1/4")
TNP4/180	1	180 mm	(7")

NWS Heavy Duty Side Cutters

Plastic coated handles. Black finish heads. DIN ISO 5749.

Part No.	Qty	Length	
TNP5/150	1	150 mm	(6")
TNP5/180	1	180 mm	(7")
TNP5/200	1	200 mm	(8")
TNP5/240	1	240 mm	(9 1/2")

NWS Side Cutter

Special tool steel, drop-forged, oil hardened. Black 'Titan' finish.

Part No.	Qty	Length	
TNR4/160	1	160 mm	(4 1/4")

NWS 'MultiCutter' 3-in-1 Wire Stripping Pliers

Special tool steel, drop-forged, oil-hardened.
Precision cutting edges, induction hardened for hard and soft wires.

- **V-shaped cutting edges for stripping of wires and stranded conductors.**
- **Cable stripper function for all common cables from 8 - 13 mm Ø**

Part No.	Qty	Length	
TNR6/180	1	180 mm	(7")

NWS 'ErgoMulti' Ergonomic Electricians' Pliers

Tool steel, drop-forged, oil-hardened matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **With lock and opening spring.**

Part No.	Qty	Length	
TNR9/200	1	200 mm	(8")

NWS 'Fantastico' Heavy Duty Side Cutters

Special tool steel, drop-forged, oil hardened.
Black 'Titan' finish. Red vinyl coated handles. DIN ISO 5749.

- **Heavy duty lever action provides a higher torque.**

Part No.	Qty	Length	
TL255	1	200 mm	(8")

NWS 'Fantastico' Heavy Duty Side Cutters

Special tool steel, drop-forged, oil hardened.
Black 'Titan' finish.

- **Heavy duty lever action provides a higher torque.**



Part No.	Qty	Length	
TNR255	1	200 mm	(8")

NWS Cable Cutter

Special tool steel, drop-forged, oil-hardened.
Titanium finish head, soft grip 2-component handles. Spring opening.

- **Adjustable screw-joint.**
- **For stripping and cutting copper and aluminium cable up to 25 mm Ø (70 mm²).**

Part No.	Qty	Length	
TNR7/210	1	210 mm	(8 1/4")

NWS 'PowerBolt' Heavy Duty End Cutting Nippers

Cutting edges, induction hardened, for stud bolts, nails, rives and similar materials.
Cutting edges additionally induction hardened.

- **Precision cutting edges, induction hardened.**
- **V-shaped cutting edges for stripping of wires.**
- **Cable stripper function: Ø 8 - 13 mm.**

Part No.	Qty	Length	
TNP6/200	1	200 mm	(8")

NWS 4-in-1 Electricians' VDE Pliers

Special tool steel, drop-forged,
oil hardened. Matt chrome plated.
'Soft-Grip' 2 component handles with soft inlay.
Optimised slip guards according to IEC 60900. 1,000V

- **Cuts bolts up to M3.5, strips cable 1.5/2.5 mm², crimp and bend facility.**

Part No.	Qty	Length	
TNV5/190	1	190 mm	(7 1/2")

NWS VDE Side Cutter

'Soft-Grip' 2-component handles. Matt chromium plated heads.
Optimised slip guards according to IEC 60900. 1,000V.

Part No.	Qty	Length	
TNV4/160	1	160 mm	(6 1/4")

NWS 'MultiCutter' 3-in-1 VDE Wire Stripping Pliers

Insulation to IEC 60900 1,000V. Matt chromium plated heads.
'Soft-Grip' 2-component handles with soft inlay.

- **Precision cutting edges, induction hardened.**
- **V-shaped cutting edges for stripping of wires.**
- **Cable stripper function: Ø 8 - 13 mm.**

Part No.	Qty	Length	
TNV6/180	1	180 mm	(7")



NWS 'ErgoMulti' High Leverage VDE Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged,
oil-hardened Matt chromium plated heads.
'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **With lock and opening spring.**

Part No.	Qty	Length	
TNV9/200	1	200 mm	(8")

Looking for more Pliers?

Our range of Pliers continue
in the next section on Page 435

NWS VDE Combination Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads.
Optimised slip guards according to IEC 60900. 1,000V.

- **Integrated ring spanner**

Part No.	Qty	Length	
TNV1/180	1	180 mm	(7")
TNV1/205	1	205 mm	(8")

NWS VDE Long (Chain) Nose Pliers

'Soft-Grip' 2-component handles. Matt chromium plated heads.
Optimised slip guards according to IEC 60900. 1,000V.

Part No.	Qty	Length	
TNV2/205	1	205 mm	(8")

NWS VDE Pliers Set

Optimised slip guards
according to IEC 60900. 1,000V.
Induction hardened precision edges.
2-component safety grip. For hard and soft wire.

Part No.	Qty	Description
KN782	1 Set	3 Piece Set

1 x VDE Combination: 180 mm. 1 x VDE Chain Nose: 205 mm. 1 x VDE Side Cutter: 160 mm



NWS 'ErgoCombi' High Leverage VDE Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged,
oil-hardened Matt chromium plated heads.
'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **Can also be used as a spanner.**

Part No.	Qty	Length	
TNV8/200	1	200 mm	(8")

General Hand Tools

434 Locking Pliers
435 Pliers
436 Water Pump
436 Circlip Pliers
437 Measuring Tools
438 Hammers
439 Pry Bars
441 Chisels + Punches
442 Screwdrivers
446 Screwdriver Bits
447 Security Bits
448 Hex T-Handles
450 Hex Key Sets
452 Spanners
453 Adjustable Wrenches
454 Ratchet Spanners
455 Ratchets
456 Power Bars
457 Socket Accessories
458 Ratchet + Socket Sets
460 Socket Rail Sets
462 Regular Sockets
463 Deep Sockets
464 Impact Sockets
466 Impact Socket Sets

IRWIN VISE-GRIP

IRWIN VISE-GRIP Locking Pliers

Straight jaws.

Part No.	Qty	Length		Ref.
TNA7R	1	7"	(175 mm)	7R
TNA10R	1	10"	(250 mm)	10R

IRWIN VISE-GRIP

IRWIN VISE-GRIP Locking Pliers

Long nose with wire cutter.

Part No.	Qty	Length		Ref.
TNA4LN	1	4"	(100 mm)	4LN
TNA6LN	1	6"	(150 mm)	6LN
TNA9LN	1	9"	(225 mm)	9LN

IRWIN VISE-GRIP



IRWIN VISE-GRIP Locking Pliers

Curved jaws with wire cutter

Part No.	Qty	Length		Ref.
TNA4WR	1	4"	(100 mm)	4WR
TNA5WR	1	5"	(125 mm)	5WR
TNA7WR	1	7"	(175 mm)	7WR
TNA10WR	1	10"	(250 mm)	10WR

IRWIN VISE-GRIP

IRWIN VISE-GRIP Locking Welding Clamp

Part No.	Qty	Length		Ref.
TNA9R	1	9"	(225 mm)	9R

IRWIN VISE-GRIP

IRWIN VISE-GRIP Locking C-Clamps

Part No.	Qty	Length		Ref.
TNA6R	1	6"	(150 mm)	6R
TNA11R	1	11"	(275 mm)	11R

TENGTOOLS

TENG TOOLS 'Power Grip' Locking Pliers - Round & Flat Grip

Wire cutter/crimper action.

Part No.	Qty	Length	
T401-7	1	7"	(180 mm)
T401-10	1	10"	(250 mm)

TENGTOOLS

TENG TOOLS 'Power Grip' Pliers Set

Supplied in a tool tray.

Part No.	Qty	Description
TTTVG05	1 Set	5 Piece Set

3 x Combination Pliers: 4", 7", 10". 2 x Long Nose Pliers: 4", 6"

PYTHON G-Clamps

Part No.	Qty	Jaw Capacity
TL355	1	150 mm
TL356	1	200 mm

BAHCO

BAHCO Pliers Set

Ergonomic handles. Black finish heads.

Part No.	Qty	Description
TB9897	1 Set	4 Piece Set

1 x Combination Pliers: 180 mm. 1 x Snipe Nose Pliers: 160 mm.
1 x Cutting Pliers: 160 mm. 1 x Slip Joint Pliers: 250 mm.

TENG TOOLS 'Mega Bite' Combination Pliers

High leverage with pipe grip and serrated grip surfaces. High carbon steel. 72° cutting angle and titanium coated joints. Vinyl coated handles

Part No.	Qty	Length	
TMB452-8	1	200 mm	(8")

TENG TOOLS 'Mega Bite' Long Nose Pliers

With serrated grip surfaces. High carbon steel. 72° cutting angle and titanium coated joints. Vinyl coated handles.

Part No.	Qty	Length	
TMB461-8	1	200 mm	(8")

TENG TOOLS 'Mega-Bite' Pliers Set

Vinyl grips. Supplied in a tool tray.

Part No.	Qty	Description
TTT440	1 Set	4 Piece Set

1 x Side Cutter: 6". 1 x Combination: 7". 1 x Long Nose: 8". 1 x Water Pump: 10".

NWS 'ErgoCombi' High Leverage Combination Pliers

Insulation to IEC 60900 1,000V. Tool steel, drop-forged, oil-hardened Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

- **Ergonomically angled head for strain-free working.**
- **Optimum power transmission from improved leverage.**
- **Can also be used as a spanner.**

Part No.	Qty	Length	
TNR8/200	1	200 mm	(8")

Looking for VDE Pliers & Cutters?

Our VDE range of pliers and cutters features on the previous pages

NWS Combination Pliers

Plastic coated handles. Black finish heads. DIN ISO 5746.

Part No.	Qty	Length
TNP1/180	1	180 mm
TNP1/205	1	205 mm

NWS 'CombiMax' Combination Pliers

Insulation to IEC 60900 1,000 V. Matt chromium plated heads. 'Soft-Grip' 2-component handles with soft inlay.

Part No.	Qty	Length	
TNR1/180	1	180 mm	(7")
TNR1/205	1	205 mm	(8")

NWS Long (Chain) Nose Pliers - Straight

Plastic coated handles. Black finish heads. DIN ISO 5745.

Part No.	Qty	Length
TNP2/170	1	170 mm
TNP2/205	1	205 mm

NWS Long (Chain) Nose Pliers- Straight

'Soft-Grip' 2-component handles. Titanium finish head.DIN ISO 5745.

Part No.	Qty	Length
TNR2/205	1	205 mm

NWS 'MaxiMX' Water Pump Pliers

Chrome vanadium steel, drop forged and oil-hardened with red vinyl coated handles.

- **Fine 'Drag & Drop' precise adjustment.**
- **Safety protection of fingers in every position.**

Part No.	Qty	Length		Jaw Capacity
TQ1/250	1	**250 mm**	(10")	50 mm
TQ1/300	1	**300 mm**	(12")	75 mm

TENG TOOLS 'Mega Bite' Groove Joint Pliers

Heavy duty model. Non-slip groove joints and polished head. Vinyl coated handles.

Part No.	Qty	Length		Jaw Capacity
TMB416	1	**400 mm**	(16")	90 mm

TENG TOOLS 'Mega Bite' Water Pump Pliers

Serrated jaws with pipe grip and titanium coated joints. Vinyl coated handles.

Part No.	Qty	Length		Jaw Capacity
TMB481-10	1	**250 mm**	(10")	3-38 mm

NWS 'ClassicPlus' Water Pump Pliers

DIN ISO 8976. Special tool steel, forged, oil-hardened with plastic handles.

- **Jaws with nail/wire holder**
- **Double-toothed jaws**
- **Finger trap protection for safe work**
- **Self-locking serration**

Part No.	Qty	Length		Jaw Capacity
TNP9/300	1	**300 mm**	(12")	2-55 mm
TNP9/400	1	**400 mm**	(16")	3-80 mm



2-in-1 Circlip Pliers Set - Internal & External

2-in-1 tool converts from internal to external pliers at the touch of a button.
External range: 1/4" - 2" (7 - 48 mm).
Internal Range: 3/8" - 2" (10 - 48 mm).

Part No.	Qty	Description
TNH521C	1 Set	**12 Piece Set**

1 x Pliers: 7 3/4" (197 mm). 3 x Straight Tips: .036" (0.9 mm), .047" (1.2 mm), .070" (1.8 mm).
2 x Bent 90° Tips: .036" (0.9 mm), .047" (1.2 mm).

NWS Circlip Pliers - External Bent 90°

DIN 5254 B.

Part No.	Qty	Length	Circlip Ø mm	Tip Ø mm
TNC2/165	1	**165 mm**	19 - 60	**1,8**
TNC2/200	1	**200 mm**	40 - 100	**2,3**

NWS Circlip Pliers - External Straight

DIN 5254 A.

Part No.	Qty	Length	Circlip Ø mm	Tip Ø mm
TNC1/135	1	**135 mm**	12 - 25	**1,3**
TNC1/175	1	**175 mm**	19 - 60	**1,8**
TNC1/220	1	**220 mm**	40 - 100	**2,3**
TNC1/310	1	**310 mm**	85 - 140	**3,2**

NWS Circlip Pliers - Internal Bent 90°

DIN 5256 B.

Part No.	Qty	Length	Circlip Ø mm	Tip Ø mm
TNC4/165	1	**165 mm**	19 - 60	**1,8**
TNC4/200	1	**200 mm**	40 - 100	**2,3**

NWS Circlip Pliers - Internal Straight

DIN 5256 A.

Part No.	Qty	Length	Circlip Ø mm	Tip Ø mm
TNC3/135	1	**135 mm**	12 - 25	**1,3**
TNC3/175	1	**175 mm**	19 - 60	**1,8**
TNC3/220	1	**220 mm**	40 - 100	**2,3**
TNC3/310	1	**310 mm**	85 - 140	**3,2**

NWS Circlip Pliers Set

Part No.	Qty	Description
KN792	1 Set	**4 Piece Set**

1 x External Straight: 175 mm. 1 x External Bent: 165 mm. 1 x Internal Straight 175 mm. 1 x Internal Bent: 165 mm

TENG TOOLS 'Mega-Bite' Circlip Pliers Set

7" long with return spring.
Supplied in a tool tray.

Part No.	Qty	Description
TTT474-7	1 Set	**4 Piece Set**

1 x Inner/straight: 12 to 65 mm capacity. 1 x Inner/bent: 12 to 65 mm capacity.
1 x Outer/straight: 10 to 40 mm capacity. 1 x Outer/bent: 10 to 40 mm capacity

Measuring Tapes

Impact resistant casing with belt clip.
Push-pull blade with temporary and permanent locking buttons and "Power Return".
Metric and imperial graduations.

Part No.	Qty	Length	
TL695	1	**5 m**	(16ft)
TL698	1	**10 m**	(32ft)

Steel Rulers

Flexible stainless steel.

Part No.	Qty	Length	
TL451	1	**15 cm**	6"
TL452	1	**30 cm**	12"
TL453	1	**60 cm**	24"



Digital Slide Vernier Caliper

Complete with LR44 1.55v battery.
Supplied in a robust storage case.

Part No.	Qty	Description
TL689	1	**Digital Vernier Caliper**

TENG TOOLS Digital Vernier Caliper

Stainless steel. Supplied in a plastic storage box.
Max length of measurement: 150 mm. Jaw length 40 mm.

- **Adjustable between mm and inch**
- **Reading 0.01 mm**
- **Repeated reading ±0.01 mm**
- **Zero set in any position**

Part No.	Qty	Description
TL455	1	**Digital Vernier Caliper**

BRENNENSTUHL 'Signograph 25' Electric Engraver Kit

25W, 230V.
A powerful engraver with interchangeable hardened stylus complete with hard metal stylus and stylus coupling.
Cable length: 1.8 m.

- **For engraving soft metal, copper, tin and aluminium.**
- **Includes interchangeable sintered carbide stylus for glass engraving.**
- **Engraving is as easy as writing.**

Part No.	Qty	Description
TL995	1 Kit	**25W Engraver**
TL996	1	**Replacement Pointed Engraver Tip**

Feeler Gauges

Combination set. 3" x 1/2" Blades.

Part No.	Qty	Description
TNFG135	1 Set	**32 Piece Set**

30 x Steel: .002 - .035". .051 - .889 mm. 6 x Brass: .006 - .016". .152 - .406 mm.

Cross Pein Hammer

'Toffee Hammer'.

Part No.	Qty	Weight
TL713	1	1/4 lb

Ball Pein Hammers

Part No.	Qty	Weight	
TL707	1	1/4 lb	4 oz
TL701	1	1/2 lb	8 oz
TL702	1	1 lb	16 oz
TL703	1	1 1/2 lb	24 oz
TL704	1	2 lb	32 oz
TL708	1	2 1/2 lb	40 oz

Ball Pein Hammer Shafts

Engineers' Hickory/Ash (material subject to change).

Part No.	Qty	Length
TL723	1	14"
TL724	1	16"

Lump Hammers

Part No.	Qty	Weight
TL705	1	2 1/2 lb
TL712	1	4 lb

Lump Hammer Shaft

Part No.	Qty	Type	Length
TL725	1	Lump	10"

Hammer Shaft Wedges

Part No.	Pack of	Description
TL729	20	No. 3 Wedges

Assorted Pack of Hammer Shafts

Complete with No. 3 hammer shaft wedges.

Part No.	Pack of
TL721	5 Pieces

2 x Engineers: 14" (x 2), 16" (x 2). 1 x Lump: 10" 1 x Hammer Shaft Wedges (x 5).

Sledge Hammers

Part No.	Qty	Weight
TL706	1	7 lb
TL711	1	14 lb

Sledge Hammer Shaft

Hickory. Tapered end.

Part No.	Qty	Type	Length
TL727	1	Sledge, Parallel Eye	36"

Claw Hammer
Steel shafted with grip.

Part No.	Qty	Weight
TL700	1	1 lb

Hammer Ball Pein Fibreglass

Part No.	Qty	Weight
TL7108	1	1/2 lb
TL7116	1	1 lb
TL7124	1	1 1/2 lb
TL7132	1	2 lb
TL7140	1	2 1/2 lb

KS TOOLS GERMANY

KS TOOLS Dead Blow Hammers
Recoil free rubber mallet. Solid PU glass fibre composite. Substantially higher impact effect than withconventional mallets. Particularly suitable for careful driving of bearings, cases, sleeves, sealing rings, etc.

Part No.	Qty	Head Diameter	Weight
K140.5255	1	45 mm	940g
K140.5257	1	55 mm	1400g

Dead Blow Hammer

Part No.	Qty	Weight
TL7170	1	2 lb



Looking for more?
Our Pry Bar range continues overleaf

THOR Soft Face Hammer - Copper & Hide Faces
Weight: 2 1/2 lb.

Part No.	Qty	Description
TL714	1	Size 2 - Soft Face Hammer
TL715	1	Replacement Copper Face
TL716	1	Replacement Hide Face

TENG TOOLS

TENG TOOLS Roll/Heel Bar

Part No.	Qty	Length
TPB16	1	16"

TENG TOOLS



TENG TOOLS Roll/Heel Bars Set
Supplied in a TTX tool tray.

Part No.	Qty	Description
TTTXPB3	1 Set	3 Piece Set

Lengths: 12", 16", 20"

MAYHEW Pry Bar (Pinch Bar)/Line Up Punches
Regular pry bar.

MAYHEW The Pros Know

Part No.	Qty	Length
TN472	1	24"

MAYHEW Ladyfoot Pry Bars
Supplied in a plastic tray.

MAYHEW The Pros Know

Part No.	Qty	Description
TN60150	1 Set	3 Piece Set

Sizes: 12", 16", 21".

MAYHEW 'The Dominator' Screwdriver Pry Bars - Curved Blades

Supplied in plastic tray.

- **Hardened and tempered the entire length for maximum durability.**
- **Two composite handle for a more comfortable and secure grip.**
- **All-new capped end allows user to strike pry bar with a hammer without damaging the head.**

Part No.	Qty	Description
TN61355	1 Set	**3 Piece Set**

3 x Sizes: 7", 12" & 18"

KS TOOLS Flat Chisel Set

Chrome molybdenum steel.
Flat shaft. For work on metal.

Part No.	Qty	Description
K156.0690	1 Set	**4 Piece Set**

Sizes: 14.5 x 125 mm, 20.5 x 150 mm. 23 x 200 mm, 28.5 x 250 mm.

MAYHEW Screwdriver Pry Bars

Curved blades. Supplied in a plastic tray.

Part No.	Qty	Description
TN61350	1 Set	**3 Piece Set**

Sizes: 7", 12", 18".

KS TOOLS Premium Pin & Punch Set

Finest chrome vanadium steel, mirror polished. DIN 6450/DIN 6458. Supplied in a robust wall mountable metal stand/holder.

Part No.	Qty	Description
K156.0180	1 Set	**18 Piece Set**

5 x Punches: 2, 3, 4, 5, 6 mm.
6 x Pin Punches: 2, 3, 4, 5, 6, 8 mm.
6 x Pin Punches, extra long: 3, 4, 5, 6, 8, 10 mm.
1 x Metal stand.

TENG TOOLS Heavy Duty Pry Bar Set

With 'Power Thru' handles.

Part No.	Qty	Description
TTTXPB3A	1 Set	**3 Piece Set**

3 x Sizes: 12", 18", 22".

Pin Punch Set Metric

Chrome vanadium steel, mirror polished. Supplied in compact plastic holder.

Part No.	Qty	Description
TL4100	1 Set	**6 Piece Set**

6 x Sizes: 2, 3, 4, 5, 6, 8 mm.

Brass Drifts - Imperial

Supplied in a wooden storage block.

Part No.	Qty	Description
TNKBD3	1 Set	**5 Piece Set**

5 x Sizes, Diameters: 1/4", 3/8", 1/2", 5/8", 3/4".

MAYHEW Punch & Chisel Set

Supplied in a storage roll.

Part No.	Qty	Description
TN7014K	1 Set	**14 Piece Set**

1 x Centre Punch: 3/8" x 5". 2 x Taper Punches: 1/8", 3/16". 5 x Pin Punches: 3/32", 1/8", 5/32", 3/16", 1/4".
1 x Line-up Punch: 1/8". 5 x Cold Chisels, Standard Length: 1/4", 3/8", 1/2", 5/8", 3/4".

MAYHEW Cold Chisel Set - Standard Sizes

Supplied in a storage roll.

Part No.	Qty	Description
TN7001K	1 Set	**6 Piece Set**

6 x Sizes: 1/4" x 5", 5/16" x 5", 3/8" x 5 1/2", 1/2" x 6", 5/8" x 6 1/2", 3/4" x 7" .

MAYHEW Roll Pin (Pilot) Punch Set

Supplied in a storage roll.

Part No.	Qty	Description
TN106KM	1 Set	**6 Piece Set**

Sizes: 3, 4, 5, 6, 7, 8 mm.

TRIDENT Long Chisel Set - Metric Sizes

Chrome-molybdenum steel, mirror polished.
Supplied in storage roll.

Part No.	Qty	Description
TL4102	1 Set	**4 Piece Set**

4 x Sizes: 350 mm x 12, 16, 19, 22 mm.

MAYHEW Pin Punches - Standard Sizes

Supplied in a storage roll.

Part No.	Qty	Description
TN4101KM	1 Set	**6 Piece Set**

6 x Sizes: 3, 4, 5, 6, 7, 8 mm.

TRIDENT Long Pin Punch Set - Metric Sizes

Chrome-molybdenum steel, mirror polished.
Supplied in storage roll.

Part No.	Qty	Description
TL4104	1 Set	**6 Piece Set**

6 x Sizes: 200 mm x 2, 3, 4, 5, 6, 8 mm.

KS TOOLS 'ERGOTORQUEplus®' Screwdrivers - Slotted

DIN 5265. S2 steel hardened blade, chrome finished with burnished tips.
Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip Width	Shaft Length	Hex Drive
K159.1002	1	3.0 mm	75 mm	-
K159.1003	1	4.0 mm	75 mm	-
K159.1004	1	4.0 mm	100 mm	-
K159.1005	1	5.5 mm	100 mm	-
K159.1006	1	5.5 mm	125 mm	-
K159.1007	1	5.5 mm	150 mm	-
K159.1008	1	6.5 mm	125 mm	-
K159.1009	1	6.5 mm	150 mm	M10
K159.1010	1	8.0 mm	150 mm	M10
K159.1011	1	8.0 mm	200 mm	M10
K159.1012	1	10.0 mm	200 mm	M10
K159.1013	1	10.0 mm	250 mm	M10

KS TOOLS 'ERGOTORQUEplus®' Stubby Screwdriver - Slotted

DIN 5265. S2 steel hardened blade, chrome finished with burnished tips.
Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip Width	Shaft Length
K159.1001	1	6.0 mm	38 mm

KS TOOLS 'ERGOTORQUEplus®' Screwdriver - POZIDRIV®

DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips.
Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip No.	Shaft Length	Hex Drive
K159.1047	1	PZ0	75 mm	-
K159.1040	1	PZ1	75 mm	-
K159.1049	1	PZ1	100 mm	-
K159.1041	1	PZ2	100 mm	M10
K159.1042	1	PZ2	125 mm	M10
K159.1043	1	PZ2	150 mm	M10
K159.1048	1	PZ2	200 mm	M10
K159.1044	1	PZ3	150 mm	M10
K159.1045	1	PZ3	200 mm	M10

KS TOOLS 'ERGOTORQUEplus®' Stubby Screwdriver - POZIDRIV®

DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips.
Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip No.	Shaft Length
K159.1046	1	PZ2	38 mm



KS TOOLS 'ERGOTORQUEplus®' Screwdriver - PHILIPS®

DIN/ISO 8164. S2 steel hardened blade, chrome finished with burnished tips.
Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip No.	Shaft Length	Hex Drive
K159.1027	1	PH0	75 mm	-
K159.1020	1	PH1	75 mm	-
K159.1029	1	PH1	100 mm	-
K159.1021	1	PH2	100 mm	M10
K159.1022	1	PH2	125 mm	M10
K159.1023	1	PH2	150 mm	M10
K159.1028	1	PH2	200 mm	M10
K159.1024	1	PH3	150 mm	M10
K159.1025	1	PH3	200 mm	M10

KS TOOLS 'ERGOTORQUEplus®' Stubby Screwdriver - PHILIPS®

DIN/ISO 8164. S2 steel hardened blade, chrome finished with burnished tips.
Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip No.	Shaft Length	Hex Drive
K159.1026	1	PH2	38 mm	M10

KS TOOLS 'ERGOTORQUEplus®' Screwdriver & Bit Set

Extra hexagonal drive at the blade shaft to increase power requirement on selected sizes.
DIN 5264, DIN 5265, DIN/ISO 8764.
Ergonomic non-slip 2 component handle. Supplied in a robust plastic storage case.

Part No.	Qty	Description
K159.0100	1 Set	39 Piece Set

7 x Slotted screwdrivers: 3 x 75 mm, 4 x 100 mm, 5.5 x 100 mm, stubby 6 x 38 mm, 6.5 x 125 mm, 8 x 150 mm, 10 x 200 mm.
5 x PHILLIPS® screwdrivers: PH0 x 75 mm, PH1 x 100 mm, PH2 x 125 mm, stubby PH2 x 38 mm, PH3 x 150 mm.
4 x POZIDRIV® screwdrivers: PZ0 x 75 mm, PZ1 x 100 mm, PZ2 x 125 mm, PZ3 x 150 mm.
1 x Bit screwdriver, magnetic, 1/4": 100 mm. 1 x Bit drive, magnetic, 1/4": 60 mm. 21 x Bits, 1/4", 25 mm:
7 x Hexagonal: 2, 2.5, 3, 4, 5, 6, 8 mm. 7 x TORX®: T10, T15, T20, T25, T27, T30, T40.
7 x Tamper Proof TORX®: TP10, TP15, TP20, TP25, TP27, TP30, TP40.

KS TOOLS 'ERGOTORQUEplus®' Screwdriver - Tamper Proof TORX®

DIN 5264, DIN 5265, DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip No.	Shaft Length	Hex Drive
K159.1050	1	TP8	100 mm	-
K159.1051	1	TP9	100 mm	-
K159.1052	1	TP10	100 mm	-
K159.1053	1	TP15	100 mm	M10
K159.1054	1	TP20	100 mm	M10
K159.1055	1	TP25	100 mm	M10
K159.1056	1	TP27	100 mm	M10
K159.1057	1	TP30	100 mm	M10
K159.1058	1	TP40	100 mm	M10

KS TOOLS 'ERGOTORQUEplus®' Screwdriver - TORX®

DIN 5264, DIN 5265, DIN/ISO 8764. S2 steel hardened blade, chrome finished with burnished tips. Ergonomic non-slip 2-component handle.

Part No.	Qty	Tip No.	Shaft Length	Hex Drive
K159.1030	1	T8	100 mm	-
K159.1031	1	T9	100 mm	-
K159.1032	1	T10	100 mm	-
K159.1033	1	T15	100 mm	M10
K159.1034	1	T20	100 mm	M10
K159.1035	1	T25	100 mm	M10
K159.1036	1	T27	100 mm	M10
K159.1037	1	T30	100 mm	M10
K159.1038	1	T40	100 mm	M10

KS TOOLS 'ERGOTORQUEplus®' Tamper Proof TORX® Screwdriver Set

DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 component handle. Supplied in a display box.

Part No.	Qty	Description
K159.0040	1 Set	**6 Piece Set**

6 x Tamper Proof TORX® screwdrivers: TP10, TP15, TP20, TP25, TP30, TP40 x 100 mm.

KS TOOLS 'ERGOTORQUEplus®' TORX® Screwdriver Set

DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 component handle. Supplied in a display box.

Part No.	Qty	Description
K159.0030	1 Set	**6 Piece Set**

6 x TORX® screwdrivers: T10, T15, T20, T25, T30, T40 x 100 mm.

KS TOOLS 'ERGOTORQUEmax®' Impact Screwdriver Set

Impact head with 1/4" female hex drive.
DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 Component handle. Supplied in a display box

- **Includes 45 teeth 1/4" T-Grip ratchet, 3 positions: Left/Fixed/Right**
- **Through connection from impact head to shaft.**

Part No.	Qty	Description
K151.1100	1 Set	**7 Piece Set**

4 x Slotted screwdrivers: 3.5, 4.5, 5.5, 7 mm.
2 x PHILLIPS® screwdrivers: PH1, PH2. 1 x T-Grip ratchet, 1/4".

KS TOOLS 'ERGOTORQUEplus®' Slotted & POZIDRIV® Screwdriver Set

Extra hexagonal drive at the blade shaft to increase power requirement on selected sizes.
DIN 5264, DIN 5265, DIN/ISO 8764. Ergonomic non-slip 2 component handle. Supplied in a display box.

Part No.	Qty	Description
K159.0020	1 Set	**6 Piece Set**

4 x Slotted screwdrivers: 3 x 75 mm, 4 x 100 mm, 5.5 x 125 mm, 6.5 x 150 mm.
2 x POZIDRIV® screwdrivers: PZ 1 x 75 mm, PZ 2 x 100 mm.

NWS VDE Screwdriver - Slotted

DIN 7437 / 7348. Insulation to IEC 60900 1,000V.
Black finish alloy hardened special steel blade.
2-component handle with hanging hole.

Part No.	Qty	Tip Width x Height	Shaft Length
TNS120	1	3.5 x 0.6 mm	100 mm
TNS130	1	4.0 x 0.8 mm	100 mm
TNS140	1	5.5 x 1.0 mm	125 mm
TNS150	1	6.5 x 1.2 mm	150 mm

NWS VDE Screwdriver - PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V.
Black finish alloy hardened special steel blade.
2-component handle with hanging hole.

Part No.	Qty	Tip No.	Shaft Length
TNS200	1	PH0	60 mm
TNS210	1	PH1	80 mm
TNS220	1	PH2	100 mm

NWS VDE Screwdriver - PZ

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V.
Black finish alloy hardened special steel blade.
2-component handle with hanging hole.

Part No.	Qty	Tip No.	Shaft Length
TNS300	1	PZ0	60 mm
TNS310	1	PZ1	80 mm
TNS320	1	PZ2	100 mm

NWS VDE Screwdriver Set - Slotted & PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Description
TNS500	1 Set	5 Piece Set

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125 mm.
1 x PH Head (PH No.x shaft length): PH1 x 80 mm.
1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length.

NWS VDE Screwdriver Set - Slotted & PH

DIN 7437 / 7348. Insulation to IEC 60900 1,000 V. Black finish alloy hardened special steel blade. 2-component handle with hanging hole.

Part No.	Qty	Description
TNS700	1 Set	7 Piece Set

4 x Slotted (width x shaft length): 2.5 x 75, 4.0 x 100, 5.5 x 125, 6.5 mm.
2 x PH Head (PH No.x shaft length): PH0 x 60 mm, PH1 x 80 mm.
1 x Voltage Tester, GS tested for 120-250V AC: 65 mm blade length.

SPEAR & JACKSON Pocket Screwdrivers

Complete with pocket clip.

Part No.	Pack of	Tip Width	Shaft Length
TL151	6	3 mm	50 mm

BONDHUS 6 Piece VDE Screwdriver Set

Rated for use to 1,000V, tested at 10,000V.
Chrome-vanadium-molybdenum blades for hardness and high torque applications.

- Comfort grip
- VDE Approved

Part No.	Qty	Description
TL1008	1 Set	6 Piece Set

SL 75 x 2.5 mm, SL 100 x 3.5 mm, SL 125 x 4.5 mm, PZ No. 1 x 80 mm, PZ No. 2 x 100 mm, Volt Tester 60 x 3 mm.

BONDHUS 3 Piece VDE Screwdriver Set

Rated for use to 1,000V, tested at 10,000V.
Chrome-vanadium-molybdenum blades for hardness and high torque applications.

- Comfort grip
- VDE Approved

Part No.	Qty	Description
TL1009	1 Set	3 Piece Set

SL 75 x 2.5 mm, SL 100 x 4.0 mm, PZ No. 1 x 80 mm.

TENG TOOLS 'Mega Drive' Screwdrivers - Slotted

DIN 5264.

Part No.	Qty	Tip Width	Shaft Length	
TMD920	1	3.0 mm	75 mm	
TMD921	1	3.0 mm	100 mm	
TMD922	1	5.5 mm	75 mm	
TMD923	1	5.5 mm	150 mm	
TMD928	1	6.5 mm	38 mm	Stubby Type
TMD933	1	6.5 mm	150 mm	
TMD691	1	6.5 mm	400 mm	Long Series
TMD934	1	8.0 mm	150 mm	

TENG TOOLS 'Mega Drive' Screwdrivers - PZ

Part No.	Qty	Tip Size	Shaft Length
TMD960	1	PZ0	75 mm
TMD961	1	PZ1	75 mm
TMD972	1	PZ2	100 mm
TMD973	1	PZ3	150 mm

TENG TOOLS 'Mega Drive' Screwdrivers - PH

DIN 5260.

Part No.	Qty	Tip Size	Shaft Length	
TMD940	1	PH0	75 mm	
TMD941	1	PH1	75 mm	
TMD948	1	PH2	38 mm	Stubby Type
TMD952	1	PH2	100 mm	
TMD692	1	PH2	400 mm	Long Series
TMD953	1	PH3	150 mm	

TENG TOOLS 'Mega Drive' Screwdriver Set

Supplied in a plastic storage case.

Part No.	Qty	Description
TMD912N	1 Set	12 Piece Set

6 x Slotted: 2.5 x 75 mm, 3.5 x 100 mm, 4.0 x 150 mm, 5.5 x 150 mm, 6.5 x 150 mm, 10 x 200 mm.
4 x PH: PH0 x 75 mm, PH1 x 75 mm, PH2 x 100 mm, PH2 x 200 mm.
2 x PZ: PZ1 x 75 mm, PZ2 x 100 mm.

KS TOOLS Precision Screwdriver Set

2 component handle with twist cap.
High quality S2 steel. Shaft Length: 50 mm.

Part No.	Qty	Description
K500.7170	1 Set	14 Piece Set

4 x Slotted: 1.4, 2, 2.5, 3 mm.
3 x PHILLIPS®: PH00 x 2, PH0 x 2.4, PH1 x 3 mm Shaft Ø
7 x TORX®: T6, T7, T8, T9, T10, T15, T20.

TENG TOOLS 'Mega Drive' Screwdriver Set

Supplied in a tool tray.

Part No.	Qty	Description
TTT917N	1 Set	7 Piece Set

3 x Slotted: 3 x 75 mm, 5 x 75 mm, 6 x 100 mm. 3 x PH: PH0 x 75 mm, PH1 x 75 mm, PH2 x 100 mm.
1 x PZ: PZ2 x 100 mm

TENG TOOLS 'Mega Drive' TX/TPX Screwdriver Set

Supplied in a tool tray.

Part No.	Qty	Description
TTT917TXN	1 Set	7 Piece Set

2 x TX, 75 mm: TX8, TX9. 5 x TPX, 100 mm: TPX10, TPX15, TPX20, TPX25, TPX30.

1/4" Hex Bits POZI

Part No.	Pack of	Size
TNBZ1	5	No.1 Tip
TNBZ2	5	No.2 Tip
TNBZ3	5	No.3 Tip

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower ' 1/4" Dr. - Slotted

High quality S2 steel, bright nickel plated.
Length: 25 mm. DIN 3126 / ISO 1173.

Part No.	Pack of	Size	Colour
K918.3306	5	3 mm	Orange
K918.3311	5	4 mm	Orange
K918.3316	5	5 mm	Orange
K918.3321	5	6 mm	Orange

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower' 1/4" Dr. - POZIDRIV®

High quality S2 steel, bright nickel plated.
Length: 25 mm. DIN 3126 / ISO 1173.

Part No.	Pack of	Size	Colour
K918.3206	5	PZ1	Blue
K918.3211	5	PZ2	Blue
K918.3216	5	PZ3	Blue

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower' 1/4" Dr. - PHILLIPS®

High quality S2 steel, bright nickel plated.
Length: 25 mm. DIN 3126 / ISO 1173.

Part No.	Pack of	Size	Colour
K918.3106	5	PH1	Red
K918.3111	5	PH2	Red
K918.3116	5	PH3	Red

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower' 1/4" Dr. - Hexagonal

High quality S2 steel, bright nickel plated.
Length: 25 mm. DIN 3126 / ISO 1173.

Part No.	Pack of	Size	Colour
K918.3406	5	3 mm	Dark Yellow
K918.3411	5	4 mm	Dark Yellow
K918.3416	5	5 mm	Dark Yellow
K918.3421	5	6 mm	Dark Yellow

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower' 1/4" Dr. - Tamper Proof TORX®

High quality S2 steel, bright nickel plated.
Length: 25 mm. DIN 3126 / ISO 1173.

Part No.	Pack of	Size	Colour
K918.3606	5	TP10	Violet
K918.3611	5	TP15	Violet
K918.3616	5	TP20	Violet
K918.3621	5	TP25	Violet
K918.3626	5	TP27	Violet
K918.3631	5	TP30	Violet
K918.3636	5	TP40	Violet

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower' 1/4" Dr. - TORX®

High quality S2 steel, bright nickel plated.
Length: 25 mm. DIN 3126 / ISO 1173.

Part No.	Pack of	Size	Colour
K918.3506	5	T10	Light Yellow
K918.3511	5	T15	Light Yellow
K918.3516	5	T20	Light Yellow
K918.3521	5	T25	Light Yellow
K918.3526	5	T27	Light Yellow
K918.3531	5	T30	Light Yellow
K918.3536	5	T40	Light Yellow

KS TOOLS GERMANY

KS TOOLS 'TORSIONpower' 1/4" Bit Set

High quality S2 steel, bright nickel plated.
Bits manufactured to DIN3126 / ISO 1173.
Supplied in durable storage case with belt clip.

Part No.	Qty	Description
K918.3010	1 Set	32 Piece Set

1 x Auto slimlock bit holder, 1/4" 65 mm. 1 x 1/4" bit reversing ratchet set (2 pieces). 30 x Bits 1/4" 25 mm:
4 x Slotted: 3, 4, 5, 6 mm. 4 x PHILLIPS®: PH 1, PH 2 (x 2), PH 3. 4 x POZIDRIV®: PZ1, PZ 2 (x 2), PZ 3.
4 x Hexagonal: 3, 4, 5, 6 mm. 7 x TORX®: T10, T15, T20, T25, T27, T30, T40.
7 x Tamper Proof TORX®: TP10, TP15, TP20, TP25, TP27, TP30, TP40.

KS TOOLS GERMANY

KS TOOLS 'Auto-Slimlock' 1/4" Dr. Automatic Magnetic Bit Holder

Finest chrome vanadium steel. Length: 65 mm.

- **Extremely slim profile allowing access to very small diameter holes (11.5 mm)**

Part No.	Qty	Description
K514.1113	1	Automatic Bit Holder

KS TOOLS 1/4" Dr. Security Bit Set

High quality S2 steel, nickel plated.
Supplied in a robust plastic storage case.

Part No.	Qty	Description
K911.2027	1 Set	99 Piece Set

1 x Bit holder, 1/4" magnetic: 60 mm. 1 x Socket adaptor: 1/4" square x 1/4" hex drive. 1 x Bit adaptor socket 1/4".
79 x Bits 1/4", 25 mm: 9 x Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm. 5 x PHILLIPS®: PH0, PH1, PH2 (x 2), PH3.
5 x POZIDRIV®: PZ0, PZ1, PZ2 (x 2), PZ3. 9 x Hexagonal: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm.
12 x Hexagonal: 2, 2.5, 3, 4, 5, 6 mm, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32".
9 x TORX®: T8, T10, T15, T20, T25, T27, T30,T40, T45.
9 x Tamper Proof TORX®: TP8, TP10, TP15, TP20, TP25, TP27, TP30, TP35, TP40.
3 x Spline (XZN®): M5, M6, M8. 3 x Dual Wedge: 1, 2, 3. 4 x Tri-Wing®: 1, 2, 3, 4. 4 x Spanner®: 4, 6, 8, 10.
3 x Torque®: 6, 8, 10 mm. 4 x Square: 0, 1, 2, 3. 17 x Bit 1/4", 75 mm: 3 x Hexagonal: 4, 5, 6 mm.
3 x Tamper Proof TORX®: TP15, TP20, TP30. 4 x Tri-Wing®: 1, 2, 3, 4. 4 x Spanner®: 4, 6, 8, 10. 3 x Torque®: 6, 8, 10 mm.

TENG TOOLS Bits Set

Supplied in a plastic storage case.

Part No.	Qty	Description
TTM029	1 Set	29 Piece Set

1 x Bits ratchet, 1/4" with 8 mm ring spanner. 1 x Bit holder, 1/4" magnetic: 50 mm.
27 x Bits 1/4", 25 mm: 3 x Flat: 0.6 x 4.5 mm, 0.8 x 5.5 mm, 1.2 x 6.5 mm. 3 x PH: PH1, PH2, PH3.
3 x PZ: PZ1, PZ2, PZ3. 6 x TX: TX10, TX15, TX20, TX25, TX30, TX40. 3 x TPX: TPX20, TPX25, TPX30.
3 x ROB: No. 1, 2, 3. 3 x Hex: 4, 5, 6 mm. 2 x Grabber: No. 2 . 1 x Square Adaptor: 1/4".

TRIDENT 1/4" Dr. Hex Security Bit Set

Chromium-vanadium steel bits.
Supplied in robust storage case.
Dimensions: 195 x 135 x 37 mm.

Part No.	Qty	Description
TL1100	1 Set	100 Piece Set

1 x Bit Holder, 1/4" magnetic: 60 mm. 1 x Bit Adaptor Socket, 1/4". 1 x Cup Hook Y-Adaptor: 1/4" Hex.
2 x Socket Adaptors, 1/4" Sq x 1/4" Hex Dr: 25 mm, 50 mm.
95 x 1/4" Bits, 25 mm: 9 x Tamper Proof TX: TP8, TP10, TP15, TP20, TP25, TP27, TP30, TP35, TP40.
9 x TX: T8, T10, T15, T20, T25, T27, T30, T35, T40. 3 x Clutch: 1, 2, 3. 3 x Torq: 1, 2, 3.
3 x Spline: M5, M6, M8. 4 x Tri-Wing: 1, 2, 3, 4. 4 x Square: 0, 1, 2, 3. 4 x Spanner: 4, 6, 8, 10.
9 x Flat: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm. 8 x PH: PH0, PH1, PH2 (x 5), PH3. 8 x PZ: PZ0, PZ1, PZ2 (x 5), PZ3.
10 x Hex, Imperial: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4".
6 x Tamper Proof Hex, Imperial: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32".
9 x Hex, Metric: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm. 6 x Tamper Proof Hex, Metric: 2, 2.5, 3, 4, 5, 6 mm.

LASER 1/4" Dr. Hex Bits Set

Complete with magnetic bit holder
Supplied in a robust rubber organiser.

Part No.	Qty	Description
TL474	1 Set	33 Piece Set

1 x Bit holder, 1/4" magnetic: 60 mm. 32 x Bits 1/4", 25 mm: 5 x Slotted: 3, 4, 5, 6, 7 mm.
9 x Phillips: PH0, PH1 (x 2), PH2 (x 3), PH2 (x 3). 7 x Pozidriv: PZ1 (x 2), PZ2 (x 3), PZ3 (x 2).
6 x Hex: 2, 2.5, 3, 4, 5, 6 mm. 6 x Star (TX): T10, T15, T20, T25, T30, T40.

LASER 1/4" Dr. Hex Security Bits Set

Complete with magnetic bit holder.
Supplied in a robust rubber organiser.

Part No.	Qty	Description
TL479	1 Set	49 Piece Set

1 x Bit holder, 1/4" magnetic: 60 mm. 48 x Bits 1/4", 25 mm: 3 x Torq: 6, 8, 10 mm. 4 x Spanner Bits: 4, 6, 8, 10 mm.
4 x Tri-Wing: 1, 2, 3, 4 mm. 6 x Tamper Proof Hex: 2, 2.5, 3, 4, 5, 6 mm. 6 x Hex: 5/32", 9/64", 1/8", 7/64", 3/32", 5/64".
7 x Pozidriv: 1 (x 2), 2 (x 3), 3 (x 2). 9 x Phillips: 0, 1 (x 3), 2 (x 3), 3 (x 2).
9 x Tamper Proof Star (TPX): T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H.

KS TOOLS 10 mm Dr. Hex Bit Socket Adaptor

Finest chrome vanadium steel.
Complete with retaining clip.

Part No.	Qty	Drive Size
K911.4312	1	1/2" Drive



KS TOOLS 10 mm Dr. Long Bits - TORX®

Finest chrome vanadium steel.
Length: 75 mm.

Part No.	Qty	Size
K975.2020	1	T20
K975.2025	1	T25
K975.2027	1	T27
K975.2030	1	T30
K975.2040	1	T40
K975.2045	1	T45
K975.2050	1	T50
K975.2055	1	T55
K975.2060	1	T60



BONDHUS Balldriver Hex T-Handle - Metric

Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection.
Cushioned curved ergonomic form-fitting solid steel handle.

Part No.	Qty	Size	Length
TL13160	1	4 mm	220 mm
TL13164	1	5 mm	246 mm
TL13168	1	6 mm	266 mm
TL13172	1	8 mm	285 mm
TL13176	1	10 mm	307 mm

BONDHUS Balldriver/Hex T-Handles - Metric Set

Supplied in durable storage pouch.

Part No.	Qty	Description
TL349	1 Set	8 Piece Set

3 x Hex Sizes: 2, 2.5, 3. 5 x Balldriver Sizes: 4, 5, 6, 8, 10 mm.



BONDHUS Hex T-Handle - Metric

Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection.
Cushioned curved ergonomic form-fitting solid steel handle.

Part No.	Qty	Size	Length
TL13252	1	2 mm	150 mm
TL13352	1	2 mm	100 mm
TL13254	1	2.5 mm	172 mm
TL13354	1	2.5 mm	110 mm
TL13256	1	3 mm	196 mm
TL13356	1	3 mm	120 mm
TL13360	1	4 mm	136 mm
TL13364	1	5 mm	150 mm
TL13368	1	6 mm	173 mm
TL13372	1	8 mm	202 mm
TL13376	1	10 mm	232 mm

BONDHUS Hex T-Handles - Metric Set

Supplied in durable storage pouch.

Part No.	Qty	Description
TL350	1 Set	8 Piece Set

8 x Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



BONDHUS Balldriver Hex T-Handle - Imperial

Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection.
Cushioned curved ergonomic form-fitting solid steel handle.

Part No.	Qty	Size	Length
TL13109	1	5/32"	231 mm
TL13110	1	3/16"	250 mm
TL13111	1	7/32"	262 mm
TL13112	1	1/4"	275 mm
TL13113	1	5/16"	289 mm
TL13114	1	3/8"	300 mm

BONDHUS Balldriver T-Handle Set - Imperial

Supplied in durable storage pouch.

Part No.	Qty	Description
TL352	1 Set	6 Piece Set

8 x Sizes: 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".

BONDHUS TORX® T-Handle

Protanium® High Torque Steel with ProGuard dry finish for superior corrosion protection.
Cushioned curved ergonomic form-fitting solid steel handle.

Part No.	Qty	Size	Length
TL33009	1	T9	155 mm
TL33010	1	T10	161 mm
TL33015	1	T15	168 mm
TL33020	1	T20	174 mm
TL33025	1	T25	180 mm
TL33027	1	T27	187 mm
TL33030	1	T30	193 mm
TL33040	1	T40	199 mm

BONDHUS Star T-Handles - TX Set

Supplied with plastic wall mountable stand.

Part No.	Qty	Description
TL348	1 Set	8 Piece Set

8 x Sizes: T9, T10, T15, T20, T25, T27, T30, T40.

BONDHUS Balldriver/Hex T-Handles - Imperial Set

Supplied with plastic wall mountable stand.

Part No.	Qty	Description
TL351	1 Set	**10 Piece Set**

4 x Hex Sizes: 3/32", 7/64", 1/8", 9/64". 6 x Balldriver Sizes: 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".

TENG TOOLS T-Handle Hex Drivers Set

Ball point head on long hex keys. Supplied in a tool tray.

Part No.	Qty	Description
TTTHEX7	1 Set	**7 Piece Set**

3 x Hex, 100 mm: 2.5, 3, 4 mm. 3 x Hex, 150 mm: 5, 6, 7 mm. 1 x Hex, 190 mm: 8 mm

TENG TOOLS T-Handle TX/TPX Drivers Set

Supplied in a tool tray.

Part No.	Qty	Description
TTTTX7	1 Set	**7 Piece Set**

3 x TX, 100 mm: TX/TPX10, TX/TPX15, TX/TPX20. 3 x TX, 150 mm: TX/TPX25, TX/TPX27, TX/TPX30.
1 x TX, 190 mm: TX/TPX40

BONDHUS 'HEX PRO' Pivot Head Wrenches - Metric Set

Insert wrench just once and simply pivot around obstacles, long handles for extra reach. Supplied in a canvas roll pouch.

Part No.	Qty	Description
TL357	1 Set	**6 Piece Set**

6 x Hex Sizes: 3, 4, 5, 6, 8, 10 mm

BONDHUS 'HEX PRO' Pivot Head Wrenches - Imperial Set

Insert wrench just once and simply pivot around obstacles, long handles for extra reach. Supplied in a canvas roll pouch.

Part No.	Qty	Description
TL358	1 Set	**8 Piece Set**

8 x Hex Sizes: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/18", 3/8"

BONDHUS 'TORX PRO' Pivot Head Wrenches

Insert wrench just once and simply pivot around obstacles, long handles for extra reach. Supplied in a canvas roll pouch.

Part No.	Qty	Description
TL359	1 Set	**6 Piece Set**

6 x TORX Sizes: T25, T27, T30, T40, T45, T50

BONDHUS Hex Driver Fold Up Set - Metric

Part No.	Qty	Description
TNB12595	1 Set	6 Piece Set

6 x Sizes: 3, 4, 5, 6, 8, 10 mm.

BONDHUS 'GorillaGrip®' Hex Driver Fold Up Set - Metric

Part No.	Qty	Description
TNB12592	1 Set	7 Piece Set

7 x Sizes: 1.5, 2, 2.5, 3, 4, 5, 6 mm.

90° stop converts the tool into a non-stop, time saving, speed wrench

'Turn & Flip' feature eliminates constant removal and repositioning in screw head when working against obstructions.

BONDHUS 'GorillaGrip®' TORX® Driver Fold Up Set

Part No.	Qty	Description
TNB12632	1 Set	8 Piece Set

8 x Sizes: T6, T7, T8, T9, T10, T15, T20, T25.

BONDHUS TORX® Driver Fold Up Set

Part No.	Qty	Description
TNB12634	1 Set	8 Piece Set

8 x Sizes: T9, T10, T15, T20, T25, T27, T30, T40.

BONDHUS Ball Hex Driver Set - Imperial

Part No.	Qty	Description
TL346	1 Set	13 Piece Set

13 x Hex Sizes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".

BONDHUS Stubby Ball Hex Key Wrench Set - Imperial

Part No.	Qty	Description
TL354	1 Set	13 Piece Set

13 x Hex Sizes: .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".

BONDHUS Ball Hex Driver Set - Metric

Part No.	Qty	Description
TL345	1 Set	9 Piece Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

BONDHUS Stubby Ball Hex Key Wrench Set - Metric

Part No.	Qty	Description
TL353	1 Set	9 Piece Set

9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



BONDHUS BALLSTAR® Driver Set - TORX® Set

Part No.	Qty	Description
TL347	1 Set	8 Piece Set

8 x TORX® Sizes: T9, T10, T15, T20, T25, T27, T30, T40.

BONDHUS Ball Hex Driver Sets - Metric & Imperial Twin Pack

Part No.	Qty	Description
TNB20199	Set of 2	Ball Hex Twin Pack

9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.
13 x Hex Sizes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".

TENG TOOLS Ball Point Hex Key Wrench Set - Metric

Black finish. Supplied in a folding holder.

Part No.	Qty	Description
T1479MMA	1 Set	9 Piece Set

9 x Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 10.0 mm.

BONDHUS Colour Coded Ball End Hex Key Wrenches - Metric Set

Part No.	Qty	Description
TNB69499	1 Set	9 Piece Set

9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

BONDHUS Colour Coded Ball End Hex Key Wrenches - Extra Long Metric Set

Part No.	Qty	Description
TNB69699	1 Set	9 Piece Set

9 x Hex Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

TENG TOOLS Ball Point Hex Key Wrench Set - Imperial

Black finish. Supplied in a folding holder.

Part No.	Qty	Description
T1479AF	1 Set	9 Piece Set

9 x Sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".



TENG TOOLS TX Key Wrench Set

Black finish. Supplied in a folding holder.

Part No.	Qty	Description
T1479TX	1 Set	9 Piece Set

9 x TX Keys: TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40.

KS TOOLS 3-in-1 Hex Key Wrench Set, Ball Ended

Chrome plated, matt finish. DIN/ISO 2936. In patented plastic holder.

Part No.	Qty	Description
K151.2100	1 Set	8 Piece Set

8 x Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

KS TOOLS 3-in-1 Hex Key Wrench Set, Extra Long Ball Ended

Chrome plated, matt finish. DIN/ISO 2936. In patented plastic holder.

Part No.	Qty	Description
K151.2180	1 Set	8 Piece Set

8 x Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

TENG TOOLS Combination Spanners

Polished heads, satin finish. 12 Point. 15° offset ring ends.

Part No.	Qty	Size
T600507	1	7 mm
T600508	1	8 mm
T600510	1	10 mm
T600513	1	13 mm
T600515	1	15 mm
T600517	1	17 mm
T600519	1	19 mm
T600521	1	21 mm
T600522	1	22 mm
T600524	1	24 mm
T600527	1	27 mm
T600530	1	30 mm
T600536	1	36 mm

TENG TOOLS Combination Spanners Set

Polished heads, satin finish.12 Point. 15° offset ring ends. Supplied in a plastic holder.

Part No.	Qty	Description
T6510A	1 Set	10 Piece Set

10 x Sizes: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm.

TENG TOOLS Combination Spanners Set

Polished heads, satin finish. 12 Point.15° offset ring ends. Supplied in a tool tray.

Part No.	Qty	Description
TTT1236	1 Set	12 Piece Set

12 x Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

TENG TOOLS Combination Spanners Set

Polished heads, satin finish. 12 Point. 15° offset ring ends. Supplied in a TTX tool tray.

Part No.	Qty	Description
TTTX2032	1 Set	7 Piece Set

7 x Sizes: 20, 21, 22, 24, 27, 30, 32 mm

KS TOOLS 'CHROMEplus®' Mirror Polished Combination Spanner Set

Chrome plated, mirror polished. DIN 3338, ISO 3318, ISO 7738. Head offset 15°, jaw offset 15°. Supplied in a heavy duty storage pouch roll.

Part No.	Qty	Description
K518.0643	1 Set	13 Piece Set

13 x Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm.

KS TOOLS 'CHROMEplus®' Extra Long Double Ring Spanner Set

Chrome plated, mirror polished, straight slim line head. Extra narrow shape spanner head.

- **Designed for high torque tightening and loosening.**
- **Ideal for loosening very tight fittings in awkward areas where the use of a ratchet is not possible: e.g. on axles, ball joints, suspensions, steering components, propeller shaft couplings, etc.**
- **No need to lengthen normal spanners which can lead to injury.**

Part No.	Qty	Description
K518.0800	1 Set	6 Piece Set

6 x Sizes: 10 x 11, 12 x 14, 13 x 15, 16 x 18, 17 x 19, 22 x 24 mm.

TENG TOOLS 'Rigger Jigger'

Compact double ring spanner. Length: 120 mm.

Part No.	Qty	Size
T601013	1	10 mm x 13 mm

Gripper Wrench Organizer

For use in toolboxes or on the wall. Folding space saver handle.

Part No.	Qty	Holds Up To
TL8050	1	12 Spanners

KS TOOLS Combination Spanner Set

Chrome vanadium steel, satin finish, polished heads. DIN 3113 Form A/ISO 3318/ISO 7738. Head offset 15°, jaw offset 15°. FlankTraction profile (12 point). Supplied in a plastic holder.

Part No.	Qty	Description
K517.0052	1 Set	12 Piece Set

12 Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

KS TOOLS Combination Spanner Set

Chrome vanadium steel, satin finish, polished heads. DIN 3113 Form A/ISO 3318/ISO 7738. Head offset 15°, jaw offset 15°. FlankTraction profile (12 point). Supplied in a heavy duty storage pouch roll.

Part No.	Qty	Description
K517.0043	1 Set	21 Piece Set

21 x Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm.



KS TOOLS Extra Long Combination Spanner Set

Chrome vanadium steel, polished heads. DIN 3113 Form A/ISO 3318/ISO 7738. Head offset 15°, jaw offset 15°. FlankTraction profile (12 point). Supplied in a display box.

Part No.	Qty	Description
K519.0660	1 Set	11 Piece Set

10 x Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

KS TOOLS 3/8" Drive 6 Point Crow Foot Wrench Set

Chrome plated, matt finish. Supplied on a socket rail. 3/8

Part No.	Qty	Description
K913.3800	1 Set	10 Piece Set

10 x Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.

LASER 3/8" Drive Flare Nut Crowfoot Spanners

Supplied on a socket rail. 3/8

Part No.	Qty	Description
TK6400	1 Set	8 Piece Set

8 x Sizes: 10, 11, 13, 14, 15, 17, 19, 22 mm.

BAHCO Adjustable Wrench

Phosphated finish. 40% wider opening than standard 8" (200 mm) wrench with convenient length handle.

Part No.	Qty	Length		Max Jaw Capacity
TB9031	1	8 1/2"	218mm	38 mm

BAHCO Adjustable Wrenches

Phosphate finish. DIN 3117.

Part No.	Qty	Length	Max Jaw Opening
TB8070	1	155 mm	20 mm
TB8071	1	205 mm	27 mm
TB8072	1	255 mm	30 mm
TB8073	1	305 mm	34 mm
TB8074	1	380 mm	44 mm
TB8075	1	455 mm	53 mm

TENG TOOLS Adjustable Wrenches

Phosphate finish.

Part No.	Qty	Length	
T4002	1	6"	(150 mm)
T4003	1	8"	(200 mm)
T4004	1	10"	(250 mm)
T4005	1	12"	(300 mm)
T4006	1	15"	(375 mm)
T4007	1	18"	(450 mm)

KS TOOLS 'GEARplus®' Reversible Ratchet Combination Spanner Set

Chrome plated, mirror polished.
DIN 3110, ISO 3318. Head offset 15°,
jaw offset 15°. 72 teeth, 5° angle reversible
ratchet mechanism. Supplied in a robust plastic storage case.

Part No.	Qty	Description
K503.4646	1 Set	6 Piece Set

6 x Sizes: 8, 10, 12, 13, 17, 19 mm.

KS TOOLS 'GEARplus®' Reversible Ratchet Combination Spanner Set with Adaptors

Chrome plated, mirror polished.
DIN 3110, ISO 3318.Head offset 15°,
jaw offset 15°. 72 teeth, 5° angle reversible ratchet
mechanism. Supplied in a robust plastic storage case.

- **Includes 'GEARplus®' Adaptors: Allows use as reversible ratchet and bit ratchet. Can be used with 1/4", 3/8" and 1/2" sockets and with any 1/4" bit.**

Part No.	Qty	Description
K503.4666	1 Set	16 Piece Set

12 x Reversible Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.
4 x GEARplus® Adaptors: 1 x for Bits: 1/4".
3 x for Sockets: 1/4", 3/8", 1/2".

KS TOOLS 'GEARplus®' Ratchet Combination Spanner Set

Chrome plated, mirror polished.
DIN 3110, ISO 3318. Head offset 15°,
jaw offset 15°. 72 teeth, 5° angle ratchet
mechanism. Supplied in a robust plastic storage case.

Part No.	Qty	Description
K503.4265	1 Set	12 Piece Set

12 x Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.

TENG TOOLS Reversible Ratcheting Combination Spanners

Polished heads, satin finish. 12 Point. 15° offset ring ends.
Flip reverse switch.

Part No.	Qty	Size
T600508R	1	8 mm
T600510R	1	10 mm
T600513R	1	13 mm
T600515R	1	15 mm
T600517R	1	17 mm
T600519R	1	19 mm
T600522R	1	22 mm
T600524R	1	24 mm

TENG TOOLS Reversible Ratcheting Combination Spanners Set

Polished heads, satin finish.
12 Point. 15° offset ring ends.
Supplied in a tool tray.

Part No.	Qty	Description
TTT6508R	1 Set	8 Piece Set

8 x Sizes: 8, 10, 11, 12, 13, 14, 17, 19 mm

KS TOOLS 'DUO GEARplus®' Reversible Ratchet Ring/Open-End Combi Spanners with Open Jaw Ratchet Function

Based on DIN 3113/ISO 3318. Chrome vanadium fine satin finish.
Jaw offset by 15°. 72 teeth ratcheting action.

- **Innovative open-end jaw ratchet mechanism**
- **Flank Traction profile**

Part No.	Qty	Size	Length
K503.5908	1	8 mm	140 mm
K503.5909	1	9 mm	150 mm
K503.5910	1	10 mm	159 mm
K503.5911	1	11 mm	166 mm
K503.5912	1	12 mm	172 mm
K503.5913	1	13 mm	178 mm
K503.5914	1	14 mm	191 mm
K503.5915	1	15 mm	200 mm
K503.5916	1	16 mm	208 mm
K503.5917	1	17 mm	225 mm
K503.5918	1	18 mm	236 mm
K503.5919	1	19 mm	248 mm

KS TOOLS 'DUO GEARplus®'

Reversible Ratchet Ring/Open-End
Combi Spanners with Open Jaw Ratchet Function Set

Part No.	Qty	Description
K503.5905	1 Set	5 Piece Set

5 x Sizes: 8, 10, 13, 17, 19 mm.

KS TOOLS 'SlimPOWER' Reversible Ratchets

1/4" 3/8" 1/2"

Chrome plated and mirror polished. DIN 3122 / ISO 3315. Square drive adaptor to DIN 3120 / ISO 1174 with ball lock. Ergonomic non-slip 2 component handle. 72 teeth, 5° angle ratchet mechanism. Extremely slim line head. Quick release system.

Part No.	Qty	Drive Size	Weight	Max Torque
K920.1490	1	1/4" Drive	80g	102 Nm
K920.3890	1	3/8" Drive	180g	102 Nm
K920.1290	1	1/2" Drive	356g	710 Nm

KS TOOLS 'CHROMEplus®' Reversible Ratchets

1/4" 3/8" 1/2"

Chrome plated, mirror polished. DIN 3122, ISO 3315. 45 teeth, 8° angle ratchet mechanism. Quick release system. Ergonomic non-slip 2 component handle.

Part No.	Qty	Drive Size
K918.1400	1	1/4" Drive
K918.3800	1	3/8" Drive
K918.1200	1	1/2" Drive

LASER Swivel Head Ratchet with T-Handle

3/8"

Chrome plated, mirror polished.
Two innovative actions in one ratchet.
Use as a swivel head ratchet or use as a T-handle ratchet.

Part No.	Qty	Drive Size
TL3890	1	3/8" Drive

KS TOOLS 'CHROMEplus®' Flex Head Ratchet

3/8"

Chrome plated, mirror polished. DIN 3122, ISO 3315.72 teeth, 5° angle ratchet mechanism. Quick release system. American style handle

Part No.	Qty	Drive Size
K918.3997	1	3/8" Drive

TENG TOOLS 'FRP' Ratchets

1/4" 3/8" 1/2"

Steel reinforced fibre ratchet with fixed drive.

- 45 teeth provides 8° increment.
- Quick release and flip reverse system.
- Lighter and more comfortable than normal ratchets, yet just as strong.

Part No.	Qty	Drive Size
T1400FRP	1	1/4" Drive
T3800FRP	1	3/8" Drive
T1200FRP	1	1/2" Drive

TENG TOOLS 72 Teeth Ratchet

1/4" 3/8" 1/2"

Ultra slim ratchet head with 72 teeth giving a 6° increment between clicks.

- Ideal for use in confined spaces
- Quick release and twist reverse system
- An uncomplicated mechanism provides higher torque capacity and longer service life
- 72 teeth for a smoother operation
- Rubber handle

Part No.	Qty	Drive Size
T1400-72N	1	1/4" Drive
T3800-72N	1	3/8" Drive
T1200-72N	1	1/2" Drive

SIGNET Ratchets

1/4" 3/8" 1/2"

45 Teeth.

Part No.	Qty	Drive Size	Length
TL2620	1	1/4" Drive	140 mm
TL2630	1	3/8" Drive	195 mm
TL2640	1	1/2" Drive	245 mm

SIGNET Professional Reversible Ratchet

3/4"

Chrome vanadium head. Quick-release mechanism.

Part No.	Qty	Drive Size	Length
TL4050	1	3/4" Drive	510 mm

KS TOOLS 'CHROMEplus®' Telescopic Reversible Ratchet

1/2"

Chrome plated, mirror polished. DIN 3122, ISO 3315. 36 teeth, 10° angle ratchet mechanism.Quick release system. Ergonomic non-slip 2 component handle. Extension Range: 380 to 500 mm.

Part No.	Qty	Drive Size
K918.1270	1	1/2" Drive

KS TOOLS 'CHROMEplus®' Power Bars

Chrome plated, mirror polished.
Extra long handle with pivot head.

3/8" 1/2" 3/4" 1"

Part No.	Qty	Drive Size	Length
K918.3826	1	3/8" Drive	400 mm
K918.3826-1	1	3/8" Spare Head	
K918.1292	1	1/2" Drive	600 mm
K918.1292-1	1	1/2" Spare Head	
K918.1801	1	3/4" Drive	1030 mm
K918.1802	1	1" Drive	1050 mm



3/8" 1/2" 3/4"

SIGNET Power Bars

Part No.	Qty	Drive Size	Length	
TL9190	1	3/8" Drive	375 mm	(15")
TL9190H	1	3/8" Spare Head		
TL9290	1	1/2" Drive	600 mm	(24")
TL9290H	1	1/2" Spare Head		
TL4060	1	3/4" Drive	1,000 mm	(39")
TL4060H	1	3/4" Spare Head		



1/2"

TENG TOOLS 1/2" Drive Flex Handle

Part No.	Qty	Description	Length	
T1201	1	Flex Handle	450 mm	(17")

1/4"

KS TOOLS 1/4" Drive 'LOKPLUS' Extension Set

Knurled, chrome plated, mirror polished. DIN 3123, ISO 3316.

- **The LOKPLUS system holds the socket tight to the extension, minimising the risk of loosing the socket on removal from the nut or bolt.**
- **The slim line locking mechanism allows for no increase of the overall dimensions.**

Part No.	Qty	Description
K919.0143	1 Set	3 Piece Set

3 x Lengths: 100, 150, 250 mm

3/8"

KS TOOLS 3/8" Drive 'LOKPLUS' Extension Set

Knurled, chrome plated, mirror polished. DIN 3123, ISO 3316.

- **The LOKPLUS system holds the socket tight to the extension, minimising the risk of loosing the socket on removal from the nut or bolt.**
- **The slim line locking mechanism allows for no increase of the overall dimensions.**

Part No.	Qty	Description
K919.0383	1 Set	3 Piece Set

3 x Lengths: 75, 150, 150 mm.

1/2"

KS TOOLS 1/2" Drive 'LOKPLUS' Extension Set

Knurled, chrome plated, mirror polished. DIN 3123, ISO 3316.

- **The LOKPLUS system holds the socket tight to the extension, minimising the risk of loosing the socket on removal from the nut or bolt.**
- **The slim line locking mechanism allows for no increase of the overall dimensions.**

Part No.	Qty	Description
K919.0123	1 Set	3 Piece Set

3 x Lengths: 75, 125, 250 mm



LASER Power Drive Extensions

Allows cordless power drivers to drive sockets and socket bits.

3/8" 1/2" 3/4"

Part No.	Qty	Description
TL472	1 Set	3 Piece Set

3 x Drive Sizes: 1/4", 3/8", 1/2".

TENG TOOLS 1/4" Drive Extensions

Chrome vanadium steel. Satin finish. 1/4"

Part No.	Qty	Length	
TM140020	1	2"	50 mm
TM140021	1	4"	100 mm
TM140022	1	6"	150 mm

TENG TOOLS 3/8" Drive Extensions

Chrome vanadium steel. Satin finish. 3/8"

Part No.	Qty	Length	
TM380020	1	3"	75 mm
TM380021	1	6"	150 mm
TM380022	1	10"	254 mm

TENG TOOLS 1/2" Drive Extensions

Chrome vanadium steel. Satin finish. 1/2"

Part No.	Qty	Length	
TM120020	1	2 1/2"	63.5 mm
TM120021	1	5"	125 mm
TM120022	1	10"	254 mm

KS TOOLS 'CHROMEplus®' Universal Joints

Chrome plated, mirror polished.DIN 3123, ISO 3316.

Part No.	Qty	Size
K918.1450	1	1/4" Drive
K918.1250	1	1/2" Drive

TENG TOOLS Universal Joints

Part No.	Qty	Drive	Length
TM140030	1	1/4" Drive	33 mm
TM380030	1	3/8" Drive	50 mm
TM120030	1	1/2" Drive	69 mm

KS TOOLS 'CHROMEplus®' Sliding T-Bar Adaptors

Chrome plated, mirror polished.
DIN 3123, ISO 3316.

Part No.	Qty	Size
K918.1449	1	3/8" M : 1/4" F
K918.3807	1	1/2" F : 3/8" M

TENG TOOLS Drive Adaptors

With hole for turning using an extension bar.

Part No.	Qty	Size
TM140036	1	1/4" F : 3/8" M
TM380036	1	3/8" F : 1/2" M
TM120036	1	1/2" F : 3/8" M

TENG TOOLS 1/4", 3/8" & 1/2" Drive Socket Accessories Set

Supplied in a TTX tool tray. 1/4" 3/8" 1/2"

Part No.	Qty	Description
TTTXEXT13	1 Set	13 Piece Set

2 x 1/4" Extensions: 6", 12". 1 x 1/4" Universal Joint. 1 x 3/8" Wobble Extension 3". 1 x 3/8" Extension 20".
1 x 3/8" Universal Joint. 1 x 3/8" T-Bar Adaptor: 3/8" F - 1/4" M. 1 x 1/2" Wobble Extension: 3".
1 x 1/2" Extension: 20". 1 x 1/2" Universal Joint. 1 x T-Handle Grip. 2 x Mini Screwdrivers, Hex: 2.0, 2.5 mm.

TENG TOOLS 1/4" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

1/4"

Part No.	Qty	Description
TT1424	1 Set	23 Piece Set

1 x FRP Ratchet. 1 x Hanging Hook. 1 x Universal Joint. 1 x Extension: 3". 1 x Coupler Adaptor.
11 x Regular Sockets, 6 point: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm. 8 x Hex Bits 1/4", 25 mm:
2 x Slotted: 4, 5.5 mm 2 x PH: PH1, PH2. 2 x TX: TX15, TX20. 2 x Hex: 5, 6 mm.

TENG TOOLS 3/8" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

3/8"

Part No.	Qty	Description
TT3834	1 Set	24 Piece Set

1 x FRP Ratchet. 1 x Hanging Hook. 1 x Extension Bar: 3". 1 x Coupler Adaptor. 9 x Regular Sockets, 6 point: 8, 10, 11, 12, 13, 14, 15, 17, 19 mm. 11 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm. 2 x PH: PH1, PH2.
2 x PZ: PZ1, PZ2. 3 x TX: TX10, TX15, TX20. 2 x Hex: 5, 6 mm.

TENG TOOLS 1/4" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

1/4"

Part No.	Qty	Description
TT1436	1 Set	36 Piece Set

1 x FRP Ratchet. 1 x Universal Joint. 2 x Extensions: 2", 4". 1 x Coupler Adaptor. 1 x T-Bar Adaptor: 3/8" F - 1/4" M.
3 x Hex Keys: . 1.5, 2, 2.5 mm. 10 x Regular Sockets, 6 point: 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13 mm.
6 x Deep Sockets, 6 point: 6, 7, 8, 10, 12, 13 mm. 11 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm.
2 x PH: PH1, PH2. 2 x PZ: PZ1, PZ2. 3 x TX: TX10, TX15, TX20. 2 x Hex: 5, 6 mm.

TENG TOOLS 3/8" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

3/8"

Part No.	Qty	Description
TT3839	1 Set	39 Piece Set

1 x FRP Ratchet. 1 x Universal Joint. 1 x Wobble Extension: 3". 1 x Extension: 6". 1 x Coupler Adaptor.
1 x T-Bar Adaptor: 1/2" F - 3/8" M.
14 x Regular Sockets, 6 point: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm.
6 x Deep Sockets, 6 point: 8, 10, 12, 13, 17, 19 mm. 2 x Spark Plug Sockets: 16, 21 mm.
11 x Hex Bits 1/4", 25 mm: 2 x Slotted: 4, 5.5 mm. 2 x PH: PH1, PH2. 2 x PZ: PZ1, PZ2. 3 x TX: TX10, TX15, TX20.
2 x Hex: 5, 6 mm.

KS TOOLS 'CHROMEplus®' 1/4" Drive Socket Set

Chrome plated, mirror polished. Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

1/4"

Part No.	Qty	Description
K918.0646	1 Set	46 Piece Set

13 x Sockets 1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm. 21 x Bit sockets 1/4": 3 x Slotted: 4, 5.5, 7 mm.
3 x PHILLIPS®: PH1, PH2, PH3. 2 x POZIDRIV®: PZ1, PZ2. 6 x Hexagonal: 3, 4, 5, 6, 7, 8 mm.
7 x TORX®: T10, T15, T20, T25, T27, T30, T40. 3 x Extensions 1/4", knurled, with hexagonal drive: 50, 100, 150 mm.
1 x Spinner handle 1/4" drive. 1 x Universal joint 1/4". 1 x Sliding T-bar 1/4". 4 x Hex key wrenches: 1 ,1.5, 2, 2.5 mm.
1 x Socket adaptor 1/4" square with 1/4" hexagonal drive. 1 x Reversible ratchet 1/4".

KS TOOLS 'CHROMEplus®' 3/8" Drive Regular & Deep Socket Set

Chrome plated, mirror polished. Precision manufactured to DIN/ISO standards. Supplied in a robust plastic storage case.

3/8"

Part No.	Qty	Description
K918.0627	1 Set	27 Piece Set

13 x Sockets 3/8": 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm.
10 x Deep Sockets 3/8": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.
2 x Wobble extension 3/8", knurled: 75, 150 mm. 1 x Universal joint 3/8". 1 x Reversible ratchet 3/8".

KS TOOLS 'CHROMEplus®' 3/8" Drive Socket & Bit Socket Set

Chrome plated, mirror polished.
Precision manufactured to DIN/ISO standards.
Supplied in a robust plastic storage case.

3/8"

Part No.	Qty	Description
K918.0661	1 Set	**61 Piece Set**

18 x Sockets 3/8": 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm.
10 x Sockets 3/8", deep: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm. 2 x Spark plug sockets 3/8": 16, 21 mm.
26 x Bit sockets 3/8": 3 x Slotted: 5.5, 7, 8 mm. 3 x PHILLIPS®: PH1, PH2, PH3. 3 x POZIDRIV®: PZ1, PZ2, PH3.
7 x Hexagonal: 3, 4, 5, 6, 7, 8, 10 mm. 10 x TORX®: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55.
1 x Wobble extension 3/8", knurled: 75 mm. 1 x Wobble extension 3/8", knurled: 250 mm.
1 x Sliding T-bar adaptor for extension 3/8", adaptor function. 1 x Universal joint 3/8". 1 x Reversible ratchet 3/8".

KS TOOLS 'CHROMEplus®' 1/2" Drive Socket Set

Chrome plated, mirror polished.
Precision manufactured to DIN/ISO standards.
Supplied in a robust plastic storage case.

1/2"

Part No.	Qty	Description
K918.0635	1 Set	**35 Piece Set**

18 x Sockets 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34 mm.
10 x Sockets 1/2", deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm. 2 x Spark plug sockets 1/2": 16, 21 mm.
2 x Extension 1/2", knurled: 125, 250 mm. 1 x Universal joint 1/2". 1 x Sliding T-bar adaptor 1/2".
1 x Reversible ratchet 1/2".

3/8"
1/2"

KS TOOLS 'TRIPLEplus®' 19 mm Drive (3/8" & 1/2") 'Go-Through' Socket Set

Chrome plated, mirror polished. Precision manufactured to DIN/ISO standards.
Supplied in a robust plastic storage case.

- **'TRIPLEplus®' Profile, the perfect torque transfer, works on hexagonal, 12 point, E-TORX®, nuts and bolts as well as many imperial sizes.**

Part No.	Qty	Description
K916.4050	1 Set	**17 Piece Set**

13 x TRIPLEplus® 'Go-Through' sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm.
1 x Go-through socket extension with 19 mm drive: 75 mm. 1 x Socket adaptor 19 mm x 3/8".
1 x Socket adaptor 19 mm x 1/2". 1 x Go-through reversible ratchet, with 19 mm drive.

TENG TOOLS 1/2" Drive Socket Set

Supplied in a plastic storage box with rubber feet to prevent sliding.

1/2"

Part No.	Qty	Description
TT1221	1 Set	**21 Piece Set**

1 x FRP Ratchet. 1 x Universal Joint. 2 x Extensions: 2 1/2", 6". 1 x T-Bar Adaptor: 3/8" F - 1/2" M.
16 x Regular Sockets, 12 point: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm.

KS TOOLS GERMANY

KS TOOLS 3/8" Drive Hex Bit Socket Set

Chrome plated, matt finish. Length: 50 mm. Supplied on a socket rail.

3/8"

Part No.	Qty	Description
K911.3945	1 Set	7 Piece Set

7 x Sizes: 4, 5, 6, 7, 8, 10, 12 mm .

TENG TOOLS

TENG TOOLS 3/8" Drive Hex Bit Socket Set

Supplied on a socket rail.

3/8"

Part No.	Qty	Description
TM3812	1 Set	9 Piece Set

9 x Sizes: 3, 4, 5, 5.5, 6, 7, 8, 10, 12 mm

TENG TOOLS

TENG TOOLS 1/2" Drive Hex Bit Socket Set

Supplied on a socket rail.

1/2"

Part No.	Qty	Description
TM1212	1 Set	9 Piece Set

9 x Sizes: 5, 6, 7, 8, 9, 10, 12, 14, 17 mm

KS TOOLS GERMANY



KS TOOLS 3/8" DriveTORX® Bit Socket Set

Chrome plated, matt finish. Supplied on a socket rail.

3/8"

Part No.	Qty	Description
K911.3935	1 Set	10 Piece Set

10 x Sizes: T10, T15, T20, T27, T30, T40, T45, T50, T55.

TENG TOOLS

TENG TOOLS 1/2" Drive TX Bit Socket Set

Supplied on a socket rail.

1/2"

Part No.	Qty	Description
TM1213TX	1 Set	9 Piece Set

9 x Sizes: TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60

TENG TOOLS

TENG TOOLS 1/4" & 3/8" Drive TX-E Bit Socket Set

Supplied on a socket rail.

1/4" 3/8"

Part No.	Qty	Description
TM3814	1 Set	10 Piece Set

5 x 1/4" Drive: E4, E5, E6, E7, E8. 5 x 3/8" Drive: E10, E12, E14, E16, E18

TENG TOOLS

TENG TOOLS 1/4" Drive Regular Socket Set - 6 Point

Supplied on a socket rail.

1/4"

Part No.	Qty	Description
TM1412	1 Set	12 Piece Set

12 x Regular Sockets, 6 point: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm.

TENG TOOLS

TENG TOOLS 3/8" Drive Regular Socket Set - 6 Point

Supplied on a socket rail.

3/8"

Part No.	Qty	Description
TM3816	1 Set	16 Piece Set

16 x Regular Sockets, 6 point: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm

TENG TOOLS

TENG TOOLS 1/2" Drive Regular Socket Set - 12 Point

Supplied on a socket rail.

1/2"

Part No.	Qty	Description
TM1215MM	1 Set	15 Piece Set

15 x Sizes: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm

KS TOOLS 'CHROMEplus®' 1/4" Drive Deep Socket Set

Chrome plated, mirror polished. DIN 3124, ISO 2725. Supplied on a socket rail. 1/4"

Part No.	Qty	Description
K918.0610	1 Set	**10 Piece Set**

10 x Sizes: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm.

TENG TOOLS 1/4" Drive Deep Socket Set - 6 Point

Supplied on a socket rail. 1/4"

Part No.	Qty	Description
TM1407	1 Set	**9 Piece Set**

9 x Deep Sockets 6-pt: 4, 5, 6, 7, 8, 9, 10, 12, 13 mm

KS TOOLS 'CHROMEplus®' 3/8" Drive Deep Socket Set

Chrome plated, mirror polished. DIN 3124, ISO 2725. Supplied on a socket rail. 3/8"

Part No.	Qty	Description
K918.0611	1 Set	**11 Piece Set**

11 x Sizes: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.

TENG TOOLS 3/8" Drive Deep Socket Set - 6 Point

Supplied on a socket rail. 3/8"

Part No.	Qty	Description
TM3807	1 Set	**7 Piece Set**

7 x Deep Sockets 6-pt: 10, 12, 13, 14, 15, 17, 19 mm

TENG TOOLS 3/8" Drive Spark Plug Sockets - 6 Point

3/8"

Part No.	Qty	Size
TM380040	1	**16 mm**
TM380046	1	**21 mm**

KS TOOLS 'CHROMEplus®' 1/2" Drive Deep Socket Set

Chrome plated, mirror polished. DIN 3124, ISO 2725. Supplied on a socket rail. 1/2"

Part No.	Qty	Description
K918.0612	1 Set	**10 Piece Set**

10 x Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.

TENG TOOLS 1/2" Drive Deep Socket Set - 6 Point

Supplied on a socket rail. 1/2"

Part No.	Qty	Description
TM1208-6	1 Set	**8 Piece Set**

8 x Sizes: 13, 14, 15, 16, 17, 18, 19, 24 mm

Temperature Sender Socket Set

Chrome plated. Allows access to difficult pipe connectors and wired sensor units (NOT Lambda). Ideal for the loosening of ABS pipes, master cylinder pipes, diesel injection pipes & wired sensors (coolant sensors, etc).

- **A great time saving tool when access is difficult.**

Part No.	Qty	Description
TL3860	1 Set	**6 Piece Set**

6 x Sizes: 10, 11, 12, 14, 17, 19 mm.



Socket Rails

Supplied complete with 16 spring steel socket clips. (Sockets NOT included). 1/4" 3/8" 1/2"

Part No.	Qty	Drive	Length
TL8012	1 Set	**1/2"**	410 mm
TL8014	1 Set	**1/4"**	410 mm
TL8038	1 Set	**3/8"**	410 mm

KS TOOLS
3/8" Drive Hex Bit Sockets

Chrome plated, matt finish. Length: 50 mm.

3/8"

Part No.	Qty	Size
K911.3863	1	3 mm
K911.3864	1	4 mm
K911.3865	1	5 mm
K911.3866	1	6 mm
K911.3867	1	7 mm
K911.3868	1	8 mm
K911.3862	1	12 mm

KS TOOLS
3/8" Drive TORX® Bit Sockets

Chrome plated, matt finish. Length: 50 mm.

3/8"

Part No.	Qty	Size
K911.3887	1	T10
K911.3869	1	T15
K911.3870	1	T20
K911.3871	1	T25
K911.3872	1	T27
K911.3873	1	T30
K911.3874	1	T40
K911.3885	1	T45
K911.3884	1	T50
K911.3888	1	T55
K911.3889	1	T60

TENG TOOLS 1/4" Drive Regular Sockets - 6 Point

1/4"

Part No.	Qty	Size
TM140504	1	4 mm
TM140505	1	5 mm
TM1405055	1	5.5 mm
TM140506	1	6 mm
TM140507	1	7 mm
TM140508	1	8 mm
TM140509	1	9 mm
TM140510	1	10 mm
TM140511	1	11 mm
TM140512	1	12 mm
TM140513	1	13 mm

KS TOOLS 'CHROMEplus®' 3/8" Drive Regular Sockets

Chrome plated, mirror polished. DIN 3124, ISO 2725.

3/8"

Part No.	Qty	Size
K918.3937	1	7 mm
K918.3808	1	8 mm
K918.3809	1	9 mm
K918.3810	1	10 mm
K918.3811	1	11 mm
K918.3812	1	12 mm
K918.3813	1	13 mm
K918.3814	1	14 mm
K918.3815	1	15 mm
K918.3816	1	16 mm
K918.3817	1	17 mm
K918.3818	1	18 mm
K918.3819	1	19 mm

TENG TOOLS 3/8" Drive Regular Sockets - 6 Point

3/8"

Part No.	Qty	Size
TM380507	1	7 mm
TM380508	1	8 mm
TM380509	1	9 mm
TM380510	1	10 mm
TM380511	1	11 mm
TM380512	1	12 mm
TM380513	1	13 mm
TM380514	1	14 mm
TM380515	1	15 mm
TM380516	1	16 mm
TM380517	1	17 mm
TM380518	1	18 mm
TM380519	1	19 mm
TM380520	1	20 mm
TM380521	1	21 mm
TM380522	1	22 mm

KS TOOLS 'CHROMEplus®' 1/2" Drive Regular Sockets

Chrome plated, mirror polished. DIN 3124, ISO 2725.

1/2"

Part No.	Qty	Size
K918.1210	1	10 mm
K918.1211	1	11 mm
K918.1212	1	12 mm
K918.1213	1	13 mm
K918.1214	1	14 mm
K918.1215	1	15 mm
K918.1216	1	16 mm
K918.1217	1	17 mm
K918.1218	1	18 mm
K918.1219	1	19 mm
K918.1220	1	20 mm
K918.1221	1	21 mm
K918.1222	1	22 mm
K918.1224	1	24 mm
K918.1227	1	27 mm
K918.1232	1	32 mm
K918.1234	1	34 mm
K918.1236	1	36 mm

TENG TOOLS 1/2" Drive Regular Sockets - 12 Point

1/2"

Part No.	Qty	Size
TM120508	1	8 mm
TM120509	1	9 mm
TM120510	1	10 mm
TM120511	1	11 mm
TM120512	1	12 mm
TM120513	1	13 mm
TM120514	1	14 mm
TM120515	1	15 mm
TM120516	1	16 mm
TM120517	1	17 mm
TM120518	1	18 mm
TM120519	1	19 mm
TM120520	1	20 mm
TM120521	1	21 mm
TM120522	1	22 mm
TM120523	1	23 mm
TM120524	1	24 mm
TM120525	1	25 mm
TM120526	1	26 mm
TM120527	1	27 mm
TM120528	1	28 mm
TM120529	1	29 mm
TM120530	1	30 mm
TM120532	1	32 mm

KS TOOLS 'CHROMEplus®' 1/4" Drive Deep Sockets

1/4"

Chrome plated, mirror polished. DIN 3124, ISO 2725.

Part No.	Qty	Size
K918.1424	1	4 mm
K918.1425	1	5 mm
K918.14255	1	5.5 mm
K918.1426	1	6 mm
K918.1427	1	7 mm
K918.1428	1	8 mm
K918.1429	1	9 mm
K918.1430	1	10 mm
K918.1431	1	11 mm
K918.1432	1	12 mm
K918.1433	1	13 mm

TENG TOOLS 1/4" Drive Deep Sockets - 6 Point

1/4"

Part No.	Qty	Size
TM140604	1	4 mm
TM140605	1	5 mm
TM1406055	1	5.5 mm
TM140606	1	6 mm
TM140607	1	7 mm
TM140608	1	8 mm
TM140609	1	9 mm
TM140610	1	10 mm
TM140611	1	11 mm
TM140612	1	12 mm
TM140613	1	13 mm

KS TOOLS 'CHROMEplus®' 3/8" Drive Deep Sockets

3/8"

Chrome plated, mirror polished. DIN 3124, ISO 2725.

Part No.	Qty	Size
K918.3828	1	8 mm
K918.3829	1	9 mm
K918.3830	1	10 mm
K918.3831	1	11 mm
K918.3832	1	12 mm
K918.3833	1	13 mm
K918.3834	1	14 mm
K918.3835	1	15 mm
K918.3836	1	16 mm
K918.3837	1	17mm
K918.3838	1	18 mm
K918.3839	1	19 mm

TENG TOOLS 3/8" Drive Deep Sockets - 6 Point

3/8"

Part No.	Qty	Size
TM380607	1	7 mm
TM380608	1	8 mm
TM380609	1	9 mm
TM380610	1	10 mm
TM380611	1	11 mm
TM380612	1	12 mm
TM380613	1	13 mm
TM380614	1	14 mm
TM380615	1	15 mm
TM380616	1	16 mm
TM380617	1	17 mm
TM380618	1	18 mm
TM380619	1	19 mm
TM380620	1	20 mm
TM380621	1	21 mm
TM380622	1	22 mm

KS TOOLS 'CHROMEplus®' 1/2" Drive Deep Sockets

1/2"

Chrome plated, mirror polished. DIN 3124, ISO 2725.

Part No.	Qty	Size
K918.1240	1	10 mm
K918.1241	1	11 mm
K918.1242	1	12 mm
K918.1243	1	13 mm
K918.1244	1	14 mm
K918.1245	1	15 mm
K918.1246	1	16 mm
K918.1247	1	17 mm
K918.1248	1	18 mm
K918.1249	1	19 mm
K918.1260	1	20 mm
K918.1258	1	21 mm
K918.1252	1	22 mm
K918.1254	1	24 mm
K918.1257	1	27 mm

TENG TOOLS 1/2" Drive Deep Sockets - 12 Point

1/2"

Part No.	Qty	Size
TM120610	1	10 mm
TM120611	1	11 mm
TM120612	1	12 mm
TM120613	1	13 mm
TM120614	1	14 mm
TM120615	1	15 mm
TM120616	1	16 mm
TM120617	1	17 mm
TM120618	1	18 mm
TM120619	1	19 mm
TM120620	1	20 mm
TM120621	1	21 mm
TM120622	1	22 mm
TM120624	1	24 mm
TM120627	1	27 mm
TM120630	1	30 mm
TM120632	1	32 mm
TM120636	1	36 mm

KS TOOLS
1/2" Drive Regular Impact Sockets

Chrome molybdenum steel, phosphate finish.
DIN 3129, ISO 2725.

½"

Part No.	Qty	Size
K515.1008	1	8 mm
K515.1009	1	9 mm
K515.1010	1	10 mm
K515.1011	1	11 mm
K515.1012	1	12 mm
K515.1013	1	13 mm
K515.1014	1	14 mm
K515.1015	1	15 mm
K515.1016	1	16 mm
K515.1017	1	17 mm
K515.1018	1	18 mm
K515.1019	1	19 mm
K515.1020	1	20 mm
K515.1021	1	21 mm
K515.1022	1	22 mm
K515.1023	1	23 mm
K515.1024	1	24 mm
K515.1025	1	25 mm
K515.1026	1	26 mm
K515.1027	1	27 mm
K515.1028	1	28 mm
K515.1029	1	29 mm
K515.1030	1	30 mm
K515.1031	1	31 mm
K515.1032	1	32 mm

TENG TOOLS
1/2" Drive Regular Impact Sockets

½"

Part No.	Qty	Size
T920510	1	10 mm
T920511	1	11 mm
T920512	1	12 mm
T920513	1	13 mm
T920514	1	14 mm
T920515	1	15 mm
T920516	1	16 mm
T920517	1	17 mm
T920518	1	18 mm
T920519	1	19 mm
T920521	1	21 mm
T920522	1	22 mm
T920524	1	24 mm

Looking for Impact Wrenches?

A range of Pneumatic Air Tools are available on Pages 226-227

KS TOOLS
1/2" Drive Deep Impact Sockets

Chrome molybdenum steel, phosphate finish.

½"

Part No.	Qty	Size
K515.1108	1	8 mm
K515.1109	1	9 mm
K515.1110	1	10 mm
K515.1111	1	11 mm
K515.1112	1	12 mm
K515.1113	1	13 mm
K515.1114	1	14 mm
K515.1115	1	15 mm
K515.1116	1	16 mm
K515.1117	1	17 mm
K515.1118	1	18 mm
K515.1119	1	19 mm
K515.1120	1	20 mm
K515.1121	1	21 mm
K515.1122	1	22 mm
K515.1123	1	23 mm
K515.1124	1	24 mm
K515.1125	1	25 mm
K515.1126	1	26 mm
K515.1127	1	27 mm
K515.1128	1	28 mm
K515.1129	1	29 mm
K515.1130	1	30 mm
K515.1131	1	31 mm
K515.1132	1	32 mm



KS TOOLS
1/2" Drive Alloy Wheel Impact Socket Set

Chrome molybdenum steel, colour plated polished finish.
Supplied in a robust plastic storage case.

- **Plastic sleeve for protection when working with alloy rims.**
- **Colour coding allows a quick selection of socket sizes.**
- **The plastic sleeve can be removed if necessary.**

½"

Part No.	Qty	Description
K515.1005	1 Set	3 Piece Set

3 x Sizes: 17 mm (Blue), 19 mm (Yellow) , 21 mm (Red).

KS TOOLS
1/2" Drive Alloy Wheel Torque Impact Socket Set

Chrome molybdenum steel, phosphate finish.
Supplied in a robust plastic storage case.

- **Plastic sleeve for protection when working with alloy rims.**
- **Colour coding allows a quick selection of socket sizes.**
- **Particularly robust, slim line design, 85 mm long.**
- **Also suitable for dorne nuts with chrome finish.**

½"

Part No.	Qty	Description
K515.1070	1 Set	3 Piece Set

3 x Sizes: 17 mm (Blue), 19 mm (Lime), 21 mm (Red).

TENG TOOLS 1/2" Drive Deep Impact Sockets

½"

Part No.	Qty	Size
T920610	1	10 mm
T920611	1	11 mm
T920612	1	12 mm
T920613	1	13 mm
T920614	1	14 mm
T920615	1	15 mm
T920616	1	16 mm
T920617	1	17 mm
T920618	1	18 mm
T920619	1	19 mm
T920621	1	21 mm
T920622	1	22 mm
T920624	1	24 mm
T920627	1	27 mm
T920628	1	28 mm
T920629	1	29 mm
T920630	1	30 mm
T920632	1	32 mm
T920635	1	35 mm
T920636	1	36 mm

KS TOOLS 1" Drive 'Slim Line' Impact Sockets

Special steel, hardened.
Slim line/medium version. Length: 76 mm.

1"

Part No.	Qty	Size
K515.2124	1	24 mm
K515.2127	1	27 mm
K515.2130	1	30 mm
K515.2133	1	33 mm

TENG TOOLS 3/4" Drive Deep Impact Sockets

¾"

Part No.	Qty	Size
T940622	1	22 mm
T940624	1	24 mm
T940627	1	27 mm
T940630	1	30 mm
T940632	1	32 mm
T940633	1	33 mm
T940636	1	36 mm

TENG TOOLS 1" Drive Deep Impact Sockets

1"

Part No.	Qty	Size
T910630R	1	30 mm
T910632R	1	32 mm
T910633R	1	33 mm

TENG TOOLS Impact Drive Reducers - Ball Bearing Type

Regular 6 point.

Part No.	Qty	Size
T980035	1	3/8" F : 1/4" M

TENG TOOLS 1/2" Drive Impact Universal Joint - Hole/Pin Type

½"

Part No.	Qty	Description
T920030	1	Universal Joint

TENG TOOLS 1/2" Drive Impact Extensions - Hole/Pin Type

½"

Part No.	Qty	Length
T920020	1	3"
T920021	1	5"
T920023	1	10"

TENG TOOLS Impact Drive Adaptors - Hole/Pin Type

Regular 6 point.

Part No.	Qty	Size
T980036	1	3/8" F : 1/2" M
T920037	1	1/2" F : 3/4" M
T940085	1	3/4" F : 1" M

TENG TOOLS Impact Drive Reducers - Hole/Pin Type

Regular 6 point.

Part No.	Qty	Size
T920036	1	1/2" F : 3/8" M
T940037	1	3/4" F : 1/2" M
T910086	1	1" F : 3/4" M

KS TOOLS 1/2" Drive TORX® E-Profile Impact Socket Set

Chrome molybdenum steel, phosphate finish.
Supplied in a robust plastic storage case.

½"

Part No.	Qty	Description
K515.1050	1 Set	9 Piece Set

9 x Sizes: E10, E11, E12, E14, E16, E18, E20, E22, E24.

KS TOOLS 1/2" Drive TORX® Impact Bit Socket Set

Chrome molybdenum steel, phosphate finish.
Supplied in a robust plastic storage case.

½"

Part No.	Qty	Description
K911.0901	1 Set	8 Piece Set

8 x Sizes: T30, T40, T45, T50, T55, T60, T70, T80.

TENG TOOLS 1/2" Drive Deep Impact Socket Set

Supplied on a socket rail.

½"

Part No.	Qty	Description
T9126	1 Set	10 Piece Set

10 x Sizes: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm.

TENG TOOLS 1/2" Drive Regular Impact Socket Set

Supplied on a socket rail.

½"

Part No.	Qty	Description
T9121	1 Set	10 Piece Set

10 x Sizes: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm.

KS TOOLS 1/2" Drive Impact Driver Set

5/16" Drive impact bits.
Includes 1/2" drive impact bit 5/16" hex adaptor and retaining ring. Supplied in a robust plastic storage case.

- **Suitable for loosening tight screws**
- **The use of hammer on the screwdriver prevents the bit slipping from the screw head**
- **The blow of the hammer also results in a 1/4 right or left turn of the screw (Parable Mechanism)**

½"

Part No.	Qty	Description
K515.1003	1 Set	11 Piece Set

1 x Hand Impact Driver, 1/2". 1 x Impact Bit Adaptor with retaining ring: 1/2" x 5/16".
9 x Impact Bits 5/16", 36 mm: 6 x Slotted: 5, 6, 8, 10, 12, 14 mm. 3 x PHILLIPS': PH1, PH2, PH3.

LASER 3/8" Drive Impact Driver Set

Can also be to use as 1/2" Drive Handle. Supplied in a metal case.

3/8"

Part No.	Qty	Description
TL480	1 Set	7 Piece Set

1 x Hand Impact Driver, 3/8". 1 x Impact Bit Adaptor: 3/8" x 5/16". Impact Bits 5/16", 8 mm: 2 x Slotted: 8, 10 mm.
3 x PH: PH2, PH3, PH4.

TENG TOOLS 1/2" Drive Impact Driver Set

Heavy duty with reversible action. Supplied in a plastic storage case.

½"

Part No.	Qty	Description
TID515	1 Set	15 Piece Set

1 x Hand Impact Driver, 1/2" with reversible action. 1 x Impact Bit Adaptor: 1/2" x 5/16".
1 x Drive Adaptor 5/16" Hex: 3/8" Drive. 12 x Impact Bits 5/16", 36 mm: 4 x Slotted: 6, 8, 10, 12 mm.
4 x PH: PH1, PH2, PH3, PH4. 4 x Hex: 4, 5, 6, 8 mm.

TENG TOOLS 5/16" Dr. Impact Driver Bits Set

Suitable for use with Part No. TID515.

Part No.	Qty	Description
TID515BIT	1 Set	13 Piece Set

1 x Drive Adaptor 5/16" Hex: 3/8" Drive. 12 x Impact Bits 5/16", 36 mm. 4 x Slotted: 6, 8, 10, 12 mm.
4 x PH: PH1, PH2, PH3, PH4. 4 x Hex: 4, 5, 6, 8 mm.

468

469

470

471


472

473

Specialist Tools


474


475

476

468 Torque Wrenches
470 Wheel Tools
473 Brake Tools
476 Stud Removal Tools
477 Hooks, Picks + Trim Clip Tools
478 Oil Filter Removal Tools
479 Windscreen Tools
481 Inspection Tools
481 Pickup Tools
482 Testing Tools


477

478

479


479

480

481

481

482

KS TOOLS
'ERGOTORQUE® Precision' Torque Wrenches

1/4" 3/8" 1/2"

Square drive 'Ball Lock' mushroom key included.
Supplied with calibration certificate guaranteeing accuracy to ±3% according to DIN EN ISO 6789.

Part No.	Qty	Nm	lbf-ft	Scale	Length	Head Ø	Head H.	Weight	Drive Hole	Key Drive
K516.1412	1	5 - 25	0.8 - 18	0.10	289 mm	35 mm	18 mm	460g	3/8"	1/4"
K516.1422	1	10 - 50	4 - 37	0.25	350 mm	45 mm	23 mm	610g	1/2"	3/8"
K516.1432	1	20 - 100	8 - 75	0.50	412 mm	45 mm	23 mm	910g	1/2"	1/2"
K516.1442	1	40 - 200	15 - 150	1.00	500 mm	45 mm	23 mm	1300g	1/2"	1/2"
K516.1482	1	80 - 420	60 - 310	1.00	678 mm	45 mm	23 mm	2100g	1/2"	1/2"

KS TOOLS
Torque Wrench Mushroom Keys

Drive size adaptors

- **Polished ratchet head has a very robust mechanism with left and right function which can be changed easily by reversing the mushroom key head drive.**

Part No.	Qty	Drive Size	Suits Part No.'s	Colour
K516.1403	1	3/8" x 1/4"	K516.1412	Black
K516.1413	1	3/8"	K516.1412	Black
K516.1423	1	1/2" x 3/8"	K516.1432, K516.1442, K516.1482 & K516.1942	Black

KS TOOLS
Torque Wrench 'Ball Lock' Mushroom Key

Drive size adaptor to DIN 3120/ISO 1174.

- **Ball lock with push-button quick release function**

Part No.	Qty	Drive Size	Suits Part No.'s	Colour
K516.1448	1	1/2"	K516.1432, K516.1442, K516.1482 & K516.1942	Red

KS TOOLS
Torque Wrench T-Grip Keys

Designed to allow the fast pre-tightening of bolts to within torque range, saving valuable time.

Part No.	Qty	Drive Size	Suits Part No.
K516.1404	1	3/8" x 1/4"	K516.1412
K516.1414	1	3/8"	K516.1412
K516.1424	1	1/2" x 3/8"	K516.1432, K516.1442, K516.1482 & K516.1942
K516.1444	1	1/2"	K516.1432, K516.1442, K516.1482 & K516.1942

TENG TOOLS Drive Torque Wrenches

DIN 3122.

- For both tightening and final checking of torque.
- Angular gauge for after tightening.
- Graduated in Nm and lbs/ft.
- Lockable setting.
- Degree scale for after tightening of cylinder heads.
- Accuracy ±4%.
- Reversible with lever (right hand action for torque checking only).
- Satin finish with rubber handle.
- Comes with factory calibration certificate.

3/8" 1/2"

Part No.	Qty	Range		Length	Drive
T3892AG-E1	1	5 - 25 Nm	(4 - 18 ft.lb)	277 mm	3/8"
T3892AG-E3	1	20 - 110 Nm	(15 - 75 ft.lb)	368 mm	3/8"
T1292AG-EP	1	40 - 200 Nm	(30 - 150 ft.lb)	465 mm	1/2"
T1292AG-E4	1	70 - 350 Nm	(50 - 250 ft.lb)	632 mm	1/2"

KS TOOLS 'TRUCKplus' 1" Drive Impact Torque Multiplier, Ratio 1:64

Robust tool for loosening and tightening of fast bolts.
Planet gearing ensures an increase torque ratio of 1:64.

- The compact and easy to store torque multiplier is essential for all HGV's, agricultural machinery and building equipment.
- Input Torque: 62.5 Nm Max.
- Output Torque: 4000 Nm Max.
- Weight: 8.5 Kg.

1"

Part No.	Qty	Description
K516.1150	1 Set	5 Piece Set

1 x Impact torque convertor, 1": 3 Pieces.
2 x Impact Sockets, 1" Dr.: 30, 32 mm.

KS TOOLS Mechanics Anti-Vibration Gel Gloves

Absorbs and dissipates repeated impacts and shocks.

- Designed for handling power tools, industrial tools and any tools with repetitive vibration.

Part No.	Qty	Size
K310.0250	1 Pair	L
K310.0255	1 Pair	XL
K310.0260	1 Pair	XXL

KS TOOLS Mechanics Grip Gloves

Designed for maximum comfort when used in cold, wet and dirty environments.

- Palm covered with rubber nodules for maximum grip.
- Hard wearing 'Dry Suit' material technology for maximum protection.

Part No.	Pack of	Size
K310.0350	1 Pair	L
K310.0355	1 Pair	XL
K310.0360	1 Pair	XXL

KS TOOLS 1/2" Drive Alloy Wheel Impact Socket Set

Chrome molybdenum steel, colour plated polished finish.
Supplied in a robust plastic storage case.

- Plastic sleeve for protection when working with alloy rims.
- Colour coding allows a quick selection of socket sizes.
- The plastic sleeve can be removed if necessary.

1/2"

Part No.	Qty	Description
K515.1005	1 Set	3 Piece Set

3 x Sizes: 17 mm (Blue), 19 mm (Yellow) , 21 mm (Red).

KS TOOLS 1/2" Drive Alloy Wheel Torque Impact Socket Set

Chrome molybdenum steel, phosphate finish.
Supplied in a robust plastic storage case.

- Plastic sleeve for protection when working with alloy rims
- Colour coding allows a quick selection of socket sizes
- Also suitable for dorne nuts with chrome finish

1/2"

Part No.	Qty	Description
K515.1070	1 Set	3 Piece Set

3 x Sizes: 17 mm (Blue), 19 mm (Lime), 21 mm (Red).

Tyre Bath

- For identifying the location of punctures or bead leaks in car tyres or inner tubes

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Description
TY1101*	1	Tyre Bath

Static Safety Cage - 4x4/Light Van

Mesh type. Fabricated from RHS steel structure the Static Safety Cage provides protection for the operator whilst inflating larger tyres in the event of the tyre exploding due to over inflation.

- A necessity in the workshop to comply with Health & Safety Executive legislation

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Description	Dimensions
TY1100*	1	Static Safety Cage	36" x 36" x 24"

Wheel Chock - Commercial

Dimensions (L x H x W): 210 x 230 x 160 mm.

Part No.	Qty	Description
TY174	1	Wheel Chock

COMPAC Hydraulic Trolley Jack

- Low entry height
- Lift and turn lowering system prevents unintentional lowering
- Additional foot pedal pumping feature provides fast saddle raising to the load
- Pressure relief valve prevents overloading
- Safety lowering control valve for safe lowering even under load

* Please allow 5-7 days delivery on this product.

Part No.	Qty	Llifting Capacity	Lifting Height	Chassis Length
TY1020*	1	2 Tonnes	500 mm	720 mm

COMPAC Axle Stands - Low Entry Screw Type

Weight: 11.8 kg each.
Fully welded structure in high quality steel.
Solid pillars. Solid spindles.

- Fitted with base plates to ensure even distribution of the load
- Designed specifically for Low-Entry applications

Part No.	Qty	Capacity (Per Pair)	Max Height	Min Height
TY1011	Set of 2	24 Tonnes	500 mm	340 mm



OMEGA Axle Stands - Low Entry

Dimensions: (L x W x H):
208 x 108 x 284 mm.

- Fitted with base plates to ensure even distribution of the load

Part No.	Qty	Capacity (Per Pair)	Max Height	Min Height
TY1014	Set of 2	2.8 Tonnes	450 mm	305 mm

selson

SELSON Air Jack Bellows - 2 Bag Type

Complete with extensions.
Working pressure: 100 psi.

- **Fast and friendly**
- **Designed for stability**
- **Overload safety valve**
- **Only one airline required**

Part No.	Qty	Lifting Capacity	Lifting Height	Min Height
TY1000	1	**2.5 Tonnes**	340 mm	130 mm

OMEGALIFT

OMEGA Extra Low Bottle Jack - Hydraulic

Weight: 9.4 kg.

Part No.	Qty	Capacity	Max Height	Min Height
TY1005	1	**20 Tonnes**	285 mm	165 mm

OMEGALIFT

OMEGA Bottle Jack - Air/Hydraulic

Weight: 39 lbs.

Part No.	Qty	Capacity	Max Height	Min Height
TY1002	1	**20 Tonnes**	18 1/4"	9 1/2"

OMEGALIFT

OMEGA Bottle Jack - Hydraulic

Weight: 12.5 kg. Fabricated from hard-cast steel with heat-treated critical stress areas.

- **Hydraulic system is protected from internal damage by a patented by-pass mechanism**
- **Machined and polished cylinders with die-cut threads provide non-abrasive leak-free, durable performance**

Part No.	Qty	Capacity	Max Height	Min Height
TY1006	1	**20 Tonnes**	475 mm	242 mm

WINNTEC

WINNTEC Low Bottle Jack - Air/Hydraulic

Weight: 10 kg.

Part No.	Qty	Capacity	Max Height	Min Height
TY1003	1	**20 Tonnes**	261 mm	146 mm

MEGA

MEGA Bottle Jack - Air/Hydraulic

Supplied with hose and trigger.
Operating pressure: 7 bar/100 psi.
Weight: 15.5 kg.

- **Can also be operated manually as an alternative to the normal air/hydraulic using the pump and supplied pump handle**
- **Heavy duty saddle**
- **Integrated carrying handle**

Part No.	Qty	Lifting Capacity	Max Height	Min Height
TY1001	1	**20 Ton**	447 mm	234 mm

MEGA

MEGA Bottle Jack - Hydraulic

Weight: 14.5 kg. High quality lifting jacks manufactured to meet rigid safety and quality standards. Suppied with pump handle.

- **Heavy duty saddle**
- **Integrated carrying handle**

Part No.	Qty	Capacity	Max Height	Min Height
TY1004	1	**30 Ton**	467 mm	242 mm



HORIZON Adjustable Cylinder Hone De-Glazer

2" - 7" (51 - 178 mm) capacity with three 4" medium stones. Operated by any standard power tool.

Part No.	Qty	Description
TNH325	1 Set	Cylinder Hone De-Glazer

HORIZON Hone Stone Replacements

Part No.	Qty	Length	Grit	Suits Part No.
TNH324	Set of 3	3"	220 Grit (Medium)	TNH325
TNH326-1	Set of 3	4"	400 Grit (Fine)	TNH325
TNH326	Set of 3	4"	220 Grit (Medium)	TNH325
TNH326-3	Set of 3	4"	100 Grit (Coarse)	TNH325

HORIZON Brake Cylinder Hone Set

Adjustable with 3 x 1 1/8" stones. For cylinders 3/4" - 2 1/2" (19 - 64 mm)

Part No.	Qty	Description
TNH310	1 Set	Brake Cylinder Hone Set

HORIZON Hone Stone Replacements

Part No.	Qty	Length	Grit	Suits Part No.s
TNH311	Set of 3	1 1/8"	220 Grit (Medium)	TNH310, TNH330



HORIZON Brake Cylinder Hone Set for Small Cars

Adjustable with 2 x 1 1/8" stones. For most brake cylinders 1/2" - 2 1/2" (13 - 64 mm).

Part No.	Qty	Description
TNH315	1 Set	Brake Cylinder Hone Set

HORIZON Hone Stone Replacements

Part No.	Qty	Length	Grit	Suits Part No.s
TNH316	Set of 2	1 1/8"	220 Grit (Medium)	TNH315, TNH330

HORIZON Disc Brake/Small Engine Cylinder Hone Set

Adjustable with 3 x 2" stones. For cylinders 1 1/4" - 3 1/2" (32 - 89 mm).

Part No.	Qty	Description
TNH320	1 Set	Disc Brake Cylinder Hone Set

HORIZON Hone Stone Replacements

Part No.	Qty	Length	Grit	Suits Part No.s
TNH321	Set of 3	2"	220 Grit (Medium)	TNH320, TNH330

HORIZON Four-In-One Hones Kit

Part No.	Qty	Description
TNH330	1 Kit	14 Piece Kit

Brake Cylinder Hone for small cars: (5/8" - 2 1/4", 16 - 57 mm). Small collar. 2-leg assembly. 2 x 118" stones.
Brake Cylinder Hone: (3/4" - 2 1/2", 19 - 64 mm). Medium collar. Medium 3-leg assembly. 3 x 118" stones.
Disc Brake Cylinder Hone: (1 1/4" - 3 1/2", 32 - 89 mm). Large collar. Large 3-leg assembly. 3 x 3/4" stones.
Small Engine Cylinder Hone: (1 1/4" - 3 1/2", 32 - 89 mm). Large collar. Large 3-leg assembly. 3 x 2" stones

HORIZON Hone Stone Replacements

Part No.	Qty	Length	Grit	Suits Part No.s
TNH316	Set of 2	1 1/8"	220 Grit (Medium)	TNH315, TNH330
TNH311	Set of 3	1 1/8"	220 Grit (Medium)	TNH310, TNH330
TNH321	Set of 3	2"	220 Grit (Medium)	TNH320, TNH330

TENG TOOLS
2-In1 Puller Set

Three-legged combination puller with an extra yoke for switching to two legged pulling. Supplied in a tool tray.

- **Reversible legs for internal and external grip.**

Part No.	Qty	Description
TTT804	1 Set	**6 Piece Set**

Combination twin/triple 6" leg puller with 4" capacity.

KS TOOLS
Mechanical 2 and 3 Leg Puller

Convertible 2 and 3 leg puller sizes 4" to 85 mm.
The puller legs can be used internally or externally.

Part No.	Qty	Size
K700.1120	1 Set	**4" to 85 mm**

3 Forged puller legs with precisely ground pulling lugs.
Forged yoke for 2 or 3 legs.
Thrust bolt, fine thread 3/8" x 24 turns, Ø 13 mm, length 120 mm.

KS TOOLS
Mechanical 2 and 3 Leg Puller

Convertible 2 and 3 leg puller sizes 6" to 145 mm.
The puller legs can be used internally or externally.

Part No.	Qty	Size
K700.1130	1 Set	**6" to 145 mm**

3 Forged puller legs with precisely ground pulling lugs. Forged yoke for 2 or 3 legs.
Thrust bolt, fine thread 3/8" x 1.25, Ø 16 mm, length 175 mm.

One Man
Pressure Bleeder Kit

Ideal for brake fluids works from air pressure via the car tyre valve.

Part No.	Qty	Capacity
TL7225	1 Kit	**400ml**

LASER Evacuation/
Dispensing Pump

Removes fluid from overfilled cooling systems or expansion bottles.

- **Metric and imperial measures.**
- **Polycarbonate tube with aluminium cap and handle.**

Part No.	Qty	Capacity
TL7400	1	**1 Litre**

HORIZON
Macpherson
Strut Coil Spring Compressor

Use to compress the coil spring to replace shock absorber, spring sets, repair bent strut or strut tube and repair damaged spindle. Includes safety hooks and instructions.

Part No.	Qty	Description
TNH900	1 Set	**Spring Compressor**

Coil Spring Compressor

Part No.	Qty	Description
TL9000	1 Set	**Spring Compressor**



Pipe Flaring Tool

For single and double flaring copper tubing.
For sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 7/16", 5/8".
One-piece construction adapts to pipe sizes without dismantling.

- **Metal Flare.**
- **Female Flare.**
- **Double Flare.**

Part No.	Qty	Description
TL961	1	Flaring Tool
TL961R	1	Replacement Form Bar

KS TOOLS GERMANY

KS TOOLS Universal Master Flaring Tool Set

Supplied in a heavy duty plastic storage case.

- **Complete range including shearing tool/bender and tube cutter for professional flaring.**

Part No.	Qty	Description
K122.1290	1 Set	15 Piece Set

3 x Clamping jaws sets: 4.75, 5.00, 6.00 mm.
3 x Flange pins SAE: 4.75 + 5.00 mm - OP1, 6.00 mm - OP1, 4.75 + 5.00 mm + 6.00 - OP2.
2 x Flange pins DIN: 4.75 + 5.00 mm, 6.00 mm.
1 x Locking screw: M12 x 1.25. 1 x Base body.
1 x Hydraulic spindle with toggle: 2 pieces.
1 x Grab handle. 1 x 3-in-1 mini bender.
1 x Internal deburrer
1 x Mini pipe cutter.

Metric Double Flaring Tool Set

Automotive 45°.
Supplied in a robust plastic storage case.

- **For double flaring soft steel tubing, and single flaring soft copper, aluminium and brass tubing.**

Part No.	Qty	Description
TNH826	1 Set	Double Flaring Tool Set

1 x Compressor yoke. 5 x Double flare adaptors: 4.75, 5, 6, 8, 10 mm. 1 x Die holding bar.

KS TOOLS GERMANY

KS TOOLS Universal Brake Pipe Flaring Tool Kit

Suitable for universal use in automotive and repair shops, i.e. brake and hydraulics.For production to DIN and SAE flaring.
For steel, aluminium and bronze pipes with diameter: 4.75 mm, 3/16", 1/4", 5/16", 3/8".

- **Easy to use chuck, cam lever and mandrel revolving head.**
- **Automatic mandrel return.**
- **Leaves no damage on the coated pipe.**
- **Fast and practical work due to the straight flaring motion, (not rotating), this movement prevents the pipe form splitting.**

Part No.	Qty	Description
K122.1230	1	Pipe Flaring Tool Kit

1 x Basic unit. 4 x Flaring inserts: Flaring inserts 4,75 mm (3/16"). Flaring inserts 6.350 mm (1/4").
Flaring inserts 7.934 mm (5/16"). Flaring inserts 9.525 mm (3/8").
Tip: To achieve optimal results it is recommended to use a pipe cutter and brake pipe bending tool.

KS TOOLS GERMANY

KS TOOLS 3-in-1 Mini Pipe Bender

For pipes Ø: 1/8" (3 mm), 3/16" (4,75 mm), 1/4" (6 mm). Suitable for bronze, brass, aluminium and soft steel pipe.
For 3 dimensions without change to the bend segment, bend radius and bend form.
Bends to a 90° angle. Length: 140 mm.

Part No.	Qty	Description
K120.1050	1	Mini Pipe Bender



Tubing Bending Pliers

For 3/16", 1/4", 5/16" and 3/8" dia copper and steel tubing.

Part No.	Qty	Description
TNH765	1	Tubing Bending Pliers

Brake Pipe Flaring Tool Sets

Flaring tool, punches and die blocks.
Supplied in a heavy duty plastic storage case.

Part No.	Qty	Set For
TL965	1 Set	5 Metric & Imperial Sizes

3/16", 1/4", 5/16" , 3/8" (SAE 45°). 4.75 mm (DIN).

Part No.	Qty	Set For
TL965M	1 Set	5 Metric Sizes

4.75 mm, 6 mm, 8 mm, 10 mm, 12 mm (SAE 45°)

Part No.	Qty	Set For
TL962	1 Set	2 Metric & Imperial Sizes

3/16" (SAE 45°). 4.75 mm (DIN).

Part No.	Qty	Set For
TL962F	1 Set	2 Imperial Sizes

3/16", 1/4" (SAE 45°)



Die Blocks

Part No.	Qty	Size	Type
TL976	1 Pair	3/16"	SAE 45°
TL977	1 Pair	1/4"	SAE 45°
TL978	1 Pair	5/16"	SAE 45°
TL979	1 Pair	3/8"	SAE 45°
TL980	1 Pair	1/2"	SAE 45°
TL981	1 Pair	4.75 mm	DIN
TL986	1 Pair	4.75 mm	SAE 45°
TL982	1 Pair	6 mm	SAE 45°
TL983	1 Pair	8 mm	SAE 45°
TL984	1 Pair	10 mm	SAE 45°
TL985	1 Pair	12 mm	SAE 45°

Punches

Part No.	Qty	Sizes		Type
TL971	1	3/16"	4.75 mm	SAE 45°
TL972	1	1/4"	6 mm	SAE 45°
TL973	1	5/16"	8 mm	SAE 45°
TL974	1	3/8"	10 mm	SAE 45°
TL975	1	1/2"	12 mm	SAE 45°
TL970	1	4.75 mm		DIN

KS TOOLS GERMANY

KS TOOLS Brake Piston Wind Back Kit

Complete range of adaptor plates and spindles. Includes left and right turning spindles.
Supplied in a robust plastic storage case.

Part No.	Qty	Description
K150.2035	1 Set	18 Piece Set

Adaptor No. - Make and model:
0 - GM.
2 - CITROËN XM, Xantia, etc.
3 - ALFA ROMEO, AUDI, AUSTIN, BMW, FORD, HONDA, JAGUAR, MERCEDES-BENZ, MITSUBISHI, NISSAN, ROVER, TOYOTA, VW.
4 - ALFA ROMEO, 164 2.0., FORD, MAZDA, SAAB 9000, SUBARU.
5 - Adaptor with 3/8" female square.
6 - NISSAN Primera, VW Golf IV.
7 - AUDI 80, 90, V8+100, HONDA Prelude, FORD Sierra ABS + Scorpio from 85, NISSAN, Silvia, 1.8 Turbo, ROVER 8000, SAAB 9000, SUBARU L+ Z, VW Golf, Passat.
8 - GM.
9 - GM.
G - VAUXHALL Astra.
Z - RENAULT.
M - FORD.
N - SAAB, HONDA.
K - CITROËN.
E - NISSAN Maxima.

KS TOOLS GERMANY

KS TOOLS Brake Piston Return Tool Set

Supplied in a heavy duty plastic storage case.

- **The latest comprehensive selection including various adaptor plates & accessories**

Part No.	Qty	Description
K150.1970	1 Set	41 Piece Set

30 x Adaptors plates. 2 x Pressure spindle, left and right operation.
2 x Brake block pin punches, with and without pilot pins. 2 x Hexagonal recessed Allen key with handle, SW6 + 7 mm.
4 x Counter hold supporting plates (2 x open and 2 x closed) 1 x Grease dispenser.

KS TOOLS GERMANY

KS TOOLS Flexi-Head Brake Bleeding Flare Nut Spanner Set

Chrome plated, mirror polished.
Flexible 230° angle head.

- **Strong heads for high demand.**
- **Particularly suitable for air conditioning systems, brake hoses, power steering systems.**
- **The 230° flexible joint makes it possible to work round obstacles.**

Part No.	Qty	Sizes
K518.0370	Set of 3	14, 17, 19 mm

BEST SELLER

HORIZON
Screw & Stud Extractor Set

For removing broken studs, set screws, pipe and fittings. Drill hole in screw, place extractor in hole and turn anti-clock wise.
Supplied in a plastic wallet.

Part No.	Qty	Description
TNH650	1 Set	**5 Piece Set**

for Screw Sizes: 1/4" & 5/16", 1/2" & 9/16", 3/8", 5/8", 7/16".

KS TOOLS GERMANY

KS TOOLS 1/2" Drive
Stud Extractor Set

Operate right to left handed.
Supplied in a robust plastic storage case.

Part No.	Qty	Description
K152.1100	1 Set	**4 Piece Set**

4 x Sizes: 6, 8, 10, 12 mm.

KS TOOLS GERMANY

KS TOOLS
Stud Extractor Set

For screws and bolts M5 - M16.
Removable ABS inserts.
Supplied in a robust plastic storage case.

Part No.	Qty	Description
K150.1305	1 Set	**25 Piece Set**

5 x HSS Drills, Ø: 3.2. 4.8. 6.4. 8.0. 8.7 mm. 10 x Bushes, Ø: 4.0, 4.8 (x 3), 6.0, 7.1 (x 3), 9.2, 9.5 mm.
5 x Extractor pins, Ø: 3.2, 4.8, 6.4, 8.0, 8.7 mm. 5 x Extractor nuts, Ø: 10, 11, 13, 14, 17 mm.

KS TOOLS GERMANY

KS TOOLS
Twist Socket Set

Chrome molybdenum steel, phosphate finish.
Supplied in a robust plastic storage case.

- **Release and unscrew tight nuts and bolts with damaged threads or rounded heads**
- **Extra flat and compact design**
- **Special left handed thread, 6 conical reducing cutting edges**
- **Drive with either socket, ring or open-ended spanners**

Part No.	Qty	Description
K913.3880	1 Set	**10 Piece Set**

10 x Sizes: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm.

KS TOOLS GERMANY

KS TOOLS
1/2" Drive
Extra Long
Special Twist
Socket Set

Chrome molybdenum steel,
phosphate finish. Tool length: 145 mm.
For use with an impact wrench.
Supplied in a robust plastic storage case.

- **The aggressive groove design bites itself firmly around the screw or nut, so that between the twist socket and nut head a powerful connection is achieved. The more power on the drive, results in more effective biting of the twist socket profile on the screw or nut head.**
- **Includes impact bar for removal of extracted nut or bolt from the impact socket.**

Part No.	Qty	Description
K913.1290	1 Set	**4 Piece Set**

3 x Special Twist sockets 1/2": Ø 17, 19, 21 mm. 1 x Impact bar.

DYNOMEC

Locking Wheel Nut Remover Kit

Simple-to-use kit is capable of removing virtually all locknuts on the market to date, with no damage to the wheel due to the protective steel shroud. Supplied in robust storage case.

- **The tool does not rely on strength to work effectively, making it an ideal solution for anybody looking to remove locknuts without the key.**

Part No.	Qty	Description
TL1000	1 Kit	**11 Piece Set**
TL1000C	1	**Replacement Blade C**

Kit contents: 1 x Impact driver, 1 x L.N.R. body, 1 x Blade A, 1 x Blade B, 1 x Blade C, 1 x Centre punch, 1 x Hand protection ring, 1 x Instruction manual.

MAYHEW The Pros Know

MAYHEW 'Dominator' HD Hook & Pick Set

Each tool length is up to 250 mm. Supplied in a clamshell.

- **Used for a wide variety of applications, such as automotive and electrical work in confined spaces,scribing lines, o-ring and cotter pin removal, and to break radiator connections.**
- **Made of larger shank steel for heavy-duty applications.**
- **Black oxide finish for additional rust protection.**

Part No.	Qty	Description
TN60000	1 Set	**4 Piece Set**

4 x Types: Scratch Awl, 90° Hook, Curved Hook, Complex Hook.

MAYHEW The Pros Know



MAYHEW 'Dominator' Mini Hook & Pick Set

Each tool length is up to 165 mm. Supplied in a clamshell.

- **Used for pulling clips, rings, wires, gaskets, washers and other small parts**
- **The blade extends throughout the handle and is fully heat treated**

Part No.	Qty	Description
TN60003	1 Set	**4 Piece Set**

4 x Types: Scratch Awl, Curved Hook, 90° Hook, Complex Hook.

KS TOOLS GERMANY

KS TOOLS Hook & Pick Set

Each tool length is up to 140 mm. Ideal for removing and fitting O-rings, cotter pins, seals and bushes.

Part No.	Qty	Description
K550.1045	1 Set	**4 Piece Set**

1 x Hook and pickup, straight. 1 x Hook and pick up, S-form. 1 x Hook and pick up, 90°. 1 x Hook and pick up, round.

BAHCO

BAHCO Trim Clip Tool

Blade made of high performance alloy steel. Hardness: 40-46 HRC.

Part No.	Qty	Shaft Length	Overall Length
TL125	1	**175 mm**	245 mm

KS TOOLS GERMANY

KS TOOLS Plastic Wedge Set

Useful assortment of different wedges and clip removal tools.

- **Useful assortment of different wedges and clip removal tools.**
- **Ideal for removal of paneling, trims and window trims, at the same time, reducing paint work damage: e.g. plastic trims, internal door paneling, plugs, protective caps, actuation knobs etc.**

Part No.	Qty	Description
K911.8120	1 Set	**5 Piece Set**

1 x Standard clip remover. 1 x Trim wedge, narrow model. 1 x Dual clip remover. 1 x Bumper trim wedge, wide model. 1 x Clip remover.

LASER Headlight Adjustment Kit

S2 steel blades. Suits many vehicle models. Screwdriver heads: T25, 7 mm Hex, 6 mm Hex.

- **Handle can be used as standard screwdriver or as a T-handle for extra leverage and easier access.**

Part No.	Qty	Description
TL7403	1 Set	**4 Piece Set**

KS TOOLS Master Radio Installation & Removal Set

Tool set for safe and damage free removal of radios from car dashboards/consoles. Supplied in a robust plastic storage case.

Part No.	Qty	Description
K500.1380	1 Set	52 Piece Set

For following manufactures and radio types:
BECKER from 2002 (new). BECKER, PORSCHE, MERCEDES BENZ. BLAUPUNKT from 2002 (new).
BLAUPUNKT, GRUNDIG, VW, AUDI, FORD. BMW. BMW, VAUXHALL - Inbus. CLARION (old), CLARION (new).
FIAT BRAVA. KENWOOD I to 1998, II 1998 - 2001, III from 2002. KENWOOD MASK. MERCEDES BENZ & BMW.
PANASONIC, PANASONIC 2006. PIONEER & JVC. SONY I to 2001, SONY II from 2002, I DIC 2005.
SKODA from 2002 (new). VAUXHALL double bearing bit. VW. VW, AUDI, BECKER, MERCEDES BENZ.

KS TOOLS 3/8" Drive Cup Form Oil Filter Socket Set

Supplied in a robust plastic storage case.

- **3/8" square drive or outer hexagon diameter 21 mm**
- **Special socket shape construction ideal for tight places**
- **Where necessary filters or filter caps can be tightened exactly according to manufacturers torque settings**

3/8"

Part No.	Qty	Description
K150.9310	1 Set	16 Piece Set

Suitable for: AUDI, BMW, FIAT, GM, LANCIA, MERCEDES BENZ, NISSAN, OPEL, PORSCHE, RENAULT, SAAB, VOLVO, VW and other makes. Also suitable for VOLVO Plastic oil filter.
14 x Oil filter sockets: Diameter 66 mm (6 grooves), 76 mm (8 grooves), 76 mm (12 sided), 76 mm (14 sided), 86 mm (16 sided), 86 mm (18 sided), 92 mm (10 sided), 93 mm (15 sided), 93 mm (45 grooves), 96 mm (18 grooves), 106 mm (15 sided), 108 mm (15 sided), 108 mm (18 grooves), 74/76 mm (15 sided).
1 x Oil filter wrench, adjustable 65 - 138 mm.
1 x Adaptor 1/2" F to 3/8" M.

Oil Filter Wrenches - Cam Type

3/8"

Part No.	Qty	Range		Drive
TNH276	1	2 3/8" - 3 3/4"	(61 - 95 mm)	3/8" Drive or 3/4" Hex

Oil Filter Wrenches - Spider Type

3/8"

Part No.	Qty	Range		Drive
TNH277	1	2 3/8" - 4 3/4"	(61 - 121 mm)	3/8" Drive



Oil Filter Wrench - Heavy Duty Cordura Strap

For high torque requirements. Strap length: 630 mm (2 ft).

3/8" 1/2"

Part No.	Qty	Range		Drive
TNH278	1	Up to 9" Ø	(228 mm)	3/8" or 1/2" Drive

Oil Filter Wrench

Self-adjusting.

Part No.	Qty	Capacity	
TNH297	1	60 - 152 mm	(2 1/4" - 6")



Oil Filter Wrenches - Swivel Type

Part No.	Qty	Range	
TNH259	1	2 3/8" - 2 7/8"	(60 - 73 mm)
		Suitable for 2 1/2" MAZDA/TOYOTA Filters	
TNH253	1	2 7/8" - 3 1/4"	(73 - 83 mm)
TNH251	1	3 7/16" - 3 3/4"	(87 - 95 mm)
TNH255	1	4" - 4 3/8"	(102 - 111 mm)



Exhaust & Tailpipe Cutter

With cutting wheels on each roller for smooth tracking.
Effective in hard-to-reach areas.

Part No.	Qty	Capacity	
TNH770	1	19 - 76 mm Ø	(3/4" - 3 1/4")

LASER Wiper Arm Puller Set

Suits numerous vehicles.

- **Supplied with 2 sets of legs.**
- **Maximum reach: 50 mm.**
- **Width: 60 mm.**

Part No.	Qty	Description
TL7402	1 Set	3 Piece Set

Thread Repair Files

For defect inner and outer threads. Suitable for the repair of both right as well as left hand threads with different diameters. Length: 230 mm.



Part No.	Qty	Thread Type
TL7635	1	Metric Sizes

8 x Pitches: 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 mm.

Part No.	Qty	Thread Type
TL7636	1	Imperial Sizes

8 x Pitches: 24, 20, 18, 16, 14, 12, 11, 10 Pitch Per Inch.

Windscreen Jet Cleaning Tool

Part No.	Qty	Description
TL1300	1	Washer Jet Tool

KS TOOLS Puller For Battery Clamps and Windscreen Wiper Arms

Self centre puller for small components, especially for automotive applications.

- **Fine adjustable extraction using the knurled wheel.**
- **Take up: 0 - 50 mm.**
- **Spindle with fine thread & T-bar, adjustable depth: 0 - 20 mm.**
- **Freely swiveling end piece for careful contact to the component.**
- **Total length: 100 mm.**

Part No.	Qty	Description
K700.1190	1	Battery Clamp Puller

KS TOOLS Windscreen Washer Jet Cleaning & Alignment Tools

Double ended practical tool for cleaning washer jets at one end and hardened tip to adjust the jet at the other. Length: 95 mm. Complete with pocket clip.

Part No.	Qty	Description
K550.1022	1	Washer Jet Tool

KS TOOLS Windscreen Wiper Puller Type 1

Removes most windscreen wipers.
Hand screw drive.
Jaw width: 16 mm.
Working height: 28 mm.

Part No.	Qty	Description
K700.1193	1	Windscreen Wiper Puller

KS TOOLS 2-in-1 Telescopic Magnetic Pickup Tool and Needle

Extension Range: 150 - 675 mm.

- **Designed for the retrieval of small pieces with the magnetic end.**
- **Protection cap for the needle, which can also be used for cleaning water jet holes.**

Part No.	Qty	Description
K550.1001	1	Pickup Tool and Needle



KS TOOLS
Long Knife For Scraping

Stable aluminium knife with non-slip grip with trapezoid blade.
For use with standard trapezoid and hook blades. Blade magazine in knife.

Part No.	Qty	Length
K140.2290	1	470 mm

KS TOOLS
Pull Knife and 25 mm Blade

Length: 130 mm.

- **Robust pull knife with flexible pull handle for better handling.**
- **PVC covered body, cable, and handle to prevent scratches to paint work.**
- **Quick change blade system without the use of a tool.**

Part No.	Qty	Description
K140.2248	1	Pull Knife



KS TOOLS
Wire Feeder/Starter Tool

Slotted tool end for attaching on the cutting wire.
Starter tool for inserting cutting wire.

- **Enables powerful piercing of the windscreen sealing and then after threading and pulling the cutting wire to enable removal of the windscreen sealing.**
- **The spring steel blade is pushed from inside, through the resin bond.**

Part No.	Qty	Length
K140.2206	1	340 mm

KS TOOLS
Windscreen Cutting Wire

Stainless steel. Length: 22.5m.
Operates like a saw.

- **Highly flexible and tough wire, especially suitable for use in difficult places when cutting bonding adhesive strip.**

Part No.	Qty	Description
K140.2214	1	Square Stainless Steel Wire

KS TOOLS
Suction Holder Set

Plastic coated steel wire
with 2 PVC suction cups.

- **Holds side windows during removal of the windscreen winder to prevent slipping.**
- **Also keeps freshly bonded windows from moving.**

Part No.	Qty	Description
K140.1060	1 Set	2 Piece Set

KS TOOLS
Windscreen Cutting Wire

Made from 3 brass plated steel wires, twisted to form one wire. Length: 22.5m.
Operates like a saw.

- **Highly flexible and tough wire, especially suitable for use in difficult places when cutting bonding adhesive strip.**

Part No.	Qty	Description
K140.2211	1	Braided 0.8 mm Wire

KS TOOLS
Single Handed Suction Lifter

For lifting, supporting and holding. Suitable for any flat surface. Load capacity: 8 kg.

- **For use with installation of rear view mirrors and for use in sanitary installations.**

Part No.	Qty	Description
K140.1015	1	70 mm Ø Suction Lifter

BAHCO
Windscreen Cutting Wire Handles

Aluminium construction with black PVC handle for increased comfort and a safe and reliable grip when pulling the cutting wire.

Part No.	Qty	Description
TL132	1 Pair	Wire Handles

MAYHEW Multi-Telescopic Set with Magnifier Glass

Supplied in a compact storage case.

Part No.	Qty	Description
TN17720	1 Set	**5 Piece Set**

5 Pieces: 1 x Magnifier with Coupler. 1 x SS Antenna with Coupler 1 x Mirror with Coupler. 1 x 14lb Magnet with Coupler. 1 x 3lb Magnet with Coupler.

Magnetic Pick Up Tools

Part No.	Qty	Colour
TL1310	1	Green
TL1320	1	Orange



LASER Pickup Tool Set

Part No.	Qty	Description
TNH170	1 Set	**2 Piece Set**

1 x Flexible mechanical finger: 540 mm (21") reach. 1 x Magnetic pickup tool: 580 mm (23").

Inspection Mirror - Round Shape

Telescopic handle. Adjustable mirror angle.

Part No.	Qty	Mirror Size		Telescopic Range
TNH25C	1	**57 mm Ø**	(2 1/4")	140 - 527 mm

Inspection Mirror - Oval Shape

Telescopic handle with pocket clip and magnet. Adjustable mirror angle.

Part No.	Qty	Mirror Size		Telescopic Range
TNB2TM	1	**25 x 50 mm**	(1" x 2")	140 - 527 mm

KS TOOLS Telescopic Pickup Tool

Made from V2A, energy protection cap increases the magnetic power by approx 35% and prevents lateral contact. Extension Range: 178 - 860 mm

Part No.	Qty	Magnetic Capacity
K550.1002	1	**Up to 5.0 kg**

KS TOOLS Telescopic Pickup Tool with Rotating Head

Made from V2A, energy protection cap increases the magnetic power by approximately 35% and prevents lateral contact. Extension Range: 178 - 860 mm.

Part No.	Qty	Magnetic Capacity
K550.1003	1	**Up to 5.0 kg**

TENG TOOLS Telescopic Magnetic Pickup Tool

Max extension 550 mm with very powerful magnet. Can be used for retrieving nuts and bolts, etc.

Part No.	Qty	Description
TSD501	1	**Pick-Up Tool**

Magnetic Pickup Tool

Telescopic with pocket clip. Picks up to 1 kg (2.2 lb).

Part No.	Qty	Magnetic Capacity	
TN9425	1	**1 kg**	(2.2 lb)

KS TOOLS 2-in-1 Telescopic Magnetic Pickup Tool and Needle

Extension Range: 150 - 675 mm.

- **Designed for the retrieval of small pieces with the magnetic end.**
- **Protection cap for the needle, which can also be used for cleaning water jet holes.**

Part No.	Qty	Description
K550.1001	1	**Pickup Tool and Needle**

ARCTIC HAYES Tools & Consumables

ARCTIC HAYES Digital Multimeter with Temperature Probe

Complies with EN61010-1 insulation.
Class 2, double insulation Measure and test DC voltage, AC and DC current. Supplied with K-type temperature probe with adapter and a 9V battery.

- **Overload category: CATIII 600v**
- **Display: 2000 counts LCD display**
- **DC voltage: (auto-ranging except 200mV)**
- **DC current: (auto-ranging for uA and mA)**
- **AC current: (auto-ranging for uA and mA)**
- **Temperature range up to 760°C**

Part No.	Qty	Description
TL200	1	Digital Multimeter

RING

RING Multi-Function Automotive Tester

Suitable for 6V, 12V and 24V vehicles.
Multi-function automotive tester, designed specifically to find electrical automotive faults. Features a voltage check, with a traffic light result indicator, giving an instant and easy-to-read assessment of the battery charge levels. Assesses circuit voltages. Uses 3 x AA Batteries (NOT included). Supplied in robust storage case.

- **Rapid current testing up to 80A without removing fuses**
- **Current adapter for in-line current testing**
- **Normal and Smart 12/24V alternator test for checking vehicle charging system**
- **12/24V starter test checks battery during engine cranking**
- **Frequency and duty cycle settings aid testing of sensors**
- **Continuity and resistance modes for locating wiring faults**

Part No.	Qty	Dimensions	Voltage DC	Output DC
ERMM500	1	262 x 350 x 95 mm	0-50V	0-80A

KS TOOLS GERMANY

KS TOOLS 6-400V AC/DC Universal Voltage Tester

Rotating field and phase display, fully insulated. DIN 0680.
For professional, multi step testing of voltage and polarity. LED Display.
Power consumption: 140 mA. Allowable switch on time: 30 seconds.

Part No.	Qty	Description
K550.1501	1	AC/DC Voltage Tester

Frequency range: 0 - 100 Hz. Protection class: IP40. AC -> Voltage range 6 - 50 - 120 - 230 - 400V ~
DC -> Voltage range 6 - 50 - 120 - 230 - 400V==

Littelfuse

LITTELFUSE Blade Fuse Extractor & Tester

For testing ATOF® (standard type), MINI® & Low Profile MINI® blade fuses.

Part No.	Pack of	Description
EFBX	3	Extractor/Testers

Circuit Tester

6-24V.

Part No.	Qty	Description
TL9370	1	Circuit Tester

KS TOOLS GERMANY

KS TOOLS 150-250V Voltage Tester

Fully insulated. DIN 0680. Transparent handle. Nickel plated blade, slotted: 3.0 mm.

Part No.	Qty	Description
K911.2188	1	Voltage Tester

Brake Fluid Tester

RoHS compliant. Quickly identifies percentage of water in brake fluid. Complete with 1 x AAA battery.

- **Essential for regular safety checks on brake systems.**
- **Quick and simple to use.**
- **5 x LED Colour coded LEDs show level of water.**

Part No.	Qty	Description
TL7215	1	Brake Fluid Tester

KS TOOLS GERMANY



KS TOOLS Refractometer - Optical Tester for Antifreeze and Battery Acid

For quick precise testing the antifreeze content in coolant, windscreen liquid as well as battery acid. High quality aluminium version. Supplied in a robust case.
5 scales for:

- **Cooling water Propylene: 0° to -50°C.**
- **Cooling water Ethylene: Temperature consistency (measuring range 0° to -50° C).**
- **Screen washer water: Antifreeze (measuring range 0° to -40°C)**
- **Adjustable calibration feature.**
- **With ATC Automatic Temperature Compensation which enables use at ambient temperature of under 10°C (Bi-metalic measurement correction).**

Part No.	Qty	Description
K550.1290	1	Refractometer



Ethylene Glycol Anti-Freeze Tester - Disc Type

Accurate at all temperatures. Tests coolant hot or cold.
Protection scale printed in °F and °C. Sixth disc shows overprotection and loss of cooling efficiency. NOT suitable for use with propylene glycol.

Part No.	Qty	Description
TL106	1	Ethylene Glycol Anti-Freeze Tester


484

484

485

485

486

487

Storage + Security

487


487

488

484 Padlocks
485 Security Locks
485 Security Chains
486 High Security Locks
487 Hasp + Staples
488 Tool Storage
489 Storage Containers
489 Storage Cabinets
490 Storage Bins
494 Steps + Trolleys
495 Packing Materials

488

489

489

489

490

491


494


495

Padlocks - Brass

All-brass body with hardened steel clasp.
Standard shackle.
Supplied with 3 keys.

Part No.	Pack of	Body Width
PAD30	1	32 mm
PAD38	2	38 mm
PAD50	2	50 mm
PAD63	2	63 mm

IFAM

IFAM Padlocks - Brass

Extruded brass body. Hardened carbon-nitride, chrome plated steel shackle. Pick proof.
Supplied with 2 keys.

Part No.	Qty	Body Width
PAD230	1	30 mm
PAD240	1	40 mm
PAD250	1	50 mm
PAD260	1	60 mm

Keyed-Alike Padlocks - Brass

All-brass body with hardened steel clasp.
Standard shackle.

- **Each padlock is supplied with 3 keys that will open other padlocks of the same Part No./size.**
- **Ideal when used to secure gates or tool boxes.**

Part No.	Pack of	Body Width
PAD130	1	32 mm
PAD138	6	38 mm
PAD150	6	50 mm
PAD163	1	63 mm

IFAM

IFAM Keyed-Alike Padlocks - Brass

Extruded brass body. Hardened carbon-nitride, chrome plated steel shackle. Pick proof.
Supplied with 2 keys.

- **Each padlock is supplied with 2 keys that will open other padlocks of the same Part No./size.**
- **Ideal when used to secure gates or tool boxes.**

Part No.	Qty	Body Width
PAD230K	1	30 mm
PAD240K	1	40 mm
PAD250K	1	50 mm
PAD260K	1	60 mm

Padlocks - Brass, Long Shackle

All-brass body with hardened steel clasp.
Long shackle.
Supplied with 3 keys.

Part No.	Pack of	Size	Shackle Height
PAD4	2	38 mm	67.5 mm
PAD5	2	50 mm	73.5 mm

IFAM

IFAM Long Shackle Padlocks - Brass

Extruded brass body. Hardened carbon-nitride, chrome plated steel shackle. Pick proof.
Supplied with 2 keys.

Part No.	Qty	Body Width
PAD240LS	1	40 mm
PAD250LS	1	50 mm

Padlocks - Steel

Galvanised steel body
with brass cylinder, hardened steel clasp.
Standard shackle. Supplied with 3 keys.

Part No.	Pack of	Size
PAD1	2	38 mm
PAD2	2	50 mm
PAD3	2	63 mm

IFAM

STAINLESS STEEL

IFAM Padlocks - Stainless Steel

Chrome plated extruded brass body. Stainless steel shackle.
Spring and pins, double locking mechanism.
Treated against rust. Supplied with 2 keys.

Part No.	Qty	Body Width
PAD330	1	30 mm
PAD340	1	40 mm
PAD350	1	50 mm

IFAM Security Cable Shackle Padlocks - Stainless Steel

Chrome plated extruded brass body.
Spring and pins, double locking mechanism.
Treated against rust. Supplied with 2 keys.

Part No.	QtyQty	Body Width
PAD350C	1	50 mm

Spiral Cable Lock

Supplied with 2 keys.

Part No.	Qty	Length
PAD21	1	1.5 m

IFAM Padlock - Combination

Brass body, hardened carbon-nitrade and chrome plated.
Double locking system, combination low with master reset key.

Part No.	Qty	Body Width
PAD15	1	50 mm

Chain Lock

Nickel plated, hardened body and pins.
Hacksaw and bolt cutter resistant, virtually impregnable.
Complete with 2 keys.

Part No.	Qty	Description
PAD110	1	Chain Lock
PAD110S	1 Set	Chain Lock & 1 m Security Chain

Hardened Security Chain

Square link with blue thermo wrapped sheath.
Hacksaw and bolt cutter resistant.

Part No.	Qty	Size
PAD23	1	10 mm x 1 m

Spiral Security Cable

Double loop cable.

Part No.	Qty	Length
PAD22	1	2 m

IFAM

IFAM Circular Discus Padlock- Stainless Steel

Bolt-cutter proof, Can be used with U-shaped hasp set (PAD9), Outdoor use. Supplied with 2 keys.

Part No.	Qty	Body Width
PAD195	1	70 mm

Spacelock

Can be used with U-shaped hasp set (Part No. PAD9).

Part No.	Qty	Description	Diameter
PAD95	1	5-Pin Model	70 mm

Close Shackle Padlock - 6 Lever

Double plated, Hardened shackle.

Part No.	Qty	Body Width
PAD16	1	63 mm

5-Lever Padlock

High security closed shackle with 2 keys.

Part No.	Qty	Description
PAD6	1	5-Lever Padlock

IFAM

IFAM Shutter Padlock - Brass

Solid Brass body, Carbon-nitride hardened. Chrome plated Steel shackle, ball bearing lock.
Automatic locking system, Supplied with 2 keys

Part No.	Qty	Body Width
PAD14	1	70 mm

Shutter Padlock - Brass

All-brass body with hardened steel clasp. Standard shackle. Supplied with 3 keys.

Part No.	Qty	Body Width	Shackle
PAD17	1	70 mm	Steel

IFAM

IFAM High Security Block Lock - Steel

Solid steel alloy. Rust resitant. Shackle protector ring. Lever and torsion resistant. 4 mm key hole escutcheon. Supplied with 3 dimple keys.
• **Insurance rated to CEN5 - EN12320.**

Part No.	Qty	Body Width
PAD25	1	50 mm

Armoured Padlock - Brass

Chrome plated. Supplied with 2 keys.

Part No.	Qty	Body Width
PAD170	1	80 mm

Heavy Duty Safety Hasp & Staple

Part No.	Qty	Size
PAD12	1	190 x 55 mm

Medium Duty Safety Hasp & Staple

Part No.	Qty	Size
PAD26	1	140 x 40 mm

Vertical Locking Bar

Part No.	Qty	Size
PAD13	1	150 x 110 mm

Hasp & Staple

Heavy galvanised with brass pin.

Part No.	Qty	Length
PAD7	1	200 mm



U-Shaped Hasp Set

Complete with fastenings.
For use with Part No. PAD95 Space-Lock (NOT included).

Part No.	Qty	Description
PAD9	1	U-Shaped Hasp Set

Assorted Pack of Keyring Indicators

Part No.	Pack of
AP40	48 Pieces

8 x Colours: Black, Light Blue, Dark Blue, Green, Pink, Purple, Red, Yellow.



Security Pull Seals - Red

Polypropylene plastic seals uniquely numbered in sequential order (i.e. D 013001 - D 0141000). Tie locking length: 160 mm.
Flag Dimensions (W x L): 19 x 36 mm.

Part No.	Qty	Description
PAD20R	Box of 1,000	Security Pull Seals

Tool Clips

Zinc plated steel. Closed type.

Part No.	Pack of	Size	
TL430	100	10 - 12 mm	3/8"
TL431	100	13 - 14 mm	1/2"
TL432	100	16 - 19 mm	5/8"
TL433	100	25 - 27 mm	1"
TL434	100	32 - 34 mm	1 1/4"

Assorted Pack of Tool Clips

Closed type.

Part No.	Pack of
AP53	50 Pieces

5 x Sizes: 10 - 12, 13 - 14, 16 - 19, 25 - 27, 32 - 34 mm

Gripper Wrench Organizer

For use in toolboxes or on the wall.
Folding space saver handle.

Part No.	Qty	Holds Up To
TL8050	1	12 Spanners

Socket Rails

Supplied complete with 16 spring steel socket clips.
(Sockets NOT included).

Part No.	Qty	Drive	Length
TL8014	1 Set	1/4"	410 mm
TL8038	1 Set	3/8"	410 mm
TL8012	1 Set	1/2"	410 mm

TENG TOOLS Magnetic Bits Tray

Stainless steel with plastic enclosed magnet which does not damage vehicle paint work. Can be secured on its side as well as upside down,

Part No.	Qty	Description
T580	1	Bits Tray

TENG TOOLS Magnetic Bits Tray - Deep

Large stainless steel tray with two rubber protected magnets to avoid damage to vehicle paint work. Depth gives extra space to store parts and bulkier items, even upside-down.

Part No.	Qty	Description
T580A	1	Deep Bits Tray

TENG TOOLS Magnetic Tool Rail

Dimensions: 457 x 52 x 17 mm.Weight: 0.6 kg.

- **6 individual magnets each with a capacity of 450 grams combined in a rail especially designed for fixing to TENG TOOLS roller cabinets.**
- **Suitable for wall mounting or other tool boxes.**
- **Ideal for hanging up tools while working.**

Part No.	Qty	Description
TTC-MAG	1	Tool Rail

TENG TOOLS Non-Slip Tool Mat

Use as a drawer liner in all TENG TOOLS storage boxes and cabinets or on any flat or curved surface as a tool mat. Can be cut to any size.

Part No.	Qty	Size
TTC-MAT	1	450 mm x 2 m Roll

TENG TOOLS Tool Tray

Add-on tool tray with 7 separate compartments.
Dimensions: 265 x 142 x 50 mm. Weight: 0.29 kg. Supplied in a tool tray.

Part No.	Qty	Description
TTT01	1	Empty Tool Tray

KS TOOLS 'Smart Bag' Universal Tool Case

Dimensions: D 425 xW 240 x H 280 mm.
Weight: 2.37 kg. Supplied empty.

- **Made from strong polyester material.**
- **External pockets, separate compartment for storage of small components in the bottom of the case, ideal for assorted boxes.**
- **Includes padded carry strap.**

Part No.	Qty	Description
K850.0300	1	'Smart Bag' Tool Case

KS TOOLS Plastic Tool Box

Dimensions: D 450 x W 240 x H 260 mm.

- **Multi-functional for various storage possibilities**
- **Capacity up to 10 kg**
- **Made from robust plastic**

Part No.	Qty	Description
K850.0505	1	Plastic Tool Box

KS TOOLS Tool Case Trolley with Telescopic Handle

Dimensions L x B x H:
500 x 280 x 400 mm.
Weight: 2.2 kg. Load Max: 30 kg.

- **8 different size outer pockets, with hook and loop fastening.**
- **Sturdy zipper.**
- **15 inner pockets, different sizes.**
- **Robust plastic base.**
- **Wide rollers and stand feet for stand alone safety.**

Part No.	Qty	Description
K850.0305	1	Tool Case Trolley

BARTON Attached Lidded Euro Containers

Can be stacked when the lid is closed, or nested to save space when the containers are not in use and the lid is open.

- **Label/card holder included**
- **Temperature resistant from -20°C to 40°C**

* Please allow 5-7 days delivery on this product

Part No.	Qty	Colour	External (L x W x H)	Capacity
SB85B *	2	Blue	600 x 400 x 310 mm	56 Litres
SB85G *	2	Green	600 x 400 x 310 mm	56 Litres
SB85R *	2	Red	600 x 400 x 310 mm	56 Litres
SB85Y *	2	Yellow	600 x 400 x 310 mm	56 Litres
SB86B *	2	Blue	600 x 400 x 365 mm	65 Litres
SB86G *	2	Green	600 x 400 x 365 mm	65 Litres
SB86R *	2	Red	600 x 400 x 365 mm	65 Litres
SB86Y *	2	Yellow	600 x 400 x 365 mm	65 Litres
SB87B *	2	Blue	600 x 400 x 400 mm	77 Litres
SB87G *	2	Green	600 x 400 x 400 mm	77 Litres
SB87R *	2	Red	600 x 400 x 400 mm	77 Litres
SB87Y *	2	Yellow	600 x 400 x 400 mm	77 Litres

BARTON 'Safestore' Hazardous Substance Cabinets

Constructed from 20 gauge mild steel with welded seams. High visibility polyester powder coated in yellow with Highly Flammable warning labels. Fitted with a two point lockable handle. Reinforced doors prevent distortion. Adjustable shelf at 25 mm pitches.

- **Designed to provide safe storage of flammable liquids, chemicals, paints and other hazardous substances**
- **NOT fire or explosion proof but are designed to reduce risk to a minimum**

* Please allow 7-10 days delivery on this product

Part No.	Qty	Dimensions (H x W x D)	Complete with
SB50 *	1	915 x 457 x 457 mm	1 Shelf
SB51 *	1	915 x 915 x 457 mm	1 Shelf
SB52 *	1	1829 x 915 x 457 mm	3 Shelves

BARTON Multi-Functional Containers

Manufactured from polypropylene. Robust multi-functional sorting storage bins complete with removable hinged lids. Dimensions (H x W x D): 345 x 400 x 635 mm.

- **Stackable/nestable (maximum total stack height is 4)**
- **Maximum total stack load: 45 Kg**

* Please allow 5-7 days delivery on this product

Part No.	Qty	Lid Colour	Capacity
SB70 *	4	Mixed Colours	50 Litres
SB70B *	4	Blue	50 Litres
SB70R *	4	Red	50 Litres
SB70G *	4	Green	50 Litres
SB70Y *	4	Yellow	50 Litres

BARTON Extra Wide Shelving System c/w Space Bin Containers

Boltless heavy duty hand loaded shelving system. Galvanised frames beams with chipboard shelves complete with 50 Ltr capacity polypropylene container bins. Overall Dimensions (H x W x D): 1800 x 1200 x 450 mm. Max load per shelf:265 Kg.

- **Ideal storage solution for larger products or multiple storage or bulk items**
- **Large open fronted bins for easy access**
- **Space bin containers are both stackable and nestable when not in use**

* Please allow 5-7 days delivery on this product

Part No.	Qty	Description
SB62 *	1 Kit	**Wide Shelving System c/w 8 Space Bins**
SB60 *	1	**Wide Shelving System** (Without Bins)

BARTON
STORAGE SYSTEMS LIMITED



BARTON Storage Bins - TC2

Dimensions (D xW x H):
165 x 100 x 75 mm (6 1/2" x 4" x 3").
Sturdy polyethylene bins with label holders.
Compatible with most standard shelving systems.

Part No.	Qty	Colour
SB21BU	20	Blue
SB21RE	20	Red

BARTON
STORAGE SYSTEMS LIMITED



BARTON Storage Bins - TC3

Dimensions (D x W x H):
240 x 150 x 132 mm (9.5" x 6" x 5").
Sturdy polyethylene bins with label holders.
Compatible with most standard shelving systems.

Part No.	Qty	Colour
SB22BU	10	Blue
SB22RE	10	Red

BARTON
STORAGE SYSTEMS LIMITED



BARTON Storage Bins - TC4

Dimensions (D x W x H):
350 x 205 x 132 mm (13 3/4" x 8" x 5").
Sturdy polyethylene bins with label holders.
Compatible with most standard shelving systems.

Part No.	Qty	Colour
SB23BU	10	Blue
SB23RE	10	Red

BARTON
STORAGE SYSTEMS LIMITED

BARTON Mobile Single Sided Storage System

Units are finished epoxy powder coated blue with silver/grey base.
Trolleys are supplied as standard with 100 mm diameter wheels/castors (2 fixed/2 swivel) non-marking rubber tyred and enable a safe load to be manoeuvred with ease. Supplied with 40 x TC2 Red & 40 x TC2 Blue storage bins.

- **Individual Bin Sizes: 165 x 100 x 75mm**
- **All containers are supplied with I.D labels**

* Please allow 5-7 days delivery on this product

Part No.	Qty	Overall Dimensions (W x D x H)
SB95 *	1 Kit	1160 x 1000 x 530 mm

BARTON
STORAGE SYSTEMS LIMITED





BARTON Wall Mountable Louvred Panel

Precision formed heavy gauge steel with silver/grey epoxy powder coated finish.
(Storage bins shown are NOT included).
Wall fixings NOT included.

- **Unique double indented louvre provides extra strength.**

Part No.	Qty	Size (W x H)	
SB35	1	457 x 946 mm	(18" x 37 1/4")

BARTON
STORAGE SYSTEMS LIMITED



BARTON Wire Hangers (Spigots)

Manufactured from 3.6 mm wires.
Single wire type c/w a rubber end cap for safety.
Compatible with most standard louvred systems.
Suits: SB35, SB4, SB5, SB13, SB14, SB15. (Tools shown are NOT included)

Part No.	Qty	Type	Length
SB30	10	Single Wire	152 mm
SB31	10	Single Wire	203 mm
SB32	10	Double Wire	152 mm
SB33	10	Double Wire	203 mm

BARTON
STORAGE SYSTEMS LIMITED

BARTON Hanging Rods

For tubing, fan-belts, exhaust clamps etc.

Part No.	Pack of	Length	
SB34	2	300 mm	(12")

SSI SCHAEFER

BEST SELLER

SSI SCHAEFER Louvred Panels

Manufactured from 15 gauge steel with silver/grey finish.
(Boxes shown NOT included)

Part No.	Qty	Size (W x H)	
SB4	1	475 x 630 mm	(18 3/4" x 24 3/4")
SB15	1	475 x 946 mm	(18 3/4" x 37")
SB5	1	475 x 1854 mm	(18 3/4" x 73")
SB13	1	610 x 630 mm	(24" x 24 3/4")
SB14	1	610 x 1245 mm	(24" x 49")

BARTON
STORAGE SYSTEMS LIMITED

BARTON
Standard Shelving System c/w Storage Bins

Boltless heavy duty hand loaded shelving system. Galvanised frames beams with chipboard shelves.Overall Dimensions (H x W x D): 1800 x 900 x 450 mm
Max load per shelf: 265 Kg.

- **Fully adjustable shelving.**

* Please allow 5-7 days delivery on this product.

Part No.	Qty		Description
SB63BU *	1 Kit		Shelving Unit c/w 40 x SB23BU Bins
SB63RE *	1 Kit		Shelving Unit c/w 40 x SB23RE Bins
SB61 *	1		Shelving System Only (without Bins)

SSI SCHAEFER

BEST SELLER

SSI SCHAEFER
Storage Bins - LF211

Dimensions (D x W x H): 160 x 95 x 75 mm
(6 1/4" x 3 3/4" x 3").Sturdy polyethylene bins
with label holders. Compatible with most louvre systems.

Part No.	Qty		Colour
SB1BU	10		Blue
SB1RE	10		Red
SB1DIV	10		Dividers

BEST SELLER

SSI SCHAEFER
Storage Bins - LF221

Dimensions (D x W x H): 230 x 140 x 130 mm
(9" x 5 1/2" x 5").Sturdy polyethylene bins
with label holders. Compatible with most louvre systems.

Part No.	Qty		Colour
SB2BU	10		Blue
SB2RE	10		Red
SB2DIV	10		Dividers

BEST SELLER



SSI SCHAEFER
Storage Bins - LF321

Dimensions (D x W x H): 350 x 200 x 145 mm
(13 3/4" x 7 3/4" x 5 3/4"). Sturdy polyethylene bins
with label holders. Compatible with most louvre systems.

Part No.	Qty		Colour
SB3BU	6		Blue
SB3RE	6		Red
SB3DIV	10		Dividers



SSI SCHAEFER
Storage Bins - LF341 (14/7-3ZD)

External Dimensions (D x W x H):
350 x 470 x 145 mm (
13 3/4" x 17 3/4" x 5 3/4").
Sturdy polyethylene bins with label holders.
Compatible with most louvre systems.

Part No.	Pack of		Colour
SB7BU	10		Blue
SB7RE	10		Red
SB7DIV	10		Dividers



SSI SCHAEFER
Storage Bins - LF532

Dimensions (D x W x H): 500 x 300 x 200 mm
(19 3/4" x 11 3/4" x 7 3/4").Sturdy polyethylene bins
with label holders. This bin size does NOT fit
louvered panels for safety reasons.

Part No.	Pack of		Colour
SB8BU	10		Blue
SB8RE	10		Red
SB8DIV	10		Dividers

Looking for Bin Layout Ideas?

Overleaf are SSI SCHAEFER Louvred Panel + Storage Bin example layout ideas


SB4 Panel + SB1RE Storage Bins


SB4 Panel + SB7RE Storage Bins


SB5 Panel + SB1RE + SB2BU + SB3BU + SB7RE Storage Bins


SB13 Panel + SB2BU Storage Bins


SB4 Panel + SB3BU Storage Bins


SB15 Panel + SB3BU Storage Bins


SB14 Panel + SB2BU + SB3RE Storage Bins


SB4 Panel + SB1BU Storage Bins

SSI SCHAEFER

SSI SCHAEFER Example Bin Layouts

Louvred Panels and Storage Bin illustrations are for guidance purposes only

Clarke®



CLARKE Mobile Double Sided Storage System

Steel rack is mounted on 4 heavy duty castors (2 lockable).
Supplied with 94 removable storage bins.

Part No.	Qty	Overall Dimensions (W x D x H)
SB94	1 Kit	940 x 500 x 1.245 mm

MAX BOX

AB 'Max Box'

Large size transparent polypropylene compartment box.
Dimensions (W x H x D):
333 x 58 x 228 mm (13 1/8" x 2 5/16" x 9").

- **High strength, oil-resistant transparent polypropylene.**
- **Reinforced hinges and two snap latches give secure closure and prevent parts moving between compartments.**
- **Can be stacked or stored in Carrying Case (Part No. SB101).**
- **Available in 6 configurations.**

Part No.	Qty	Compartments
SB112	1	12 Fixed

Part No.	Qty	Compartments
SB124	1	24 Fixed

Part No.	Qty	Compartments
SB116	1	16 Fixed

Part No.	Qty	Compartments
SB106	1	6 Fixed

Part No.	Qty	Compartments
SB118	1	18 Fixed

Part No.	Qty	Compartments
SB100	1	24 Adjustable c/w 20 Dividers

AB 'Max Box' Carrying Case

Made from cold rolled steel, finished in grey baked enamel.

- **Holds up to 5 boxes (NOT included).**
- **Keyhole slots enable case to be wall-mounted.**
- **Bolt holes enable cases to be stacked.**

Part No.	Qty	Description
SB101	1	Carrying Case

AB 'Max Box' Carrying Case Locking Hinge

Holds boxes in place whilst being transported. Can be locked with a padlock (NOT included). (Boxes NOT included).

Part No.	Qty	Description
SB102	1	Locking Hinge

AB 'Flip Box'

Standard size transparent polypropylene box. Complete with 8 dividers.
Dimensions (W x H x D): 214 x 43 x 138 mm (8 3/8" x 1 3/4" x 5 3/8").

- **Hinged lid overlaps on all sides of the box tray.**
- **2 x Snap latches for secure closing.**
- **8 x Removable dividers provide up to 10 compartments in various configurations.**
- **Boxes can be stacked or stored in a Storage Rack (Part No. ABR).**

Part No.	Qty	Description
ABM	1	AB Flip Box



Storage Rack for AB 'Flip Box'

PVC coated wire. Dimensions (H xW x D):
460 x 300 x 210 mm. (Boxes shown NOT included).

- **Holds up to 10 boxes for fast and easy retrieval.**
- **Can be free-standing or wall mounted.**

Part No.	Qty	Description
ABR	1	Storage Rack

BARTON STORAGE SYSTEMS LIMITED

BARTON Steel Kick Step

Steel Kick Step is a premium GS approved quality mobile step which provides easy step up access preventing excessive stretching.

- **Mounted on retractable spring mounted castors Kick Step can easily be moved into position without bending or lifting and when stepped on Kick Step locks into position allowing safe access.**
- **Sturdy steel construction with anti-slip rubber treads and base surround provides a solid platform from which to work.**

Part No.	Qty	Dimensions (H x W x D)	Colour	Safe Working Load
SB142	1	400 x 260 x 430 mm	Blue	150 Kg

BARTON STORAGE SYSTEMS LIMITED

BARTON Step Ladders - 3 Tread

Folding step ladders with a platform height of 710 mm.

- **Foldable for easier storage**
- **Distance between Treads: 230mm**
- **Fitted with a rubber comfort handle**
- **Non slip treads**
- **Powder coated silver/grey**
- **Safe Working load: 150kg**

Part No.	Qty	Open (H x W x D)	Folded (H x W x D)
SB143	1	1065 x 490 x 665 mm	1220 x 140 x 490 mm

BARTON STORAGE SYSTEMS LIMITED

BARTON Telescopic Aluminium Sack Truck

A truck designed to transport small goods/parcels in almost any environment.

- **Folds completely flat when not in use**
- **Telescopic handle**
- **Folding footplate**
- **Fitted with rubber cushion wheels**

Part No.	Qty	Open (H x W x D)	Folded (H x W x D)	Capacity
SB141	1	1105 x 400 x 410 mm	740 x 400 x 180 mm	90 Kg

BARTON STORAGE SYSTEMS LIMITED

BARTON Flatbed Trolley

A sturdy, highly manoeuvrable steel trolley suitable for transporting various goods.

- **Powder coated steel handles**
- **Folds flat for compact storage**
- **Fitted with non-slip rubber platforms and scuff resistant corners**
- **Fitted with non-marking wheels (two fixed, two swivel)**

* Please allow 5-7 days delivery on this product

Part No.	Qty	Extended (H x W x D)	Folded Height	Capacity
SB140 *	1	810 x 470 x 730 mm	230 mm	150 Kg

Polythene Bags

Made from LDPE plastic which can be fully recycled.

Part No.	Qty	Size	Gauge
BAG1	1000	2 1/4" x 4"	250g
BAG2	1000	4" x 6"	250g
BAG8	1000	12" x 18"	250g
BAG3	1000	4" x 6"	500g
BAG4	1000	5" x 7"	500g
BAG5	1000	6" x 8"	500g
BAG6	1000	7" x 9"	500g
BAG7	1000	8" x 12"	500g
BAG9	500	16" x 24"	500g
BAG10	500	12" x 16"	750g

Layflat Tubing

Part No.	Qty	Width x Length	Gauge
BAG13	1 Roll	3" x 150m	500g
BAG23	1 Roll	4" x 160m	500g
BAG11	1 Roll	4" x 120m	750g
BAG12	1 Roll	4" x 100m	1000g
BAG21	1 Roll	6" x 150m	500g
BAG22	1 Roll	10" x 150m	500g
BAG24	1 Roll	16" x 155m	500g

NEW

Crossweave Tape

Clear polypropylene tapereinforced with crossweave glass fibre, coated with a synthetic rubber resin adhesive.

- **High tensile strength for heavy duty bundling and packaging**
- **Recommended for packing of pallets and for high level reinforcements**

Part No.	Qty	Colour	Width x Length
TAPE52	1 Roll	Clear	50 mm x 50 m

NEW

Wide Carton Sealing Tape

Clear polypropylene.
Suitable for use with dispenser Part No. TAPE10.

- **Low Noise**

Part No.	Box of	Colour	Width x Length
TAPE11	24 Rolls	Clear	72 mm x 132 m

NEW

Wide Carton Sealing Tape Dispenser Gun

Suitable for use with Part No. TAPE11.

Part No.	Qty	Description
TAPE10	1	75 mm Tape Gun

BEST SELLER

Carton Sealing Tape

Brown polypropylene.
Suitable for use with dispenser Part No. TAPE3.

Part No.	Pack of	Colour	Width x Length
TAPE2	6 Rolls	Brown	50 mm x 60 m

Carton Sealing Tape Dispenser Gun

Suitable for use with Part No. TAPE2.

Part No.	Qty	Description
TAPE3	1	50 mm Tape Gun

'Everyday' ESSENTIALS

The 'Everyday' ESSENTIALS range consists of 120 popular products for you to choose from

The 'Everyday' ESSENTIALS stand unit, available separately, allowing you to mix and match your own display with products to suit your market

Full top up pack range is available from page 500

'Everyday' ESSENTIALS Stand

Stand dimensions (W x H): 70 x 175 cm.
Free-standing or wall mountable stand.
Complete with header card. (Supplied WITHOUT stock).

- **48 individual pegs hold over 240 ESSENTIALS packs (5 per peg)**

Part No.	Qty	Description
YSTAND1	1	Empty Stand Only

Easy To Re-Stock

All of the ESSENTIALS are supplied in boxes of 5 Packs. Each peg on the stand holds exactly 5 packs so you can top up your products quick and easy!

Trim Clip ESSENTIALS

The Trim Clip ESSENTIALS Counter Display comes with a header card featuring actual size trim Clip images. The header card makes it quck and easy to choose the right trim clips and also aids in replenishing stock, doubling up as a planogram for the stand too

Top up packs are available on pages 498 and 499

Trim Clip ESSENTIALS Counter Display Starter Kit

Dimensions: W: 32 cm x H: 63 cm.
Counter display rotating carousel stand.
Complete with starter stock of 108
Trim Clip ESSENTIALS refill packs (3 of each pack).

Part No.	Qty	Description
YKIT2	1 Kit	Counter Display Kit

Trim Clip ESSENTIALS

The Trim Clip ESSENTIALS range of top up packs are listed on pages 498 and 499

ESSENTIALS

496 ESSENTIALS Stands
498 Trim Clip ESSENTIALS
500 Electrical Assembly
502 Threaded Fasteners
503 Hardware
503 Fixings
504 Hose Clips
504 Auto
504 Drills





Trim Clip ESSENTIALS

1:1 Actual Size Images

Fir-Tree Fixings

Black. Suits CITROËN/ CHRYSLER/FORD/GM/ PEUGEOT.

Part No.	Qty
YFIX500	5 x 8

Black. Suits PEUGEOT.

Part No.	Qty
YFIX501	5 x 8

Black. Suits HONDA/ SUZUKI.

Part No.	Qty
YFIX502	5 x 8

Black. Suits BMW/ CHRYSLER/FORD/GM.

Part No.	Qty
YFIX503	5 x 8

Black.

Part No.	Qty
YFIX504	5 x 8

Black.

Part No.	Qty
YFIX505	5 x 8

Push Rivets

Black. Suits MITSUBISHI/ TOYOTA/SUZUKI/GM/ Universal.

Part No.	Qty
YFIX510	5 x 8

Black. Suits CHRYSLER/ HONDA/MITSUBISHI/ TOYOTA.

Part No.	Qty
YFIX512	5 x 8

Black. Suits TOYOTA.

Part No.	Qty
YFIX511	5 x 8

Black. Suits BMW.

Part No.	Qty
YFIX513	5 x 8

Black. Suits GM.

Part No.	Qty
YFIX514	5 x 8

Black. Suits BMW.

Part No.	Qty
YFIX506	5 x 8

Drive Rivets

Black. Suits AUDI/BMW/ CITROËN/PEUGEOT/ RENAULT/VW.

Part No.	Qty
YFIX515	5 x 8

Black. Suits AUDI/BMW/ DAEWOO/FORD/GM/ MERCEDES/VOLVO/BMW.

Part No.	Qty
YFIX517	5 x 8

Black. Suits VOLVO.

Part No.	Qty
YFIX516	5 x 8

Black Suits MAZDA/ NISSAN.

Part No.	Qty
YFIX507	5 x 8

Black. Suits CITROËN/ FIAT/PEUGEOT/ RENAULT.

Part No.	Qty
YFIX508	5 x 8

Black. Suits HONDA/ TOYOTA.

Part No.	Qty
YFIX509	5 x 8

Trim Clip ESSENTIALS

1:1 Actual Size Images

Screw Rivets

Black. Suits FORD GM/ HONDA/MAZDA.

Part No.	Qty
YFIX522	5 x 8

Black. Suits FORD.

Part No.	Qty
YFIX518	5 x 8

Black.Suits HONDA.

Part No.	Qty
YFIX519	5 x 8

Black. Suits FORD/ HYUNDAI/KIA/MAZDA.

Part No.	Qty
YFIX520	5 x 8

Black. Suits FORD/KIA/ MAZDA/NISSAN.

Part No.	Qty
YFIX523	5 x 8

Black. Suits HONDA/ LAND ROVER/ MAZDA/ MINI/NISSAN/ SSANGYONG/TOYOTA.

Part No.	Qty
YFIX521	5 x 8

Locking Nuts

Natural. Universal

Part No.	Qty
YFIX524	5 x 8

Natural. Suits TOYOTA.

Part No.	Qty
YFIX525	5 x 8

Black. Suits LEXUS/TOYOTA.

Part No.	Qty
YFIX526	5 x 8

Panel Clips

Natural. Suits GM.

Part No.	Qty
YFIX527	5 x 8

Natural. Suits CITROËN/ PEUGEOT.

Part No.	Qty
YFIX529	5 x 8

White. Suits BMW/ FORD.

Part No.	Qty
YFIX528	5 x 8

Natural. Suits GM/ HONDA/MAZDA/ MITSUBISHI/ SUBARU/SUZUKI/ TOYOTA.

Part No.	Qty
YFIX531	5 x 8

White. Suits HYUNDAI/ SUZUKI/TOYOTA.

Part No.	Qty
YFIX530	5 x 8

Grey. Suits GM/ NISSAN/RENAULT.

Part No.	Qty
YFIX533	5 x 8

White. Suits PEUGEOT.

Part No.	Qty
YFIX532	5 x 8



White/Black Surround. Suits CITROËN/FIAT/ PEUGEOT.

Part No.	Qty
YFIX534	5 x 8

White/Black Washer. Suits HYUNDAI/KIA.

Part No.	Qty
YFIX535	5 x 8

Electrical Assembly 'Everyday' ESSENTIALS

Red Insulated Push-on Females

Part No.	Qty
YET9	5 x 25
Width	6.3 mm

Red Push-on Males

Part No.	Qty
YET36	5 x 25
Width	6.3 mm

Red Bullets

Part No.	Qty
YET15	5 x 25
Ø	4.0 mm

Red Receptacle Sockets

Part No.	Qty
YET18	5 x 25
Ø	4.0 mm

Red Butt Connectors

Part No.	Qty
YET33	5 x 25
O.D.	3.3 mm

Red Rings

Part No.	Qty
YET22	5 x 10
Ø	5.3 mm

Red Rings

Part No.	Qty
YET25	5 x 10
Ø	6.4 mm

Red Rings

Part No.	Qty
YET28	5 x 10
Ø	8.4 mm

Blue Push-on Females

Part No.	Qty
YET7	5 x 25
Width	6.3 mm

Blue Insulated Push-on Females

Part No.	Qty
YET10	5 x 25
Size	6.3 mm

Blue Push-on Males

Part No.	Qty
YET37	5 x 25
Ø	6.3 mm

Blue Bullets

Part No.	Qty
YET16	5 x 25
Ø	5.0 mm

Blue Receptacle Sockets

Part No.	Qty
YET19	5 x 25
Ø	5.0 mm

Blue Butt Connectors

Part No.	Qty
YET34	5 x 25
O.D.	4.0 mm

Blue Rings

Part No.	Qty
YET23	5 x 10
Size	5.3 mm

Blue Rings

Part No.	Qty
YET26	5 x 10
Size	6.4 mm

Blue Rings

Part No.	Qty
YET29	5 x 10
Size	8.4 mm

Yellow Rings

Part No.	Qty
YET27	5 x 10
Ø	6.4 mm

Yellow Rings

Part No.	Qty
YET30	5 x 10
Ø	8.4 mm

Red Heat Shrink Butt Connectors

Part No.	Qty
YET91	5 x 5
Ø	3.7 mm

Blue Heat Shrink Butt Connectors

Part No.	Qty
YET92	5 x 5
Ø	5.0 mm

Yellow Heat Shrink Butt Connectors

Part No.	Qty
YET93	5 x 5
Ø	6.5 mm

Copper Tube Terminals (Cable Lugs)

Part No.	Qty
YET72	5 x 2
Ø x Hole 25 mm² x 8 mm	

Copper Tube Terminals (Cable Lugs)

Part No.	Qty
YET73	5 x 2
Ø x Hole 35 mm² x 8 mm	

Copper Tube Terminals (Cable Lugs)

Part No.	Qty
YET74	5 x 2
Ø x Hole 35 mm² x 10 mm	

Standard Blade Fuses

Part No.	Qty
YEFX10	5 x 10
Amperage	10 A

Standard Blade Fuses

Part No.	Qty
YEFX15	5 x 10
Amperage	15 A

Standard Blade Fuses

Part No.	Qty
YEFX20	5 x 10
Amperage	20 A

Mixed Standard Blade Fuses

Part No.	Qty
YEFXM1	5 x 6
Amperages	10, 15, 20 A

Mini Blade Fuses

Part No.	Qty
YEFX110	5 x 10
Amperage	10 A

Mini Blade Fuses

Part No.	Qty
YEFX115	5 x 10
Amperage	15 A

Mini Blade Fuses

Part No.	Qty
YEFX120	5 x 10
Amperage	20 A

Mixed Mini Blade Fuses

Part No.	Qty
YEFXM2	5 x 6
Amperages	10, 15, 20 A

Standard Blade Fuse Holders

Part No.	Qty
YEFH150	5 x 1
Amperage	20 A

Mini Blade Fuse Holders

Part No.	Qty
YEFH140	5 x 1
Amperage	20 A

Domestic Mains Fuses

Part No.	Qty
YEFD13	5 x 5
Amperage	13 A

Mixed Domestic Mains Fuses

Part No.	Qty
YEFDM1	5 x 5
Amperages	3, 5, 13 A

Snap-Lock Connectors

Part No.	Qty
YESL52	5 x 5
Colour	Blue

PVC Insulation Tape

Part No.	Qty
YEPT1	5 x 1
Colour	Black

Lithium Coin Batteries

Part No.	Qty
YBAT25	5 x 2
Size	CR2025

Lithium Coin Batteries

Part No.	Qty
YBAT32	5 x 2
Size	CR2032

Rubber Lined P-Clips

Part No.	Qty
YEAC106	5 x 2
Size	6 mm

Rubber Lined P-Clips

Part No.	Qty
YEAC108	5 x 2
Size	8 mm

Rubber Lined P-Clips

Part No.	Qty
YEAC110	5 x 2
Size	10 mm

P-Clips

Part No.	Qty
YEAC406	5 x 10
For Cable Ø	6.0 mm

Silver/Grey Cable Ties

Part No.	Qty
YECTG57	5 x 25
L x W	370 x 4.8 mm

Black Cable Ties

Part No.	Qty
YECT81	5 x 50
L x W	100 x 2.5 mm

Black Cable Ties

Part No.	Qty
YECT82	5 x 50
L x W	200 x 4.8 mm

Black Cable Ties

Part No.	Qty
YECT83	5 x 50
L x W	300 x 4.8 mm

Black Cable Ties

Part No.	Qty
YECT84	5 x 25
L x W	370 x 7.6 mm

Black Cable Ties

Part No.	Qty
YECT87	5 x 25
L x W	390 x 4.8 mm

Electrical Assembly 'Everyday' ESSENTIALS

Threaded Fasteners 'Everyday' ESSENTIALS

Metric Steel Nuts

Part No.	Qty
YHSN22	5 x 20
Size	M6

Metric Steel Nuts

Part No.	Qty
YHSN24	5 x 20
Size	M8

Metric Steel Nuts

Part No.	Qty
YHSN25	5 x 10
Size	M10

Metric Serrated Flange Nuts

Part No.	Qty
YHSN56	5 x 20
Size	M6

Metric Serrated Flange Nuts

Part No.	Qty
YHSN58	5 x 20
Size	M8

Metric Serrated Flange Nuts

Part No.	Qty
YHSN60	5 x 10
Size	M10

Metric Nylon Lock Nuts

Part No.	Qty
YHNN21	5 x 20
Size	M6

Metric Nylon Lock Nuts

Part No.	Qty
YHNN22	5 x 20
Size	M8

Metric Nylon Lock Nuts

Part No.	Qty
YHNN23	5 x 10
Size	M10

'Form A' Flat Washers

Part No.	Qty
YHFW13	5 x 20
I.D. x O.D.	M6 x 12

'Form A' Flat Washers

Part No.	Qty
YHFW14	5 x 20
I.D. x O.D.	M8 x 17

'Form A' Flat Washers

Part No.	Qty
YHFW15	5 x 10
I.D. x O.D.	M10 x 21

Repair Washers

Part No.	Qty
YHRW2	5 x 20
I.D. x O.D.	1/4" x 1"

Repair Washers

Part No.	Qty
YHRW3	5 x 20
I.D. x O.D.	5/16" x 1"

Repair Washers

Part No.	Qty
YHRW15	5 x 20
I.D. x O.D.	3/8" x 1 1/4"

Metric Set Screws

Part No.	Qty
YHSS44	5 x 20
Size x Length	M6 x 25

Metric Set Screws

Part No.	Qty
YHSS46	5 x 10
Size x Length	M6 x 50

Metric Set Screws

Part No.	Qty
YHSS50	5 x 10
Size x Length	M8 x 25

Metric Set Screws

Part No.	Qty
YHSS52	5 x 10
Size x Length	M8 x 50

Metric Set Screws

Part No.	Qty
YHSS53	5 x 10
Size x Length	M10 x 25

Metric Set Screws

Part No.	Qty
YHSS55	5 x 5
Size x Length	M10 x 50

Large Flange Multi-grip Rivets

Part No.	Qty
YPR107	5 x 10
Ø x Length	4.8 x 19 mm

Standard Flange Black Rivets

Part No.	Qty
YPRB11	5 x 20
Ø x Length	3.2 x 8 mm

Large Flange Black Rivets

Part No.	Qty
YPRB21	5 x 10
Ø x Length	3.2 x 10 mm

Sheet Metal Screws with Captive Washer

Part No.	Qty
YAS23	5 x 10
Gauge x Length	10 x 3/4"

Sheet Metal Screws with Captive Washer

Part No.	Qty
YAS33	5 x 10
Gauge x Length	12 x 3/4"



Sheet Metal Screws with Captive Washer

Part No.	Qty
YAS4	5 x 10
Gauge x Length	14 x 3/4"

Hardware + Fixings 'Everyday' ESSENTIALS

Self-Tapping Screws Flanged Head Pozi Black

Part No.	Qty
YHTK6/4	5 x 50
Gauge x Length	6 x 1/2"

Self-Tapping Screws Flanged Head Pozi Black

Part No.	Qty
YHTK8/6	5 x 50
Gauge x Length	8 x 3/4"

Self-Tapping Screws Flanged Head Pozi Black

Part No.	Qty
YHTK10/4	5 x 50
Gauge x Length	10 x 1/2"

Self-Tapping Screws Flanged Head Pozi Black

Part No.	Qty
YHTK10/6	5 x 50
Gauge x Length	10 x 3/4"

U-Nuts

Part No.	Qty
YHUC3	5 x 10
Screw Ø	No. 10 (4.8 mm)

U-Nuts

Part No.	Qty
YHUC5	5 x 10
Screw Ø	No. 14 (6.3 mm)



No. Plate Fasteners

Part No.	Qty
YNP19	5 x 20
Colour	Blue



No. Plate Fasteners

Part No.	Qty
YNP3	5 x 20
Colour	White



No. Plate Fasteners

Part No.	Qty
YNP4	5 x 20
Colour	Yellow

No. Plate Fasteners

Part No.	Qty
YNP6	5 x 20
Colour	Black

Mixed No. Plate Fasteners

Part No.	Qty
YNPM1	5 x 8
Colours	White, Yellow, Black, Blue

Security No. Plate Fasteners

Part No.	Qty
YNP33	5 x 20
Colour	White

Security No. Plate Fasteners

Part No.	Qty
YNP34	5 x 20
Colour	Yellow

Security No. Plate Fasteners

Part No.	Qty
YNP35	5 x 20
Colour	Black

Mixed Security No. Plate Fasteners

Part No.	Qty
YNPM2	5 x 8
Colours	White, Yellow, Black, Blue

Trim Buttons - Fir-Tree

Part No.	Qty
YFIX20	5 x 10
Ø x H	16 x 15 mm

Trim Buttons - Fir-Tree

Part No.	Qty
YFIX29	5 x 10
Ø x H	18 x 28 mm

Trim Buttons - Fir-Tree

Part No.	Qty
YFIX21	5 x 10
Ø x H	24 x 18 mm

Drive Rivets

Part No.	Qty
YFIX39	5 x 5
Ø x S	16 x 13 mm

Screw-Type Rivets

Part No.	Qty
YFIX31	5 x 5
Ø x S	15 x 13 mm

Hardware, Hose Clips + Automotive 'Everyday' ESSENTIALS

Split Pins - Imperial

Part No.	Qty
YHSP8	5 x 10
O.D. x Length	5/32" x 2"

Split Pins - Imperial

Part No.	Qty
YHSP9	5 x 10
O.D. x Length	3/16" x 2"

Linch Pins with O-Ring

Part No.	Qty
YLP1	5 x 2
Pin Size	1/4" x 1 3/4"



Brake Pad Pin Retainers

Part No.	Qty
YBR6	5 x 10
Size	Small

Brake Pad Pin Retainers

Part No.	Qty
YBR7	5 x 10
Size	Large

JCS 'Hi-Grip' Hose Clips

Part No.	Qty
YJCSM00	5 x 3
Range	11 - 16 mm

JCS 'Hi-Grip' Hose Clips

Part No.	Qty
YJCS0	5 x 3
Range	14 - 22 mm

JCS 'Hi-Grip' Hose Clips

Part No.	Qty
YJCS0X	5 x 2
Range	17 - 25 mm

Mini Hose Clips

Part No.	Qty
YHCA11	5 x 5
Ø Range	10 - 12 mm

Mini Hose Clips

Part No.	Qty
YHCA12	5 x 5
Ø Range	11 - 13 mm

Mini Hose Clips

Part No.	Qty
YHCA13	5 x 5
Ø Range	12 - 14 mm

Cutting + Drilling 'Everyday' ESSENTIALS

Short Metric Male Brake Nuts

Part No.	Qty
YBN11	5 x 4
Ø x Pitch	M10 x 1.00 mm



Full Thread Metric Male Brake Nuts

Part No.	Qty
YBN13	5 x 4
Ø x Pitch	M10 x 1.00 mm

Short Metric Female Brake Nuts

Part No.	Qty
YBN46	5 x 4
Ø x Pitch	M10 x 1.00 mm

Tyre Valve Caps Plastic

Part No.	Qty
YTY120	5 x 10
Type	Plastic

Standard Trim Knife Blades

Part No.	Qty
YTL662	5 x 10
Description	Knife Blades

ALPEN 'Sprint' HSS Jobber Twist Drills - Imperial

Part No.	Qty
YDR18	5 x 2
Ø	1/8"

ALPEN 'Sprint' HSS Jobber Twist Drills - Imperial

Part No.	Qty
YDR316	5 x 1
Ø	3/16"

ALPEN 'Sprint' HSS Jobber Twist Drills - Metric

Part No.	Qty
YDRM3.3	5 x 2
Ø	3.3 mm

ALPEN 'Sprint' HSS Jobber Twist Drills - Metric

Part No.	Qty
YDRM4	5 x 2
Ø	4.0 mm

ALPEN 'Sprint' HSS Jobber Twist Drills - Metric

Part No.	Qty
YDRM5	5 x 2
Ø	5.0 mm

ALPEN 'Sprint' HSS Jobber Twist Drills - Metric

Part No.	Qty
YDRM6	5 x 1
Ø	6.0 mm

1

1/4" Drive Ratchet + Socket Sets 458
1/4" Drive Sockets 458, 460-463
1/2" Drive Impact Sockets 464-466, 469
1/2" Drive Ratchet & Socket Sets 459
1/2" Drive Sockets 459, 461-466, 469
1" Drive Impact Sockets 465
110V Cable Reel 65
110V Plugs & Couplers 65
150% Performance Autobulbs 90-93
1K Epoxy Primer (Aerosol) 313

2

240V Plugs & Couplers 66
2K Polyurethane Repair Adhesives 329

3

3/8" Drive Impact Sockets 466
3/8" Drive Ratchet + Socket Sets 458, 459
3/8" Drive Sockets 458-463
3/4" Drive Impact Sockets 465

3M

3M Masking Tapes 320
3M Scotchloks 35
3-Pin Plugs & Couplers 65
3-Pin Plugs (Mains) 64

4

400V Plugs & Couplers 66

4-Jaw Hydraulic Connectors 302
4-Pin Plugs & Couplers 66

5

5-Pin Plugs & Couplers 66

7

7-Pin Trailer Sockets & Plugs 262

A

AB 'Flip Box' (Empty) 26, 493
AB 'Max Box' (Empty) 26, 493
Abrasive Discs 404-411
Abrasive Pads 399
Absorbent Floor Granules 360, 361
Absorbent Pads 360, 361
Absorbent Rolls 360, 361
Absorbent Socks 360, 361
AC/DC Voltage Tester 482
Accelerator & Clutch Springs 21, 149, 258
ACCURA Digital Inflator 231

Acme Screws 14, 145-147, 503

Acrylic Paint Marker Pens 315, 398
Activator (Super Glue) 325
ACURA Trim Clips 191-192

AdBlue Delivery Hose 289
AdBlue Nozzle 289
AdBlue Solution 298
AdBlue Solution Barrel Pumps 300, 356
'Add A Circuit' 47
Additives 288
Adhesion Promoter (Primer) 312
Adhesive Dressings (Plasters) 362
Adhesive Lined Heat Shrink Terminals 23, 32, 500
Adhesive Lined Heat Shrink Tubing 38
Adhesive Pads 141, 321
Adhesive Spray 325
Adhesive Tapes 39, 320-323, 360, 361, 495
Adhesive Wheel Weights 247
Adhesives Kit 325
Adjustable Wrenches 453
ADVANCE Tapes 39, 321, 323
Advance/Retard Tubing 215
Aerosol Assortment Packs 304, 299, 310, 315, 318
After-Work Conditioner Cream 318, 343
Air Brake Hose 215
Air Compressor Unit (Professional) 229
Air Compressors 234-235
Air Con/Refrigerant UV Dye 299
Air Conditioning O-Rings Kit 11, 135
Air Conditioning Sanitiser 291
Air Duster (Aerosol) 291
Air Freshener (Odour Eliminator) 295, 296
Air Fresheners 296
Air Gun (Paint Drying) 228
Air Gun Vacuum/Blower Kit 229
Air Hose 217
Air Line Assemblies 217
Air Line Coil 217
Air Line Connectors 220-224
Air Line Couplings & Adaptors 220-224
Air Line Fittings 220-224
Air Line Gauges 232-233
Air Line Hose 217
Air Line Tubing 217
Air Operated Grease Gun 226
Air Regulator/Gauge 228
Air Saw Blades 427
Air Side Oiler 224

Air Tool Oil 226
Air Tool Whip Hose 226
Air Tools 226-227
Air Water Trap 224
'Airflow' Couplings 220
Alarm Remote Batteries 112, 501
ALFA ROMEO Trim Clips 190
Alkaline Batteries 108, 109, 111
'All Plastics' Super Glue Kit (LOCTITE) 324
All Purpose Cleaner 300
'Allen' Keys (Hex Keys) 414-451
ALLIGATOR Valve Caps 243
Alloy Wheel Impact Sockets 469

alpen drill better.

ALPEN Drills 413, 418-421, 504
ALPEN 'Sprint' 418, 504
ALPEN 'Super' 419
ALTA Sprayers 357, 358
Alu Zinc Galv Spray 312
Aluminium Foil Tape 321
Aluminium Putty 327
Aluminium Washers 10, 133, 137

Amber Beacons 78-79, 280-281
Amber Lightbars 281
Amber Warning Lights 277

Ambersil

AMBERSIL 308, 312, 315, 398
AMBERSIL Marker Pens 315, 398
Angle Iron 150
Anti Corrosion Graphene Primer 313
Antibacterial Hand Soap 339
Anti-Corrosion Tape 321
Anti-Freeze Testers 482
Anti-Glare Visor 355
Antiluce Fasteners 271
Anti-Scuff Paste 304
Anti-Seize Compound 304, 305
Anti-Seize Copper 304, 305
Anti-Slip Hazard Tape 322
Anti-Spatter Spray 393
Anti-Vibration Gel Gloves 374, 469
Antiviral Disinfectant 347
ARALDITE Rapid 328

ARCTIC HAYES Tools & Consumables

ARCTIC HAYES 328, 398
Assortment Box Rack 26, 493
ATOF Blade Fuse Holders 47
ATOF Blade Fuses 24, 25, 46
AUDI Trim Clips 185-187
Auto Bulb Kits 102
Auto Bulbs 82-103

Auto Bulbs (NEOLUX) 82-85
Auto Bulbs (Performance Upgrade) 90-93
Auto Bulbs (RING) 82-103
Auto Cable 61-63
Auto Fuses 24-25, 46-51, 501
Auto Lamps 82-103
Auto Silicone Sealant 334
Autobulbs (AUTOLAMPS) 88-89
Autobulbs (EUROLEC) 86-89
AUTOLAMPS Autobulbs 88-89
Automatic Wire Strippers 58
Automotive Oils & Fuels UV Dye 299
Automotive Tester (Multi-Function) 482
AUTOSOL Metal Polish 299

POP Avdel

AVDEL Rivets 15, 151, 153
Axle Stands 248, 470

B

Backing Pads 404, 405
Backing Panels (Storage Bins) 490, 491
Bactericide Spray 347
Badge Tape (Transparent) 320
Bags (Packing Polythene) 495
Bags (Vacuum) 351, 353
Bags of Rags 348

BAHCO

BAHCO 412, 425-428, 430, 434, 453, 480
BAHCO Blades (Powersaw) 426
BAHCO File Sets 412
BAHCO Hacksaw Blades 425, 426
BAHCO Hacksaw Frames 425, 426
BAHCO Handsaw 427
BAHCO Jigsaw Blades 427
BAHCO Junior Hacksaw 426
BAHCO Knife 428
Ball Joint Covers 21, 251
Ball Joint Dust Covers - Rubber 251
Ball Pein Hammers 438, 439
Ball Point Hex Keys 414-451
Banding System (Hose Clip) 205
Bar (Metal) 150
Barrel Olives 19, 206
Barrel Pumps 300, 303, 356
Barrel Taps 355
Barrier Creams 318
Barrier Tape 336
BARS Radiator Stop Leak 288
Batteries 108-112, 501

Batteries (Alkaline) 108, 109, 111
Batteries (Button Cells + Coins) 112, 501
Batteries (DURACELL) 108, 111
Batteries (Lantern) 112
Batteries (Rechargeable) 110-111
Battery Analyser 106
Battery Chargers 105
Battery Clamp Puller 479
Battery Isolator Switches 45
Battery Retaining Brackets 41

Battery Terminal Cleaning Tool 41
Battery Terminal Covers 40
Battery Terminal Protector 41
Battery Terminals 40
Battery/Starter Cable 63
Beacons (Amber) 78-79, 280-281
BEAD BAZOOKA (Bead Sealer) 245
Bead Beakers (Tools) 244-245
Bead Breaker (Hydraulic) 245
Bead Lubricant (Tyre Soap) 241
Bead Paste 241
Bead Sealer 241
Bead Sealer (Bead Bazooka) 245
Beaded Type Hand Gel 339, 341, 342
Beam Blades (Wiper) 268
Bearing Fit Universal Retainer 327
Bench Grinding Wheels 399

BIBIELLE Abrasives 403, 405, 406, 408-411
BIBIELLE Cutting Discs 408-410
BIBIELLE Grinding Discs 411

BIG WIPES Industrial Wipes 344
Bin Bags 348
Bins (Rubbish) 348
Bins, Storage 488-493
Bit Holders 446, 447
Bits (Hex) 446, 447
Bits Sets 446, 447
Bits Tray 488
Black Paint 314
'Black Pearl' Nitrile Gloves 374
Blacksmiths' Drills 421
Blade Fuse Extractor & Tester 47
Blade Fuse Holders 47-49, 501

Blade Fuses 24-25, 46-49, 501
Blade Fuses (LED) 25, 46
Blade Fuses (LITTELFUSE) 24, 25, 46-51
Blades (Hacksaw) 425, 426
Blades (Jig Saw) 427
Blades (Trimming Knives) 428-430, 504
Blades (Wiper) 268-269
Blanking Grommets 24, 37
Bleed Screws 256-257
Blind Rivets 151-153
Blister Packs (Essentials) 496-504

Blow Guns 225-228
Blow Pistol 225
Blower/Vacuum Kit 229
Blue Hose Connectors 205
Blue Hylomar 'Universal Blue' 332
Blue Instant Gasket 333
Blue Nitrile Gloves 374
Blue Paper 347
BMW Clips 187-188
Boards (Maker) 275
Bobbins (Exhaust) 267
Body Clips 15, 161-200
Body Fixings 15, 161-200, 496, 498-499, 504
Body Screws 124, 146-147
Body Trim Rivets 151, 184
Bodywarmers 384
Bolt Cutters 430
Bolts & Nuts (Number Plate) 140
Bolts (Coach) 118

Bolts (High Tensile) 117
Bonded Seals 11, 135, 137

BONDHUS 414-451
Bonding Adhesives 324-325, 328
Bonnet Buffers 181
Bonnet Cables 270
Booster Cables (Jump Leads) 106
Boot Lace Terminal Pliers 59
Boots (Safety) 386-387
Bottle Jacks 249, 471
Bowden Cable 270
Boxed Hose Clips 204
Boxer Heater Spares 397
Boxes ('AB' Storage) 26, 493
BRADEX Easy Start 308
Brake & Air Line Thread Sealants 335
Brake & Clutch Fluid 289
Brake Bleed Screws 256-257
Brake Bleeding Flare Nut Spanners 475
Brake Caliper Piston Tool 475

Brake Cleaner 300
Brake Cylinder Hones 472
Brake Fluid Tester 482
Brake Hardware 20, 252-257, 504



Brake Nuts 20, 252-255, 504
Brake Pad Pin Retainers 257, 504
Brake Pad Springs 257
Brake Pad Washers 257
Brake Pipe 216
Brake Pipe Flaring Tools 440-475
Brake Piston Wind Back Kit 475
Brake Servo Hose 215
Brake Shoe Hold-Down Kit 20, 257
Brake Tools 473-475
Brake Tubing 216, 255
Brake Tubing Connectors 20, 254-255
Brakes 244-257
Brass Claw Fittings 213
Brass Drifts 440
Brass Hose Connectors 205, 213
Brass Nuts 129
Brass Tube Couplings 213
Brazing Flux 393
Brazing Rods 391
Breakaway Cable 274
Breaker Hose Sets 216, 284
Breaker Hose Tails 216, 284
Breaker Pig Tails 216, 284
BRENNENSTUHL Electric Engraver 437
Bright Alu Zinc Galv Spray 312
Broom Handles 349, 350

Broom Heads 349
Brushes (Cleaning) 349
Brushes (Conical) 400
Brushes (Cup) 400
Brushes (Mounting) 400
Brushes (Nail) 347
Brushes (Paint) 317
Brushes (Parts Cleaning) 401, 481
Brushes (Tyre Mounting) 241
Brushes (Vacuum) 351-354
Brushes (Wash) 296
Brushes (Wheel) 400
Brushes (Wire) 400-401
Buckets 354
Buffer Kit 407
Buffing Stone 241
Bulb Kits (Auto) 101, 102
Bulb Stands 102, 103
'Bulbex' Rivets 151
Bulbs (Auto) 82-103
Bulbs (AUTOLAMPS) 88-89
Bulbs (Domestic Type) 81
Bulbs (EUROLEC) 86-89
Bulbs (Halogen Linear) 80
Bulbs (Hand Lamp) 80-81
Bulbs (Heater) 81
Bulbs (Metal-Halide) 80, 279
Bulbs (NEOLUX) 82-85
Bulbs (Panel) 101
Bulbs (RING AUTOMOTIVE) 81, 82-103
Bullets & Connectors 28-32
Bump Caps 377
Bumper & Trim Shine (Cockpit Shine) 291, 292, 294
Bungs (Diesel Leak Off) 214
Burncare Kit 363
Burrs 413

Butane Gas Chargers 395
Butane Gas Regulators 397
Butt Connectors 23, 28-33, 500
Button Cell Batteries 112, 501

C

Cabinet (Hazardous Substance) 489

Cable (Auto) 61-63
Cable (Bonnet) 270
Cable (Bowden) 270
Cable (Breakaway) 274
Cable (Diesel Stop) 270
Cable (Mains) 63
Cable Accessories 24, 52-53, 501
Cable Clips 52-53, 183
Cable Cutters 60, 430-432
Cable Glands 53
Cable Lock (Security) 485
Cable Lube (Chain & Cable Lube) 309
Cable Plugs (Welding) 393
Cable Rack 64
Cable Reels 64
Cable Sleeving 53
Cable Tie Bases 52
Cable Tie Cradle Mounts 24, 52
Cable Tie Tool 58

Cable Ties 54-57, 501
Cable Ties (Coloured) 56
Cables (Booster) 106
Cables (Whip Check) 284
Cage Nuts 151
Calipers 437
Cambus (LED Resistor Kit) 98
Capacitors 42
Caps (Tyre Valve) 243, 504
Car Chargers (Battery) 105
Car Interior Protection Set 298
Car Seat Covers (Disposable) 298
Car Seat Protector 298
Car Transporter Ratchet Straps 272
Carb Cleaner (Throttle Body Cleaner) 301
Carbide Mill Cutters 242
Carbon Monoxide Alarms 363
Carpet Shampoo 294
Carrying Case (Storage Boxes) 26, 493
Carton Sealing Tapes 322, 495

Cartridge Guns 329, 333, 334, 336
Cassette Cable Reel 64
Cassette Hose Reel 216
Castors (Vacuum) 353
Caulking Guns 329, 333, 334, 336
Caution Wet Floor Sign 350, 361
C-Clamps 434
CE-LIT Radiator Cement 288
Cement (Tyre Repair) 239
Ceramic Anti-Seize Compound 305
Ceramic Flap Discs 406
Ceramic Lamp Holder 81

Ceramic Terminal Block 35
Ceramic Type Fuses (Torpedo) 24, 51

Chain & Cable Lube 309
Chain Locks 485, 486
Chain Nose Pliers 434, 435
Chains (Security) 485
Chamois Leather 297
Channel Blocks 346
Chargers (Vehicle Battery) 105
Charts - Trim Clips 161, 200
Chassis Cable Ties 57
Chassis Clips 52

Checkpoint

CHECKPOINT Indicators 246
Cheeseburger Tail Lamp 276
Chemical Metal 331
Chemical Sprayers 357-358
CHEMICO Grinding Paste 258, 288
Chimney Nuts 14, 149
Chipping Hammer 392
Chisels 440-441
Christmas Tree Fixings 15, 163-164, 498
CHRYSLER Trim Clips 188-189
Chuck Keys 422
Chucks (Drill) 422
Circlip Pliers 436
Circlips 17, 156
Circuit Breakers (Blade Fuses) 46
Circuit Breakers (RCD) 66-67
Circuit Breakers (Transformer) 65
Circuit Testers 482
CITROËN Trim Clips 189
Clamps 434
Clamps (Exhaust) 266
Claw Fittings (Hose) 213
Claw Hammer 439
Cleaner (All Purpose) 300, 346
Cleaning (Aerosols) 300-301
Cleaning Cloths 348
Clear Fine Oil (Aerosol) 309
Clear Glue (Impact Adhesive) 328

Clear Grease 309
Clear Instant Gasket 333
Clear Repair Tape 321
CLEARALEX Screen Wash 289
Clevis Pins 17, 157
'Clic' & 'Clic R' Type Hose Clip Pliers 206
Clips (Crocodile) 33
Clips (Jump Leads) 106
Cloths (Cleaning) 347-348
Clutch Springs 258
CO Alarm 363
CO Detectors 363
Coach Bolts 118
Coated Abrasives 402-405
Cobalt Drills 420
Cockpit Shine 291, 292, 294
Cockpit Spray 291, 292, 294
Coin Batteries 112, 501
Cold Chisels 441
Cold Galvanise (Aerosol) 312
Cold Weather Tape 321
Cold Weld 328-329
'Cold-Chek' Testers 482
Coloured Cable Ties 56
Combi Nuts 138
Combi Plug Patches 239
Combination Lock (Padlock) 485
Combination Pliers 434, 435
Combination Spanners 452-454
Comfort Masks 346
Commercial Auto Cable 61, 62
Commercial Products 271-278

COMPAC

COMPAC Hydraulic Trolley Jack 248, 470
Compounding Pads 407
Compression Springs 18, 159
Compressor Hose Assembly 215, 218-219, 284
Concentrated Screen Wash 269, 289
Concreter Remover 286, 306
Conditioning Creams 338, 343
Conduit Tubing 53
Conical Brushes 400
Connector Blocks (Wire) 35
Connectors (Multiple) 34-35
Connectors (Supaseal) 24, 36-37
Contact Adhesive 328
Contact Cleaner (Electrical Cleaner) 301
Containers (Storage) 489
Convoluted Cable Sleeving 53
Coolant System UV Dye 299

Copper Grease 304, 305
Copper Sealing Washers 10, 132-136
Copper Tube Butt Connectors 23, 33
Copper Tube Crimping Tool 58
Copper Tube Terminals 23, 33, 500
Copper Tubing 218, 255
Copper Washers 9, 10, 132-136
Cordless LED Hand Lamps 73-76
Core Plugs 21, 259
Corrosion Assessment Hammer 271
Cotton & Chrome Gloves 376
Countersinks 421
Couplers (& Plugs) 65-66
Couplers (Mains/Transformer) 65-66

Couplings (Air Line) 220-223
Couplings (Hydraulic) 282
Couplings (Tube) 210-213
CRETEBEATER Concrete Remover 286, 306
CRI95+ LED Hand Lamps 74

Crimping Pliers 58
Crocodile Clips 33
Cross Pein Hammer 438
Crossweave Tape 322
Crow Foot Wrenches/Spanners 453
Cup Brushes 400
Cut-off Wheels 408
Cutters 430-432
Cutters + Snips 430-432

Cutting Discs 408-410
Cutting Nozzles 393
Cutting Oil Spray 309, 416
Cutting Paste (Polish) 293
Cutting Pliers 430-432
CV Boot Clamp Pliers 203, 208

CV Boot Metal Clamps 203
CV Boot Tools 250
CV Boots 250
CV Joint Grease 304
Cyanoacrylates (Super Glue) 324-325
Cylinder Hone De-Glazer 472
Cylinder Keys/Spanner 392

D

Damp Start Spray 308
Darlek (Kick Step) 494
Dash Cams 68
Dashboard Renovator (Cockpit Shine) 294
DATSUN Trim Clips 195
Dead Blow Hammer 439

deb SKIN CARE

DEB Hand Care 342-343
Decking Screws 142

Decosol

DECOSOL 289, 290
Deep Impact Sockets 464-466
Deep Sockets 458, 459, 461, 463, 464-466
Degreaser (Surface) 346
De-icer 290

DELTAPLUS

DELTAPLUS PPE Products 377-388
DEN-BRAVEN Silicone 334
Detailing Range 292-293
De-watering Sprays 307-308
Dial Type Air Line Gauge 232
Diamond Cutting Discs 411
Die Blocks for Flaring Tools 475
Die Cast Zinc Drum Tap 355
Die Grinder 226, 227
Dies 423
Diesel Fuel Filters 258
Diesel Fuel Treatment 288
Diesel Injector Cleaner 288
Diesel Injector Washers 10, 20, 135
Diesel Leak Off Bungs 216
Diesel Stop/Bonnet Cables 270
Digital Multimeter 482
Digital Slide Caliper 437
Digital Tyre Inflators 229-231
Digital Tyre Pressure Gauges 233
Digital Vernier Caliper 437
Din Pole (for Amber Beacons) 78, 79, 280, 281
Dinse Type Welding Plugs/Sockets 393
Dipping Tape Tool 285
Discs (Cutting) 408-410
Discs (Grinding) 411
Discs (Sanding) 404-405
Disinfectant 346, 347
Dispenser (Paper Towels) 347
Dispenser Guns (Tape) 322, 495
Dispenser Units (Hand Cleanser) 339, 341, 342, 343
Dispenser Units (Paper Rolls) 348
Disposable Dust Masks 346
Disposable Gloves 374
Disposable Overalls 385
DODGE Trim Clips 188-189
Domestic Mains 64, 501
Domestic Mains Cable 63
Door Hinge Pins 149

DORMER

DORMER Drills 416-417, 420
Double Ring Spanners 452
'Double-Bubble' Epoxy (LOCTITE) 328
Double-Sided Adhesive Pads 141, 320
Dowty Type Washers 9, 135, 137
Drain Pans 354
Dressings (Adhesive Plasters) 362

DREUMEX

DREUMEX Hand Gel 339
Drifts (Brass) 440
Drill Boxes 416-421
Drill Chuck Keys 422
Drill Chucks 422
Drill Dispensers 416-421

Drills 416-421, 504

Drills (ALPEN) 418-421, 504
Drills (Blacksmith) 421
Drills (DORMER) 416-417, 420
Drills (Masonry) 421
Drills (Spot Weld) 420
Drills (Step) 421
Drills (Taper) 421
Drive Adaptors 456
Drive Rivets 15, 168-169, 498
Drive Shaft Boots 250
DRONCO/OSBORN Abrasives 406-411
Drum Pump 241
Drum Taps 355
Dry Molybdenum (Aerosol) 308
Drying Towels (Valeting) 297
'Duck Oil' 308
Duct Sealing Tapes 321
Duplex Lifting Slings 273

DURACELL

DURACELL Batteries 108, 111
'Duragun' CV Boot Fitting Tool 250
Dust Covers (Ball Joints) 21, 251
Dust Masks 346
Dust Pan (Metal) 327
Dustbin & Lid 348
Dustbin Liners 348
DUSTITE Indicators 246
Dustpan & Brush (Plastic) 349
Dye Injector (UV) 299
Dyes (UV) 299
DYNOMEC Wheel Nut Removal Kit 246

E

Ear Defenders 383
Ear Muffs 383
Ear Plugs 382-383
Earthing Clamp 392
'Easy Start' 308

ECLIPSE PROFESSIONAL TOOLS

ECLIPSE 425, 426, 430
ECLIPSE Bolt Cutters 430
ECLIPSE Hacksaw Blades 425, 426
ECLIPSE Hacksaw Frames 425
ECLIPSE Powersaw Blades 426
ECLIPSE Tin Snips 430
ECLIPSE-SPIRALUX Riveters 144-145

Electrical Cleaner 301
Electrical Terminals 22-23, 28-33, 500
Electricians Miniature Side Cutters 59, 430
Electricians' Screwdrivers 444
Electrode (Gas Heater) 397
Electrode Holder 392
Electrodes (Welding) 391
ELWIS 74
Emergency Exit Signs/Stickers 367
Emergency Tyre Repair (Aerosol) 235, 242
Emery Rolls 402
Emery Sheets 402
Emery Tapes 402
Empty Boxes + Storage 26
End Brush 400
End Cutting Nippers 431
Endless Round Lifting Slings 273
Engine Flush 288
Engine Products 258-265
Engineers' File Set 412
Engineers' Hickory Shafts 438
Engraver (Electric) 437
EP Lithium Grease 304, 305

Epoxies 327-301
Epoxy Primer 313
Epoxy Putty Stick 327
Epoxy Weld 328-329
E-Retainers 17, 157

ESSENTIALS

ESSENTIALS 496-504
ESSENTIALS Stands 496
Etch Primer 313
E-TORX Compatible Socket 466
Euro Containers 489
EUROLEC Autobulbs 86-89
European Marker Boards 275
Evacuation/Dispenser Pump 473

EVEREADY

EVEREADY Lantern Batteries 112
EVO-STIK Impact Adhesive 328
EXACT Cone Cutters/Taper Drills 421
Exhaust & Tailpipe Cutter 479
Exhaust Assembly Pastes 336
Exhaust Clamps 266
Exhaust Cutter 479
Exhaust Manifold Studs & Nuts 20, 119, 267
Exhaust Mountings 267
Exhaust Products 266-267, 336
Exhaust Repair Putty 336
Exhaust Sealants 336
Exit Signs/Stickers 367
Expanding Foam 334
Expansion Springs 18, 159
Extension Cable Reels 64
Extension Caps (Tyre Valve) 243
Extension Lead (Mains) 64
Extension Lead (Trailer Board) 274
Extensions (Impact) 465
Extensions (Socket) 456, 457
Extinguishers (Fire) 363
Extra High Temp Gasket 333
Extra High Temp Instant Gasket 333
Extreme Maintenance Lubricant 307, 308
Eyewash Station 363

F

Face Protection 378-379, 390
Face Shield (Welders) 390
Face Shields/Visors 344
Fall Arrester Harness 388
Farmers 'Silage' Tape 323
Fast Drying Solvent (Aerosol) 301
Fasteners (Antiluce) 271
Fasteners (Nuts c/w Set Screws) 2, 115
Feeler Gauges 437
Female TORX Impact Socket 466
Ferrules (Steel Wire) 270

FFP Masks 380-381
FIAT Trim Clips 190
Fibre Washers 9, 133, 137
Fibreglass (MOTIP) 331
Fibreglass Putty (MOTIP) 331
File Handles 412
File Sets 412
Files 412
Files (Engineers) 412
Files (Needle) 412
Filler Spreader (Plastic) 329
Filter Wrenches 478
Filters (Vacuum) 351, 353
Fine Line Masking Tape 320
Fine Oil (Aerosol) 309
Finishing Pads 399
Finishing Putty (MOTIP) 331
Fire Exit Signs/Stickers 367
Fire Extinguishers 363
Fire Safety Signs/Stickers 366-367
Firegum (HOLTS) 336
First Aid Kits 362-363
Fir-Tree Fixings 15, 163-164, 498
Fittings (Trailer Hardware) 271
Fix Regrooving Blades 245
Fixings (Self-Drilling) 145
Flame Device (Gas Heater) 397
Flame Torches 395, 398
Flange Nuts 6, 128, 129, 502
Flanged Set Screws 116

Flap Discs 406
Flap Wheels 403
Flare Nut Crowfoot Spanners 453
Flare Nut Spanners (Brake) 475
Flaring Tools 440-475
Flat Bar 150
Flat Chisels 440, 441
Flat Clips (Push-on Fixes) 14, 150
Flat Metal Cutting Discs 408-410

Flat Washers 8, 130-131, 502
Flatbed Trolley 489
Flex Handle 456
Flex Head Ratchet 455
Flexible LED Hand Lamps 74, 75
Flexible Rubber Hoses 302, 303
Flick Switches 43-45
Flint Lighters 393
Flip-Up Goggles 390
Floor Mats (Absorbent) 360, 361
Floor Mats (Paper) 298
Floor Paints 315
Floor Squeegees 350
Floorboards Screws 142
Fluorescent Tube 80
Flux (Brazing) 393
Flux (Soldering) 394
Foam Cleaner 291
Foam Sprayers 286, 294, 306, 295, 357
Foam Tapes 320, 321
Foaming Hand Sanitiser 343
Foaming Hand Soap 339, 342
Foil Tape 321
Folding Knife 428
Folding Paper Towels 347
Food Safe Cable Ties 57
Food Safe Lube 309
Foot Protection 386-387
Foot Pump 234
FORD Trim Clips 190-191
Four-Jaw Hydraulic Connectors 302
Freeze Release Spray 308
Friction Bushes 175
'FRP' Ratchets 455

FUCHS

FUCHS Lubricants 226, 284, 304, 306
FUCHS Plant/Hydraulic Oils 284, 306
Fuel Cans 355
Fuel Filters 258
Fuel Hose 216
Fuel Injection Hose 216
Fuel Injector Cleaner 288
Fuel Pipe Pliers Set 209, 210
Full Face Masks 382
Fully Insulated Terminals 22-23, 28-32, 500
Funnels 359

Fuse Holders 47-49, 47, 501
Fuses 24-25, 46-51, 501
Fuses (ATOF) 24, 25, 46-49
Fuses (Blade) 24-25, 46-49, 501
Fuses (Glass) 25, 51
Fuses (JCASE) 50

Fuses (Mains) 47, 64
Fuses (MAXI Blade) 49
Fuses (MEGA) 51
Fuses (MICRO) 48
Fuses (MINI Blade) 24-25, 48-49, 501
Fuses (PAL Auto) 50
Fuses (Radio) 51
Fuses (Torpedo) 25, 51

G

Gaffer Tapes	321
Galvanise Spray	315
Gap Filling Super Glue	324
Gas Accessoires (LPG)	396-397
Gas Bottle Spanner	396
Gas Chargers	395
Gas Cutting Nozzles	393

Gas Cylinders	398
Gas Heater Spares	396-397
Gas Hose	397
Gas PTFE Tape	335
Gas Soldering Kit	395
Gas Torches	395, 398
Gas Welding Rods	391
Gas Welding Sundries	390-393
Gasket Compounds	332-334
Gasket Paper	258
Gasket Sealants	332-334
Gasket Stripper	301
Gauntlets	377, 390
G-Clamps (PYTHON)	434
Gear Lube	309
Gel Adhesive	324, 325
Gel Gloves	374, 469
Gel Knee Pads	385
General Signs/Stickers	370
GEOCEL Auto Silicone	334
Glands (Cable)	53

Glass Cleaners	290, 291, 292, 294
Glass Cleaning Cloths	297
Glass Fuse Holders	51
Glass Fuses	25, 51
Glasses (Safety)	378-379
Gloss Black Paint	313
Gloss Paint	315
Gloves	374
Gloves (Heat Tolerant)	376
Gloves (Latex)	374
Gloves (Nitrile)	374
Glue (Impact Adhesive)	328
Glue (Spray)	325
Glue (Super)	324-325
Glue Gun	328
Glue Sticks	328
GM Trim Clips (Vauxhall)	198-199

Goggles (Safety)	378-379
Goggles (Welding)	390

GP Batteries

GP BATTERIES	109-112
Graffiti Remover (Label & Gum Remover)	301
GRANVILLE Brake & Clutch Fluid	289
GRANVILLE Instant Gasket	332
GRANVILLE Rust Cure	311
GRANVILLE Rust Repair	311
Graphene Primer	313
Graphited Lubricant	309
Graphited Penetrating Oil	309
Grease	304-305, 309-310
Grease Guns	227, 303
Grease Nipples	21, 302
Grease Pump Unit	303
Grey Primer	314
GRIME-EEZ Multi Wipes	344
GRIMEX Hand Cleaning Wipes	345
Grinding Discs	411
Grinding Goggles	344
Grinding Paste	258, 288
Grinding Sticks	258, 288
Grinding Wheels	399
Grip Gloves	374-376
GRIPPAZ Gloves	374
Gripper Gloves	374, 375, 376
Grommets (Trim Fixings)	175
Grommets (Wiring & Blanking)	24, 37
Groove Joint Pliers	436
Ground Flute Drills	419
Grub Screws	4
Gum Remover	301
Gun (CV Boot)	250
Gun Gum (HOLTS)	336
Guns (Spray)	228
Guns (Tape)	323, 495

H

H07 Mains Cable	61
Hacksaw Blades	425, 426

Hacksaw Frames	425, 426
Half Mask	381-382
Half Nuts	128
Halogen Auto Bulbs	82-83, 86-87, 90-93, 102
Halogen Bulbs (EUROLEC)	86-87
Halogen Bulbs (Linear)	80
Halogen Bulbs (NEOLUX)	82-83
Halogen Bulbs (RING)	90-93, 102
Hammer Shafts	438
Hammers	438-439
Hand Brushes	349
Hand Care	340-344
Hand Cleaner Towels	344, 347
Hand Cleaning Wipes	344-345
Hand Cleansers	340-343
Hand Gel	339-343
Hand Lamp Bulbs	80, 81

Hand Lamps	73-76
Hand Pump	303
Hand Pump (Oil Suction)	356
Hand Rasp (Tyre)	240
Hand Sanitiser	338, 343
Hand Taps	423
Hand Towels (Paper)	347

Hand Wipes	344-345
Handsaw	427
Handy Wipes	344-345
Hanging Rods	490
Hard Hats	377
Hasp & Staple	486-487
Hasps	486-487
Hazard Warning Adhesive Tapes	322, 360, 361
Hazard Warning Barrier Tape	336
Hazard Warning Signs/Stickers	368-371
Hazardous Substance Cabinets	489
Head Torches	70-71
Headlight Adjuster Kit	477

Headlight Auto Bulbs	82-83, 92-94
Headlights (Torches)	70-71
Hearing Protection	382-383
Heat Mat	398

Heat Shrink Butt Connectors	23, 32, 500
Heat Shrink Terminals	23, 32, 500
Heat Shrink Tubing	23, 38
Heat Tolerant Gloves	376
Heater Bulbs (Infra-Red)	81
Heater Hose	216
Heater Spares (Gas)	396-397
Heater Switches	397
Heavy Duty Crimping Pliers	58
'HelaCon' Mini Wire Connectors	35
Helicoil Type Kits	124

HellermannTyton

HELLERMANN TYTON	35, 57
Helmets (Safety)	377
HENRY Type Vacuum Kits	351
Hex Bit Socket Adaptor	446, 447
Hex Bit Sockets	458, 459, 460
Hex Drivers	414-451
Hex Key Wrenches	414-451
Hex Keys	414-451
Hex T-Handles	414-449
HEXPRO Pivot Head Wrenches	449
Hi Vis Vests	384
HID Gas Discharge Bulbs	83, 87, 94
Hide Rigger Gloves	376
High Build Etch Primer	313
High Strength Epoxy	327
High Strength Retainer	327
High Strength Threadlocker	326
High Temp Aluminium Anti-Seize	305
High Temp Instant Gaskets	332, 333, 334
High Temp Silicone Sealant	333, 334
High Tensile Bolts	117
High Visibility Air Hose	219
HILCO Welding Electrodes	391
Hi-Vis Parka	384
Hole Plugs	181, 183

Hole Saws	424

Holts

HOLTS	308, 336
HONDA Trim Clips	191-192
Hone Kits	472
Hone Stone Replacements	472
Hone Stones	472
Hones + Pullers	472-473
Hook & Loop Tapes	321
Hook & Pick Tools	477
Hooks & Chains (Roller Shutter)	271
HORIZON	472, 473, 440, 476, 478
Hose (Air Line)	218-219
Hose (Auto)	216-217
Hose (Breaker)	284
Hose (Compressor)	217, 284
Hose (Hydraulic)	217, 284
Hose (Pressure Washer)	218
Hose (Vacuum Cleaner)	351-354
Hose + Tubing	204-219
Hose + Tubing Tools	208-209
Hose Clamp	209
Hose Clamp Pliers	209
Hose Clip Drivers	208
Hose Clip Tools	208

Hose Clips	19, 202-206, 504
Hose Clips (JCS)	202-203, 504
Hose Clips (JUBILEE)	204-205
Hose Clips (Mini)	19, 203, 206, 504
Hose Clips (NORMA)	206
Hose Clips (TERRY)	205
Hose Clips Dispensers	202-205
Hose Connectors	205
Hose Connectors (Air Line)	219
Hose Connectors (Brass)	205

Hose Reel (Air Line) 219
Hose Reel (Water) 218, 354
Household Rubber Gloves 377
HSS Jobber Twist Drills 416-421
HSS Taper Drills 421

Hummer Type Discs 408
HVLP Spray Guns 228

HYDE
For a better finish, start with HYDE.

HYDE Scrapers 428
Hydraulic Accessories 217, 282-284
Hydraulic Bead Breaker 245
Hydraulic Couplings 282
Hydraulic Fittings 282-283
Hydraulic Hose 217, 284
Hydraulic Jacks 248, 249, 470, 471
Hydraulic Lubricating Oil 284, 306
Hydraulic Oil 284-285
Hydrophobic Paint Guard 295

HYLOMAR®

HYLOMAR Exhaust Repair 336
HYLOMAR Gasket Sealants 332
HYLOMAR 'Hylotyte Red' 332
HYUNDAI Trim Clips 192-193

I

Ice Scraper 290
IFAM Padlocks 484-486
Igniter (Gas Heater) 397
IGUANA Wiper Blades 268
Illuminated Lights (Switch Type) 42
Illuminated Switches 43, 44
Impact Adhesives 328
Impact Drive Adaptors 465
Impact Drive Reducers 465
Impact Driver Sets 466
Impact E-TORX Sockets 466
Impact Extensions 465
Impact Screwdrivers 466
Impact Socket Sets 466
Impact Universal Joint 465
Impact Wrenches (Pneumatic) 227
Indent Crimping Tool 59
Indicator Lights (LED) 42
Industrial Wipes 348
INFINITI Trim Clips 195
Infra-Red Bulbs 81
Injector Cleaner (Throttle Body Cleaner) 301
Injector Washers 135
In-Line Fuel Filters 258
Insert Replacement Packs 124, 423
Insert Tool 125
Inserts (Threaded) 124-125
Inspection Lamps 73-76
Inspection Mirrors 481
Inspection Tools 481
Instant Adhesive Activator 325
Instant Adhesives 324-325
Instant Contact Adhesive 328-329
Instant Gasket 333
Instant Gasket Silicone Sealant 333
'Instant Valay' 291
Insulated Terminals 22-23, 28-32, 500

Insulation Tapes 39, 323, 501
Integral Adaptor/Tailpieces (Air Line) 220, 221, 223
Interior Protection Set 298
Interior Strip Lights (LED) 80, 279
Inverters (Power) 104
Iron Pipe Fittings 214-215
IRWIN VISE-GRIP Pliers 434
ISOL8 Organic Absorbent 336
Isolator Switches (Battery) 45
ISUZU Trim Clips 193
IVECO Trim Clips 190

J

Jab Saw 427
Jack Knife 428
Jackets (Safety Clothing) 384
Jacks (Hydraulic) 248, 249, 470, 471
JAMEC PEM Air Products 218-233
Janitorial Products 346-350

JB WELD

J-B Industro Weld 328
J-B Kwik 328
J-B WELD 328
JCASE Cartridge Fuses 50

JCS

JCS 202-203, 208, 504
JEEP Trim Clips 188-189
JENOLITE Rust Convertor 311
JENOLITE Rust Remover 311

Jerry Cans 355
Jewellers Style Screwdrivers 445
JEYES FLUID 346

Speedfit®

JG 'Speedfit' 18, 209, 209-211
JG 'SuperThread' Fittings 205
Jigsaw Blades 427
J-Nuts 14, 148
Jobber Drills (ALPEN) 418-421
Jobber Drills (DORMER) 416-417
Jobber Twist Drills 416-421
JOHNSTONE'S Paint 315
Joints (Universal) 457
'Jubilee' Cutting Discs 409
JUBILEE Hose Clips 204-205
Jugs (Measuring) 358-359
Jump Lead Clips 106
Jump Leads 106
Jump-Starters 106
Junior Hacksaw Blades 426
Junior Hacksaws 426

K

Karabiner 388
KÄRCHER Type Vacuum Kit 354
Kentucky Mop & Bucket 350
Kevlar Gloves 375
Key Steel 18, 160
Keyless Drill Chucks 422
Keyring Indicators 487
Keys (Woodruff) 18, 160
KIA Trim Clips 192-193
Kick Step 494
KN95 Face Masks 365
Knee Pads 385
Knife (Jack) 428
Knife (Pocket) 428

Knife Blades 428-430, 504
Knives 428-430
Knives (Stanley Type) 429
Knives (Trimming) 428-430
Knives + Blades 428-430
KOLOR KUT Water Finding Paste 285
KRINO Drill Sets 419

KS TOOLS GERMANY

KS TOOLS 41, 58, 394, 395, 401, 403, 407, 428-430, 439, 440-443, 445-447, 451-466, 468-469, 473-481, 482
KS TOOLS 'ERGOTORQUE' 208, 468
KS TOOLS 'GEARplus' 454
KS TOOLS 'TRIPLEplus' 459
KS TOOLS 'TRUCKplus' 469

L

Label & Gum Remover 301
Ladders (Step) 494
Ladyfoot Pry Bars 439
Lamp Holders (Heater) 81
Lamps (Hand) 73-76
Lamps (Work) 77, 278
LANCIA Trim Clips 190
LAND ROVER Trim Clips 193
Lane Marking Tapes 322
Lantern Batteries 112
Lanyard (Safety Harness) 388

LAP ELECTRICAL

LAP ELECRICAL Beacons 78-79, 280
LASER TOOLS 401, 447, 455, 456, 466, 473, 477, 479, 481
Latex Coated Grip Gloves 375
Latex Gloves 374
Layflat Tubing (Polythene) 495
Lazy Tong Riveter 154-155
Lead Connectors 65
Leads (Jump) 106
Leak Detector 299
'Leak Fix' (TEROSON) 331
Leak Off Bungs 216
Leak Stopper 288
Leak UV Dyes 299
Leather Cleaner 294
LED Amber Beacons 78-79, 280-281
LED Auto Bulbs 90, 95-101
LED Bar (Amber Beacon) 79, 281
LED Blade Fuses 25, 46
LED Domestic Light Bulbs 81
LED Headlight 70-71
LED Illuminated Lights (Indicator) 42
LED Illuminated Switches 43, 44
LED Inspection Lamps 73-76
LED Light Bulbs (Domestic Type) 81
LED Lights 70-76
LED Resistor Kit (Cambus) 98
LED Rotating Beacons 78, 79, 280, 281
LED Tail Lamps 274, 276-277
LED Torches 72-73
LED Trailer Lights 274, 276-277
LED Work Lamps 77, 278
LED Worklights 76

LEDLENSER

LEDLENSER 70-72, 76
LEDLENSER Hand Lamps 76
LEDLENSER Head Torches 70-71
LEDLENSER Torches 72
Leg Pullers 473
Lemon Channel Blocks 346
Lenses (Welders Face Shield) 390
Lever (Tyre Mounting) 244
Lever Action Hand Pump 303
Lever Bolt Cutters 430
LEXUS Trim Clips 197
Lift Spray Cleaner 347
Lifting Slings 273
Light Bulbs (Domestic Type) 81
Lightbars (Amber) 281
Lighters (Flame Torches) 395, 398
Lighters (Flint) 393

Linch Pins 157
Line Markers 315
Liquid Buffer 241
Liquid Handling Products 354-359
LISTER Vehicle Wash Brush 296
Lithium Batteries 111, 112, 501
Lithium Cells (Coins) 112, 501
Lithium Grease 304, 305

Littelfuse®

LITTELFUSE 24, 25, 46-51
LITTLE TREE Air Fresheners 296
Lock & Seal 326
Lock Lubes 307-308
Lock Nuts (Nylon) 7, 127, 502
Lock Washers 8, 132
Locking C-Clamps (VISE-GRIP) 434
Locking Extensions 457
Locking Hinge 26, 493
Locking Nuts (Plastic) 15, 174-175, 499

Locking Nuts (Steel) 7, 127, 502
Locking Pliers (VISE-GRIP) 434
Locking Welding Clamps (VISE-GRIP) 434
Locking Wheel Nut Remover Kit 246, 477
Locking Wire 270

LOCTITE

LOCTITE Products 311, 328
Long Arm Riveter 154-155
Long Knife For Scraping 429, 479
Loom Tape 38-39
'Loop' Tape (Hook & Loop) 321
Lotion Soap 339, 340, 342
Louvered Panels 490, 491
Low Profile J-CASE Fuses 50
Low Profile MINI Blade Fuses 25, 48
LPG Accessories 396-397
Lubes (Aerosol) 307-310
Lubricants + Maintenance 307-308
Lug Nuts (Chimney Nuts) 14, 149
Lump Hammers 438

M

M.O.T. Signs 373
Machine Screws 5, 123-124
Macpherson Strut Coil Spring Compressor 473
MAGIC TREE Air Fresheners 296
Magnetic Bit Holders 446, 447
Magnetic Bits Trays 488
Magnetic LED Hand Lamps 73-76
Magnetic LED Work Lamps 77, 278
Magnetic Pick-Up Tools 481
Magnetic Protective Wing Cover 298
Magnetic Tool Rail 488
Magnetic Trailer Lights 274, 276
Mains Cable 63
Mains Fuses 47, 64, 501
Mains Plugs 64
Mains Rubber Plugs 64
Mains/Transformer Plugs & Sockets 65-66

Maintenance & Lubricant Sprays 307-308
Malleable Pipe Fittings 214-215
Mandrel Kits 125
Manifold (Gas) 396
Manifold Studs & Nuts 20, 119, 267
MARKAL 'B Paintstik' Markers 239
Marker Boards 275
Marker Pens 315, 398
Markers (Yellow) 239
Marque Badge Tape (Transparent) 320

Masking Tapes 320
Masks (Dust) 380-381
Masks (Face) 350, 361
Masks (Full Face) 382
Masonry Drills 421
'Master Cobalt' Hole Saws 424
Matt Black Paint 314
MAXI Blade Fuses 24, 25, 49
MAXI Fuse Holders 49
'Maxiboot' Universal CV Boot Kit 250

MAYHEW

MAYHEW 439-441
MAZDA Trim Clips 193
MCB Circuit Breakers 66-67
Measuring Jugs 358-359
Measuring Kit (TENG TOOLS) 437
Measuring Tapes 437
Measuring Tools 437
Mechanical Leg Puller 473
Mechanics Anti-Vibration Gel Gloves 374, 469
Mechanics Grip Gloves 374, 469
'Medsan' Sanitising Cream 338
MEGA Bottle Jacks 249, 471
MEGA Fuses 51
Memory Card 68
MERCEDES-BENZ Trim Clips 193-195
Message Signs/Stickers 371
Metal Cable Ties 56
Metal Content Cable Ties 57
Metal Cutting Discs 408-410
Metal Grinding Discs 411
Metal Polish (AUTOSOL) 299
Metal Putty 327
Metal Staples 155
Metal Stays 349
Metal-Halide Bulbs 80, 279
Micro Fibre Towels 297
Micro SD Memory Card 68
Micro Soldering Kit 395
MICRO2 Fuses 25, 48
MICRO3 Fuses 48
Micro-fine Gloves 375
Micrometer (Measuring Set) 437
Mig Torch Spares 392
Mig Welding Sundries 392-393

Mig Wire 392
Mill Cutter Tools 242
Milling Cutters 242
Mini Air Tools 226
MINI Blade Fuse Holders 48-49, 501
MINI Blade Fuses 24, 25, 48-49
Mini Hacksaw Frame 426
Mini Hose Clips 19, 203, 206, 504
Mini Pipe/Tube Cutter 209
Mini Screwdrivers 444, 445
MINI Trim Clips (BMW) 187-188
Mini Type Blade Fuses 24-25, 48-49, 501
MITSUBISHI Trim Clips 195
'Mk4' Air Line Gauge 231
MO2 Lithium Grease 304

MOLDEX

MOLDEX PPE Range 346-383
Moly Anti-Scuff Paste 304
Monobolts 153
Mop Buckets 350
Mop Heads 350

MORSE
THE M.K. MORSE COMPANY

MORSE 424, 425, 427
MORSE Hacksaw Blades 425
MORSE Hacksaw Frame 425
MORSE Hole Saws 424
MOT Corrosion Hammer 271
MOT Plate Holders 270

MOTIP

MOTIP Repair Adhesives 330-331
Moulding Clips 179-180
Mounting Paste Brushes 241
Mounting Rings (Exhaust) 267
Mouting Lever 244
MP3 Lithium Grease 304, 305
MS-Polymer Sealants 335
Mule Skinner 400
Multi Gaskets 332
Multi Shine 291
Multifunction Tail Lamps 274, 276-277
Multigrip Rivets 15, 152-153, 503
Multimeter 482
Multiple Connectors 34-35
Multi-Purpose Clear Fine Oil 307-308
Multi-Purpose EP Grease 304, 305
Multi-Purpose Maintenance Lubricants 307-308
Multi-Purpose Oil (Aerosol) 307-308
Multipurpose Screws 143
Multi-Use Screws 13, 143
Multi-Wipes 344-345
Mutton Cloths 297, 348

N

Nail Brushes 347
Narrow Band Hose Clips 206
Needle File Set 412
Needle Files 412

NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Auto Bulbs 82-85
Neutral Detergent 346
NGK Spark Plugs 285

NILCO
Cleaning Solutions

NILCO Air Fresheners 296
'Nilglass' 290
NiMH Batteries 110-111
NiMH Battery Charger 110-111
Nippers (NWS) 430-432
NISSAN Trim Clips 195
Nitrile Coated Gloves 375

Nitrile Gloves 374

Nitto

NITTO Tapes 39, 323
No Smoking Signs/Stickers 364-365
No. Plate Fasteners 13, 140-141, 503
Non-Slip Tool Mat 488

NORGREN

NORGREN 'Fleetfit' Tube Couplings 206

NORMA

NORMA Hose Clips 206
NORMACLAMP 'Torro' Clips 206
Nose Bush & Mandrel Kits 125
Nozzle Cleaners (Welding) 392, 393
Nozzles (Cutting) 393
Number Plate Adhesive Pads 141, 321

Number Plate Fasteners 13, 140-141, 503
Number Plate Lamp 277

Nut Lock 326
Nut Spinners/Hose Clip Drivers 208
Nutlock 326



Nuts 6-7, 126-128, 502
Nuts (Brake) 20, 252-255, 504
Nuts (Combi) 128
Nuts (Exhaust Manifold) 119, 267
Nuts (Locking) 7, 127, 502
Nuts (Nylon Lock) 7, 127, 502
Nuts (Steel) 6, 126, 502

nws

NWS 208, 430-432, 435-436, 444
Nylon Hose Connectors 205

Nylon Lock Nuts 7, 127, 502
Nylon Seat Cover 298
Nylon Tubing 217

O

O-Clip Crimping Tools 206, 208
O-Clip Installation Pincers 206, 208

O-Clips 19, 206
Odour Eliminator 295, 296
Odour Eliminators 295, 296

OETIKER

OETIKER 206, 208
Oil Absorbent Pads 360, 361
Oil Cans 356
Oil Containers 355
Oil Drain Pans 354
Oil Filter Wrenches 478
Oil Pan Repair Kit 259
Oil Suction Guns 303
Oil Suction Pump 356
Oil/Fluid Drain Pans 354
Oils (Hydraulic Lubricating) 284, 285, 306
Oils (Plant) 284, 285, 306

OLFA

OLFA Trim Knives & Blades 430
Olives (Barrel & Stepped) 19, 206
OMEGA Bottle Jacks 249, 471
Omega Clips 182
OPEL Trim Clips 198-199
Open Gear Lube 309
Orange Nitrile Gloves 374
Orbital Sander 226, 227
Organic Absorbent 336

O-Rings 11, 138
O-Rings Kit for Air Conditioning 128
O-Rings Service Kits 11, 138
O-Rings Splicing Kit 11, 138

osborn

OSBORN Abrasives 406-411
Outdoor Disinfectant 346
Overspecs (Safety) 379

P

Packing Materials 322, 495
Packing Tapes 495

Padlocks 484-486
Padlocks + Security 484-487
Pads (Spill) 360, 361
Pails (Buckets) 354
Paint & Gasket Stripper 301
Paint (Aerosols) 312-315
Paint (Floor) 315
Paint (Gloss) 315
Paint (Marker Pens) 315, 398
Paint Brushes 317
Paint Drying Gun 228
Paint Guard (Hydrophobic) 295
Paint Kits (Roller) 316
Paint Rollers 316
Paint Trays 316
Paint Trays Spares 316
Paints + Primers 312-315
'Paintstik' Markers 239
PAL Auto Fuses 50
Palm Blow Gun 228
Panel Bulb Kits 101
Panel Bulbs 101
Panel Clips 15, 176-179, 499
Panels (Wall Louvred) 490, 491
Paper Floor Mats 298

Paper Rolls 347
Paper Towels 347
Paper Wipes 347
Parka 384
Parking Permit/License Holders 269
Parts Cleaning Brush 401, 481
Patch Stitcher 239
Patches (Tyre Repair) 238, 239
PCL 219-234, 419
PCL Air Tools 226-227

P-Clips 24, 52, 501
Pen (Paint Marker) 312-313, 398
Pen Lights (LED) 72
Pencils (Markers) 239
Penetrating Oil (Graphited Lubricant) 309
Perforated Strip 266
Petrol Engine Treatment 288
PEUGEOT Trim Clips 189
Pick Tools 477
Pickup Tools (Magnetic) 481
Piezo Ignitor (Gas Heater) 397
Pilot Drills (MORSE) 424
Pilot Punches 441
Pin Punches 440, 441
Pink Lotion Soap 339
Pins (Door Hinge) 159
Pins + Clips (Hardware) 156-159
Pipe Benders 440
Pipe Connectors (Windscreen Washer) 217, 269
Pipe Cutters 209
Pipe Fittings 214-215
Pipe Flaring Tools 440-475
Pipe Joiners 205
Pipe Repair Kit 19, 205
Pipe Sealants 335
Pipe/Cable Clips 182-183
Pipe/Rod Clips 182-183, 206
Pipe/Tube Cutters 209
Piston Wind Back Kit 475
Pivot Head Wrenches 449
Plasters (Adhesive) 362
Plastic Hose Connectors 205
Plastic Nail Brushes 347
PLASTIC PADDING (TEROSON) 331
Plastic Rivets 184
Plastic Storage Boxes 488-493
Plastic Sump Plugs 259
Plastic Tape 39, 323, 501
Plastic Tool Box 488
Plastic Wall Plugs 144, 416
Plastic Wedge Set 172, 477
Plastics Super Glue Kit 324

Pliers 434-436
Pliers (Circlip) 436
Pliers (Combination) 434-435
Pliers (Cutting) 430-432
Pliers (O-Clip) 206, 208
Plug Patches 239
Plug-In Bases (Relay) 41
Plugs & Couplers 65-66
Plugs & Sockets (Trailer) 274
Plugs (Domestic Mains) 64
Plugs (Spark) 285
Pneumatic Air Tools 226-227
Pneumatic Brake Bleeders 473
Pneumatic Compact Impact Wrench 226
Pneumatic CV Boot Gun 250
Pneumatic Die Grinder 226, 227
Pneumatic Impact Wrench 227
Pneumatic Orbital Sander 226, 227
Pneumatic Ratchet 226, 227
Pneumatic Reversible Drill 227, 419
Pocket Knives 428-429
Pocket LED Hand Lamps 73, 76
Pocket Screwdrivers 444, 445
Pocket Torch 72
Pocket Type In-Line Head 233
Pole - DIN (for Amber Beacons) 78, 79, 280, 281
Polish (Vehicle) 293
Polishing Cloths 297, 348
Polishing Discs 407
Polishing Flap Discs 406, 407
Polishing Kit 407
Polishing Wheels 407
Poly Coated Wire 270
Polycloth Duct Sealing Tapes 321
Polyester Putty (MOTIP) 330-331
Polythene Bags (Packing) 495
Polythene Sacks 348
Polythene Woven Tarp 272

Polyurethane Repair Adhesives (2K) 329
Polyurethane Sealant 335

POP Avdel

POP AVDEL Rivets 15, 151, 153
Portable Welding Machine 398
Posters - Trim Clip 161, 200
Power Bars 456
'Power Bond' MS-Polymers 335
Power Drive Extensions 456
Power Hacksaw Blades 426
Power Inverters 104
'Power Mix' Polyurethane Repair Adhesive 329
Power Packs (Jump Start) 106-107
Powersaw Blades 426
PPE Signs/Stickers 372
Precision Screwdriver Set 445

PRESSOL

PRESSOL Funnels 359
PRESSOL Grease Gun 303
PRESSOL Sprayers 357
Pressure Gauges 233
Pressure Sprayers 357
Pressure Washer Hose 218
Pre-Work Protective Cream (Barrier Cream) 338, 343
Primer Adhesion Promoter 312
Primers (Aerosols) 304-315

PROCELL

PROCELL Batteries 108
Production Papers 402
Prohibitory Signs/Stickers 365
Propane Gas Accessories 396-397
Propane Gas Regulators 396
Protective Cream (Barrier Cream) 338, 343
PROVIDUS+ 394, 398
Pry Bars 439-440
PSA (Citroen/Peugeot) Trim Clips 189

PTFE Tape 335
PTFE Thread Sealing Tape 335
PU Coated Gloves 375
Pull Knife (Windscreen) 480
Puller (Battery Clamps/ Windscreen Wiper Arms) 479
Pullers 473
Pump (Foot) 234
Pump (Lever Action) 303
Pump (Oil Suction) 356
Pump Action Sprayers 357
Pumps (Syphon) 300, 356
Punch & Chisel Set 440
Punches 440-441
Punches (Flaring Tool) 475
Puncture Repair Kit 239
Push Button Switch 44
Push Rivets 165-167, 498
Push/Pull Switches 45
Push-Fit Tube Couplings 18-19, 210-213
Push-on Fixes 14, 150
Putty (Repair) 330-331
PVC Coated Wire 270
PVC Gauntlets 376
PVC Gloves 376
PVC Insulation Tapes 39, 323, 501

PVC Tape 39, 323, 501
PVC Tubing 217
PX24 Industrial Lubricant (Aerosol) 308
PYTHON File Handles 412

Q

Q-BOND Adhesive System 329
Quick Change Abrasives 404, 405
Quick Connector Fittings 215
Quick Metal Liquid 327

Quick Metal Putty 327
Quick-fit Couplings 210-213

R

Rack ('AB' Storage Box) 26, 493
RAD Repair Patches 238
Radiator Cement 288
Radiator Hose Clamp Pliers 209
Radiator Leak Stopper 288
Radiator Sealants 288
Radio Installation & Removal Set 478

Rags-In-A-Bag 348
Rain Suit 385
Rapid Epoxy 327
Rasp & File Set 412
Ratchet (Pneumatic) 226, 227
Ratchet + Socket Sets 457
Ratchet Accessories 456-457
Ratchet Crimping Pliers 58
Ratchet Pipe/Tube Cutter 209
Ratchet Screwdriver Set 443
Ratchet Straps 272
Ratcheting Spanners 454
Ratchets 455

Razor Blades 428
'Razor-Mate' Scrapers 428
RCD Circuit Breakers 66-67
RCD Safety Adaptor 64
R-Clip Module Assembly 158, 271
R-Clips 17, 158, 504
Rear View Mirror Bonder (LOCTITE) 324
Rechargeable Batteries 110-111
Reciprocating Saw Blades 427
'ReCyko+' Rechargeable Batteries 110
'Red Extra' Welding Electrodes 391
Red Hand Gel 339, 341
Red Oxide Primer 314
Red Rubber Grease 304, 305
Reflective Tape 322
Reflectors 275
Refractometer 482
Refrigerant UV Dye 299
Refuge Bins 348
Refuse Sacks/Liners 348
Regroover (Tyre) 245
Regrooving Blades 245
Regular Impact Sockets 464, 465
Regular Sockets 458-463
Regulator (Air) 228
Regulator Tails 396
Regulators (Gas) 396
Relay Plug Blocks 41
Relays 41
Releasable Chassis Cable Ties 57

REMA TIP TOP

REMA TIP TOP Tyre Products 238-241, 242, 245, 248, 470
Remote Batteries 112, 501
Removal Tools 476-479
RENAULT Trim Clips 196
RENOLIT Greases 304
Repair Adhesives 329-331
Repair Adhesives (2K Polyurethane) 329
Repair Patches (Tyre) 238, 239
Repair Tape (Clear) 321

Repair Washers 9, 129, 502
Resin (Repair) 330-331
Respiratory Protection 380-382
Retainers (Adhesives) 326-327
Rethreading Tap & Dies 422-423
Reusable Ear Plugs 382-383
Reversible Drill (Pneumatic) 227, 419

Reversible Ratchets 455
Reversible Wrenches 454
RICHTER Dipping Tape 285
Rigger Boots 386
Rigger Gloves 376
'Rigger Jigger' (Spanner) 452

RING

RING Auto Bulbs 82-103
RING AUTOMOTIVE 68, 73, 74, 76, 77, 79, 80, 81, 82-107, 278
RING Chargers & Inverters 104-105, 107
Ring Spanners 452-454
RING Tyre Repair (Aerosol) 235, 242
Ringing Gel Hand Cleaners 339
Rivet Guns 154-155
Rivet Washers 151, 132
Riveters 154-155

Rivets 15, 151-153, 503
Rivets (Aluminium) 15, 151-153, 503
Rivets (Blind) 151-153
Rivets (Bulbex) 151
Rivets (Drive) 15, 168-169, 498
Rivets (Multigrip) 15, 152-153, 503
Rivets (Plastic) 184
Rivets (POP AVDEL) 15, 151, 153
Rivets (Push) 15, 165-167, 498
Rivets (Screw-Type) 170-172
Rivets (Trim Clips) 15, 151, 184, 498-499
Rivets + Riveters 15, 151-155, 184, 503
ROCK OIL Hydraulic Oil 285, 306
Rocker Switches 42-43
Roll Pin Punches 441
Roll/Heel Bars 439
Roller Shutter Hooks & Chains 271
Rollers (Paint) 316
Roofing Bolts & Nuts 118
Rope Hooks 271
Ropes (Polypropylene) 272
Rotary Burrs 413
Rotating Beacons 78-79, 280-281
Round Bar 160

ROZALEX®

ROZALEX Hand Care Products 338, 340
'Rozsan' Sanitising Gel 338

RTV Silicone Sealants 333
Rubber Care 250, 310
Rubber Eraser Pad 400
Rubber Gloves 377
Rubber Grease 304, 305
Rubber Lined P-Clips 52, 501
Rubber Marker Lamp 277
Rubber Squeegees 350
Rubbish Bins 348
Rulers (Steel) 437
Rust Convertor 311
Rust Cure 311
Rust Remedy 311
Rust Remover 311
Rust Repair 311
Rust Treatment 311

S

SAS

S-A-S Range 41, 250, 269, 288-295, 299, 300-301, 304-315, 325-327, 332, 333, 335, 336, 338, 340-341, 344, 346, 393, 395, 416

S-A-S Universal Maintenance Lubricant 307
Sack Trucks 494
SafeSaw System 426
Safety Adaptor (Domestic Mains) 64
Safety At Height 388
Safety Boots 386
Safety Clothing 384-385
Safety Couplings (Air Line) 221, 223
Safety Cut Out Switch (Heater) 42, 80
Safety Glasses 378-379
Safety Goggles 378-379
Safety Harness 388
Safety Helmets (Hard Hats) 377
Safety Shoes 386-387

Safety Signs/Stickers 364-373
Safety Spectacles 378-379
Safety Valves (Air Line) 223
'Sandflex' Hacksaw Blades 425
Sanding Blocks 403
Sanding Discs 404-405
Sanitiser Cream 338
Sanitiser Gel 338
Sanitising Wipes 346
SAS Universal Maintenance Lubricant 307
Satin Black Paint 314
Saw Blades 425-427
Saws 424-427
Saws (Hole) 424
SC JOHNSON Hand Care 342-343
Scissors 430
'Scotch Auto' Masking Tape (3M) 320
Scotchlok Connectors (3M) 35
Scraper (Ice) 290
Scraper (Tyre Inner Liner) 244
Scraper Tool 428
Scrapers 428
Screen Wash 269, 289
Screw & Stud Extractors 476
Screwdriver Bits 446, 447
Screwdriver Pry Bars 440
Screwdriver Sets 442-445

Screwdrivers 442-445

Screwed Adaptors 220, 221, 223, 224
Screwed Rod 119
Screws (Self-Drilling Screws) 145
Screws (Self-Tapping) 12-13, 142-147, 503
Screws (Sheet Metal) 14, 145-147, 503
Screw-Type Rivets 15, 170-172, 499
SCRUBS-IN-A-BUCKET Hand Wipes 344
Sealants 332-335
Sealants (MS-Polymer) 335
Sealants (Polyurethane) 334
Sealants (Silicone) 333
'Sealastic' Tyre Repair 240
'Sealfix' String (Tyre Repair) 240

Sealing Washers 10, 134-138
Seam Sealer (VIP) 335
Seat Covers 298
SEAT Trim Clips 185-187
Security Bits 446, 447
Security Chains 485
Security Number Plates 13, 141, 503
Security Padlocks 485-486
Security Seals (Ties) 487
Self-Amalgamating Tape 38, 39
Self-Drill Fixings 145
Self-Drilling Screws 145
Self-Fusing Silicone Rubber Tape 38

Self-Tapping Screws 12-13, 142-147, 503
SELSON Air Jack Bellows 249, 471
Serrated Flange Nuts 128
Service (Automotive) 298-299

Set Screws 2-3, 114-116, 502
Set Screws (Flanged) 116
Shades (Protection Glasses) 378-379
Shears 430
Shears (Cable) 59, 431

Sheet Metal Screws 14, 140-141, 503
Sheet Metal Screws (Body Screws) 145-147
Shelving Systems 489, 491
Shim Washers 8, 132
Shock Freeze Spray 308
Shoes (Safety) 386-387
Shovel (Extending) 290
Shrouds (Welding Torch) 392
Shunt Release Switch 66
Shunt Trip Switch 66
Side Cutters 430-432
Side Marker Lamp 277
Side Moulding Clips 179-180

SIF

SIF Welding Products 391, 393
'Sifbronze No. 1' Brazing Rods 391
'Sifredicote' Brazing Rods 391
'Sifsteel No. 11' Welding Rods 391
Signograph (Electric Engraver) 437
Signs (Safety) 364-373
Silage Tape (Farmers) 323
Silencer Repair Paste 336
Silicone Copper (LOCTITE) 332
Silicone Free Multi-Shine 291
Silicone Grease 304, 310
Silicone Hose 216
Silicone Rubber Tape 38
Silicone Sealant (High Temp) 333, 334
Silicone Sealant (Instant Gasket) 333
Silicone Sealant (RTV) 333
Silicone Sealants 332-334

Silicone Spray 310
'Silkair' Airline Oil (FUCHS) 227
Silver Paint 314
SIROFLEX Expanding Foam 334
SIT 'SPID' Brushes 401
ŠKODA Trim Clips 185-187
Sledge Hammers 438
SLEEPSAFE Smoke and CO Alarms 363
Sleeve Anchors 118
Slide Vernier Caliper 437
Slide-on Connectors 302
Sliding T-Bar Adaptors 457
Slimline LED Hand Lamp 73, 76
Slings (Lifting) 273
Slotted Screwdrivers 442-445
'SmartCharge' Battery Chargers 105
Smoke Alarm 363
Snap-Lock Connectors 35, 501
Snow Foam 292, 295
Snow Shovel 290
Soap (Lotion) 339
Soap Dispenser Units 339, 341, 342, 343
Socket Accessories 456-457
Socket Cap Screws 4, 120-122
Socket Rail Sets 460
Socket Screws 4, 120-122
Socket Sets 1/4" Drive 458, 460, 461
Socket Sets 3/8" Drive 458-461
Socket Sets 1/2" Drive 459, 461
Sockets 458-466
Sockets & Plugs 65-66
Sockets & Plugs (Trailer) 274
Sockets (1/4" Drive) 458, 460-463
Sockets (1/2" Drive) 459, 461-466, 469
Sockets (3/8" Drive) 458-463
Sockets (3/4" Drive) 465
Sockets (1" Drive) 465
Sockets (Impact) 464-466
Sockets (Trailing) 274
Socks (Absorbent) 360, 361
Soft Face Hammer 439

Solder 394
Solder Wire 394
Soldering 394-395
Soldering Flux 394
Soldering Gun 395
Soldering Iron 394
Soldering Kit 395
Soldering Wire Holding Pliers 394
Solderless Nipples 271
Solvent Cleaner (Aerosol) 301
Solvent Sprayer 300, 357-358
Spacelock 486
Spanner (Gas Bottle) 396
Spanner Organizer 452
Spanner/Cylinder Keys 392



Spanners 452-454
Spark Plug (Heater Spare) 397
Spark Plug Sockets 461
Spark Plug Thread Repair Kit 423
Spark Plugs 285
Speaker Cable 63
SPEAR & JACKSON Screwdriver 444
Special Blue Cement 239
Spectacles (Safety) 378-379
Speed Fasteners 14, 148-149
Speedfit Couplings 18, 210-212
SPID Brushes 401
Spill Kits 360, 361
Spillage Products 360-361
Spiral Binding 53
Splash Proof Fuse Holders 47-49

Split Pins 16, 158-159, 504
Split Point Jobber Twist Drills 420
Sponges 297

Spot Weld Drills 420
Spray Adhesive 325
Spray Applicators (S.A.S) 307
Spray Guns 228
Sprayer (Duck Oil) 308

Sprayers 300, 357-358
Spreader (Plastic Filler) 331
Spring Compressor 473
Spring Fasteners 150
Spring Pipe Clip Pliers 208
Spring Roll Pins 16, 159
Spring Washers 9, 131
Springs 159
Springs (Accelerator & Clutch) 21, 159, 258
Springs (Expansion/Compression) 18, 159
Squeegees (Floor) 350

SSI SCHAEFER

SSI SCHAEFER Storage Bins 491-492
Stainless Steel Flat Washers 131
Stainless Steel Hose Clips 203
Stainless Steel Nuts 127
Stainless Steel Nylon Lock Nuts 127
Stainless Steel Self-Tapping Screws 12, 142
Stainless Steel Set Screws 2, 115
Stainless Steel Spring Washers 9, 131
Standard Crimping Pliers 58
Stands - Axle 248, 470
Stands - ESSENTIALS 496
'Stanley' Type Knife Blades 429
Staple Gun / Staples 155
Staple Tacker 155
Staples 155
Starter Cable 63
Steel Banding 205
Steel Cable Ties 56
Steel Jerry Cans 355
Steel Nuts 6, 126, 502
Steel Rulers 437
Steel Stick 327
Steel Stock 160
Steel Wire (Poly Coated) 270
Steel Wool 399
Steering Wheel Covers 298
Step Drills 421
Step Ladders 494
Stepped Olives 19, 206
Stereo Speaker Cable 63
Stickers (Safety) 364-372
Stitcher Tool (Tyre Patches) 239
Stockinette Gloves 376
Stop-Flo Valves 223
Stopper Grommets 175
Storage Bin Trolley 490, 492

Storage Bins 488-493
Storage Boxes 26, 488-493
Storage Containers + Cabinets 489
Storage Rack for 'AB' Boxes 26, 493

STP

STP Additives 288
Straps (Ratchet) 272
Striking Tools 438-441
Strip Lights (LED) 80, 279
Strip-It Discs 405
Structural Bonding Adhesives 327-329
Stub Drills 421
Stud 'N Bearing 326
Stud Extractors 476
Stud Lock 326
Stud Welding Pins 393
Studding 119
Studlock 326
Studs & Nuts (Exhaust Manifold) 20, 119, 267
SUBARU Trim Clips 196
Suction Holder Set 480
Suction Lifter 480

Sump Plug Washers 10, 20, 136-137, 264-265
Sump Plugs 259-263
Sump Plugs (Plastic) 259
Sun Glasses 378, 379

Supaseal Connectors 24, 36-37
Super Action Spray 307
Super Epoxy 327

Super Glue 324-325
Super Glue (Gap Filling) 324
Super Glue Gel 324, 325
Super Steel 327
'SuperThread' Fittings 205
Surface Conditioning Discs 405
Surface Degreaser 346
Surge Protector 64
Surgical Type Face Masks 365
SUZUKI Trim Clips 196

Swarfega

SWARFEGA 'Duck Oil' 308
SWARFEGA Hand Care 339, 343
SWARFEGA Hand Cleanser (Buckets) 339, 343
SWARFEGA 'Heavy' Hand Cleanser 339, 343
Swing Bin 348
Switches (Battery Isolator) 45
Switches (Heater & Vacuum On/Off) 42, 353
Switches (Heater Safety Cut Out) 42
Switches (Toggle) 43-45
Switches (Transformer Trip) 65
Swiv Seal Clips 150
Swivel Head Riveters 155
Syphon Pumps 300, 356

T

Tack Rags 316
Tacker (Metal Staple) 155
Tail Lamps 274, 276-277
Tailpieces 221, 223, 224
Talcum Powder (Tyre) 240
Tamper Proof TORX Key Wrenches 449-451
Tamper Proof TX Screwdrivers 443, 445
Tap & Die Set 422
Tap Wrench 423
Tape (Anti-Corrosion) 321
Tape (Farmers 'Silage') 323
Tape (PTFE) 335
Tape (Reflective) 322
Tape (Self-fusing Silicone Rubber) 38

Tape Guns 322, 495
Tape Measures 437
Taper Drills 421
Tapes (Adhesive) 39, 320-323, 360, 361, 495, 501
Tapes (Insulation) 38-39, 323, 501
Tapes (Measuring) 437
Tapes (Packing) 322, 495
Tapping Screws 12-13, 142-147, 503
Taps (Drum/Barrel) 355
Taps (Hand) 423
Taps + Dies 423
Tar & Gum Remover 301
Tarp 272
T-Bar Adaptors 457
Telescopic Blow Pistol 225
Telescopic Magnetic Pickup Tool 481
Telescopic Pickup Tools 481
Telescopic Reversible Ratchet 455
TEMPLER'S Soldering Flux 394

TENG TOOLS

TENG TOOLS 209, 298, 422, 426, 429, 430, 431, 434-437, 439, 440, 445, 447, 449, 451-457, 458-342, 469, 473, 481
Tensioning Tool (Cable Tie) 58
Terminal Block (Ceramic) 35
Terminal Blocks 35
Terminal Covers 31
Terminals 22-23, 28-33, 500
Terminals (Copper Tube) 33

Terminals (Insulated) 22-23, 28-32, 500
Terminals (Non-Insulated) 23, 31, 33
Terminals (Supaseal) 24, 36-37
TEROSON 331

TERRY

TERRY 'Powergrip' 205
TERRY Tool Clips 487
Tester (Automotive Multi-Function) 482
Tester (Multimeter) 482
Testers (Anti-Freeze) 482
Testers (Brake Fluid) 482
Testers (Electrical) 482
Testers + Electrical Tools 482
TFR Sprayer 357
T-Handled Hex Drivers 414-449
T-Handled TX/TPX Drivers 449-451
'The Dominator' Screwdriver Pry Bars 440
Thermocouples 397
Thermostat (Gas Heater) 397
Thin (Half) Nuts 128
THOR Hammers 438
Thread Insert Kits 124, 125, 422
Thread Inserts 124-125, 422
Thread Lock 326
Thread Repair Files 422, 479
Thread Repair Kit 124-125, 422-423
Thread Sealants 335
Thread Sealing Tape (PTFE) 335
Threaded Bar 119
Threaded Insert Tool Kits 125

Threaded Inserts 7, 124-125
Threadlockers + Retainers 326-327
Ties (Cable) 54-57, 501
Tin Snips 430
Tip Over Switch 42, 80
Toggle Switches 43-45
Toilet Rolls 347
Tool Box (Plastic) 488
Tool Case 488
Tool Case Trolley 488
Tool Clips 488
Tool Mat 488
Tool Rail 487
Tool Storage 487-488
Tool Tray 488
Torch Spares (Welding) 392
Torches 72-73
Torpedo Fuses 24, 51
Torque Impact Sockets 469
Torque Tools 468-469
Torque Wrenches 468-469
TORX Bit Sockets 458, 459, 460
TORX E-Profile Impact Sockets 466
TORX Impact Bit Sockets 466
TORX Key Wrenches 449-451
Touch Up Brushes 317
Tow Pin Assemblies 271
Towels (Folding Paper) 347
Towels (Valet Drying) 297
TOYOTA Trim Clips 197
Track Rod End Covers 20, 251
Traffic Film Remover (TFR) 295
Traffic Signs/Stickers 365
Trailer Board Extension Lead 274
Trailer Boards 274, 276
Trailer Lights 274, 276-277
Trailer Sockets & Plugs 274
Trailing Sockets (Mains) 64
Trailing Sockets (Trailer) 274
Trainers (Safety Shoes) 387
Transformer Plugs & Sockets 65-66
Transformer Trip Switches 65
Transporter Ratchet Strap 272
Tread Depth Gauges 233
Triangular Reflector 275
Trigger Spray Applicators (S.A.S) 307
Trim Buttons 15, 162-163, 498
Trim Clip Charts 161, 200
Trim Clip Tools 172, 477
Trim Clip Workshop Kit 172
Trim Clips 15, 161-200, 496, 498-499, 504
Trim Knife Blades 429-430
Trim Knives 428-430
Trim Masking Tape 320
Trip Switches (Transformer) 65
Triple Flint Lighter 393
Triple Flints 393
Trolley Jacks 248, 470
Trolleys + Steps 494
Trousers (Safety Clothing) 385
Tube Bending Pliers 440
Tube Coupling Locking/Release Tools 210, 211, 212
Tube Couplings 18-19, 210-213
Tube Cutters 209
Tube Fittings 18-19, 205
Tube Patches 238
Tube Terminals 23, 33, 500
Tubeless Valves 243
Tubing (Copper) 255
Tubing (Nylon) 217
Tubing (Rubber) 215, 216, 217, 219
Tubing Bending Pliers 440
Tubing Connectors 205
Twin Cable 62, 63
Twin Thread Screws 143
Twist Drills 416-421
Twist Sockets 476
TX Bit Sockets 458, 459, 460
TX Keys 449-451
TX Screwdrivers 443, 445
TX-E Bit Sockets 466
Tyre And Mounting Lever 244
Tyre Bath 248, 470
Tyre Cage 248, 470
Tyre Dressing 291, 292, 294
Tyre Fill (Syringe) 242
Tyre Filler (Tank) 245
Tyre Foam 291
Tyre Foot Pump 234
Tyre Gauges 233
Tyre Hand Rasp 240
Tyre Inflators (Compressors) 234-235
Tyre Inflators (Gauages) 229-232
Tyre Lever 244
Tyre Liner Scraper 244
Tyre Pressure Gauges 233
Tyre Reamers 242
Tyre Regroover 245
Tyre Repair (Aerosol) 235, 242
Tyre Repair Products 238-249
Tyre Sealant 241
Tyre Soap 241
Tyre Static Safety Cage 248, 470
Tyre Tread Depth Gauges 232-233

Tyre Valves 242-243
Tyre Valve Caps 243, 504
Tyre Valve Connectors 232
Tyre Valve Core Screwdrivers 244
Tyre Valve Cores 242
Tyre Valve Extension Holders 244
Tyre Valve Extensions 243
Tyre Valve Mounting Tool 244
Tyre Valve Tool 233

U

ULTRAGRIME Hand Wipes 345
UMETA Grease Nipples 302
Undercoating Gun 228
Universal Blue Gasket Compound 332
Universal Brake Pipe Flaring Tool Kit 440-475
Universal CV Boot Kit 250
Universal Joint (Impact) 465
Universal Joints 457
Universal Maintenance Lubricant (S.A.S) 307
Universal Markers 239
Universal Yellow Markers 239
U-Nuts 14, 148
Upgrade Auto Bulbs 90-93
Upholstery Cleaner 279, 294
USB Battery Charger 110

USB Charging Hand Lamps (LED) 73-75
USB Mains Sockets 64
Utility Knives 429-430
Utility Scissors 430
UV Dyes 299

V

Vacuum Kits 351-354
Vacuum/Blower Kit 229
Valeting Range 290-297
Valve Core Screwdrivers 244
Valve Extension Caps 243
Valve Extension Holders 244
Valve Extensions 243
Valve Grinding Sticks 258, 288
Valve Holders 244
Valve Mounting Tool 244
Valves (Tubeless) 242-243
VAUXHALL Trim Clips 198-199

VDE Cutting Pliers 59-60, 432
VDE Pliers 432
VDE Screwdrivers 444
Vehicle Interior Protection Set 298
Vehicle Interior Strip Lights (LED) 80, 279
Vehicle Jump-Starters 107
Vehicle Marque Trim Clips 185-199
Vehicle Shampoo 292, 295
Vehicle Wash Brushes 296
Vernier Calipers 437
'Vertex' Couplings 220
Vests (Hi Vis) 384
Vinyl/Nitrile Hybrid Gloves 374

VIP GERMAN TECHNOLOGY

VIP Adhesives/Sealants 312, 329, 335
VIP MS-Polymer Sealants 335

VIP Polyurethane Repair Adhesives 329
VIP 'Power Mix' 329
VIP Primers 312

IRWIN VISE-GRIP

VISE-GRIP Locking Pliers 434

VISION

VISION LED Hand Lamps 74, 76
Visors 344, 390
Voltage Testers 482
VOLVO Trim Clips 199
VTG6A MOT Plate Holder 270
Vulcanising Fluid 239
VW Trim Clips 185-187

W

Waist Coats (Hi Vis) 384
Wall Panels (Louvred) 490, 491
Wall Plugs 144, 416
Wand Style LED Hand Lamp 74, 75
Warning Signs/Stickers 368-371

WARRIOR OUR STRENGTH IS YOUR GUARANTEE

WARRIOR 272-273
Wash Brushes 296
Wash Leather 297
Wash Mits 297
Washer Jet Tool 479
Washer Pump 269
Washer Tubing 269
Washers (Aluminium) 10, 133, 137
Washers (Copper Sealing) 10, 134-138
Washers (Copper) 9, 10, 132-136
Washers (Diesel Injector) 10, 20, 135
Washers (Dowty Type) 9, 135, 137
Washers (Fibre) 9, 133, 137
Washers (Flat) 8, 130-131, 502
Washers (Lock) 8, 132
Washers (Repair) 9, 129, 502
Washers (Rivet) 151, 132
Washers (Sealing) 10, 134-138
Washers (Shim) 8
Washers (Spring) 9, 131
Washers (Sump Plug) 10, 20, 136-137, 264-265
Washers + Seals 8-11, 129-138
Waste Bins 348
Water Finding Paste 285
Water Finding Strips 285
Water Pump Pliers 436
Watering Can 354
Waterless Wash & Wax 295
Wax & Wash 292, 295
Wax Spray 295

WD-40 307
Weld Anti-Spatter 393
Welders' Face Shields 390
Welding + Accessories 390-393
Welding Clamp Pliers 434
Welding Curtain 391
Welding Electrodes 391

Welding Goggles 344, 390
Welding Machine 398
Welding Mat 398
Welding Nozzle Cleaners 392
Welding Nozzles 392
Welding Pins (Stud) 393
Welding Protection 390

Welding Rods 391
Welding Sundries 390-393
Wet & Dry Papers 402
Wet Floor Sign 350, 361
Wet Wipes 344-345, 346
Wheel Balancing Weight Pliers 247
Wheel Brushes (Wire) 400
Wheel Chock 248, 470
Wheel Cleaner (Alloy) 292, 294
Wheel Impact Sockets 469
Wheel Nut Indicators 246
Wheel Nut Remover Kit 246, 477
Wheel Nut Sockets 469
Wheel Tools 470-472
Wheel Weight Pliers 247
Wheel Weight Removal Tool 247

Wheel Weights 247
Wheels (Grinding) 399
Wheels + Tyres 238-251
Whip Check Cables 284
Whip Hose (Air Line) 226

White Grease with PTFE 309
White Primer 313
White Rags-In-A-Bag 348
White Spirit 317
Wind Back Tool (Brakes) 475
Windproof Flame Torches 395
Windscreen Cutting Wire 480
Windscreen Cutting Wire Handles 480
Windscreen Products 268-269
Windscreen Sealer (VIP) 335
Windscreen Tools 479-480

Windscreen Wash 269, 289
Windscreen Washer Accessories 217, 269
Windscreen Washer Jet Tool 479
Windscreen Washer Pump 269
Windscreen Wiper Arm Pullers 479
Wing Cover (Magnetic) 298
Wing Nuts 128
Wiper Arm Pullers 479
Wiper Blade Refills 269
Wiper Blades 268-269
Wipes (General Purpose Material) 348
Wipes (Paper) 347
Wipes (Sanitising) 346
Wire (Locking) 270

Wire Brushes 400-401
Wire Connectors 35
Wire Feeder/Starter Tool 480
Wire Handles 480
Wire Rope Grips 271
Wire Strippers 59-60
Wire Wheels 400
Wire Wool 399
Wiring Grommets 24, 37
Wiring Tools 59-60
Wooden Nail Brushes 347
Woodruff Keys 18, 160
Woodscrews (Multi-purpose Screws) 143
Work Gloves 375-376
Work Lamps 77, 278
Work Lights 76
Wrench Organizer (for Spanners) 452

Wrenches (Adjustable) 453
Wrenches (Oil Filter) 478
Wrenches (Spanners) 452-454

X

Xenon Performance Halogen Auto Bulbs 90-93
'Xenon150' Auto Bulbs 90-93

Y

Yellow Marker Pens (Crayons) 239

Z

ZAPLON Hand Cleaners 340

Zinc Spray 312
'Zing' Hand Cleaner 340
Zip Ties 54-57, 501

'Zippy' Type Scrapers 428
Zirconium Flap Discs 407
'Zorange' Hand Cleaner 340
Z-Swivel Connector 224

A

AB3 5, 123
AB4N 5, 123
AB5N 3, 116
AB6N 6, 126
AB7N 3, 116
AB8N 6, 126
AB9N 2, 114
AB10N 6, 126
AB11N 3, 114
AB12N 6, 126
AB13N 7, 127
AB14N 7, 127
AB15N 7, 127
AB16 4
AB17 4
AB18 4
AB20N 8, 122
AB21N 9, 131
AB22N 9, 129
AB23 10, 134
AB24N 10, 132
AB25N 9, 133
AB27N 8, 132
AB28N 8, 132
AB29 21, 159, 258
AB30N 21, 259
AB32N 16, 158
AB33 16, 157
AB35 16, 159
AB37N 17, 156
AB38 19, 206
AB41N 25, 46
AB42 22, 30
AB43 22, 30
AB45N 20, 254
AB46 21
AB47N 18, 160
AB48N 15, 153
AB49N 14, 148
AB50 14, 150
AB51N 14, 149
AB55N 17, 157
AB61 11, 138
AB62 13, 140
AB63N 12, 143
AB64N 19, 213
AB67N 9, 135
AB68N 5, 123
AB71 13, 144
AB72 18, 159
AB73 16, 158
AB74 19, 207
AB76N 8, 130
AB77N 9, 131
AB78N 7, 125
AB80 16, 159
AB81 11, 138
AB85N 20, 255, 257
AB88N 17, 158
AB89 18, 159
AB92 4, 120
AB94 12, 142
AB95N 19, 213
AB97N 18, 210
AB99 18, 210, 211
AB100 11, 138
AB100/1 138
AB100/2 138
AB100/3 138
AB100/4 138
AB100/5 138
AB100/6 138
AB100/7 138
AB100/8 138
AB100/9 138
AB100/10 138
AB100/11 138
AB100/12 138
AB100/13 138
AB100/14 138
AB100/15 138
AB100/16 138
AB100/17 138
AB100/18 138
AB100/19 138
AB100/20 138
AB100/21 138
AB100/22 138
AB100/23 138
AB100/24 138
AB100/25 138
AB100/26 138
AB100/27 138
AB100/28 138
AB100/29 138
AB100/30 138
AB101 11, 138
AB101/1 138
AB101/4 138
AB101/5 138
AB101/6 138
AB101/8 138
AB101/9 138
AB101/10 138
AB101/16 138
AB101/17 138
AB101/20 138
AB101/21 138
AB101/22 138
AB101/23 138
AB101/24 138
AB101/25 138
AB101/26 138
AB101/27 138
AB101/28 138
AB101/29 138
AB101/30 138
AB102 19, 203
AB103 23, 38
AB104N 6, 128
AB106 10, 134
AB107 9, 135
AB109N 8, 130
AB110N 22, 30
AB111N 19, 213
AB112 15, 152
AB114N 23, 33
AB115N 21
AB116 20, 267
AB117N 10, 20, 137, 265
AB118 25, 48
AB119N 8, 130
AB120 21, 259
AB123N 23, 33
AB125 23, 32
AB126 11, 138
AB127N 17, 157
AB128N 2, 115
AB129N 2, 115
AB130N 2, 115
AB132 14, 145
AB134N 5, 124
AB135N 5, 124
AB137 12, 145
AB138 12, 145
AB140 13, 143
AB141 12, 142
AB142 10, 20, 135
AB143 9, 133
AB144 19, 206
AB145N 20, 257
AB146N 15, 153
AB147N 23
AB149 10, 133
AB151 15, 164
AB152 15, 164, 171
AB153 15, 171
AB154 2, 115
AB155 6, 126
AB156N 7, 127
AB157 8, 131
AB158 9, 131
AB159 21
AB160 22, 28
AB161 22, 29
AB162 22, 30
AB163N 2, 115
AB164 25, 46
AB165N 25, 48
AB166 14, 148
AB167N 14, 149
AB168N 13, 144
AB172 15, 171
AB173 17, 156
AB174 17, 156
AB175N 25, 48
AB176 25, 49
AB178N 24, 52
AB179 25, 48
AB181 7, 125
AB182 7, 125
AB183 7, 125
AB184 13, 140
AB187 18, 212
AB188 18, 212
AB189 19, 213
AB190 23, 32
AB191N 24, 37
AB192N 24, 37
AB193 24, 52
AB194 25, 51
AB201N 7, 127
AB202N 6, 126
AB204N 4
AB206 16, 159
AB207N 21
AB208N 8, 132
AB209N 5, 122
AB216 18, 160
AB219 4
AB220 21, 251
AB221 23, 38
AB222 13, 141
AB224 25, 46
AB244 24, 37
AB253 15, 164
AB501 22, 28
AB502 22, 29
AB503 24, 46
AB504 14, 149
AB505 10, 134
AB506 13, 144
AB507 12, 142
AB508 16, 158
AB509 23, 30
AB510 6, 127
AB520 24, 36
AB555 16, 159
AB561 17, 156
AB562 4, 120
AB563 4, 121
AB564 2, 114
ABM 2, 8, 10, 13-14, 17-18, 21, 26, 493
ABR 3, 26, 493
AC3 270
AC4 270
AC6 270
AC7 270
AC8 270
AC10 272
AC11 270
AC13 270
AC14 272
AC15 272
AC101 271
AC103 271
AC104 271
AC131 274
AC250 270
AC251 270
AC3120 273
AC3130 273
AC3220 273
AC3240 273
AC3320 273
AC3330 273
AC3340 273
AC4110 273
AC4115 273
AC4120 273
AC4205 273
AC4210 273
AC4220 273
AC4520 273
AC5150 272
AC5480 272
ADB10 289
ADB20 289
ADB205 289
ADB301 289
ADB302 289
AL2 224
AL3 220
AL4 220
AL5 220
AL8 224
AL10 219
AL11 218
AL12 220
AL13 218
AL14 231
AL14H 231
AL15 232
AL16 232
AL17 218
AL18 223
AL19 223
AL20 223
AL22 218
AL23 220
AL25 232
AL27 233
AL28 233
AL29 233
AL31 220
AL32 220
AL33 224
AL34 223
AL35 225
AL37 224
AL38 220
AL39 224
AL40 232
AL41 220
AL42 231
AL42H 231
AL43 232
AL45 233
AL46 223
AL47 223
AL48 223
AL49 223
AL50 224
AL51 224
AL52 224
AL53 224
AL54 224
AL55 224
AL56 224
AL57 224
AL58 224
AL59 224
AL60 226
AL61 232
AL63 219
AL65 219
AL67 224
AL70 232
AL71 233
AL72 226
AL73 226
AL76 219
AL78 225
AL79 233
AL80 234
AL81 231
AL82 231
AL83 231
AL84 231
AL85 231
AL86 231
AL87 231
AL88 231
AL89 229
AL90 215, 284
AL91 215, 284
AL95 233
AL101 220
AL124 220
AL161 221
AL162 221
AL180 223
AL201 222
AL202 222
AL203 222
AL204 222
AL206 222
AL208 222
AL210 222
AL213 222
AL221 222
AL222 222
AL231 222
AL232 222
AL261 223
AL262 223
AL263 223
AL264 223
AL265 223
AL266 223
AL267 223
AL268 223
AL316 220
AL318 220
AL319 220
AL500 215, 284
ALG1 228
ALG2 228
ALG3 228
ALG4 228
ALG5 228
ALG10 228
ALR1 219
ALT1 227
ALT2 227
ALT3 227, 419
ALT4 227
ALT5 227
ALT6 226
ALT7 226
ALT8 226
ALT9 226
ALY8 218
ALY10 218
ALY12 218
ALY28 219
AMB100 301
AMB110 308
AMB111 308
AMB120 312
AMB121 312
AMB130 315, 398
AMB131 315, 398
AMB132 315, 398
AMB133 315, 398
AP5 52
AP8 119
AP9 271
AP11 258
AP13 160
AP14 160
AP15 160
AP16 317
AP19 317
AP24 160
AP26 160
AP28 205
AP30 317
AP31 317
AP33 38
AP35 160
AP37 266
AP40 487
AP41 56
AP48 317
AP49 143-144, 416
AP50 119
AP53 487
AP56 206
AP59 266
AP60 183
AP61 217, 269
AP62 406
AP63 296
AP64 115
AP65 115
AP67 115
AP68 115
AP70 404
AP71 207
AP72 207
AP73 207
AP75 407
AP177 112
AS1 145
AS2 145
AS3 145
AS4 145
AS12 145
AS13 145
AS22 145
AS23 145
AS32 145
AS33 145
AS42 145

B

BAG1 495
BAG2 495
BAG3 495
BAG4 495
BAG5 495
BAG6 495
BAG7 495
BAG8 495
BAG9 495
BAG10 495
BAG11 495
BAG12 495

BAG13 495
BAG14 348
BAG15 298
BAG17 348
BAG18 272
BAG21 495
BAG22 495
BAG23 495
BAG24 495
BAG30 298
BAG31 298
BAG35 298
BAG36 298
BAG40 298
BAG51 298
BAT1 109
BAT2 109
BAT3 109
BAT4 109
BAT5 109
BAT6 109
BAT7 109
BAT8 109
BAT9 109
BAT10A 112
BAT10N 112
BAT11 111
BAT12 111
BAT13 111
BAT14 111
BAT19 112
BAT21 112
BAT23 112
BAT24 112
BAT25 112
BAT28 112
BAT30 109
BAT32 112
BAT35 112
BAT36 112
BAT37 112
BAT40 112
BAT50 112
BAT51 111
BAT80 111
BAT84 110
BAT105 108
BAT105A 108
BAT106 108
BAT106A 108
BAT107 108
BAT107A 108
BAT108 108
BAT108A 108
BAT109 108
BAT109A 108
BAT117 111
BAT118 111
BAT131 111
BAT151 108
BAT151A 108
BAT185 111
BAT186 110
BAT205 110
BAT206 110
BAT207 110
BAT208 110
BAT209 110
BAT300 109
BAT301 109
BAT305 108
BAT306 108
BAT307 108
BAT308 108
BAT309 108
BAT407 109
BAT407A 109
BAT408 109
BAT408A 109
BC1 106
BC2 106
BC3 106
BC4 106
BC5 106
BC9 106
BC350 106
BC500 106
BN1 253
BN2 253
BN3 253
BN11 252
BN12 252
BN13 252
BN14 252
BN15 252
BN16 252
BN17 252
BN21 252
BN41 254
BN42 254
BN46 254
BN62 255
BN63 255
BN65 255
BN66 255
BN67 254
BN71 257
BN72 257
BN81 256
BN82 256
BN84 256
BN85 256
BN86 256
BN102 257
BN103 253
BN104 253
BN105 253
BN106 254
BN107 255
BN108 253
BN109 253
BN110 253
BN111 253
BN112 253
BN113 253
BN114 253
BN115 253
BN116 254
BN117 253
BN118 253
BN150 256
BN151 256
BN152 256
BN153 256
BN154 256
BN155 256
BN156 256
BN157 256
BN158 256
BN159 256
BN160 256
BN161 252
BN162 252
BN163 256
BN164 257
BN165 256
BN166 257
BN167 252
BN168 252
BN169 252
BN170 252
BN171 254
BN172 254
BN173 255
BN174 255
BN175 252
BN176 252
BN177 257
BN178 257
BN179 257
BN181 254
BN182 254
BN183 252
BN184 252
BN185 252
BN186 254
BN187 255
BN188 255
BN189 252
BN190 252
BN191 254
BN192 253
BN193 253
BN194 253
BN195 253
BN196 254
BN197 253
BN198 254
BP3 255
BP4 255
BP5 255
BP6 255
BP11 255
BR6 158, 257
BR7 158, 257
BR10 217
BR51 257
BR52 257
BR53 257
BR61 257
BR62 257
BR71 257
BR72 257
BR73 257
BR74 257
BT1 40
BT2 40
BT3 40
BT4 40
BT7 41
BT21 40
BT22 40
BT23 40
BT24 40
BT25 40
BT26 40
BT27 40
BT28 40
BTC1 40
BTC2 40
BTC3 40
BTC4 40

C

CAN1 356
CAN2 356
CAN3 358
CAN3A 358
CAN7 357
CAN8 358
CB20 286, 306
CAN11 303, 356
CAN12 300, 357
CAN12K 357
CAN13 357
CAN13K 357
CAN14 357
CAN14K 357
CAN15 300, 357
CAN16 303, 356
CAN17 241
CAN18 303, 356
CAN19 357
CAN20 355
CAN21 355
CAN22 355
CAN23 355
CAN24 355
CAN25 300, 356
CAN26 358
CAN27 286, 295, 357
CAN28 286, 294, 357
CAN30 356
CAN50 300, 356
CAN55 358
CAN56 358
CAN60 300, 356
CAN105 355
CAN110 355
CAN305 355
CAN310 355
CAN320 355
CP11 255
CPR14 42
CPR14M 42
CPR16 42
CPR20 42
CPR25 42
CPR25M 42
CPR30 42
CPR35 42
CPR40 42
CPR40M 42
CPR50M 42
CPR60M 42
CPR70M 42
CPR80M 42
CVB88 250
CVB96 250
CVB96B 250

D

DB1 413
DB2 413
DB3 413
DB4 413
DB5 413
DB6 413
DB7 413
DB8 413
DB9 413
DB10 413
DB11 413
DB12 413
DB13 413
DB14 413
DB15 413
DB16 413
DB17 413
DB18 413
DB19 413
DB20 413
DB21 413
DB22 413
DB23 413
DB24 413
DBK3 413
DC1 251
DC2 251
DC3 251
DC4 251
DC5 251
DC6 251
DC62 269
DC70 288
DCB1 420
DCB1.5 420
DCB2 420
DCB2.5 420
DCB3 420
DCB3.2 420
DCB3.3 420
DCB3.5 420
DCB4 420
DCB4.5 420
DCB4.8 420
DCB5 420
DCB5.5 420
DCB6 420
DCB6.5 420
DCB7 420
DCB7.5 420
DCB8 420
DCB8.5 420
DCB9 420
DCB9.5 420
DCB10 420
DCB10.5 420
DCB11 420
DCB11.5 420
DCB12 420
DCB12.5 420
DCB13 420
DCD1 410
DCD1B 410
DCD3 410
DCD3B 410
DCD5 410
DCD7 410
DCD9 410
DCD9B 410
DCD23 408
DCD24 408
DCD31 409
DCD33 409
DCD35 409
DCD37 409
DCD39 409
DCD45 409
DCD46 409
DCD51 408
DCD51B 408
DCD52 408
DCD52B 408
DCD56 409
DCD56B 409
DCG1 410
DCG1B 410
DCK6 421
DCK19 420
DCK25 420
DCL62 258
DCL63 258
DCL64 258
DCLP51 408
DCLP52 408
DCLP70 409
DCLP71 409
DDB1 411
DDB2 411
DDB3 411
DDB4 411
DDB5 411
DDB6 411
DDB7 411
DDK19 417
DDK25 417
DDW1 420
DDW2 420
DDW3 420
DDW4 420
DEB1 343
DEB2 342
DEB3 342
DEB4 342
DEB5 343
DEB6 342
DEB7 343
DEB15 339, 343
DEB20 308
DEB21 308
DEB22 342
DEB22C 342
DEB24 342
DEB24B 342
DEB32 342
DEB32C 342
DEB34 342
DEB34B 342
DEB74 343
DEB74B 343
DEB74PP 339, 343
DEB75 339, 343
DEB80A 343
DEB81 343
DEB81B 343
DEB90A 343
DEB91 343
DEB91B 343
DEB112 342
DEB112C 342
DEB114 342
DEB114B 342
DEB142 342
DEB142B 342
DEB200 343
DEB201 343
DEB201B 343
DET1 363
DET5 363
DET6 363
DET7 363
DFD114 406
DFD114A 406
DFD116 406
DFD116B 406
DFD118 406
DFD124 406
DFD126 406
DFD128 406
DFD1110 406
DFD1210 406
DGD2 411
DGD4 411
DGD6 411
DGD8 411
DGD10 411
DGM1 419
DGM1.5 419
DGM2 419
DGM2.5 419
DGM3 419
DGM3.5 419
DGM4 419
DGM4.5 419
DGM5 419
DGM5.5 419
DGM6 419
DGM6.5 419
DGM7 419
DGM7.5 419
DGM8 419
DGM8.5 419
DGM9 419
DGM9.5 419
DGM10 419
DGM10.5 419
DGM11 419
DGM11.5 419
DGM12 419
DGM12.5 419
DGM13 419

DH12 416
DH14 416
DH18 416
DH38 416
DH116 416
DH316 416
DH332 416
DH516 416
DH532 416
DH564 416
DH716 416
DH732 416
DH764 416
DH932 416
DH964 416
DH1132 416
DH1164 416
DH1332 416
DH1364 416
DH1532 416
DH1564 416
DH1764 416
DH1964 416
DH2164 416
DH2364 416
DH2564 416
DH2764 416
DH2964 416
DH3164 416
DHK19 416
DHK25 416
DHM1 416
DHM1.5 416
DHM2 416
DHM2.5 416
DHM3 416
DHM3.2 416
DHM3.3 416
DHM3.5 416
DHM4 416
DHM4.2 416
DHM4.5 416
DHM4.8 416
DHM4.9 416
DHM5 416
DHM5.5 416
DHM6 416
DHM6.5 416
DHM6.8 416
DHM7 416
DHM7.5 416
DHM8 416
DHM8.5 416
DHM9 416
DHM9.5 416
DHM10 416
DHM10.2 416
DHM10.5 416
DHM11 416
DHM11.5 416
DHM12 416
DHM12.5 416
DHM13 416
DKEY2 422
DKEY3 422
DPD11 406
DPD12 406
DPD13 406
DPD14 407
DPMK5 421
DPW21 407
DPW22 407
DPW31 407
DPW32 407
DR12 418
DR14 418
DR14L 418
DR18 418
DR18L 418
DR34 421
DR38 418
DR58 421
DR78 421
DR116 418
DR316 418
DR316L 418
DR332 418
DR516 418
DR532 418
DR564 418
DR716 418
DR732 418
DR764 418
DR916 421
DR932 418
DR964 418
DR1116 421
DR1132 418
DR1164 418
DR1316 421
DR1332 418
DR1364 418
DR1532 418
DR1564 418
DR1764 418
DR1964 418
DR2164 418
DR2364 418
DR2564 418
DR2764 418
DR2964 418
DR3164 418
DRC1 422
DRC2 422
DRC5 422
DRC6 422
DRD25 419
DRK8 421
DRK19 418
DRK25 419
DRM1 418
DRM1.5 418
DRM2 418
DRM2.5 418
DRM3 418
DRM3.2 418
DRM3.3 418
DRM3.5 418
DRM4 418
DRM4.5 418
DRM4.8 418
DRM5 418
DRM5.5 418
DRM6 418
DRM6.5 418
DRM7 418
DRM7.5 418
DRM8 418
DRM8.5 418
DRM9 418
DRM9.5 418
DRM10 418
DRM10.5 418
DRM11 418
DRM11.5 418
DRM12 418
DRM12.5 418
DRM13 418
DRP1 393
DRS14 421
DRS15 421
DRS16 421
DRS18 421
DRS19 421
DRS20 421
DRST18 421
DRST32 421
DSL21N 289
DSL31 290
DSL40 290
DSL50 291
DSL60 289
DSL62 289
DX12 417
DX14 417
DX18 417
DX38 417
DX116 417
DX316 417
DX332 417
DX516 417
DX532 417
DX564 417
DX716 417
DX732 417
DX764 417
DX932 417
DX964 417
DX1132 417
DX1164 417
DX1332 417
DX1364 417
DX1532 417
DX1564 417
DX1764 417
DX1964 417
DX2164 417
DX2364 417
DX2564 417
DX2764 417
DX2964 417
DX3164 417
DXC2.5 420
DXC3.0 420
DXC3.2 420
DXC3.3 420
DXC3.5 420
DXC4.0 420
DXC4.5 420
DXC5.0 420
DXC5.5 420
DXC6.0 420
DXC6.5 420
DXC8.0 420
DXM1 417
DXM1.5 417
DXM2 417
DXM2.5 417
DXM3 417
DXM3.2 417
DXM3.3 417
DXM3.5 417
DXM4 417
DXM4.2 417
DXM4.5 417
DXM4.8 417
DXM4.9 417
DXM5 417
DXM5.5 417
DXM6 417
DXM6.5 417
DXM6.8 417
DXM7 417
DXM7.5 417
DXM8 417
DXM8.5 417
DXM9 417
DXM9.5 417
DXM10 417
DXM10.2 417
DXM10.5 417
DXM11 417
DXM11.5 417
DXM12 417
DXM12.5 417
DXM13 417

E

EAC1 52
EAC2 52
EAC3 52
EAC4 52
EAC4BK 52
EAC6 53
EAC9 52
EAC9BK 52
EAC13 53
EAC26 53
EAC27 53
EAC100 52, 203
EAC105 52, 203
EAC106 52, 203
EAC108 52, 203
EAC110 52, 203
EAC113 52, 203
EAC116 52, 203
EAC121 52, 203
EAC125 52, 203
EAC129 52, 203
EAC135 52, 203
EAC138 52, 203
EAC144 52, 203
EAC148 52, 203
EAC152 52, 203
EAC160 52, 203
EAC405 52
EAC406 52
EAC409 52
EAC412 52
EAC419 52
EB149 85
EB150 85
EB207 85
EB209 85
EB233 85
EB239 85
EB241 84
EB242 85
EB245 85
EB249 85
EB264 85
EB269 85
EB286 85
EB334 84
EB346 84
EB380 84
EB382 84
EB448 82
EB453 82
EB460 82
EB466 82
EB472 83
EB474 82
EB475 83
EB477 82
EB501 84
EB501A 84
EB507 84
EB508 85
EB566 84
EB581 84
EB9005 82
EB9006 82
EB85122 83
EB85402 83
EBC101 78, 280
EBC102 78, 280
EBC103 78, 280
EBC104 78, 280
EBC105 78, 280
EBC203 78, 280
EBC301 79, 281
EBC302 79, 281
EBC303 79, 281
EBC303G 79, 281
EBC305 79, 281
EBL270 80, 279
EBL330 80, 279
EBL570 80, 279
EBT6087 277
EBT6095A 277
EBT6095R 277
EBT6095W 277
EBT7008 276
EBT7009 276
EBT7058 277
EBT7060 277
EBT7069 277
EBT7085 277
EBT7099 277
EBT9008 276
EBT9550 274, 276
EBT9553 274, 276
EBT9711 277
EBU007 102
EBU027 102
EBU033 102
EBU034 102
EBU077 102
EBW1 77, 278
EBW2 77, 278
EBW3 77, 278
EBW4 77, 278
EBW5 77, 278
EBW6 77, 278
EC9 43
EC12 269
EC13 42, 353
EC14 42, 353
EC15 42, 80
EC24 269
EC49 65
EC50 65
EC51 65
EC52 65
EC53 65
EC54 65
EC55 65
EC56 65
EC57 65
EC60 45
EC61 45
EC62 45
EC63 43-44
EC64 43-44
EC65 43-44
EC66 43-44
EC67 44
EC68 44
EC69 45
EC70 43
EC71 43
EC71A 43
EC72 43
EC73 43
EC74 43
EC74A 43
EC75 43
EC75A 43
EC76 43
EC76A 43
EC77 43
EC78 43
EC78A 43
EC80 43
EC81 43
EC82 42
EC83 42
EC84 42
EC85 42
EC86 44
EC87 44
EC88 42
EC88A 42
EC89 42
EC89A 42
EC90 42
EC90A 42
EC91 42
EC92 45
EC93 45
EC94 45
EC95 45
EC200BK 61
EC200BN 61
EC200BU 61
EC200GR 61
EC200PU 61
EC200RE 61
EC200WH 61
EC200YE 61
EC300BK 61
EC300BN 61
EC300BU 61
EC300GR 61
EC300PU 61
EC300RE 61
EC300WH 61
EC300YE 61
EC400BK 62
EC400BN 62
EC400RE 62
EC500BK 62
EC500BN 62
EC500RE 62
EC600BK 62
EC600BN 62
EC600RE 62
EC702 62
EC703 62
EC712 62
EC713 62
EC801 63
EC801RE 63
EC802 63
EC802RE 63
EC803 63
EC803RE 63
EC900 62
EC901 62
EC902 62
EC903 62
EC904 62
EC1102 63
EC1104 63
EC1201 63
EC1202 63
EC1204 63
EC1205 63
EC1207 63
EC1211 63
EC1221 63
EC1222 63
EC1223 63
EC1231 63
EC1232 63
EC1233 63
EC1234 63
EC2000BK 61
EC2000BN 61
EC2000BU 61
EC2000GR 61

EC2000PU 61
EC2000RE 61
EC2000WH 61
EC2000YE 61
EC3000BK 61
EC3000BN 61
EC3000BU 61
EC3000GR 61
EC3000PU 61
EC3000RE 61
EC3000WH 61
EC3000YE 61
EC7020 62
EC7030 62
EC7120 62
EC7130 62
ECC5 33
ECC25 33
ECC50 33
ECG16 53
ECG20 53
ECG25 53
ECG32 53
ECG40 53
ECG50 53
ECR 64
ECS10 53
ECS11 53
ECS16 53
ECS19 53
ECS29 53
ECS31 53
ECS33 53
ECS34 53
ECS41 53
ECS42 53
ECS43 53
ECS44 53
ECT1N 57
ECT2 57
ECT2D 57
ECT3 57
ECT4 57
ECT5N 57
ECT6 57
ECT7 57
ECT7D 57
ECT8 57
ECT9 57
ECT10 57
ECT20 57
ECT21 57
ECT22 57
ECT23 57, 183
ECT25 57, 183
ECT26 57
ECT35 57
ECT38 57
ECT39 57
ECT40 57
ECT41 57
ECT107 56
ECT108 56
ECT210 54
ECT210/5 54
ECT210/10 54
ECT210/55K 54
ECT216 54
ECT216/5 54
ECT216/10 54
ECT216/40K 54
ECT220 54
ECT220/5 54
ECT220/10 54
ECT220/30K 54
ECT314 54
ECT314/5 54
ECT314/10 54
ECT314/30K 54
ECT320 54
ECT320/5 54
ECT320/10 54
ECT320/20K 54
ECT330 54
ECT330/5 54
ECT330/10 54
ECT330/17K 54
ECT416 54
ECT416/5 54
ECT416/10 54
ECT416/16K 54
ECT420 54
ECT420/5 54
ECT420/10 54
ECT420/15K 54
ECT420BU 56
ECT420BU/5 56
ECT420BU/10 56
ECT420BU/15K 56
ECT420GR 56
ECT420GR/5 56
ECT420GR/10 56
ECT420GR/15K 56
ECT420RE 56
ECT420RE/5 56
ECT420RE/10 56
ECT420RE/15K 56
ECT420YE 56
ECT420YE/5 56
ECT420YE/10 56
ECT420YE/15K 56
ECT425 54
ECT425/5 54
ECT425/10 54
ECT425/12K 54
ECT430 54
ECT430/5 54
ECT430/10 54
ECT430/11K 54
ECT430BU 56
ECT430BU/5 56
ECT430BU/10 56
ECT430BU/11K 56
ECT430GR 56
ECT430GR/5 56
ECT430GR/10 56
ECT430GR/11K 56
ECT430RE 56
ECT430RE/5 56
ECT430RE/10 56
ECT430RE/11K 56
ECT430YE 56
ECT430YE/5 56
ECT430YE/10 56
ECT430YE/11K 56
ECT437 54
ECT437/5 54
ECT437/10 54
ECT437/9K 54
ECT437BU 56
ECT437BU/5 56
ECT437BU/10 56
ECT437BU/9K 56
ECT437GR 56
ECT437GR/5 56
ECT437GR/10 56
ECT437GR/9K 56
ECT437RE 56
ECT437RE/5 56
ECT437RE/10 56
ECT437RE/9K 56
ECT437YE 56
ECT437YE/5 56
ECT437YE/10 56
ECT437YE/9K 56
ECT439 54
ECT439/5 54
ECT439/10 54
ECT439/85 54
ECT443 54
ECT443/5 54
ECT443/10 54
ECT443/75 54
ECT720 54
ECT720/5 54
ECT720/10 54
ECT720/7K 54
ECT730 54
ECT730/5 54
ECT730/10 54
ECT730/5K 54
ECT737 54
ECT737/5 54
ECT737/10 54
ECT737/4K 54
ECT745 54
ECT745/5 54
ECT745/10 54
ECT745/25 54
ECT754 54
ECT754/5 54
ECT754/10 54
ECT754/2K 54
ECT943 54
ECT943/5 54
ECT943/10 54
ECT943/25 54
ECT953 54
ECT953/5 54
ECT953/10 54
ECT953/2K 54
ECT971 54
ECT971/5 54
ECT971/10 54
ECT971/2K 54
ECT978 54
ECT978/5 54
ECT978/10 54
ECT978/2K 54
ECT9102 54
ECT9102/5 54
ECT9102/1K 54
ECT1258 54
ECT1258/5 54
ECT1258/12 54
ECT12103 54
ECT12103/6 54
ECTG420 56
ECTG420/5 56
ECTG420/10 56
ECTG420/15K 56
ECTG430 56
ECTG430/5 56
ECTG430/10 56
ECTG430/11K 56
ECTG437 56
ECTG437/5 56
ECTG437/10 56
ECTG437/9K 56
ECTW1N 57
ECTW2 57
ECTW3 57
ECTW4 57
ECTW6 57
ECTW7 57
ECTW8 57
ECTW9 57
ECTW35 57
ECTW210 55
ECTW210/5 55
ECTW210/10 55
ECTW210/55K 55
ECTW216 55
ECTW216/5 55
ECTW216/10 55
ECTW216/40K 55
ECTW220 55
ECTW220/5 55
ECTW220/10 55
ECTW220/30K 55
ECTW314 55
ECTW314/5 55
ECTW314/10 55
ECTW314/30K 55
ECTW320 55
ECTW320/5 55
ECTW320/10 55
ECTW320/20K 55
ECTW330 55
ECTW330/5 55
ECTW330/10 55
ECTW330/17K 55
ECTW416 55
ECTW416/5 55
ECTW416/10 55
ECTW416/16K 55
ECTW420 55
ECTW420/5 55
ECTW420/10 55
ECTW420/15K 55
ECTW425 55
ECTW425/5 55
ECTW425/10 55
ECTW425/12K 55
ECTW430 55
ECTW430/5 55
ECTW430/10 55
ECTW430/11K 55
ECTW437 55
ECTW437/5 55
ECTW437/10 55
ECTW437/9K 55
ECTW439 55
ECTW439/5 55
ECTW439/10 55
ECTW439/85 55
ECTW443 55
ECTW443/5 55
ECTW443/10 55
ECTW443/75 55
ECTW720 55
ECTW720/5 55
ECTW720/10 55
ECTW720/7K 55
ECTW730 55
ECTW730/5 55
ECTW730/10 55
ECTW730/5K 55
ECTW737 55
ECTW737/5 55
ECTW737/10 55
ECTW737/4K 55
ECTW745 55
ECTW745/5 55
ECTW745/10 55
ECTW745/25 55
ECTW754 55
ECTW754/5 55
ECTW754/10 55
ECTW754/2K 55
ECTW943 55
ECTW943/5 55
ECTW943/10 55
ECTW943/25 55
ECTW953 55
ECTW953/5 55
ECTW953/10 55
ECTW953/2K 55
ECTW971 55
ECTW971/5 55
ECTW971/10 55
ECTW971/2K 55
ECTW978 55
ECTW978/5 55
ECTW978/10 55
ECTW978/2K 55
ECTW9102 55
ECTW9102/5 55
ECTW9102/1K 55
ECTW1258 55
ECTW1258/5 55
ECTW1258/12 55
ECTW12103 55
ECTW12103/6 55
EFA150 50
EFA160 50
EFA180 50
EFA320 50
EFA340 50
EFA360 50
EFB1 46
EFB2 46
EFB3 46
EFB4 46
EFB5 46
EFB7.5 46
EFB10 46
EFB15 46
EFB20 46
EFB25 46
EFB30 46
EFB40 46
EFB102 49
EFB103 49
EFB104 49
EFB105 49
EFB107 49
EFB110 49
EFB115 49
EFB120 49
EFB125 49
EFB130 49
EFB220 49
EFB230 49
EFB240 49
EFB250 49
EFB260 49
EFB270 49
EFB280 49
EFBM25 48
EFBM27.5 48
EFBM210 48
EFBM215 48
EFBM220 48
EFBM225 48
EFBM230 48
EFBM35 48
EFBM37.5 48
EFBM310 48
EFBM315 48
EFBX 47, 482
EFC5 51
EFC8 51
EFC16 51
EFC25 51
EFD3 51, 64
EFD5 51, 64
EFD13 51, 64
EFG2 51
EFG5 51
EFG10 51
EFG15 51
EFG20 51
EFG25 51
EFG35 51
EFG50 51
EFG101 51
EFG102 51
EFH1 51
EFH4 49
EFH5 47
EFH6 47
EFH7 49
EFH8 47
EFH9 47
EFH10 47
EFH11 51
EFH20 47
EFH30 47
EFH50 47
EFH84 49
EFH120 49
EFH130 49
EFH140 48
EFH150 47
EFH220 47
EFH230 47
EFH430 49
EFH530 47
EFJ20 50
EFJ30 50
EFJ40 50
EFJ50 50
EFJ60 50
EFJ120 50
EFJ130 50
EFJ140 50
EFJ150 50
EFJ160 50
EFL105 48
EFL107 48
EFL110 48
EFL115 48
EFL120 48
EFL125 48
EFL130 48
EFM150 51
EFM175 51
EFM250 51
EFM500 51
EFX3 46
EFX4 46
EFX5 46
EFX7.5 46
EFX10 46
EFX10K 46
EFX15 46
EFX15K 46
EFX20 46
EFX20K 46
EFX25 46
EFX30 46
EFX102 48
EFX103 48
EFX104 48
EFX105 48
EFX107 48
EFX110 48
EFX110K 48
EFX115 48
EFX115K 48
EFX120 48
EFX120K 48
EFX125 48
EFX130 48
EFX203 46
EFX204 46
EFX205 46
EFX207 46
EFX210 46
EFX215 46
EFX220 46

EFX225 46
EFX230 46
EFX305 46
EFX307 46
EFX310 46
EFX315 46
EFX320 46
EFX325 46
EFX330 46
EG1 37
EG2 37
EG3 37
EG4 37
EG5 37
EG6 37
EG7 37
EG8 37
EG9 37
EG28 37
EG29 37
EG30 37
EG31 37
EG32 37
EG33 37
EG34 37
EG35 37
EG36 37
EG37 37
EG38 37
EH1 81
EH2 81
EH3 81
EH4 81
EHL12 80
EHL29 80
EHL30 80
EHL55 80
EHL300B 74
EHL300LR 74
EHL300LY 74
EHL300R 74
EHL305 74
EHL640 80
EHL805 81
EHL810 81
EHL1000 74
EHL1002 74
EHLED4 81
EHLED4A 81
EHLED6 81
EHLED6A 81
EHLF2R 76
EHLF3R 76
EHS13 38
EHS13RE 38
EHS14 38
EHS14RE 38
EHS41 38
EHS41RE 38
EHS42 38
EHS42RE 38
EHS43 38
EHS43RE 38
EHS44 38
EHS44RE 38
EHS45 38
EHS45RE 38
EHS61 38
EHS62 38
EHS63 38
EHS64 38
ELED501RES 98
EM1 267
EM3 267
EM4 267
EMC5 52
EMC5BK 52
EMC9 52
EMC9BK 52
EMH250 80, 279
EMH400 80, 279
EMH1000 80, 279
EP209 89
EP269 89
EP286T 89
EP335 88
EP339 88
EP346 88
EPG13 53
EPG16 53
EPG21 53
EPG29 53
EPG36 53
EPG42 53
EPT1 39, 323
EPT2 39, 323
EPT3 39, 323
EPT4 39
EPT5 38
EPT6 39
EPT7 39, 323
EPT11 39, 323
EPT12 39, 323
EPT13 39, 323
EPT14 39, 323
EPT15 39, 323
EPT16 39, 323
EPT17 39, 323
EPT18 39, 323
EPT21 39, 323
EPT74 39, 323
ER12 92
ER24 92
ER149 97
ER150 96
ER180 97
ER207 97
ER209 96
ER233 99
ER239 100
ER241 95
ER242 100
ER245 97
ER246 97
ER247 96
ER248 97
ER249 99
ER260 100
ER264 100
ER265 100
ER269 100
ER272 100
ER273 100
ER274 100
ER281 99
ER283 99
ER286 101
ER286B 101
ER289 99
ER290 95
ER291 95
ER294 96
ER295 97
ER296 99
ER334 96
ER335 95
ER339 95
ER343 95
ER345 95
ER346 95
ER380 96
ER381 97
ER382 95
ER395 94
ER410 93
ER429 93
ER434 99
ER435 99
ER442 90
ER443 90
ER448 91
ER448EQ 91
ER453 90
ER460 90
ER466 91
ER470 99
ER472 91
ER473 91
ER474 90
ER475 91
ER477 90
ER501 98
ER501A 98
ER504 98
ER505 98
ER507 98
ER508 101
ER508T 101
ER508TCWH 101
ER509T 101
ER535 99
ER566 96
ER567 96
ER570 99
ER571 99
ER580 96
ER581 95
ER582 95
ER585 95
ER588 95
ER708 92
ER709 93
ER711 93
ER874 97
ER875 96
ER921 96
ER955 96
ER987 97
ER1471 101
ER1791 101
ER2401LED 101
ER8328 101
ER9005 92
ER9006 92
ER85126 94
ER85402 94
ERAC630 234
ERAC700 234
ERAC820 235
ERAC900 234
ERB149 97
ERB150 96
ERB207S 97
ERB209 96
ERB233 99
ERB239 100
ERB241 95
ERB242 100
ERB245S 97
ERB246 97
ERB249 99
ERB264 100
ERB269 100
ERB272 100
ERB286 101
ERB294 96
ERB335 95
ERB343 95
ERB346 95
ERB380 96
ERB382 95
ERB501 98
ERB501A 98
ERB504 98
ERB505 98
ERB507 98
ERB508 101
ERB508T 101
ERB566 96
ERB580 96
ERB582 95
ERB581 95
ERB585 95
ERB955 96
ERB1496LED 97
ERB2416LED 95
ERB5076FSLED 98
ERB5076LED 98
ERBA50 106
ERCB116 67
ERCB120 67
ERCB125 67
ERCB132 67
ERCB316 67
ERCB320 67
ERCB325 67
ERCB332 67
ERCB340 67
ERCB350 67
ERCB363 67
ERCD243 67
ERCD253 67
ERCD413 67
ERCD425 67
ERCD443 67
ERCD463 67
ERCD633 67
ERCT816P 274, 276
ERCT830P 274, 276
ERCT900P 274, 276
ERCV5012 80, 279
ERCV5013 80, 279
ERCV9420 78-79, 280-281
ERCV9607 77, 278
ERCV9608 77, 278
ERCV9761 79, 281
ERCV9822 79, 281
ERDCP20 68
ERIL56 73
ERIL58 73
ERIL4200 75
ERIL4300 75
ERINV120 104
ERINVMA10 104
ERINVMA20 104
ERINVU300 104
ERINVU500 104
ERL1 41
ERL4 41
ERL5 41
ERL6 41
ERL7 41
ERL11 41
ERL100 41
ERLD1 299
ERLD2 299
ERLD4 299
ERMM500 482
ERP13 274
ERP14 274
ERP18 64
ERP20 64
ERP25 64
ERP41 274
ERP42 274
ERP42A 274
ERP50 64
ERP51 64
ERP52 64
ERP54 64
ERP55 64
ERP56 64
ERP57 64
ERP62 65
ERP63 65
ERP68 65
ERP68A 65
ERP69 65
ERP69A 65
ERP71 64
ERP74 64
ERP76 65
ERP77 65
ERP78 65
ERP79 65
ERP80 65
ERP81 65
ERP82 66
ERP83 66
ERP84 66
ERP85 66
ERP86 66
ERP88 66
ERP89 66
ERP90 66
ERP102 66
ERP103 66
ERP104 66
ERP105 66
ERP106 66
ERP107 66
ERP108 66
ERP109 66
ERP110 66
ERP111 66
ERP112 66
ERP113 66
ERP116 274
ERP117 274
ERP125 65
ERP150 65
ERPB121 101
ERPB122 101
ERPB243 101
ERPPL300 106
ERPPL700 107
ERPPS3000A 107
ERPPS4000A 107
ERSC704 105
ERSC808 105
ERSCPR50 105
ERSD125 67
ERSD140 67
ERSD163 67
ERSD310 67
ERSD340 67
ERSD363 67
ERSD380 67
ERSD410 67
ERSR230 66
ERST230 66
ERT5174 70
ERT5191 70
ERT5210 70
ERTC2000 235
ERTC6000 235
ERU126 102
ERU175 103
ERU280 103
ERU194 103
ERVEP1 68
ERVEP2 68
ERW207LED 97
ERW239CBLED 100
ERW380LED 96
ERW382LED 95
ERW477FLED 90
ERW501CBLED 98
ERW1511 93
ERW1548 91
ERW1572 91
ERW1577 90
ERW2336FSLED 99
ERW2394LED 100
ERW2396FSLED 100
ERW2396LED 100
ERW5014LED 98
ERW5016FSLED 98
ERW5016LED 98
ERW23912LED 100
ERW50112LED 98
ERWL10 76
ERWL50 76
ESL1 35
ESL2 35
ESL5 35
ESL6 35
ESL51 35
ESL52 35
ET1 31
ET2 31
ET3 28
ET4 28
ET5 29
ET6 28
ET7 29
ET8 30
ET9 28
ET10 29
ET10K 29
ET11 30
ET12 30
ET13 28
ET14 29
ET15 28
ET16 29
ET17 30
ET18 28
ET19 29
ET20 28
ET21 29
ET22 28
ET23 29
ET24 30
ET25 28
ET26 29
ET27 30
ET28 28
ET29 29
ET30 30
ET31 29
ET32 30
ET33 28
ET33K 28
ET34 29
ET34K 29
ET35 30
ET36 28
ET37 29
ET37K 29
ET38 30
ET39 31
ET41 31
ET42 29
ET43 30
ET44 28
ET45 28
ET46 29
ET47 29
ET48 28
ET49 30

ET50 30
ET51 28
ET52 29
ET53 28
ET54 29
ET55 28
ET56 29
ET57 28
ET58 29
ET59 30
ET60 31, 34
ET61 31, 34
ET62 33
ET63 33
ET64 33
ET65 33
ET66 33
ET67 29
ET68 33
ET69 33
ET70 33
ET71 33
ET72 33
ET73 33
ET74 33
ET75 33
ET76 33
ET77 33
ET78 33
ET79 33
ET80 33
ET81 33
ET82 33
ET83 33
ET84 33
ET85 33
ET91 32
ET91A 32
ET91K 32
ET92 32
ET92A 32
ET92K 32
ET93 32
ET201 32
ET202 32
ET203 32
ET204 32
ET221 32
ET222 32
ET223 32
ET224 32
ET241 32
ET242 32
ET301 32
ET302 32
ET303 32
ET304 32
ET401 31
ET402 31
ET403 31
ET404 31
ET405 31
ET406 31
ET407 31
ET408 31
ET409 31
ET410 31
ET420 31
ET421 31
ET423 31
ET428 31
ET429 31
ET432 31
ET481 31
ET482 31
ET491 31
ET492 31
ET500 37
ET501 36
ET502 37
ET503 36
ET504 37
ET505 36
ET506 37
ET507 36
ET508 37
ET509 36
ET510 37
ET511 36
ET512 36
ET513 36
ET514 36
ETB2.5 35
ETB5 35
ETB15 35
ETB30 35
ETB50 35, 81
ETB51 81
ETB52 81
ETB102 35
ETB103 35
ETB104 35
ETB105 35
ETB106 35
ETB108 35
ETB611 34
ETB612 34
ETB612T 34
ETB613 34
ETB614 34
ETB616 34
ETB621 34
ETB622 34
ETB622T 34
ETB623 34
ETB624 34
ETB626 34
ETL1H5 70
ETL1H5R 71
ETL1H5RPC 71
ETL10 72
ETL1060 73
ETLH5 70
ETLH5R 71
ETLH7R 71
ETLNE4 70
ETLNE6R 71
ETLP4R 72
ETLP5R 72
ETLP7R 72
EU149 89
EU150 89
EU207 89
EU233 89
EU239 89
EU241 88
EU242 89
EU245 89
EU249 89
EU269 89
EU286 89
EU334 88
EU380 88
EU382 88
EU501 89
EU501A 89
EU507 89
EU508 89
EU566 88
EU581 88
EUB448 86
EUB453 86
EUB460 86
EUB466 86
EUB472 87
EUB474 86
EUB475 87
EUB499 86
EUB9005 86
EUB9006 86
EUB85122 87
EUB85126 87
EUB85402 87
EWL100 76
EWL101 76
EX2 266
EX3 266
EX4 266
EX5 266
EX112 266
EX114 266
EX116 266
EX118 266
EX134 266
EX138 266
EX178 266
EX212 266
EX214 266
EX216 266
EX218 266
EX234 266
EX238 266
EX258 266
EX318 266
EX358 266
EX312 266
EX314 266
EX334 266
EX412 266
EX414 266
EX434 266
EX436 266
EX456 266
EX518 266
EXHD42 266
EXHD45 266
EXHD48 266
EXHD50 266
EXHD52 266
EXHD54 266
EXHD58 266
EXHD60 266
EXHD65 266
EXHD67 266
EXHD70 266

F

FE1 363
FE2 363
FIX1 162, 193
FIX6 175, 185, 189-190, 193
FIX7 176
FIX9 174
FIX18 159
FIX20 163, 199
FIX21 164, 187-188, 190
FIX22 174
FIX23 174, 190, 195
FIX26 175, 186
FIX28 174
FIX29 163, 188, 190, 198
FIX30 162, 186-187
FIX31 170, 191, 193, 197, 199
FIX32 181, 187, 191
FIX33 162
FIX34 162
FIX35 162, 190-191, 199
FIX36 162, 190, 199
FIX37 177, 190
FIX38 174
FIX39 169, 185, 187, 189, 191, 193, 198-199
FIX42 168, 189, 196
FIX43 168, 193, 196, 198
FIX44 168
FIX45 168, 193
FIX46 162, 186
FIX47 177, 186, 197
FIX48 177, 190
FIX49 179, 186, 189
FIX50 183, 189-190
FIX52 182, 189-190, 196
FIX53 182, 190
FIX54 182
FIX55 182
FIX56 182
FIX57 182
FIX58 163, 186
FIX60 183
FIX61 162, 186
FIX63 179, 185
FIX64 179, 185
FIX65 168, 186
FIX66 168, 185
FIX67 180, 190
FIX69 182, 190
FIX70 151, 184, 190, 198
FIX71 174, 186
FIX72 174
FIX73 174, 186, 197
FIX74 174, 190
FIX76 182
FIX77 182
FIX78 182
FIX79 162, 185
FIX80 177, 185, 187-188
FIX81 178, 186
FIX82 178, 186
FIX83 178, 186
FIX84 185
FIX85 180, 186
FIX86 180, 186
FIX87 175, 186
FIX88 168
FIX91 168
FIX94 168
FIX95 168, 196, 198-199
FIX97 168, 186-189, 193, 196
FIX98 168, 187, 189, 191, 195
FIX99 169, 185, 194
FIX100 168, 185, 187, 191, 193, 198-199
FIX103 168, 187, 190, 194, 198-199
FIX104 168, 198
FIX105 169, 187
FIX106 168, 193, 198
FIX107 165, 187, 194
FIX109 165, 187, 198
FIX110 167, 198-199
FIX111 165, 187, 194
FIX112 166, 187
FIX113 167
FIX114 167, 188, 194-195, 199
FIX116 165, 194
FIX117 170, 194
FIX118 170, 194, 199
FIX119 170
FIX120 170, 188, 191, 198
FIX121 170, 188, 191
FIX122 171, 188-190
FIX123 171, 192, 195
FIX124 170, 188
FIX126 170
FIX134 174, 186
FIX135 174, 187
FIX136 174, 187
FIX137 174, 186
FIX138 175, 186
FIX139 175, 186
FIX140 179, 185, 194
FIX142 174, 198
FIX144 175, 198
FIX145 175, 198-199
FIX146 175, 188, 194
FIX147 175, 187, 194, 198-199
FIX148 175, 187-188, 194
FIX149 147
FIX150 147
FIX151 147
FIX152 147
FIX153 147
FIX154 148, 198
FIX155 147
FIX160 177, 186
FIX161 146
FIX162 146
FIX163 164, 198
FIX164 164, 189, 196
FIX165 177, 190
FIX166 179, 189, 196
FIX167 176, 186, 190
FIX168 178, 186
FIX169 178, 187
FIX170 198
FIX174 168, 196
FIX175 169, 194, 199
FIX176 169, 194, 198-199
FIX177 169, 187
FIX178 166, 192
FIX179 195-196
FIX180 166, 192
FIX181 171, 192, 195
FIX182 172, 192-193, 195, 199
FIX183 150, 187, 191
FIX184 150, 187, 189, 191
FIX185 179, 185, 190, 198
FIX186 180, 185-186
FIX187 180, 186
FIX190 174, 197
FIX191 174, 188, 192
FIX192 174, 197
FIX193 175, 187
FIX194 150
FIX195 150, 187
FIX196 150
FIX197 186
FIX198 186
FIX199 186
FIX200 150, 187
FIX202 150
FIX206 151, 184, 199
FIX207 151, 184, 190-191
FIX209 184, 188
FIX210 184, 188-189, 191, 198
FIX211 184, 188, 191, 198
FIX212 184
FIX213 184, 188
FIX215 189
FIX216 172, 192
FIX217 177, 188
FIX218 163, 193
FIX219 181, 188
FIX221 174, 197
FIX227 179, 189-190
FIX228 179, 196-197
FIX230 178
FIX231 166, 192
FIX232 170, 191-193
FIX233 171, 191-193, 195
FIX234 170, 195, 197
FIX236 170, 188-189, 191
FIX237 179, 190
FIX238 166, 188
FIX239 185
FIX240 167, 195, 197
FIX242 177, 187, 198
FIX244 164, 186-188
FIX245 190-191
FIX250 177, 186, 189
FIX252 177, 187, 189
FIX253 163, 187
FIX255 177, 189, 196
FIX257 165, 189, 195
FIX258 166, 190, 196-197
FIX259 162, 191-192, 195, 197
FIX261 163, 192, 195
FIX262 163, 188
FIX263 178, 193
FIX266 179, 189-190
FIX267 163, 189, 198
FIX269 178, 189
FIX272 177, 188
FIX273 166, 189, 196
FIX274 186
FIX275 178, 187
FIX300 162, 192
FIX301 163, 192, 197
FIX302 162, 191, 193
FIX303 162, 193
FIX305 175, 194
FIX308 194
FIX309 194
FIX310 194
FIX311 194
FIX312 194
FIX313 194
FIX314 163, 195
FIX315 198
FIX317 198
FIX318 162, 196
FIX320 162, 191, 197
FIX321 185
FIX323 185-186
FIX325 181, 187
FIX328 191
FIX330 178, 191
FIX331 180, 190-191
FIX333 190
FIX334 190
FIX335 182, 190
FIX338 178, 189, 196
FIX339 196
FIX340 175, 198
FIX342 198
FIX343 198
FIX344 199
FIX345 185, 192, 195, 197
FIX349 162, 189, 196
FIX350 185
FIX352 195
FIX353 189
FIX354 180, 198
FIX355 191
FIX356 191
FIX357 192
FIX358 185
FIX359 171, 191
FIX360 181, 189
FIX361 182, 196
FIX363 182, 189
FIX364 199

FIX365 194
FIX366 175
FIX367 194
FIX368 197
FIX369 182
FIX370 195
FIX371 195
FIX373 194
FIX374 194
FIX375 190
FIX377 194
FIX378 199
FIX379 199
FIX380 162, 190
FIX382 182, 197
FIX383 188
FIX384 181, 191
FIX385 194
FIX386 194
FIX387 189
FIX388 192
FIX390 190
FIX391 188
FIX392 196
FIX394 196
FIX396 196
FIX397 196
FIX400 179, 186
FIX401 186
FIX403 167, 190
FIX404 188
FIX406 196
FIX407 181, 197
FIX409 149, 190
FIX411 180, 187
FIX413 186
FIX414 165, 194
FIX415 188
FIX416 188
FIX417 180, 188, 190, 198
FIX418 186
FIX419 188
FIX420 194
FIX421 175, 185
FIX422 186
FIX423 188
FIX424 180, 194
FIX425 194
FIX426 194
FIX427 194
FIX428 194
FIX429 194
FIX430 194
FIX431 194
FIX432 194
FIX433 196
FIX434 181, 186
FIX435 186
FIX436 181, 185
FIX438 189
FIX439 188
FIX440 162, 190, 196
FIX442 194
FIX445 188
FIX446 187, 190
FIX447 187
FIX448 189
FIX449 162, 191
FIX451 194
FIX452 185
FIX453 149, 187-188
FIX455 187
FIX456 186
FIX457 186
FIX458 182, 192, 197
FIX459 197
FIX460 162, 192
FIX461 175, 195, 197
FIX462 179, 197
FIX463 162, 192
FIX464 192
FIX465 192
FIX466 197
FIX467 192
FIX468 186
FIX472 194
FIX473 192
FIX474 186
FIX475 187
FIX476 191
FIX477 182, 197
FIX478 186, 194
FIX479 194
FIX480 194
FIX481 175, 188
FIX482 175, 188
FIX483 175, 188
FIX484 187
FIX485 188
FIX486 192
FIX487 192
FIX489 192
FIX490 181, 185
FIX493 194
FIX494 186
FIX495 178, 196
FIX496 196, 198
FIX497 188
FIX499 162, 193
FIX500 163, 188-190
FIX501 163, 189
FIX502 163, 192
FIX503 163, 187-188, 190, 198
FIX504 164
FIX505 164, 190
FIX506 167, 188, 194-195, 199
FIX507 167, 195, 197
FIX508 166, 189
FIX509 167
FIX510 165, 195-197, 199
FIX511 166, 197
FIX512 165, 195
FIX513 166, 188, 191, 193, 195, 199
FIX514 166, 192
FIX515 168, 186-189, 193, 196
FIX516 169, 194, 199
FIX517 169, 185, 187, 189, 191, 193, 198-199
FIX518 170, 191
FIX519 171, 192
FIX520 171, 192-193
FIX521 172, 192-193, 199
FIX522 170, 191, 193, 195, 197, 199
FIX523 171, 193, 195
FIX524 174, 185, 189-190
FIX525 174, 197
FIX526 174, 197
FIX527 176, 190, 197-199
FIX528 177, 187-188
FIX529 176, 186, 189, 196
FIX530 177, 197
FIX531 177, 197, 199
FIX532 179, 189-190, 196
FIX533 178, 190, 196, 198-199
FIX534 179, 189-190
FIX535 179, 192
FIX600 194
FIX601 194
FIX602 188
FIX603 193
FIX604 196
FIX605 191
FIX606 195
FIX607 186
FIX608 186
FIX609 194
FIX611 194
FIX613 162, 186
FIX614 186
FIX616 188
FIX617 188
FIX618 188
FIX619 188
FIX620 195
FIX621 175, 191, 195, 197
FIX622 197
FIX623 191
FIX624 182
FIX628 195
FIX629 197
FIX630 150, 186
FIX631 187
FIX632 188
FIX633 191
FIX634 180, 194
FIX635 194
FIX637 166, 197
FIX638 187
FIX639 181, 188
FIX640 181, 188
FIX641 195
FIX642 194
FIX644 186
FIX645 175, 192
FIX646 196
FIX648 196
FIX650 186
FIX651 167, 195
FIX652 148, 193
FIX653 148
FIX657 193
FIX660 149, 194
FIX661 149, 194
FIX662 196
FIX664 190
FIX668 164, 190
FIX669 164, 190
FIX672 163
FIX673 199
FIX674 199
FIX675 199
FIX677 163, 199
FIX680 199
FIX682 163, 199
FIX684 199
FIX687 164
FIX688 199
FIX689 199
FIX690 189, 191
FIX693 164
FIX696 190
FIX699 190
FIX700 192
FIX701 192
FIX703 164, 187, 198
FIX705 164, 198
FIX707 192, 196
FIX709 169, 199
FIX710 193, 198-199
FIX712 184, 189
FIX714 146, 187
FIX715 146
FIX716 146, 186-187, 189
FIX718 198
FIX719 146, 192
FIX720 146, 187, 193
FIX721 147
FIX722 149, 187
FIX724 147, 193
FIX725 146
FIX726 146, 191
FIX728 146
FIX729 146, 196
FIX730 147
FIX731 147
FIX732 147, 191
FIX733 146, 191, 195
FIX734 146, 191
FIX735 147
FIX736 147
FIX737 147
FIX738 147
FIX740 174, 190
FIX742 186, 190
FIX743 190
FIX746 175, 196
FIX747 174, 195, 197
FIX749 174, 197, 199
FIX751 167, 187-188, 190-191, 193, 196, 198
FIX753 166, 192
FIX754 167, 195, 199
FIX756 167, 191
FIX758 166, 192, 195, 197, 199
FIX759 165, 194
FIX760 165, 189, 195
FIX762 199
FIX763 167, 197
FIX764 166, 197
FIX765 166, 192
FIX766 165, 195, 197
FIX768 167, 195
FIX769 166, 192
FIX771 167, 197
FIX772 167, 196
FIX774 165
FIX775 165, 197
FIX776 165, 195, 197, 199
FIX778 188
FIX779 167, 194
FIX780 165, 187
FIX781 165, 195, 197, 199
FIX785 192
FIX786 165, 196
FIX791 188
FIX792 171, 186
FIX793 171, 186
FIX794 170, 195, 199
FIX795 171, 191-193, 195
FIX796 170, 191-193
FIX797 172
FIX798 172, 185-186
FIX800 192
FIX801 170, 193, 195
FIX802 172, 194
FIX804 171, 194
FIX806 170, 189, 196
FIX807 170, 192
FIX810 176, 191, 198
FIX812 177, 188
FIX814 189
FIX816 176, 196
FIX818 176
FIX819 178
FIX820 194
FIX821 178, 193
FIX822 179, 193
FIX824 177, 190
FIX827 190-191
FIX828 176, 196
FIX829 196
FIX831 176, 186, 190-191
FIX833 192
FIX835 176, 194
FIX837 179, 197
FIX838 176, 197-198
FIX841 176, 190-191, 194-195
FIX843 192
FIX845 176, 193, 196-197
FIX846 176, 185, 192
FIX848 177, 194
FIX850 179, 193
FIX851 191
FIX853 176, 194
FIX854 196
FIX856 176, 196, 199
FIX857 186
FIX858 194
FIX859 57, 183
FIX860 194
FIX861 178, 191
FIX862 150
FIX863 176, 198-199
FIX865 162
FIX866 187
FIX867 175, 189, 196
FIX868 193
FIX869 180
FIX871 192
FIX872 163, 192, 197
FIX877 192
FIX878 188
FIX880 176, 196
FIX883 196
FIX886 178, 193
FIX888 186, 189
FIX890 175, 188, 193
FIX891 166, 189-190, 198
FIX892 185
FIX1013 183
FIX1421 183
FIX2230 183
FUN1 359
FUN2 359
FUN3 359
FUN5 359
FUN6 359
FUN7 359
FUN50 359
FUN60 359

G

GAS3 396
GAS4 396
GAS5 396
GAS6 396
GAS7 396
GAS8 397
GAS9 397
GAS20 396
GAS21 396
GAS22 396
GAS23 396
GAS24 396
GAS25 392, 396
GAS26 392, 396
GAS30 396
GAS32 396
GAS35 397
GAS36 397
GAS37 397
GAS38 397
GAS39 397
GAS40 397
GAS60 397
GAS61 397
GAS62 397
GAS63 128, 397
GAS64 397
GAS71 397
GAS72 397
GAS73 397
GAS74 397
GAS75 397
GLU4 332
GLU4A 332
GLU5 323, 335
GLU10 320
GLU11 320
GLU12 332
GLU12A 332
GLU13 258, 288
GLU21 320
GLU24 320
GLU51 323, 335
GN1 302
GN2 302
GN3 302
GN4 302
GN5 302
GN6 302
GN7 302
GN8 302
GN9 302
GN10 302
GN11 302
GN12 302
GN13 302
GN14 302
GN15 302
GN16 302
GN17 302
GN19 302
GN20 303
GN22 302
GN23 303
GN31 302
GN32 302
GN33 302
GN34 302
GN35 302
GN36 302
GN37 302
GN51 303
GN52 303
GN191 302
GN192 302
GT5 258
GT6 258
GT14 258
GT18 258

H

HAC200 11, 135
HAW610 133
HAW811 133
HAW1013 133
HAW1014 133
HAW1216 133
HAW1218 133
HAW1418 133
HAW1420 133
HAW1620 133
HAW1721 133
HAW2227 133
HBA1 123
HBA3 123
HBA4 123
HBA5 123
HBA6 123
HBA7 123
HBA8 123
HBA9 123
HBA10 123

HBA11 123
HBA12 123
HBA13 123
HBA14 123
HBA15 123
HBA16 123
HBA17 123
HBC520 124
HBC525 124
HBC550 124
HBC610 124
HBC620 124
HBC612 124
HBC625 124
HBC650 124
HBC820 124
HBC825 124
HBH306 122
HBH308 122
HBH310 122
HBH312 122
HBH320 122
HBH325 122
HBH330 122
HBH350 122
HBH406 122
HBH412 122
HBH508 122
HBH510 122
HBH516 122
HBH550 122
HBH610 122
HBH612 122
HBH616 122
HBH620 122
HBH625 122
HBN5 119, 129, 267
HBN6 119, 129, 267
HBN7 119, 129, 267
HBN8 119, 129, 267
HBN10 119, 129, 267
HBN40 128
HBN41 128
HBN42 128
HBO2 117
HBO3 117
HBO4 117
HBO5 117
HBO6 117
HBO7 117
HBO8 117
HBO9 117
HBO10 117
HBO11 117
HBO12 117
HBO13 117
HBO14 117
HBO15 117
HBO16 117
HBO17 117
HBO21 117
HBO22 117
HBO23 117
HBO24 117
HBO25 117
HBO26 117
HBO27 117
HBO28 117
HBO29 117
HBO30 117
HBO31 117
HBO32 117
HBO33 117
HBO34 117
HBO35 117
HBO36 117
HBO37 117
HBO61 117
HBO62 117
HBO63 117
HBO64 117
HBO65 117
HBO66 117
HBO67 117
HBO68 117
HBO70 117
HBO71 117
HBO72 117
HBO73 117
HBO74 117
HBO75 117
HBO76 117
HBO77 117
HBO78 117
HBO79 117
HBO80 117
HBO81 117
HBO82 117
HBO83 117
HBO84 117
HBO85 117
HBO86 117
HBO87 117
HBO88 117
HBO89 117
HBO90 117
HBO91 117
HBO92 117
HBO93 117
HBO94 117
HBO95 117
HBO96 117
HBO97 117
HBO98 117
HBO99 117
HBO100 117
HBO101 117
HBO102 117
HBO103 117
HBO104 117
HBO105 117
HBO106 117
HBO107 117
HBO108 117
HBO109 117
HBO110 117
HBO111 117
HBO112 117
HBO113 117
HBO114 117
HBP68 124
HBP312 124
HBP330 124
HBP412 124
HBP435 124
HBP450 124
HBP516 124
HBP520 124
HBP525 124
HBP540 124
HBP550 124
HBP610 124
HBP616 124
HBP620 124
HBP625 124
HBP820 124
HBP825 124
HBS36 123
HBS48 123
HBS320 123
HBS325 123
HBS340 123
HBS416 123
HBS425 123
HBS440 123
HBS512 123
HBS516 123
HBS525 123
HBS540 123
HBS550 123
HBS625 123
HBS640 123
HBS650 123
HBT510 123
HBT516 123
HBT525 123
HBT550 123
HBT625 123
HBT650 123
HBU410 121
HBU512 121
HBU516 121
HBU520 121
HBU525 121
HBU610 121
HBU612 121
HBU616 121
HBU625 121
HBU630 121
HBU810 121
HBU816 121
HBU820 121
HBU825 121
HBU830 121
HBU1040 121
HBZ620 121
HBZ820 121
HBZ830 121
HBZ840 121
HBZ1030 121
HBZ1035 121
HBZ1040 121
HC0 205
HC00 205
HC000 205
HC0X 205
HC1 205
HC1A 205
HC1X 205
HC2 205
HC2A 205
HC2X 205
HC3 205
HC3X 205
HC4 205
HC4X 205
HCA8 203
HCA9 203
HCA10 203
HCA11 203
HCA12 203
HCA13 203
HCA14 203
HCA15 203
HCA16 203
HCA17 203
HCB1 118
HCB2 118
HCB3 118
HCB4 118
HCB5 118
HCB6 118
HCC610 133, 135
HCC812 133, 135
HCC1014 133, 135
HCC1218 133, 135
HCC2026 133, 135
HCC2227 133, 135
HCC2632 133, 135
HCD100 205
HCH38 120
HCH56 120
HCH310 120
HCH312 120
HCH320 120
HCH330 120
HCH335 120
HCH410 120
HCH412 120
HCH416 120
HCH420 120
HCH425 120
HCH430 120
HCH440 120
HCH450 120
HCH510 120
HCH512 120
HCH516 120
HCH520 120
HCH525 120
HCH530 120
HCH540 120
HCH550 120
HCH580 120
HCH610 120
HCH612 120
HCH615 120
HCH616 120
HCH620 120
HCH625 120
HCH630 120
HCH635 120
HCH640 120
HCH645 120
HCH650 120
HCH660 120
HCH665 120
HCH670 120
HCH810 120
HCH812 120
HCH816 120
HCH820 120
HCH825 120
HCH830 120
HCH835 120
HCH840 120
HCH845 120
HCH850 120
HCH860 120
HCH865 120
HCH870 120
HCH890 120
HCH1020 120
HCH1025 120
HCH1030 120
HCH1035 120
HCH1040 120
HCH1045 120
HCH1050 120
HCH1055 120
HCH1060 120
HCH1070 120
HCH1075 120
HCH1080 120
HCH1090 120
HCH1220 120
HCH1225 120
HCH1230 120
HCH1235 120
HCH1240 120
HCH1245 120
HCH1250 120
HCH1260 120
HCH1275 120
HCH1280 120
HCH1290 120
HCH1630 120
HCH1640 120
HCH1650 120
HCH1665 120
HCH1680 120
HCH1690 120
HCH2050 120
HCH2080 120
HCH2090 120
HCH2490 120
HCH10100 120
HCH12130 120
HCH16100 120
HCH16200 120
HCH20100 120
HCH20140 120
HCH20150 120
HCH24100 120
HCL111 156
HCL113 156
HCL116 156
HCL119 156
HCL121 156
HCL122 156
HCL125 156
HCL130 156
HCL135 156
HCL138 156
HCL140 156
HCL142 156
HCL147 156
HCL207 156
HCL208 156
HCL210 156
HCL211 156
HCL212 156
HCL213 156
HCL214 156
HCL215 156
HCL216 156
HCL217 156
HCL218 156
HCL219 156
HCL220 156
HCL221 156
HCL222 156
HCL224 156
HCL225 156
HCL230 156
HCL235 156
HCL238 156
HCL240 156
HCL250 156
HCM00 205
HCN61 151
HCN62 151
HCP1 157
HCP2 157
HCP3 157
HCP4 157
HCP5 157
HCP6 157
HCP7 157
HCP8 157
HCS1 118
HCS2 118
HCS3 118
HCS4 118
HCS5 118
HCS6 118
HCS7 118
HCS8 118
HCS9 118
HCS10 118
HCS11 118
HCS12 118
HCS13 118
HCS14 118
HCS15 118
HCS16 118
HCS17 118
HCS18 118
HCS19 118
HCS20 118
HCS21 118
HCS22 118
HCS23 118
HCS24 118
HCS25 118
HCS26 118
HCS27 118
HCS28 118
HCS29 118
HCS30 118
HCS31 118
HCS32 118
HCS33 118
HCS34 118
HCS35 118
HCS36 118
HCS37 118
HCS38 118
HCS39 118
HCS40 118
HCS41 118
HCS42 118
HCS43 118
HCS44 118
HCS45 118
HCS46 118
HCT8 144
HCT10 118
HCT12 118
HCU23 134
HCU24 134
HCU25 134
HCU34 134
HCU35 134
HCU46 134
HCU48 134
HCU57 134
HCU58 134
HCU68 134
HCU80 134
HCU81 134
HCU91 134
HCU93 134
HCU95 134
HCU96 134
HCU509 134
HCU609 134
HCU610 134
HCU612 134
HCU811 134
HCU812 134
HCU814 134
HCU914 134
HCU1013 134
HCU1014 134
HCU1016 134
HCU1021 134
HCU1117 134
HCU1216 134
HCU1218 134
HCU1318 134
HCU1418 134
HCU1420 134
HCU1520 134
HCU1620 134
HCU1622 134
HCU1624 134
HCU1721 134
HCU1723 134
HCU1725 134
HCU1822 134
HCU1824 134

HCU2024 134
HCU2026 134
HCU2125 134
HCU2227 134
HCU2430 134
HCU2634 134
HCU2834 134
HCU3038 134
HCU3240 134
HCU3545 134
HCU10165 134
HCU14180 134
HCV1 56, 203, 250
HCV2 56, 203, 250
HCW5 132
HCW6 132
HCW8 132
HCW10 132
HCW11 132
HCW12 132
HCZ1 121
HCZ2 121
HCZ3 121
HCZ4 121
HCZ5 121
HCZ6 121
HCZ7 121
HCZ8 121
HCZ9 121
HCZ10 121
HCZ11 121
HCZ308 121
HCZ316 121
HCZ420 121
HCZ430 121
HCZ510 121
HCZ516 121
HCZ525 121
HCZ530 121
HCZ535 121
HCZ540 121
HCZ620 121
HCZ625 121
HCZ630 121
HCZ635 121
HCZ816 121
HCZ820 121
HCZ830 121
HCZ845 121
HCZ865 121
HCZ1025 121
HCZ1030 121
HCZ1040 121
HCZ1225 121
HCZ1660 121
HCZ10130 121
HCZ12100 121
HCZ12110 121
HER1 157
HER2 157
HER3 157
HER4 157
HER6 157
HER7 157
HER13 157
HER15 157
HER51 157
HER52 157
HER53 157
HER54 157
HER55 157
HER56 157
HER57 157
HER58 157
HER59 157
HER60 157
HFB5 133
HFB6 133
HFB8 133
HFB10 133
HFB12 133
HFB14 133
HFB16 133
HFB18 133
HFB31 133
HFB32 133
HFB33 133
HFB34 133
HFB35 133
HFB36 133
HFB37 133
HFB38 133
HFC1 150
HFC2 150
HFC6 150
HFC7 150
HFC8 150
HFC9 150
HFC10 150
HFC11 150
HFC12 150
HFL125 116
HFL130 116
HFL140 116
HFL150 116
HFL616 116
HFL620 116
HFL625 116
HFL630 116
HFL820 116
HFL825 116
HFL830 116
HFL840 116
HFW1 130
HFW2 130
HFW3 130
HFW4 130
HFW5 130
HFW6 130
HFW7 130
HFW8 130
HFW10 130
HFW11 130
HFW12 130
HFW13 130
HFW14 130
HFW15 130
HFW16 130
HFW17 130
HFW18 130
HFW19 130
HFW20 130
HFW40 130
HFW41 130
HFW42 130
HFW43 130
HFW44 130
HFW45 130
HFW46 130
HFW47 130
HFW48 130
HFW49 130
HFW50 130
HFW51 130
HFW52 130
HFW53 130
HFW54 130
HFW59 130
HFW60 130
HFW61 130
HFW62 130
HFW63 130
HFW64 130
HFW65 130
HFW66 130
HFW67 130
HH1 216
HH2 216
HH3 216
HH4 216
HHD8/4 145
HHD8/6 145
HHD8/8 145
HHD10/4 145
HHD10/6 145
HHD10/8 145
HHD12/8 145
HHD12/12 145
HHD12/16 145
HHD14/8 145
HHD14/12 145
HHD14/16 145
HIL105 127
HIL106 127
HIL108 127
HIL110 127
HIN105 126
HIN106 126
HIN108 126
HIN110 126
HIP105 131
HIP106 131
HIP108 131
HIP110 131
HIS525 115
HIS625 115
HIS825 115
HIS840 115
HIS1025 115
HIS1040 115
HIW105 131
HIW106 131
HIW108 131
HIW110 131
HJC1 148
HJC2 148
HJC3 148
HJC4 148
HKB36 122
HKB320 122
HKB412 122
HKB416 122
HKB420 122
HKB440 122
HKB510 122
HKB512 122
HKB516 122
HKB520 122
HKB525 122
HKB530 122
HKB612 122
HKB616 122
HKB620 122
HKB625 122
HKB630 122
HKB640 122
HKB820 122
HKB825 122
HKB830 122
HKB840 122
HKB850 122
HKB860 122
HKB1020 122
HKB1025 122
HKB1035 122
HKB1040 122
HKB1050 122
HKB1225 122
HKB1250 122
HKB1650 122
HKB1670 122
HKB1675 122
HKB20100 122
HKZ460 122
HKZ620 122
HKZ640 122
HKZ825 122
HKZ830 122
HLW1 132
HLW2 132
HLW3 132
HLW4 132
HLW5 132
HLW6 132
HLW20 132
HLW21 132
HLW22 132
HLW23 132
HLW24 132
HLW27 132
HLW28 132
HLW29 132
HMB623 153
HMB632 153
HMS11 119, 267
HMS12 119, 267
HMS13 119, 267
HMS14 119, 267
HMS15 119, 267
HMS16 119, 267
HN0816 206
HN1220 206
HN1625 206
HN2032 206
HN2840 206
HN3250 206
HN4060 206
HN5070 206
HN6080 206
HN7090 206
HN80100 206
HNN1 127
HNN2 127
HNN3 127
HNN4 127
HNN5 127
HNN6 127
HNN19 127
HNN20 127
HNN21 127
HNN22 127
HNN23 127
HNN24 127
HNN25 127
HNN26 127
HNN27 127
HNN32 127
HNN33 127
HNN34 127
HNN35 127
HNN36 127
HNU108 128
HNU110 128
HNU112 128
HNU114 128
HNU116 128
HPD6/4 145
HPD6/6 145
HPD6/8 145
HPD8/4 145
HPD8/6 145
HPD8/8 145
HPD10/4 145
HPD10/6 145
HPD10/8 145
HPD10/12 145
HPD10/16 145
HRF520 118
HRF620 118
HRF625 118
HRF640 118
HRF650 118
HRF660 118
HRF680 118
HRF830 118
HRF835 118
HRF860 118
HRF880 118
HRF6100 118
HRK105 124, 423
HRK106 124, 423
HRK108 124, 423
HRK110 124, 423
HRK112 124, 423
HRK214 124, 423
HRP105 124, 423
HRP106 124, 423
HRP108 124, 423
HRP110 124, 423
HRP112 124, 423
HRP208 124, 423
HRP212 124, 423
HRW1 129
HRW2 129
HRW3 129
HRW4 129
HRW5 129
HRW6 129
HRW7 129
HRW8 129
HRW13 129
HRW14 129
HRW15 129
HRW520 129
HRW620 129
HRW830 129
HRW1025 129
HRW1040 129
HSB510 115
HSB670 115
HSB880 115
HSB1220 115
HSB1265 115
HSB1280 115
HSB1640 115
HSB1660 115
HSB1680 115
HSB12120 115
HSL10 135
HSL12 135
HSL14 135
HSL16 135
HSL18 135
HSL20 135
HSL22 135
HSL24 135
HSL41 135
HSL42 135
HSL43 135
HSL44 135
HSL45 135
HSL46 135
HSL48 135
HSN1 126
HSN2 126
HSN3 126
HSN4 126
HSN5 126
HSN6 126
HSN7 126
HSN8 126
HSN19 126
HSN20 126
HSN21 126
HSN22 126
HSN23 126
HSN24 126
HSN25 126
HSN26 126
HSN27 126
HSN28 126
HSN29 126
HSN30 126
HSN31 126
HSN32 126
HSN33 126
HSN34 126
HSN35 126
HSN36 126
HSN37 126
HSN38 126
HSN40 128
HSN41 128
HSN42 128
HSN55 128
HSN56 128
HSN58 128
HSN60 128
HSN62 128
HSN64 128
HSN66 128
HSN76 128
HSN78 128
HSP1 158
HSP2 158
HSP3 158
HSP4 158
HSP5 158
HSP6 158
HSP7 158
HSP8 158
HSP9 158
HSP10 158
HSP11 158
HSP12 158
HSP13 159
HSP19 159
HSP20 158
HSP21 159
HSP22 159
HSP33 159
HSP62 159
HSP63 159
HSR26 119
HSR28 119
HSR30 119
HSR32 119
HSR34 119
HSR36 119
HSR38 119
HSR40 119
HSS2 116
HSS3 116
HSS5 116
HSS6 116
HSS7 116
HSS8 116
HSS9 116
HSS10 116
HSS11 116
HSS12 116
HSS13 116
HSS14 116
HSS15 116
HSS16 116
HSS17 116
HSS18 116
HSS19 116
HSS20 116
HSS36 114
HSS37 114
HSS38 114

HSS39 114
HSS40 114
HSS41 114
HSS42 114
HSS43 114
HSS44 114
HSS45 114
HSS46 114
HSS47 114
HSS48 114
HSS50 114
HSS51 114
HSS52 114
HSS53 114
HSS54 114
HSS55 114
HSS56 114
HSS57 114
HSS58 114
HSS60 114
HSS61 114
HSS62 114
HSS64 114
HSS65 114
HSS66 114
HSS69 114
HSS70 114
HSS71 114
HSS72 114
HSS73 114
HSS74 114
HSS75 114
HSS76 114
HSS77 114
HSS78 114
HSS79 114
HSS80 116
HSS81 116
HSS82 116
HSS83 116
HSS84 116
HSS85 116
HSS86 116
HSS87 116
HSS88 116
HSS89 116
HSS90 116
HSS91 116
HSS92 114
HSS93 114
HSS94 114
HSS95 114
HSS96 114
HSS97 114
HSS98 114
HSS99 114
HSS100 114
HSS101 114
HSS102 114
HSS103 114
HSS104 114
HSS105 114
HSS106 114
HSS107 114
HSS108 114
HSS109 114
HSS110 114
HSS111 114
HSS112 114
HSS113 114
HSS114 114
HSS115 114
HSS116 114
HSS117 114
HSU10 133, 135-136, 261, 264
HSU11 133, 135-136, 262, 264
HSU12 133, 135-136, 263-264
HSU14 136, 264
HSU19 137, 265
HSU20 137, 261, 265
HSU21 137, 261-263, 265
HSU25 137, 261, 265
HSU26 136, 264
HSU27 136, 264
HSU30 137, 265
HSU35 136, 264
HSU40 137, 260, 265
HSU41 137, 265
HSU45 136, 260, 264
HSU50 137, 261, 265
HSU51 137, 262, 265
HSU60 137, 260-261, 265
HSU81 260
HSU82 261
HSU83 262
HSU84 261
HSU85 262
HSU86 263
HSU87 262
HSU88 261
HSU89 263
HSU90 261
HSU91 262
HSU92 261
HSU93 260
HSU94 262
HSU95 260
HSU96 260
HSU97 263
HSU98 262
HSU101 260
HSU102 263
HSU104 260
HSU105 261
HSU106 263
HSU107 263
HSU181 260
HSU182 261
HSU183 262
HSU185 262
HSU186 263
HSU187 262
HSU190 261
HSU191 262
HSU193 260
HSU194 262
HSU195 260
HSU196 260
HSU197 263
HSU198 262
HSU1022 136, 260, 264
HSU1215 137, 260, 265
HSU1217 136, 260, 264
HSU1217AL 137, 260, 265
HSU1824AL 137, 263, 265
HSU1420 136, 262, 264
HSU1826 136, 263-264
HSUP1 259
HSUP2 259
HSUP3 259
HSUP4 259
HSW1 131
HSW2 131
HSW3 131
HSW4 131
HSW5 131
HSW6 131
HSW8 131
HSW9 131
HSW10 131
HSW11 131
HSW12 131
HSW13 131
HSW14 131
HSW15 131
HSW16 131
HSW17 131
HSW18 131
HSW19 131
HSW20 131
HSW21 131
HTA6/4 142
HTA6/6 142
HTA6/8 142
HTA8/4 142
HTA8/6 142
HTA8/8 142
HTA10/4 142
HTA10/6 142
HTA10/8 142
HTC4/4 143
HTC4/6 143
HTC6/4 143
HTC6/5 143
HTC6/6 143
HTC6/8 143
HTC6/10 143
HTC6/12 143
HTC8/4 143
HTC8/5 143
HTC8/6 143
HTC8/8 143
HTC8/12 143
HTC8/16 143
HTC10/4 143
HTC10/5 143
HTC10/6 143
HTC10/8 143
HTC10/10 143
HTC10/12 143
HTC10/16 143
HTC12/6 143
HTC12/8 143
HTC12/12 143
HTC14/12 142
HTC14/12A 143
HTC14/14 142
HTC14/14A 143
HTC14/16 142
HTC14/16A 143
HTK6/3 144
HTK6/4 144
HTK6/5 144
HTK6/6 144
HTK6/8 144
HTK8/3 144
HTK8/4 144
HTK8/5 144
HTK8/6 144
HTK8/8 144
HTK8/10 144
HTK8/12 144
HTK10/3 144
HTK10/4 144
HTK10/5 144
HTK10/6 144
HTK10/8 144
HTP4/4 142
HTP4/6 142
HTP6/4 142
HTP6/5 142
HTP6/6 142
HTP6/8 142
HTP6/10 142
HTP8/4 142
HTP8/5 142
HTP8/6 142
HTP8/8 142
HTP8/12 142
HTP10/4 142
HTP10/5 142
HTP10/6 142
HTP10/8 142
HTP10/10 142
HTP10/12 142
HTP12/4 142
HTP12/6 142
HTP12/8 142
HTP12/12 142
HTP12/16 142
HTP12/24 142
HTP14/6 142
HTP14/8 142
HTP14/12 142
HTW6/6 143
HTW6/8 143
HTW6/10 143
HTW6/12 143
HTW8/4 143
HTW8/6 143
HTW8/10 143
HTW8/12 143
HTW8/14 143
HTW8/16 143
HTW8/20 143
HTW8/24 143
HTW10/8 143
HTW10/12 143
HTW10/16 143
HTW10/20 143
HTW10/24 143
HTW12/8 143
HTW12/12 143
HTW12/24 143
HUC1 148
HUC2 148
HUC3 148
HUC4 148
HUC5 148
HUC6 148
HUC7 148
HUC11 148
HUC21 148
HUC22 148
HUC50 149
HUC51 149
HUC52 149
HUC55 149
HUC56 149
HUC57 149
HUC58 149
HUC59 149
HWN1 128
HWN2 128
HWN3 128
HWN4 128
HXT6/5 144
HXT7/6 144
HXT8/5 144
HXT8/6 144
HXT8/8 144
HXT10/5 144
HY10 284
HY11 284
HY12 284
HY13 284
HY14 218
HY20 158, 271
HY38 218
HY38D 218
HY100 283
HY101 283
HY102 283
HY103 283
HY110 283
HY111 283
HY112 283
HY113 283
HY114 283
HY115 283
HY116 283
HY117 283
HY118 283
HY119 283
HY120 283
HY121 283
HY130 282
HY131 282
HY132 282
HY133 282
HY134 282
HY135 282
HY136 282
HY137 282
HY138 282
HY150 282
HY151 282
HY152 282
HY153 282
HY154 282
HY155 282
HY156 282
HY160 283
HY161 283
HY170 283
HY171 283
HY172 283
HY173 283
HY180 283
HY181 283
HY182 283
HY183 283
HY184 283
HY190 283
HY191 283
HY200 283
HY201 283
HY202 283
HY203 283
HY204 283
HY300 282
HY301 282
HY302 282
HY303 282
HY304 282
HY305 282
HY306 282
HY307 282
HY308 282
HY309 282
HY400 282
HY401 282
HY402 282
HY403 282
HY404 282
HY405 282
HY406 282
HY407 282
HY408 282
HY409 282

J

JCS0 202
JCS00 202
JCS000 202
JCS0X 202
JCS1 202
JCS1A 202
JCS1X 202
JCS2 202
JCS2A 202
JCS2X 202
JCS3 202
JCS3X 202
JCS4 202
JCS4X 202
JCS5 202
JCS6 202
JCS7 202
JCS24 202
JCS50 202
JCS100 202
JCS160 202
JCS245 202
JCSM00 202
JCX0 202
JCX00 202
JCX000 202
JCX0X 202
JCX1 202
JCX1A 202
JCX1X 202
JCX2 202
JCX245 202
JCX2A 202
JCX2X 202
JCX3 202
JCXM00 202
JEY5 346
JP3 221
JP12 221
JP14 230
JP15 233
JP16 233
JP25 233
JP31 221
JP32 221
JP35 225
JP36 225
JP37 225
JP38 221
JP42 230
JP43 232
JP44 230
JP60 226
JP61 232
JP70 233
JP72 226
JP80 223
JP81 223
JP100 230
JP101 221
JP124 221
JP201 222
JP202 222
JP221 222
JP222 222
JP314 230
JP342 230
JP344 230
JP414 230
JP501 229
JP502 229
JPR1 218
JPR2 219
JPR3 219
JSS0 203
JSS00 203
JSS000 203
JSS0X 203
JSS1 203
JSS1A 203
JSS1X 203
JSS2 203
JSS2A 203
JSS2X 203
JSS3 203

JSS3X 203
JSS4 203
JSS4X 203
JSS5 203
JSS6 203
JSS7 203
JSS245 203
JSSM00 203
JUB0N 204
JUB00N 204
JUB000N 204
JUB0XN 204
JUB1N 204
JUB1AN 204
JUB1MN 204
JUB1XN 204
JUB2N 204
JUB2AN 204
JUB2XN 204
JUB3N 204
JUB3XN 204
JUB4N 204
JUB4XN 204
JUB5 204
JUB6N 204
JUB7N 204
JUB25 204
JUB50 204
JUB100 204
JUBM00N 204
JUBS19 205
JUBS22 205
JUBS25 205
JUBS28 205
JUBS31 205
JUBS35 205
JUBS39 205
JUBS43 205
JUBS47 205
JUBS51 205
JUBS55 205
JUBS59 205
JUBS63 205
JUBS67 205
JUBS73 205
JUBS79 205
JUBS85 205
JUBS91 205
JUBS97 205
JUBS103 205
JUBS112 205
JUBS121 205
JUBS130 205
JUBS139 205
JUBS148 205
JUBS161 205
JUBS174 205
JUBS187 205
JUG3 359
JUG6 354
JUG8 354
JUG10 354
JUG11 350
JUG12 354
JUG16 354
JUG17 354
JUG21 358
JUG22 358
JUG23 358
JUG23A 358
JUG31 358
JUG32 358
JUG33 358
JUM10 205
JUM30 205
JUS1 205
JUS2 205
JUX0 204
JUX00 204
JUX000 204
JUX0X 204
JUX1 204
JUX1A 204
JUX1M 204
JUX1X 204
JUX2 204
JUX2A 204
JUX2X 204
JUX3 204
JUX100 204
JUXM00 204

K

K115.1028 58
K115.1029 58
K115.1041 208
K115.1052 394
K115.1090 209-210
K118.0060 430
K120.1050 474
K122.1290 474
K140.1015 480
K140.1060 480
K140.2206 480
K140.2211 480
K140.2214 480
K140.2248 480
K140.2290 429, 480
K140.5255 439
K140.5257 439
K150.1305 476
K150.1450 259
K150.1970 475
K150.2024 247
K150.2035 475
K150.9310 478
K151.1100 443
K151.2100 451
K151.2180 451
K152.1100 476
K156.0180 440
K156.0690 440
K159.0020 443
K159.0030 443
K159.0040 443
K159.0100 442
K159.1001 442
K159.1002 442
K159.1003 442
K159.1004 442
K159.1005 442
K159.1006 442
K159.1007 442
K159.1008 442
K159.1009 442
K159.1010 442
K159.1011 442
K159.1012 442
K159.1013 442
K159.1020 442
K159.1021 442
K159.1022 442
K159.1023 442
K159.1024 442
K159.1025 442
K159.1026 442
K159.1027 442
K159.1028 442
K159.1029 442
K159.1030 443
K159.1031 443
K159.1032 443
K159.1033 443
K159.1034 443
K159.1035 443
K159.1036 443
K159.1037 443
K159.1038 443
K159.1040 442
K159.1041 442
K159.1042 442
K159.1043 442
K159.1044 442
K159.1045 442
K159.1046 442
K159.1047 442
K159.1048 442
K159.1049 442
K159.1050 443
K159.1051 443
K159.1052 443
K159.1053 443
K159.1054 443
K159.1055 443
K159.1056 443
K159.1057 443
K159.1058 443
K310.0250 374, 469
K310.0255 374, 469
K310.0260 374, 469
K310.0350 374, 469
K310.0355 374, 469
K310.0360 374, 469
K310.0470 375
K310.0475 375
K310.0480 375
K500.1380 478
K500.7170 445
K503.4265 454
K503.4646 454
K503.4666 454
K503.5905 454
K503.5908 454
K503.5909 454
K503.5910 454
K503.5911 454
K503.5912 454
K503.5913 454
K503.5914 454
K503.5915 454
K503.5916 454
K503.5917 454
K503.5918 454
K503.5919 454
K514.1113 446
K515.1003 466
K515.1005 464, 469
K515.1008 464
K515.1009 464
K515.1010 464
K515.1011 464
K515.1012 464
K515.1013 464
K515.1014 464
K515.1015 464
K515.1016 464
K515.1017 464
K515.1018 464
K515.1019 464
K515.1020 464
K515.1021 464
K515.1022 464
K515.1023 464
K515.1024 464
K515.1025 464
K515.1026 464
K515.1027 464
K515.1028 464
K515.1029 464
K515.1030 464
K515.1031 464
K515.1032 464
K515.1050 466
K515.1070 464, 469
K515.1108 464
K515.1109 464
K515.1110 464
K515.1111 464
K515.1112 464
K515.1113 464
K515.1114 464
K515.1115 464
K515.1116 464
K515.1117 464
K515.1118 464
K515.1119 464
K515.1120 464
K515.1121 464
K515.1122 464
K515.1123 464
K515.1124 464
K515.1125 464
K515.1126 464
K515.1127 464
K515.1128 464
K515.1129 464
K515.1130 464
K515.1131 464
K515.1132 464
K515.1243 401, 407
K515.1901 225
K515.1907 225
K515.2124 465
K515.2127 465
K515.2130 465
K515.2133 465
K515.3095 403
K515.3360 224
K515.3370 224
K515.3396 224
K516.1150 469
K516.1403 468
K516.1404 468
K516.1412 468
K516.1413 468
K516.1414 468
K516.1422 468
K516.1423 468
K516.1424 468
K516.1432 468
K516.1442 468
K516.1444 468
K516.1448 468
K516.1482 468
K517.0043 453
K517.0052 453
K518.0370 475
K518.0643 452
K518.0800 452
K519.0660 453
K550.1001 479, 481
K550.1002 481
K550.1003 481
K550.1022 479
K550.1045 477
K550.1290 482
K550.1501 482
K700.1120 473
K700.1130 473
K700.1190 479
K700.1193 479
K700.1195 41
K850.0300 488
K850.0305 488
K850.0505 488
K907.2105 428
K907.2174 429
K907.2210 428
K911.0901 466
K911.1177 208
K911.1180 208
K911.2027 447
K911.2188 482
K911.3862 462
K911.3863 462
K911.3864 462
K911.3865 462
K911.3866 462
K911.3867 462
K911.3868 462
K911.3869 462
K911.3870 462
K911.3871 462
K911.3872 462
K911.3873 462
K911.3874 462
K911.3884 462
K911.3885 462
K911.3887 462
K911.3888 462
K911.3889 462
K911.3935 460
K911.3945 460
K911.4312 447
K911.8120 169, 172, 477
K913.1290 476
K913.3800 453
K913.3880 476
K916.4050 459
K918.0610 461
K918.0611 461
K918.0612 461
K918.0627 458
K918.0635 459
K918.0646 458
K918.0661 459
K918.1200 455
K918.1210 462
K918.1211 462
K918.1212 462
K918.1213 462
K918.1214 462
K918.1215 462
K918.1216 462
K918.1217 462
K918.1218 462
K918.1219 462
K918.1220 462
K918.1221 462
K918.1222 462
K918.1224 462
K918.1227 462
K918.1232 462
K918.1234 462
K918.1236 462
K918.1240 463
K918.1241 463
K918.1242 463
K918.1243 463
K918.1244 463
K918.1245 463
K918.1246 463
K918.1247 463
K918.1248 463
K918.1249 463
K918.1250 457
K918.1252 463
K918.1254 463
K918.1257 463
K918.1258 463
K918.1260 463
K918.1270 455
K918.1292 456
K918.1292-1 456
K918.1400 455
K918.1424 463
K918.1425 463
K918.14255 463
K918.1426 463
K918.1427 463
K918.1428 463
K918.1429 463
K918.1430 463
K918.1431 463
K918.1432 463
K918.1433 463
K918.1449 457
K918.1450 457
K918.1801 456
K918.1802 456
K918.3010 446
K918.3106 446
K918.3111 446
K918.3116 446
K918.3206 446
K918.3211 446
K918.3216 446
K918.3306 446
K918.3311 446
K918.3316 446
K918.3321 446
K918.3406 446
K918.3411 446
K918.3416 446
K918.3421 446
K918.3506 446
K918.3511 446
K918.3516 446
K918.3521 446
K918.3526 446
K918.3531 446
K918.3536 446
K918.3606 446
K918.3611 446
K918.3616 446
K918.3621 446
K918.3626 446
K918.3631 446
K918.3636 446
K918.3800 455
K918.3807 457
K918.3808 462
K918.3809 462
K918.3810 462
K918.3811 462
K918.3812 462
K918.3813 462
K918.3814 462
K918.3815 462
K918.3816 462
K918.3817 462
K918.3818 462
K918.3819 462
K918.3826 456
K918.3826-1 456
K918.3828 463
K918.3829 463
K918.3830 463
K918.3831 463
K918.3832 463
K918.3833 463
K918.3834 463
K918.3835 463
K918.3836 463
K918.3837 463
K918.3838 463
K918.3839 463
K918.3937 462
K918.3997 455
K919.0123 456
K919.0143 456
K919.0383 456

K920.1490 455
K920.3890 455
K920.1290 455
K960.1160 395
K960.1200 395
K975.2020 447
K975.2025 447
K975.2027 447
K975.2030 447
K975.2040 447
K975.2045 447
K975.2050 447
K975.2055 447
K975.2060 447
KN782 59, 432
KN792 437

L

LP1 157
LP2 157
LP4 157
LP5 158
LP6 158
LP7 158
LP8 158
LP9 158
LP10 157
LP11 157

M

MB261 275
MB262 275
MB263 275
MB264 275
MB265 275
MB266 275
MEM32 68
MKIT1 172
MP1 330
MP2 331
MP3 331
MP4 331
MP5 331
MP6 330
MP7 330
MP8 330
MP9 330
MP10 331
MP11 331
MP12 331
MT10 320
MT11 320
MT12 320
MT24 320
MT48 320
MT225 320
MT250 320
MX2385 381
MX2395 380
MX2475 380
MX2485 381
MX2495 380
MX2505 381
MX3405 381
MX5120 381
MX5230 381
MX5330 381
MX5430 381
MX6100 383
MX6200 383
MX6401 383
MX6600 383
MX6700 382
MX6750 382
MX7002 382
MX7003 382
MX7060 382
MX7600 382
MX7122 382
MX7232 382
MX7432 382
MX7800 382
MX7825 382
MX7850 382
MX9002 382
MX9003 382
MX9020 382
MX9030 382
MX9100 382
MX9200 382
MX9400 382
MX9500 382
MX9600 382

N

NIL1 290
NIL5 290
NIL11 346
NIL15 346
NIL605 296
NIL606 296
NIL607 296
NIL618 346
NIL624 346
NIL630 346
NP1 140
NP2 140
NP3 141
NP4 141
NP5 140
NP6 141
NP7 141
NP8 141
NP9 141
NP10 140
NP11 140
NP12 140
NP13 141
NP14 141
NP15 141
NP16 140
NP17 140
NP18 140
NP19 141
NP20 140
NP21 140
NP22 141
NP23 141
NP24 140
NP25 140
NP26 140
NP33 141
NP34 141
NP35 141
NP36 141
NP37 141
NP38 141
NP39 140
NP40 140
NST4 125
NST5 125
NST6 125
NST8 125
NST10 125
NST14 125
NST15 125
NST16 125
NST18 125
NST24 125
NST25 125
NST26 125
NST28 125
NST34 125
NST35 125
NST36 125
NST38 125
NST40 125

O

OC1 206
OC1A 206
OC2 206
OC2A 206
OC3 206
OC3A 206
OC4 206
OC4A 206
OC5 206
OC5A 206
OC6 206
OC6A 206
OC7 206
OC7A 206
OC11 206
OC12 206
OC13 206
OC14 206
OC15 206
OC16 206
OC17 206
OC18 206

P

PAD1 484
PAD2 484
PAD3 484
PAD4 484
PAD5 484
PAD6 486
PAD7 487
PAD9 487
PAD12 486
PAD13 487
PAD14 486
PAD15 485
PAD16 486
PAD17 486
PAD20R 487
PAD21 485
PAD22 485
PAD23 485
PAD25 486
PAD26 486
PAD30 484
PAD38 484
PAD50 484
PAD63 484
PAD95 486
PAD110 485
PAD110S 485
PAD130 484
PAD138 484
PAD150 484
PAD163 484
PAD170 486
PAD195 486
PAD230 484
PAD230K 484
PAD240 484
PAD240K 484
PAD240LS 484
PAD250 484
PAD250K 484
PAD250LS 484
PAD260 484
PAD260K 484
PAD330 484
PAD340 484
PAD350 484
PAD350C 485
PB1/2 317
PB1 317
PB1 1/2 317
PB2 317
PB3 317
PB4 317
PB48 317
PB49 317
PB51 317
PB52 317
PB53 317
PB54 317
PB62 317
PB64 317
PB66 317
PB68 317
PB100 316
PB101 316
PB102 316
PB103 316
PB104 316
PB110 316
PB111 316
PB112 316
PB120 316
PB121 316
PC1 206
PC2 206
PC3 206
PG1 285
PG2 285
PG3 285
PG4 285
PG5 285
PG6 285
PG7 285
PG8 285
PG9 285
PG10 285
PG12 285
PG13 285
PG14 285
PG15 285
PG16 285
PG17 285
PG18 285
PG19 285
PG20 285
PG21 285
PG22 285
PG23 285
PG24 285
PG25 285
PG26 285
PG27 285
PG28 285
PG29 285
PG30 285
PG31 285
PG32 285
PG33 285
PG35 285
PJ1 207
PJ2 207
PJ3 207
PJ4 207
PJ5 207
PJ6 207
PJ105 207
PJ106 207
PJ108 207
PJ110 207
PJ112 207
PJ116 207
PJ119 207
PJ212 207
PJ216 207
PJ219 207
PJ306 207
PJ308 207
PJ310 207
PJ312 207
PJ316 207
PJ319 207
PJ406 207
PJ408 207
PJ410 207
PJ412 207
PJ416 207
PJ419 207
PR1 153
PR2 153
PR3 153
PR4 153
PR5 153
PR6 153
PR7 153
PR8 153
PR9 153
PR10 151, 190
PR11 153
PR12 151, 190-191
PR47 151
PR48 151
PR49 151
PR101 152
PR102 152
PR103 152
PR104 152
PR105 152
PR106 152
PR107 152
PR108 152
PR109 152
PR111 152
PR112 151
PR114 151
PR214 151
PRB11 152
PRB12 152
PRB13 152
PRB21 152
PRB22 152
PRB23 152
PRB24 152
PRB25 152
PRC50 153
PRC53 153
PRC54 153
PRC56 153
PRC58 153
PRL1 153
PRL2 153
PRL5 153
PRL6 153
PRL7 153
PRL8 153
PRL49 151
PRS4 151
PRS5 151
PRW1 132, 151
PS1 266
PS2 266

Q

QB10 329
QB10A 329

R

REF1 275
REF1S 275
REF2 275
REF2S 275
REF3 275
REF3S 275
REF4 275
REF4S 275
REF5A 275
REF7A 275
REF9A 275
RTS1 235, 242
RZ1001 338
RZ1002 338
RZ1004 338
RZ1005 338
RZ1104 338
RZ2001 339
RZ2004 339
RZ2011 339
RZ2014 339
RZ3004 338

S

SAS1 309
SAS2 300
SAS3 41, 310
SAS4 301
SAS5 301
SAS6 307
SAS7 309
SAS8 310
SAS9 310, 393
SAS10 301
SAS12 309
SAS14 309
SAS15 291
SAS16 291
SAS17 305
SAS18 309
SAS19 310
SAS20 307
SAS21A 307-308
SAS22 307
SAS22A 307
SAS23 307
SAS24 312
SAS25 314
SAS27 314
SAS28 314
SAS29 314
SAS30 314
SAS31 314
SAS32 291
SAS33A 309
SAS35 313
SAS36 313
SAS37 313
SAS43 291
SAS46 309, 416
SAS50 395
SAS51 291
SAS52 300
SAS53 299, 301
SAS54 291
SAS55 291
SAS56 309
SAS57 250, 310
SAS58 301
SAS59 314
SAS62 300
SAS62T 300, 355
SAS63A 311
SAS64A 313
SAS65A 312
SAS66A 313
SAS67A 313
SAS68A 312
SAS72 300
SAS81 300
SAS81A 300
SAS107 305
SAS107A 305

SAS147 308
SAS171 305
SAS173 305
SAS180 305
SAS181 305
SAS188 305
SAS188A 305
SAS190 305
SAS190A 305
SAS192 305
SAS192A 305
SAS193 305
SAS194 304
SAS202B/3 333
SAS202B/12 333
SAS202C/3 333
SAS202C/12 333
SAS202W/3 333
SAS202W/12 333
SAS210/6 336
SAS210/12 336
SAS220 336
SAS220/12 336
SAS222/5 326
SAS222/12 326
SAS2220 326
SAS2220/12 326
SAS243/5 326
SAS243/12 326
SAS2430 326
SAS2430/12 326
SAS271/5 326
SAS271/12 326
SAS2710 326
SAS2710/12 326
SAS325 325
SAS380 327
SAS390 327
SAS391 327
SAS401/5 325
SAS40B 315
SAS40R 315
SAS40W 315
SAS40Y 315
SAS422 325
SAS422/12 325
SAS450 327
SAS454 325
SAS454/20 325
SAS460 327
SAS470 325
SAS495/5 325
SAS495/24 325
SAS4950 325
SAS4950/12 325
SAS500 338
SAS501 341
SAS501A 341
SAS502 341
SAS503 341
SAS504 341
SAS504A 341
SAS505 341
SAS506 341
SAS506A 341
SAS511 341
SAS512 341
SAS514 341
SAS515 341
SAS516 341
SAS520 340, 344
SAS527 340, 344
SAS530 338
SAS540 340
SAS541 340
SAS542 340
SAS543 340
SAS572 335
SAS572/12 335
SAS574 332
SAS574/12 332
SAS590 333
SAS590/12 333
SAS591 333
SAS592 333
SAS593 333
SAS593/12 333
SAS601 327
SAS601/12 327
SAS638 327
SAS638/12 327
SAS701 288
SAS701/12 288
SAS702 288
SAS702/12 288
SAS703 288
SAS703/12 288
SAS1059 301, 346
SAS1060/2 269, 289
SAS2000T 294, 300, 355
SAS2010 300, 346
SAS2011 295
SAS2015 294
SAS2016 294
SAS2017 295
SAS2021 295
SAS2022 295
SAS2033 294
SAS2034 295
SAS2040 295
SAS2041 294
SAS2043 294
SAS2045 295
SAS2046 295
SAS2058 294, 301
SAS2132 294
SAS2501A 293
SAS2502A 293
SAS2503A 293
SAS2506A 292
SAS2508A 293
SAS2510A 292
SAS2511A 292
SAS2515A 292
SAS2516A 292
SAS2517A 292
SAS2543A 292
SAS2545A 292
SASC 235, 299, 318, 414
SASKIT1 325
SASL 235, 310, 318, 414
SASNOZ 333-334
SASP 235, 315, 318, 414
SASV 236, 290, 318, 414
SASVP1 293
SASVP2 293
SASVP3 293
SB1BU 491
SB1RE 491
SB1DIV 491
SB2BU 491
SB2RE 491
SB2DIV 491
SB3BU 491
SB3RE 491
SB3DIV 491
SB4 491
SB5 491
SB7BU 491
SB7RE 491
SB7DIV 491
SB8BU 491
SB8RE 491
SB8DIV 491
SB13 491
SB14 491
SB15 491
SB21BU 490
SB21RE 490
SB22BU 490
SB22RE 490
SB23BU 490
SB23RE 490
SB30 490
SB31 490
SB32 490
SB33 490
SB34 490
SB35 490
SB50 489
SB51 489
SB52 489
SB60 489
SB61 491
SB62 489
SB63BU 491
SB63RE 491
SB70 489
SB70B 489
SB70G 489
SB70R 489
SB70Y 489
SB85B 489
SB85G 489
SB85R 489
SB85Y 489
SB86B 489
SB86G 489
SB86R 489
SB86Y 489
SB87B 489
SB87G 489
SB87R 489
SB87Y 489
SB94 492
SB95 490
SB100 26, 493
SB101 3, 26, 493
SB102 26, 493
SB106 26, 493
SB112 26, 493
SB116 26, 493
SB118 26, 493
SB124 26, 493
SB140 494
SB141 494
SB142 494
SB143 494
SO1 394
SO2 394
SO3 394
SO4 394
SO6 394
SO8 394
SO18 394
SO22 394
SO9 394
SSA101 365
SSA103 364
SSA105 364
SSA107 364
SSA109 364
SSA111 364
SSA113 364
SSA115 364
SSA117 365
SSA119 365
SSA121 365
SSA123 364
SSA125 364
SSA127 364
SSA129 364
SSA131 364
SSA133 364
SSA135 364
SSA137 364
SSA202 368
SSA204 368
SSA206 368
SSA208 369
SSA210 369
SSA212 369
SSA214 368
SSA216 369
SSA218 369
SSA220 368
SSA222 369
SSA224 369
SSA226 369
SSA228 368
SSA230 369
SSA232 369
SSA234 369
SSA236 369
SSA238 369, 371
SSA239 368
SSA240 368
SSA241 368
SSA242 368
SSA243 368
SSA244 368
SSA245 368
SSA246 368
SSA254 366
SSA255 366
SSA256 366
SSA257 366
SSA258 366
SSA259 366
SSA260 366
SSA261 366
SSA263 367
SSA265 367
SSA267 367
SSA269 367
SSA271 366
SSA273 366
SSA274 367
SSA275 367
SSA276 367
SSA277 367
SSA278 367
SSA280 367
SSA282 367
SSA284 367
SSA286 367
SSA288 367
SSA302 370
SSA304 370
SSA306 370
SSA308 370
SSA310 370
SSA312 370
SSA314 370
SSA316 370
SSA318 370
SSA320 370
SSA322 370
SSA324 370
SSA326 370
SSA402 372
SSA404 372
SSA406 372
SSA408 372
SSA410 372
SSA412 372
SSA414 372
SSA416 372
SSA418 372
SSA420 372
SSA422 372
SSA424 372
SSB102 364
SSB104 364
SSB106 364
SSB108 364
SSB110 364
SSB112 364
SSB114 364
SSB116 365
SSB118 365
SSB120 365
SSB122 364
SSB124 364
SSB126 364
SSB128 364
SSB130 364
SSB132 364
SSB134 364
SSB136 364
SSB138 365
SSB139 365
SSB140 365
SSB141 365
SSB142 365
SSB143 365, 371
SSB201 368
SSB203 368
SSB205 368
SSB207 369
SSB209 369
SSB211 369
SSB213 368
SSB215 369
SSB217 369
SSB219 368
SSB221 369
SSB223 369
SSB225 369
SSB227 368
SSB229 369
SSB231 369
SSB233 369
SSB235 369
SSB237 369, 371
SSB247 371
SSB248 371
SSB249 371
SSB250 371
SSB251 371
SSB252 371
SSB253 371
SSB262 367
SSB264 367
SSB266 367
SSB268 367
SSB270 366
SSB272 366
SSB279 367
SSB281 367
SSB283 367
SSB285 367
SSB287 367
SSB301 370
SSB303 370
SSB305 370
SSB307 370
SSB309 370
SSB311 370
SSB313 370
SSB315 370
SSB317 370
SSB319 370
SSB321 370
SSB323 370
SSB325 370
SSB401 372
SSB403 372
SSB405 372
SSB407 372
SSB409 372
SSB411 372
SSB413 372
SSB415 372
SSB417 372
SSB419 372
SSB421 372
SSB423 372
SSB501 373
SSB502 373
SSB503 373
SSB504 373
SSB505 373
SSB506 373
SSB507 373
STAP4 155
STAP5 155

T

T401-10 434
T401-7 434
T580 488
T580A 488
T705 426
T710 429
T710N 429
T1200-72N 455
T1200FRP 455
T1201 456
T1292AG-E4 469
T1292AG-EP 469
T1400-72N 455
T1400FRP 455
T1479AF 451
T1479MMA 451
T1479TX 451
T3800-72N 455
T3800FRP 455
T3892AG-E1 469
T3892AG-E3 469
T4002 453
T4003 453
T4004 453
T4005 453
T4006 453
T4007 453
T6510A 452
T9121 466
T9126 466
T600507 452
T600508 452
T600508R 454
T600510 452
T600510R 454
T600513 452
T600513R 454
T600515 452
T600515R 454
T600517 452
T600517R 454
T600519 452
T600519R 454
T600521 452
T600522 452
T600522R 454
T600524 452
T600524R 454
T600527 452
T600530 452
T600536 452
T601013 452
T910086 465

T910630R 465
T910632R 465
T910633R 465
T920020 465
T920021 465
T920023 465
T920030 465
T920036 465
T920037 465
T920510 464
T920511 464
T920512 464
T920513 464
T920514 464
T920515 464
T920516 464
T920517 464
T920518 464
T920519 464
T920521 464
T920522 464
T920524 464
T920610 465
T920611 465
T920612 465
T920613 465
T920614 465
T920615 465
T920616 465
T920617 465
T920618 465
T920619 465
T920621 465
T920622 465
T920624 465
T920627 465
T920628 465
T920629 465
T920630 465
T920632 465
T920635 465
T920636 465
T940037 465
T940085 465
T940622 465
T940624 465
T940627 465
T940630 465
T940632 465
T940633 465
T940636 465
T980035 465
T980036 465
TA101 217, 269
TA102 217, 269
TA103 217, 269
TA104 217, 269
TA105 217, 269
TAPE2 322, 495
TAPE3 322, 495
TAPE4 321
TAPE4B 321
TAPE5 321
TAPE5B 321
TAPE6 321
TAPE7 321
TAPE7B 321
TAPE8 321
TAPE8B 321
TAPE10 322, 495
TAPE11 322, 495
TAPE20 360
TAPE21 360
TAPE24 322, 360
TAPE25 322, 360
TAPE26 322
TAPE30 322
TAPE31 322
TAPE40 322
TAPE41 322
TAPE42 322
TAPE43 322
TAPE44 322
TAPE45 322
TAPE50 321
TAPE52 322, 495
TAPE53 321
TAPE54 321
TAPE55 323
TB1 428
TB244 427
TB268 426
TB317 425
TB319 425
TB1018 425
TB1018C 425
TB1024 425
TB1024C 425
TB1032 425
TB1032C 425
TB2032 426
TB2101G4 430
TB2101G6 430
TB2221 426
TB2320 426
TB2321 426
TB2330 426
TB2331 426
TB2430 426
TB4512 427
TB4522 427
TB8070 453
TB8071 453
TB8072 453
TB8073 453
TB8074 453
TB8075 453
TB9031 453
TB9897 434
TB47808 412
TB47810 412
TC1 213
TC2 213
TC3 213
TC4 213
TC5 213
TC6 213
TC7 213
TC8 213
TC9 213
TC10 213
TC11 213
TC12 213
TC13 213
TC14 213
TC15 213
TC16 213
TC17 213
TC19 213
TC20 210
TC21 210
TC22 210
TC23 210
TC24 210
TC25 210
TC26 210
TC27 210
TC28 210
TC29 210
TC30 210
TC31 210
TC40 211
TC41 211
TC42 211
TC43 211
TC44 210
TC45 210
TC46 210
TC47 210
TC48 210
TC49 210
TC50 210
TC51 210
TC52 210
TC53 210
TC54 210
TC55 210
TC56 210
TC66 211
TC68 211
TC70 211
TC72 211
TC74 211
TC76 211
TC78 211
TC80 211
TC82 211
TC90 211
TC91 211
TC92 211
TC93 211
TC99 209, 211
TC104 213
TC105 213
TC106 213
TC108 213
TC110 213
TC112 213
TC124 213
TC125 213
TC126 213
TC128 213
TC130 213
TC132 213
TC206 213
TC208 213
TC209 213
TC210 213
TC211 213
TC212 213
TC300 211
TC301 211
TC302 211
TC303 211
TC304 211
TC305 211
TC306 211
TC307 211
TC308 211
TC309 211
TC310 211
TC311 211
TC312 211
TC313 211
TC500 215
TC501 215
TC502 215
TC503 215
TC504 215
TC505 215
TC506 215
TC507 215
TC508 215
TC510 214
TC511 214
TC512 214
TC513 214
TC514 214
TC515 214
TC516 214
TC517 214
TC520 214
TC521 214
TC522 214
TC523 214
TC524 214
TC525 214
TC526 214
TC540 214
TC541 214
TC542 214
TC543 214
TC544 214
TC545 214
TC546 214
TC547 214
TC550 214
TC551 214
TC552 214
TC553 214
TC554 214
TC555 214
TC556 214
TC557 214
TC558 214
TC560 214
TC561 214
TC562 214
TC563 214
TC564 214
TC565 214
TC570 214
TC571 214
TC572 214
TC573 214
TC574 214
TC575 214
TC576 214
TC577 214
TC578 214
TC579 214
TC580 214
TC581 214
TC582 214
TC583 214
TC584 214
TC585 214
TC586 214
TC587 214
TC600 214
TC601 214
TC602 214
TC603 214
TC604 214
TC605 214
TC606 214
TC607 214
TC1001 215
TC1002 215
TC1003 215
TC1004 215
TC1005 215
TC1006 215
TC1007 215
TC1008 215
TC1010 215
TC1011 215
TC1012 215
TC1020 215
TC1021 215
TC1022 215
TC1023 215
TC1024 215
TC1025 215
TC1026 215
TC1027 215
TC1028 215
TC1029 215
TC1030 215
TC1031 215
TC1040 215
TC1050 207, 215
TC1051 207, 215
TCX20 212
TCX21 212
TCX22 212
TCX23 212
TCX24 212
TCX25 212
TCX26 212
TCX27 212
TCX28 212
TCX29 212
TCX30 212
TCX31 212
TCX40 212
TCX41 212
TCX42 212
TCX43 212
TCX50 212
TCX51 212
TCX52 212
TCX53 212
TCX54 212
TCX55 212
TCX56 212
TCX99 209, 212
TCX104 212
TCX105 212
TCX114 212
TCX116 212
TCX118 212
TCX120 212
TCX122 212
TFC01 298
TID515 466
TID515BIT 466
TK6400 453
TL106 482
TL125 169, 172, 477
TL130 33, 395
TL132 480
TL151 444
TL200 482
TL230 430
TL232 430
TL252 59
TL254 247
TL255 431
TL258 208
TL345 450
TL346 450
TL347 450
TL348 448
TL349 448
TL350 448
TL351 449
TL352 448
TL353 450
TL354 450
TL355 434
TL356 434
TL357 449
TL358 449
TL359 449
TL430 487
TL431 487
TL432 487
TL433 487
TL434 487
TL451 437
TL452 437
TL453 437
TL455 437
TL472 456
TL474 447
TL479 447
TL480 466
TL521 423
TL522 423
TL523 423
TL524 423
TL525 423
TL526 420
TL535 420
TL536 420
TL537 420
TL538 420
TL540 422
TL541 422
TL542 423
TL543 423
TL544 423
TL545 423
TL546 423
TL547 423
TL549 423
TL569 421
TL571 421
TL572 421
TL573 421
TL577 421
TL578 421
TL581 421
TL582 421
TL586 421
TL587 421
TL590 426
TL591 426
TL592 426
TL593 426
TL594 426
TL595 426
TL596 426
TL605 425
TL607 425
TL607A 425
TL608 425
TL608A 425
TL609 425
TL609A 425
TL615 411, 426
TL616 411, 426
TL622 425
TL622A 425
TL623 425
TL623A 425
TL624 425
TL624A 425
TL625 427
TL626 427
TL627 427
TL628 427
TL629 427
TL630 427
TL631 425
TL633 426
TL634 426
TL638 426
TL645 427
TL647 427
TL649 427
TL654 427
TL655 427
TL658 429
TL659 429
TL660 429
TL662 429
TL663 430
TL664 430
TL665 430
TL666 430

TL670 429
TL671 428
TL672 428
TL673 430
TL675 430
TL676 430
TL677 430
TL678 430
TL682 429
TL683 429
TL689 437
TL695 437
TL698 437
TL700 439
TL701 438
TL702 438
TL703 438
TL704 438
TL705 438
TL706 438
TL707 438
TL708 438
TL711 438
TL712 438
TL713 438
TL714 439
TL715 439
TL716 439
TL721 438
TL723 438
TL724 438
TL725 438
TL727 438
TL729 438
TL730 271
TL751 412
TL766 412
TL784 412
TL800 154
TL801 154
TL802 154
TL803 154
TL804 154
TL811 154
TL816 154
TL817 154
TL822 154
TL822-2 154
TL822-3 154
TL822-4 154
TL822-5 154
TL822-6 154
TL823 154
TL825 155
TL826 155
TL831 125
TL832 125
TL833 125
TL834 125
TL835 125
TL880 328
TL881 328
TL882A 258, 288
TL885 333-334, 336
TL887 242, 329
TL890 155
TL895 303
TL899 303
TL905 209
TL906 209
TL907 209
TL909 209
TL920 227, 303
TL921 333-334, 336
TL922 303
TL923 208
TL928 203, 208, 250
TL930 58
TL931 58
TL932 58
TL933 58
TL934 58
TL935 58
TL936 36, 58
TL940 58
TL952 394
TL955 395
TL956 398
TL961 474
TL961R 474
TL962 475
TL962F 475
TL965 475
TL965M 475
TL970 475
TL971 475
TL972 475
TL973 475
TL974 475
TL975 475
TL976 475
TL977 475
TL978 475
TL979 475
TL980 475
TL981 475
TL982 475
TL983 475
TL984 475
TL985 475
TL986 475
TL992 250
TL994 250
TL995 437
TL996 437
TL1000 246, 477
TL1000C 246, 477
TL1001 331
TL1008 444
TL1009 444
TL1100 447
TL1200 423
TL1300 479
TL1310 481
TL1320 481
TL2620 455
TL2630 455
TL2640 455
TL3860 461
TL3890 455
TL4050 455
TL4060 456
TL4060H 456
TL4100 440
TL4102 441
TL4104 441
TL7108 439
TL7112 412
TL7116 439
TL7120 401
TL7124 439
TL7132 439
TL7140 439
TL7170 439
TL7215 482
TL7225 473
TL7400 356, 473
TL7402 479
TL7403 477
TL7410 229
TL7600 395
TL7635 422, 479
TL7636 422, 479
TL8012 461, 487
TL8014 461, 487
TL8020 290
TL8021 290
TL8022 290
TL8038 461, 487
TL8050 452, 487
TL8100 155
TL8110 155
TL9000 473
TL9190 456
TL9190H 456
TL9240 208
TL9241 208
TL9290 456
TL9290H 456
TL9370 482
TL13109 448
TL13110 448
TL13111 448
TL13112 448
TL13113 448
TL13114 448
TL13160 448
TL13164 448
TL13168 448
TL13172 448
TL13176 448
TL13252 448
TL13254 448
TL13256 448
TL13352 448
TL13354 448
TL13356 448
TL13360 448
TL13364 448
TL13368 448
TL13372 448
TL13376 448
TL33009 448
TL33010 448
TL33015 448
TL33020 448
TL33025 448
TL33027 448
TL33030 448
TL33040 448
TLA341 58
TLD19 419
TLD25 419
TLD29 419
TM13 418
TM1208-6 461
TM1212 460
TM1213TX 460
TM1215MM 460
TM1407 461
TM1412 460
TM3807 461
TM3812 460
TM3814 460
TM3816 460
TM120020 457
TM120021 457
TM120022 457
TM120030 457
TM120036 457
TM120508 462
TM120509 462
TM120510 462
TM120511 462
TM120512 462
TM120513 462
TM120514 462
TM120515 462
TM120516 462
TM120517 462
TM120518 462
TM120519 462
TM120520 462
TM120521 462
TM120522 462
TM120523 462
TM120524 462
TM120525 462
TM120526 462
TM120527 462
TM120528 462
TM120529 462
TM120530 462
TM120532 462
TM120610 463
TM120611 463
TM120612 463
TM120613 463
TM120614 463
TM120615 463
TM120616 463
TM120617 463
TM120618 463
TM120619 463
TM120620 463
TM120621 463
TM120622 463
TM120624 463
TM120627 463
TM120630 463
TM120632 463
TM120636 463
TM140020 457
TM140021 457
TM140022 457
TM140030 457
TM140036 457
TM140504 462
TM140505 462
TM1405055 462
TM140506 462
TM140507 462
TM140508 462
TM140509 462
TM140510 462
TM140511 462
TM140512 462
TM140513 462
TM140604 463
TM140605 463
TM1406055 463
TM140606 463
TM140607 463
TM140608 463
TM140609 463
TM140610 463
TM140611 463
TM140612 463
TM140613 463
TM380020 457
TM380021 457
TM380022 457
TM380030 457
TM380036 457
TM380040 461
TM380046 461
TM380507 462
TM380508 462
TM380509 462
TM380510 462
TM380511 462
TM380512 462
TM380513 462
TM380514 462
TM380515 462
TM380516 462
TM380517 462
TM380518 462
TM380519 462
TM380520 462
TM380521 462
TM380522 462
TM380607 463
TM380608 463
TM380609 463
TM380610 463
TM380611 463
TM380612 463
TM380613 463
TM380614 463
TM380615 463
TM380616 463
TM380617 463
TM380618 463
TM380619 463
TM380620 463
TM380621 463
TM380622 463
TMB416 436
TMB441-6 430
TMB442-8 430
TMB452-8 435
TMB461-8 435
TMB481-10 436
TMD691 445
TMD692 445
TMD912N 445
TMD920 445
TMD921 445
TMD922 445
TMD923 445
TMD928 445
TMD933 445
TMD934 445
TMD940 445
TMD941 445
TMD948 445
TMD952 445
TMD953 445
TMD960 445
TMD961 445
TMD972 445
TMD973 445
TN106KM 441
TN200 424
TN250 424
TN4101KM 441
TN7001K 441
TN7014K 441
TN9425 481
TN60000 477
TN60003 477
TN60150 439
TN61350 440
TN61355 440
TNA4LN 434
TNA4WR 434
TNA5WR 434
TNA6LN 434
TNA6R 434
TNA7R 434
TNA7WR 434
TNA9LN 434
TNA9R 434
TNA10R 434
TNA10WR 434
TNA11R 434
TNAV5M 424
TNAV10 424
TNAV12 424
TNAV14 424
TNAV18 424
TNAV19 424
TNAV20 424
TNAV24 424
TNAV28 424
TNAV32 424
TNAV36 424
TNAV40 424
TNAV44 424
TNAV48 424
TNAV64 424
TNAV125 424
TNAV155 424
TNAV315 424
TNAVP2 424
TNB2TM 481
TNB12592 450
TNB12595 450
TNB12632 450
TNB12634 450
TNB20199 451
TNB69499 451
TNB69699 451
TNBZ1 446
TNBZ2 446
TNBZ3 446
TNC1/135 436
TNC1/175 436
TNC1/220 436
TNC1/310 436
TNC2/165 436
TNC2/200 436
TNC3/135 436
TNC3/175 436
TNC3/220 436
TNC3/310 436
TNC4/165 436
TNC4/200 436
TNE3 59, 430
TNFG135 437
TNH25C 481
TNH160 209
TNH170 481
TNH251 478
TNH253 478
TNH255 478
TNH259 478
TNH266C 401, 412
TNH276 478
TNH277 478
TNH278 478
TNH297 478
TNH310 472
TNH311 472
TNH315 472
TNH316 472
TNH320 472
TNH321 472
TNH324 472
TNH325 472
TNH326 472
TNH326-1 472
TNH326-3 472
TNH330 472
TNH521C 436
TNH650 476
TNH765 474
TNH770 479
TNH826 474
TNH900 473
TNH52230 428
TNKBD3 440
TNM24K 424
TNM34 424
TNM45P 424
TNP1/180 435
TNP1/205 435
TNP2/170 435
TNP2/205 435
TNP4/160 431
TNP4/180 431

TNP5/150 431
TNP5/180 431
TNP5/200 431
TNP5/240 431
TNP6/200 431
TNP9/300 436
TNP9/400 436
TNR1/180 435
TNR1/205 435
TNR2/205 435
TNR4/160 431
TNR6/180 60, 431
TNR7/210 59, 431
TNR8/200 60, 435
TNR9/200 59, 431
TNR255 431
TNS120 60, 444
TNS130 60, 444
TNS140 60, 444
TNS150 60, 444
TNS200 60, 444
TNS210 60, 444
TNS220 60, 444
TNS300 60, 444
TNS310 60, 444
TNS320 60, 444
TNS500 60, 444
TNS700 60, 444
TNV1/180 59, 432
TNV1/205 59, 432
TNV2/205 59, 432
TNV4/160 59, 432
TNV5/190 59, 432
TNV6/180 60, 432
TNV8/200 60, 432
TNV9/200 59, 432
TNY1 428
TNY2 428
TNY3 428
TNY119 428
TNYP114 428
TPB16 439
TQ1/250 436
TQ1/300 436
TSD501 481
TT20 271
TT21 271
TT22 271
TT27 271
TT31 271
TT33 271
TT35 271
TT38 271
TT43 270
TT44 270
TT120 271
TT122 271
TT124 271
TT1221 459
TT1424 458
TT1436 458
TT3834 458
TT3839 458
TTC-MAG 488
TTC-MAT 488
TTF22 209
TTF30 209
TTM029 447
TTT01 488
TTT1236 452
TTT440 435
TTT474-7 437
TTT804 473
TTT917N 445
TTT917TXN 445
TTT6508R 454
TTTHEX7 449
TTTTD17 422
TTTTX7 449
TTTVG05 434
TTTX2032 452
TTTXEXT13 457
TTTXPB3 439
TTTXPB3A 440
TUB2 217
TUB3 217
TUB4 217
TUB5 217
TUB11 217
TUB12 217, 269
TUB13 217
TUB14 217
TUB21 217
TUB42 217
TUB44 217
TUB45 216
TUB46 216
TUB47 216
TUB48 216
TUB50 217
TUB51 217
TUB52 217
TUB53 217
TUB54 217
TUB56 217
TUB60 218, 354
TUB69 216
TUB70 216
TUB71 216
TUB72 216
TUB73 216
TUB74 216
TUB75 216
TUB81 216
TUB82 216
TUB83 216
TUB99 216
TUB103 217
TUB104 217
TUB105 217
TUB106 217
TUB109 217
TUB110 217
TUB111 217
TUB112 217
TUS6 216
TUS9 216
TUS13 216
TUS16 216
TUS19 216
TUS22 216
TUS25 216
TUS28 216
TUS32 216
TUS35 216
TUS38 216
TUS41 216
TUS45 216
TUS48 216
TUS51 216
TUS57 216
TUS60 216
TUS906 216
TUS909 216
TUS9013 216
TUS9016 216
TUS9019 216
TUS9022 216
TUS9025 216
TUS9028 216
TUS9032 216
TUS9035 216
TUS9038 216
TUS9041 216
TUS9045 216
TUS9048 216
TUS9051 216
TUS9057 216
TUS9060 216
TW105 247
TW110 247
TW115 247
TW120 247
TW125 247
TW130 247
TW135 247
TW140 247
TW405 247
TW410 247
TW415 247
TW420 247
TW425 247
TW430 247
TW435 247
TW440 247
TW500 247
TW560 247
TW600 247
TY100 239
TY101 238
TY102 238
TY103 238
TY104 238
TY105 238
TY106 238
TY111 238
TY112 238
TY113 238
TY114 238
TY115 238
TY116 238
TY117 238
TY118 238
TY120 243
TY121 242
TY122 242
TY123 242
TY125 243
TY126 242
TY126B 242
TY127 242
TY127B 242
TY130 239
TY131 239
TY132 239
TY133 239
TY136 239
TY136B 239
TY137 239
TY138 239
TY139 239
TY143 238
TY144 238
TY145 238
TY146 238
TY150 242
TY151 242
TY152 242
TY153 242
TY160 241
TY161 239
TY162 241
TY163 241
TY164 240
TY165 240
TY166 240
TY167 240
TY168 240
TY169 244
TY170 247
TY172 244
TY173 245
TY174 248, 470
TY175 244
TY176 244
TY177 244
TY178 244
TY179 244
TY180 244
TY190 239
TY191 239
TY192 240
TY193 240
TY194 240
TY195 240
TY196 240
TY197 240
TY220 243
TY221 243
TY222 243
TY223 243
TY224 243
TY225 243
TY240 243
TY241 243
TY242 243
TY245 243
TY246 243
TY247 243
TY250 244
TY251 243
TY252 243
TY253 243
TY254 243
TY255 243
TY256 242
TY257 242
TY258 243
TY259 242
TY260 243
TY261 243
TY262 243
TY263 243
TY264 243
TY266 243
TY267 242
TY290 244
TY291 244
TY292 244
TY300 241
TY301 241
TY302 241
TY303 241
TY310 241
TY330 241
TY331 241
TY332 241
TY340 242
TY364 238
TY366 238
TY368 238
TY370 238
TY371 238
TY372 238
TY373 238
TY374 238
TY375 238
TY376 238
TY377 238
TY402 245
TY403 245
TY404 245
TY405 245
TY412 245
TY413 245
TY414 245
TY415 245
TY417 246
TY417C 246
TY417R 246
TY418 246
TY418C 246
TY419 246
TY419C 246
TY419R 246
TY421 246
TY421C 246
TY421R 246
TY422 246
TY422C 246
TY423 246
TY424 246
TY424C 246
TY424R 246
TY425 246
TY426 246
TY426C 246
TY426R 246
TY427 246
TY427C 246
TY427R 246
TY428 246
TY428R 246
TY429 246
TY429C 246
TY429R 246
TY430 246
TY430C 246
TY430R 246
TY431 246
TY432 246
TY432C 246
TY432R 246
TY433 246
TY433C 246
TY433R 246
TY434 246
TY436 246
TY438 246
TY438R 246
TY441 246
TY441R 246
TY524 246
TY527 246
TY530 246
TY530R 246
TY532 246
TY532R 246
TY533 246
TY533R 246
TY601 245
TY602 245
TY1000 249, 471
TY1001 249, 471
TY1002 249, 471
TY1003 249, 471
TY1004 249, 471
TY1005 249, 471
TY1006 249, 471
TY1011 248, 470
TY1014 248, 470
TY1020 248, 470
TY1100 248, 470
TY1101 248, 470
TY1200 245
TY1201 245

V

VAC2 351
VAC3 352
VAC4 351
VAC5 352
VAC6 351
VAC7 352
VAC8 351
VAC9 351
VAC11 351
VAC12 352
VAC13 351
VAC14 351
VAC15 352
VAC16 351
VAC17 352
VAC18 351
VAC19 352
VAC20 351
VAC21 352
VAC23 352
VAC24 352
VAC30 352
VAC32 352
VAC33 353
VAC34 353
VAC42 353
VAC50 351
VAC51 351
VAC52 353
VAC53 353
VAC62 353
VAC63 353
VAC64 353
VAC70 351
VAC71 351
VAC72 353
VAC73 353
VAC100 354
VC51 398
VC99 355
VC115 284, 306
VC115A 284, 306
VC116 284, 306
VC117 284, 306
VC121 345
VC122 345
VC124 345
VC125 345
VC126 345
VC127 345
VC131 299
VC132 299
VC140 307-308
VC145 308
VC151 288
VC152 288
VC153 288
VC161 311
VC162 311
VC163 311
VC165 289
VC171 304
VC179 304
VC180 304
VC181 304
VC181A 304
VC182 304
VC184 304
VC187 304
VC188 304
VC189 304
VC191 226
VC199 285, 306
VC203B 334
VC203BB 334
VC203W 334
VC203WB 334
VC204 334
VC205 334
VC211 336
VC212 336
VC215 336
VC216 336
VC224 332

VC230N 288
VC234 311
VC235 311
VC237 311
VC241 332
VC247 334
VC336 328
VC337 328
VC380 328
VC380A 328
VC391 328
VC392 328
VC393 328
VC394 328
VC395 328
VC400 321
VC401 141, 321
VC402 320
VC403 320
VC404 320
VC405 320
VC406 320
VC408 320
VC410 316
VC411 320
VC412 320
VC415 38
VC430 239
VC431 239
VC432 239
VC433 239
VC441 321
VC442 321
VC470 315
VC471 315
VC480 315
VC481 315
VC482 315
VC483 315
VC484 315
VC485 315
VC486 315
VC506 339
VC507 339
VC508 347
VC509 347
VC511 347
VC512 347
VC519 345
VC524 347
VC526 347
VC529 347
VC530 344
VC534 344
VC535 338
VC537 347
VC538 347
VC539 374
VC540 374
VC541 374
VC542 374
VC553 374
VC554 374
VC555 374
VC556 374
VC559 347
VC563 374
VC564 374
VC565 374
VC576 374
VC577 374
VC578 374
VC579 374
VC590 374
VC591 374
VC592 374
VC593 374
VC594 374
VC595 374
VC596 374
VC600 374
VC601 374
VC603 374
VC619 374
VC620 374
VC621 374
VC622 374
VC626 374
VC627 374
VC628 374
VC629 374
VC660 296
VC663 296
VC667 348
VC668 348
VC669 348
VC670 360
VC670B 360
VC671 361
VC671B 361
VC672 360
VC673 361
VC678 360
VC678B 360
VC679 360
VC680 360
VC681 361
VC682 360
VC683 361
VC684 361
VC685 361
VC686 360
VC687 361
VC705 339
VC706 339
VC715 339
VC750 285
VC751 285
VC752 285
VC760 317
VC842 374
VC843 374
VC844 374
VC845 374
VC882 374
VC883 374
VC884 374
VC885 374
VC886 374
VC887 374
VC889 374
VC901 326
VC902 326
VC906 324
VC910 324
VC911 324
VC928 324
VC929 324
VC933 324
VC934 324
VC935 324
VC940 332
VC941 326
VC942 326
VC945 335
VC951 332
VC952 332
VC955 311
VC971 326
VC972 326
VC991 329
VC994 331
VC995 331
VC2010 344
VC2020 344
VC2421 344
VC2440 344
VG1 398
VG2 398
VIP10B 335
VIP10B/10 335
VIP10C 335
VIP10C/10 335
VIP10G 335
VIP10G/10 335
VIP10W 335
VIP10W/10 335
VIP13B 335
VIP13BB 335
VIP21B 329
VIP25C 329
VIP33 335
VIP35 329
VIP37 242, 329
VIP45DG 312
VIP45G 312
VIP45W 312
VIP52 329
VT1 398

W

WAF104 406
WAF106 406
WAF108 406
WAF114 406
WAF116 406
WAF118 406
WAF216 403
WAF218 403
WAF226 403
WAF228 403
WAF424 403
WAF426 403
WAF428 403
WAF434 403
WAF436 403
WAF438 403
WAF524 403
WAF526 403
WAF528 403
WAF624 403
WAF626 403
WAF628 403
WAF854 403
WAF856 403
WAF858 403
WAP1 402
WAP2 402
WAP3 402
WAP4 402
WAP5 402
WAP6 402
WAP7 402
WAP120 402
WAP240 402
WAP360 402
WAP800 402
WB1 401
WB1A 401
WB3 349
WB4 349
WB5 349
WB6 349-350
WB6L 349-350
WB7L 349
WB8 349
WB9 349
WB10 401
WB10A 401
WB11 350
WB12 350
WB14 349
WB15 349
WB19 401
WB19A 401
WB20 296
WB21 399
WB22 399
WB23 399
WB26 399
WB28 399
WB30 401
WB31 401
WB40 347
WB41 347
WB42 347
WB43 347
WB49 400
WB50 400
WB51 400
WB54 400
WB55 400
WB56 400
WB57 400
WB59 400
WB60 400
WB61 400
WB62 400
WB64 400
WB65 400
WB66 400
WB67 400
WB68 400
WB69 400
WB70 400
WB71 348
WB72 349
WB73 348
WB75 349
WB76 350
WB77 350
WB78 350
WB79 350
WB80 350
WB81 350
WB90 296
WB90H 296
WB91 296
WB93 296
WB96 296
WB107 405
WB112 350, 361
WB113 348
WB210 399
WB220 399
WB304 405
WB608 405
WB612 405
WB812 405
WB3045 405
WBS1 401
WBS3 401
WC1 297, 348
WC3 297, 348
WC5 407
WC10 297
WC11 297
WC12 297
WC13 297, 348
WC14 297
WC15 297
WC16 297
WC17 297
WC18 297
WC19 297
WCD23 408
WCD24 408
WCD26 408
WCD31 399
WCD32 399
WCD33 399
WCD34 399
WCD50 408
WCD51 409
WCD52 409
WCD61 410
WCD61B 410
WCD62 411
WCD62B 411
WCD63 410
WCD63B 410
WCD64 411
WCD64B 411
WCD65 410
WCD66 411
WCD67 410
WCD68 411
WCD69 410
WCD69B 410
WCD70 411
WCD71 409
WCD73 409
WCD79 409
WCD81 409
WCD81B 409
WCD83 409
WCD145/25 408
WCD345/25 410
WCP25 393
WCP50 393
WCS25 393
WCS50 393
WER1 402
WER2 402
WER3 402
WER4 402
WER5 402
WER6 402
WER7 402
WER10 402
WER25 402
WER30 402
WER31 402
WER40 402
WER60 402
WER80 402
WER150 402
WES1 402
WES2 402
WES3 402
WES21 402
WES31 402
WGD645/25 411
WIP4 269
WIP5 269
WIPG13 268
WIPG14 268
WIPG15 268
WIPG16 268
WIPG17 268
WIPG18 268
WIPG19 268
WIPG20 268
WIPG21 268
WIPG22 268
WIPG23 268
WIPG24 268
WIPG25 268
WIPG26 268
WIPG28 268
WIPG30 268
WIPG32 268
WPP1 402
WPP2 402
WPP3 402
WQD51 405
WQD76 405
WQD103 405
WQD106 405
WQD108 405
WQD112 405
WQD113 405
WQD116 405
WQD118 405
WQD122 405
WQD123 405
WQD126 405
WQD128 405
WQD132 405
WQD133 405
WQD136 405
WQD138 405
WQD142 405
WQD150 405
WQD151 405
WQD152 405
WQD160 405
WQD161 405
WQD162 405
WQD170 405
WQD171 405
WR1 391
WR2 391
WR3 391
WR11 391
WR12 391
WR13 391
WR41 391
WR42 391
WR43 391
WR44 391
WR51 391
WR52 391
WR53 391
WR54 391
WR73 392
WR74 392
WR75 392
WR76 392
WR82 391
WR83 391
WRF3 391, 393
WS1 380
WS3 378
WS4 390
WS5 380
WS6 376
WS7 376
WS8 377, 390
WS9 392
WS10 392
WS11 392
WS12 393
WS13 392
WS13A 392
WS14 392
WS14A 392
WS15 383
WS16 390
WS17 378
WS18 378
WS18C 378
WS18S 378
WS19 398
WS20 383
WS21 347
WS22 390
WS22C 390
WS22CA 390
WS22S 390
WS22SA 390
WS23 378

WS24 377
WS27 380
WS28 380
WS29 347
WS35 377
WS36 390
WS37 390
WS40 376
WS41 377
WS42 376
WS43 377
WS44 377
WS45 376
WS46 376
WS48 375
WS49 375
WS50 381
WS51 381
WS53 392
WS54 393
WS55 393
WS60 393
WS61 393
WS62 393
WS63 393
WS64 393
WS65 393
WS66 393
WS67 393
WS68 393
WS70 392
WS72 392
WS74 392
WS76 362
WS77 362
WS78 363
WS84 392
WS85 392
WS86 392
WS89 392
WS90 392
WS91 392
WS92 392
WS95 380
WS101 362
WS105 362
WS110 362
WS120 346
WS140 346
WS160 362
WS165 362
WS170 363
WS200 363
WS200R 363
WS302 375
WS303 375
WS304 375
WS305 375
WS306 375
WS307 375
WS308 375
WS309 375
WS311 375
WS320 376
WS321 376
WS322 376
WS325 376
WS326 376
WS420 377
WS400 384
WS401 384
WS402 384
WS403 377
WS404 383
WS407 383
WS408 383
WS409 383
WS412 380
WS415 381
WS416 381
WS417W 377
WS417Y 377
WS418 385
WS419 385
WS450M 385
WS450L 385
WS450XL 385
WS451M 385
WS451L 385
WS451XL 385
WS452L 384
WS452XL 384
WS453M 384
WS453L 384
WS453XL 384
WS454L 384
WS454XL 384
WS455L 385
WS455XL 385
WS457L 385
WS457XL 385
WS458L 384
WS458M 384
WS458XL 384
WS459L 384
WS459XL 384
WS470 388
WS471 388
WS472 388
WS473 388
WS474 388
WS475 388
WS476 388
WS477 388
WS478 388
WS500 391
WS501 391
WS502 391
WS503 391
WS510 375
WS511 375
WS512 375
WS513 375
WS514 375
WS515 375
WS516 375
WS517 375
WS1491 378
WS1494 379
WS1495 379
WS1496 379
WS1497 379
WS1498 378
WS1500 378, 390
WS1505 378
WS1506 378
WS1508 378
WS1511 378, 390
WS1514 379
WS1515 379
WS1516 378
WS1517 378
WS1522 379
WS1550 379
WS55008 386
WS55009 386
WS55010 386
WS55104 387
WS55105 387
WS55106 387
WS55107 387
WS55108 387
WS55204 387
WS55205 387
WS55206 387
WS55207 387
WS55208 387
WS55308 386
WS55309 386
WS55310 386
WS55408 386
WS55409 386
WS55410 386
WS55508 387
WS55509 387
WS55510 387
WS55608 387
WS55609 387
WS55610 387
WS55708 386
WS55709 386
WS55710 386
WS55808 386
WS55809 386
WS55810 386
WS55908 386
WS55909 386
WS55910 386
WS56008 386
WS56009 386
WS56010 386
WSB31 403
WSB32 403
WSB33 403
WSB51 403
WSB52 403
WSB53 403
WSD1 404
WSD2 404
WSD3 404
WSD7 404
WSD8 404
WSD9 404
WSD31 404
WSD32 404
WSD33 404
WSD34 404
WSD35 404
WSD36 404
WSD41 404
WSD42 404
WSD43 404
WSD44 404
WSD51 404
WSD52 404
WSD60 404
WSD61 404
WSD62 404
WSD63 404
WSD64 404
WSD65 404
WSD70 404
WSD71 404
WSD72 404
WSD73 404
WSD74 404
WSD81 404
WSD91 404
WSD100 403
WSD101 403
WSD102 403
WSD103 403
WSD110 407
WSD111 407

Y

YAS4 503
YAS23 503
YAS33 503
YBAT25 501
YBAT32 501
YBN11 504
YBN13 504
YBN46 504
YBR6 504
YBR7 504
YCHART1 161, 173, 200
YDR18 504
YDR316 504
YDRM3.3 504
YDRM4 504
YDRM5 504
YDRM6 504
YEAC106 501
YEAC108 501
YEAC110 501
YEAC406 501
YECT81 501
YECT82 501
YECT83 501
YECT84 501
YECT87 501
YECTG57 501
YEFD13 501
YEFDM1 501
YEFH140 501
YEFH150 501
YEFX10 501
YEFX15 501
YEFX20 501
YEFX110 501
YEFX115 501
YEFX120 501
YEFXM1 501
YEFXM2 501
YEPT1 501
YESL52 501
YET7 500
YET9 500
YET10 500
YET15 500
YET16 500
YET18 500
YET19 500
YET22 500
YET23 500
YET25 500
YET26 500
YET27 500
YET28 500
YET29 500
YET30 500
YET33 500
YET34 500
YET36 500
YET37 500
YET72 500
YET73 500
YET74 500
YET91 500
YET92 500
YET93 500
YFIX20 503
YFIX21 503
YFIX29 503
YFIX31 503
YFIX39 503
YFIX500 498
YFIX501 498
YFIX502 498
YFIX503 498
YFIX504 498
YFIX505 498
YFIX506 498
YFIX507 498
YFIX508 498
YFIX509 498
YFIX510 498
YFIX511 498
YFIX512 498
YFIX513 498
YFIX514 498
YFIX515 498
YFIX516 498
YFIX517 498
YFIX518 499
YFIX519 499
YFIX520 499
YFIX521 499
YFIX522 499
YFIX523 499
YFIX524 499
YFIX525 499
YFIX526 499
YFIX527 499
YFIX528 499
YFIX529 499
YFIX530 499
YFIX531 499
YFIX532 499
YFIX533 499
YFIX534 499
YFIX535 499
YHCA11 504
YHCA12 504
YHCA13 504
YHFW13 502
YHFW14 502
YHFW15 502
YHNN21 502
YHNN22 502
YHNN23 502
YHRW2 502
YHRW3 502
YHRW15 502
YHSN22 502
YHSN24 502
YHSN25 502
YHSN56 502
YHSN58 502
YHSN60 502
YHSP8 504
YHSP9 504
YHSS44 502
YHSS46 502
YHSS50 502
YHSS52 502
YHSS53 502
YHSS55 502
YHTK10/4 503
YHTK10/6 503
YHTK6/4 503
YHTK8/6 503
YHUC3 503
YHUC5 503
YJCS0 504
YJCS0X 504
YJCSM00 504
YKIT2 496
YLP1 504
YNP3 503
YNP4 503
YNP6 503
YNP19 503
YNP33 503
YNP34 503
YNP35 503
YNPM1 503
YNPM2 503
YPR107 503
YPRB11 503
YPRB21 503
YSTAND1 496
YTL662 504
YTY120 504

© Copyright 2021.
Every effort has been made to ensure all the information in this catalogue is correct prior to printing.
We reserve the right to alter any information without prior notice. E. & O. E.

Notes



Millimeter/Inch Conversion Chart

mm to inch conversions are to the nearest 1/32" or 1/64"
iinch to mm conversions are correct to one decimal place

mm	inch
1	3/64
2	5/64
3	1/8
4	5/32
5	13/64
6	15/64
7	9/32
8	5/16
9	23/64
10	25/64
11	7/16
12	15/32
13	1/2
14	9/16
15	19/32
16	5/8
17	21/32
18	23/32
19	3/4
20	25/32
21	27/32
22	7/8
23	29/32
24	15/16
25	31/32
26	1 1/32
27	1 1/16
28	1 3/32
29	1 1/8
30	1 3/16
31	1 7/32
32	1 1/4
33	1 5/16
34	1 11/32
35	1 3/8
36	1 13/32
37	1 7/16
38	1 1/2

mm	inch
39	1 17/32
40	1 9/16
41	1 5/8
42	1 21/32
43	1 11/16
44	1 3/4
45	1 25/32
46	1 13/16
47	1 27/32
48	1 7/8
49	1 15/16
50	1 31/32
51	2
52	2 1/16
53	2 3/32
54	2 1/8
55	2 5/32
56	2 3/16
57	2 1/4
58	2 9/32
59	2 5/16
60	2 3/8
61	2 13/32
62	2 7/16
63	2 15/32
64	2 1/2
65	2 9/16
66	2 19/32
67	2 5/8
68	2 11/16
69	2 23/32
70	2 3/4
71	2 13/16
72	2 27/32
73	2 7/8
74	2 29/32
75	2 15/16
76	3

inch	mm
3/64	1.2
1/16	1.6
5/64	2.0
3/32	2.4
7/64	2.8
1/8	3.2
9/64	3.6
5/32	4.0
11/64	4.4
3/16	4.8
13/64	5.2
7/32	5.6
15/64	6.0
1/4	6.4
17/64	6.7
9/32	7.1
19/64	7.5
5/16	7.9
21/64	8.3
11/32	8.7
23/64	9.1
3/8	9.5
25/64	9.9
13/32	10.3
27/64	10.7
7/16	11.1
29/64	11.5
15/32	11.9
31/64	12.3
1/2	12.7
17/32	13.5
9/16	14.3
19/32	15.1
5/8	15.9
21/32	16.7
11/16	17.5
23/32	18.3
3/4	19.1
25/32	19.8
13/16	20.6
27/32	21.4
7/8	22.2
29/32	23.0
15/16	23.8
31/32	24.6
1	25.4
1 1/32	26.2
1 1/16	27.0
1 3/32	27.8

inch	mm
1 1/8	28.6
1 3/16	30.2
1 7/32	31.0
1 1/4	31.8
1 5/16	33.3
1 11/32	34.1
1 3/8	34.9
1 13/32	35.7
1 7/16	36.5
1 1/2	38.1
1 17/32	38.9
1 9/16	39.7
1 5/8	41.3
1 21/32	42.1
1 11/16	42.9
1 3/4	44.5
1 25/32	45.2
1 13/16	46.0
1 27/32	46.8
1 7/8	47.6
1 15/16	49.2
1 31/32	50.0
2	50.8
2 1/16	52.4
2 3/32	53.2
2 1/8	54.0
2 5/32	54.8
2 3/16	55.6
2 1/4	57.2
2 9/32	57.9
2 5/16	58.7
2 3/8	60.3
2 13/32	61.1
2 7/16	61.9
2 15/32	62.7
2 1/2	63.5
2 9/16	65.1
2 19/32	65.9
2 5/8	66.7
2 11/16	68.3
2 23/32	69.1
2 3/4	69.9
2 13/16	71.4
2 27/32	72.2
2 7/8	73.0
2 29/32	73.8
2 15/16	74.6
3	76.2

TCL

WORKSHOP CONSUMABLES